MOEN®

WATER TRANSFORMS

THE FLOW OF LIFE

Contents

INNOVATION AND STYLE

41 U by Moen™ Smart Kitchen Faucets
44 Flo by Moen™
69 Moen® Spring Kitchen Faucets
NEW! 71 KURV™ Kitchen Faucet Collection
NEW! 129 Cia™ Bathroom Faucet with MotionSense Wave™
NEW! 131 Cia™ Bathroom Faucet in Brushed Gold
362 M-CORE™ Common Valve System

SUGGESTED LIST PRICES

4 Wholesale
36 Bulk
574 Moen Genuine Parts
709 Commercial

MOEN® NETWORK

41 U by Moen™ Smart Kitchen Faucets
43 U by Moen™ Smart Shower Options
44 Flo by Moen™

HANDS-FREE KITCHEN

U by Moen™ Smart Faucets

50 Nio™
51 STō®
51 Weymouth®
51 Paterson™
52 Sinema™
52 Align®
52 KURV™
53 Brantford®
53 Arbor®
53 Sleek™

Styles with MotionSense™

54 Belfield™
54 STō®
54 Align®
54 Brantford®
55 Arbor®

Styles with MotionSense Wave™

55 Align®
NEW! 56 KURV™
56 Brantford®
56 Arbor®
57 Sleek™
57 Belfield™

KITCHEN AND BAR COLLECTIONS

Premium Kitchen Collections

62 Waterhill®
63 Nio™
64 STō®
65 Weymouth®
66 Sinema™
67 Paterson™

Kitchen Collections

68 Align®
NEW! 71 KURV™
72 Brantford®
73 Genta™
73 Arbor®
74 Camerist®
75 Sleek™
77 Belfield™
79 Integra®
79 Method™
79 Chateau®
81 Torrance™
81 Banbury®

KITCHEN COMPLIMENTS

83 Premium Pot Fillers
84 Premium Bar/Prep Faucets
86 Bar/Prep Faucets
89 Laundry Faucets
NEW! 90 Premium Beverage and Filtering Faucets
93 Premium Soap/Lotion Dispensers
94 Soap/Lotion Dispensers, Air Gaps, Hose Management

KITCHEN SINKS

NEW! 99 Fireclay
100 Granite
102 1600™ Professional Series
103 1800™ Series
109 2000™ Series
112 Sink Accessories

DISPOSALS

120 EXL Series
120 GX Series
121 GT Series
122 GX Pro Series
123 Disposal Accessories

BATH AND SHOWER COLLECTIONS

Premium Bath Collections

134 Weymouth®
149 Arris®
162 Flara®
176 Colinet™
189 90°™
203 Via®
213 Doux™

Bath Collections

NEW! 224 Cia™
234 Wynford®
247 Align®
260 Voss™
276 Belfield™
289 Kingsley®
293 Rizon®
302 Dartmoor™
308 Glyde™
314 Vichy™
318 Brantford®
328 Eva®
338 Gibson™
345 Genta™
351 Chateau®

SPA AND CUSTOM SHOWER OPTIONS

364 U by Moen™ Showering
367 ExactTemp® ¾" Thermostatic Showering
NEW! 381 M-CORE™ 3-Series and 2-Series with Integrated Transfer Valve Showering
387 M-CORE™ Transfer Valve with Posi-Temp® Showering
NEW! 416 Nebia by Moen™ Shower Rail with M-CORE™ 3-Series and 2-Series Showering
417 Nebia by Moen™ Shower Rail with Posi-Temp® Showering
418 Annex™ Shower Rail with M-CORE™ 3-Series Showering
419 Annex™ Shower Rail with Posi-Temp® Showering
430 Posi-Temp® with Integrated Transfer Valve
435 Showerheads
446 Shower Arm and Flanges
449 Shower Rails
450 Handheld Showers
460 Showering Accessories
464 Body Sprays
465 Diverter Tub Spouts
469 Non-Diverter Tub Spouts
471 Drains

BATH ACCESSORIES

494 Pro-Fit® Installation System
499 SecureMount™ System
500 Coordinating Accessories
517 30" Towel Bars
518 Shower Rods and Rings
523 Moen® Lighting
529 Moen® Knobs and Pulls
532 Donner®
541 Bath Safety

MOEN GENUINE PARTS

557 Genuine Replacement Parts

BULK PACK PRODUCTS

609 Bulk Packs

COMMERCIAL

633 Faucets, Valves and Showers

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
2-100-5A	6.05	533	34584100108	50
2-100-5SS	32.70	533	34584100283	25
2-100-6A	7.55	533	34584100115	50
2-10155SS	12.25	533	34584100092	25
2-102-5BS	25.35	520	34584003539	25
2-102-5PS	24.15	520	34584003522	25
3C	1.55	534	34584100641	250
3CH	4.20	534	34584015945	200
3W	0.30	534	34584100658	250
52-5	10.30	532	34584484741	50
52-5-BN	35.70	532	34584011909	10
52-5-OWB	23.85	532	34584008244	10
52-5-SS	16.35	532	34584484857	10
52-6	11.70	532	34584484758	50
52-F	4.20	533	34584100603	200
54-5	7.35	532	34584484765	50
54-6	8.75	532	34584484789	50
54-F	1.25	533	34584100689	200
55-5	42.40	532	34584484871	50
55-F	9.75	533	34584100429	50
58-5	40.90	532	34584484895	50
58-F	8.20	533	34584100443	50
61-5-SS	13.65	532	34584484918	50
61-F	1.50	533	34584100610	200
63-5	10.20	532	34584484802	50
63-5-HD	36.75	532	34584484932	50
63-5-SS	16.25	532	34584484949	50
63-F	4.10	533	34584100627	200
65-F-BS	19.80	520	34584003553	25
65-F-PS	17.20	520	34584003546	25
208H2	198.45	455	26508324608	2
208H2SRN	213.85	455	26508325421	2
395	1466.05	248	26508298367	1
395BG	1979.20	248	26508298374	1
395BL	2177.05	248	26508298381	1
395BN	1979.20	248	26508298398	1
575	29.15	538	34584700230	20
588	3.45	538	34584701305	80
601	38.70	92	26508072158	12
615	1466.05	225	26508335895	1
615BG	1979.20	225	26508335901	1
615BL	2177.05	225	26508335918	1
615BN	1979.20	225	26508335925	1
655	1600.15	235	26508298404	1
655BN	2160.20	235	26508298411	1
655NL	2160.20	235	26508298428	1
655ORB	2376.25	235	26508298435	1
695	1600.15	262	26508280973	1
695BG	2160.20	262	26508290415	1
695BN	2160.20	262	26508280980	1
695NL	2160.20	262	26508290422	1
695ORB	2376.25	262	26508280997	1
902	1.55	536	34584711007	50
908	2.95	536	34584712004	100
910	2.75	536	34584719003	200
910A18	3.95	536	34584713001	24
910A24	4.40	536	34584714008	24
950	3.00	536	34584718006	200
1011	15.70	123	26508269176	6
1016	8.15	123	26508269183	12
1017	16.75	124	26508269190	50
1023	8.40	124	29122010230	24
1024	10.25	124	29122010247	24
1026	9.40	124	29122010261	6
1037	9.00	124	629122010850	6
1213	110.00	560	26508328057	12
1222HD	96.10	562	26508207604	18
1576SS	10.80	538	34584704504	40
1824	10.25	124	26508269206	10
2326PF	177.95	483	26508312339	6
2328PF	177.95	483	26508312346	6
2352	174.45	356	26508025659	12
2360PF	184.30	485	26508312353	3
2385PF	184.30	485	26508312360	3
2510	138.05	480	26508074541	6
2520	138.05	479	26508073001	6
2521	249.20	486	26508299999	6
2551	249.20	486	26508300008	6
2565CH	18.25	538	34584700131	36
2570	167.60	479	26508073018	6
2571	280.70	486	26508300015	6
2575	17.20	538	34584700162	36
2580	138.05	481	26508233566	6
2581	280.70	486	26508300022	6
2590	167.60	480	26508073025	6
2919EP	195.60	359	26508270783	6
2982EP	195.60	359	26508270790	6
2995EP	228.75	359	26508270806	6
3233EP	117.30	440	26508219430	12
3233EPBN	199.10	440	26508219447	12
3346	76.75	465	26508335819	6
3346BG	121.55	465	26508335826	6
3346BL	141.55	465	26508335833	0
3346BN	121.55	465	26508335840	6
3347	64.20	469	26508335857	6
3347BG	99.15	469	26508335864	6
3347BL	109.05	469	26508335871	6
3347BN	99.15	469	26508335888	6
3360	205.55	684	26508222768	6
3558EP	244.70	453	26508282274	6
3558EPBL	363.35	453	26508285442	6
3558EPBN	330.30	453	26508282281	6
3558EPORB	363.35	453	26508282298	6
3636EP	300.75	454	26508241677	6
3636EPBN	572.25	454	26508241684	6
3636EPORB	629.50	454	26508242773	6
3638	117.30	440	26508241691	12
3638BN	199.10	440	26508241707	12
3638EP	117.30	440	26508242131	12
3638EPBN	199.10	440	26508242148	12
3638ORB	219.10	440	26508242155	12
3662EP	212.90	456	26508279861	6
3662EPBL	363.10	456	26508324783	6
3662EPBN	288.60	456	26508279878	6
3662EPORB	363.10	456	26508279885	6
3667EP	310.85	451	26508242162	6
3667EPBN	614.65	451	26508242179	6
3667EPNL	614.65	451	26508301197	6
3667EPORB	676.05	451	26508242186	6
3668EP	260.25	453	26508242193	6
3668EPBN	376.65	453	26508242209	6
3668EPORB	413.95	453	26508242216	6
3669EP	310.85	451	26508242223	6
3669EPBL	676.05	451	26508290187	6
3669EPBN	614.65	451	26508242230	6
3669EPORB	676.05	451	26508242247	6
3670EP	348.20	450	26508300039	6
3670EPBL	555.35	450	26508300046	6
3670EPBN	504.95	450	26508300053	6
3671EP	348.20	450	26508300060	6
3671EPBL	555.35	450	26508300077	6
3671EPBN	504.95	450	26508300084	6
3737	86.15	466	26508265642	6
3737BL	137.60	466	26508337912	6
3737BN	125.05	466	26508265659	6
3737ORB	137.60	466	26508265666	6
3800	71.50	467	26508030639	12
3801	71.50	467	26508029473	12
3804	26.90	470	26508030707	12
3805	26.90	470	26508008614	12
3806	90.35	466	26508041680	12
3807	90.35	466	26508041710	12
3807BN	120.70	466	26508138434	12
3808	78.70	467	26508118252	12
3808BN	113.90	467	26508118283	12
3808ORB	131.05	467	26508113523	12
3808WR	125.35	467	26508118290	12
3809BN	109.10	466	26508131800	12
3814	88.40	466	26508251041	6
3814BN	128.25	466	26508251058	6
3814ORB	141.10	466	26508251065	6
3828	52.95	470	26508133736	12
3829	52.95	470	26508133743	12
3829BC	87.70	470	26508149393	12

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
3829BL	132.55	470	26508300091	12
3829BN	121.50	470	26508133804	12
3829ORB	133.65	470	26508134375	12
3830	63.40	467	26508133750	12
3839	61.60	467	26508239490	12
3839BL	98.25	467	26508294840	12
3839BN	89.35	467	26508260203	1
3853	63.00	467	26508070345	12
3853BN	130.70	467	26508164518	12
3853BRB	96.95	467	26508271858	12
3853ORB	143.75	467	26508164525	12
3853SRN	88.15	467	26508271865	12
3855	117.30	441	26508070376	12
3855EP	117.30	441	26508229972	12
3857	86.75	466	26508070406	6
3857BN	125.90	466	26508162453	6
3857ORB	138.50	466	26508162460	6
3858	77.85	469	26508162477	6
3858BN	113.05	469	26508162484	6
3858ORB	124.40	469	26508162491	6
3863EP	283.50	453	26508219539	6
3863EPBN	592.10	453	26508219546	6
3865EP	216.35	454	26508221495	6
3865EPBN	314.10	454	26508221501	6
3865EPORB	345.70	454	26508227619	6
3868EP	260.25	453	26508221532	6
3868EPBG	376.65	453	26508285176	6
3868EPBN	376.65	453	26508221549	6
3868EPORB	413.95	453	26508227633	6
3887EP	306.50	452	26508222157	6
3887EPBG	609.10	452	26508285183	6
3887EPBL	645.40	452	26508283509	6
3887EPBN	609.10	452	26508223239	6
3890	82.90	467	26508174746	12
3890BL	126.65	467	26508294857	12
3890BN	120.35	467	26508174753	12
3892	67.70	470	26508174760	12
3892BG	104.55	470	26508285602	6
3892BL	110.05	470	26508279427	6
3892BN	104.55	470	26508174777	12
3911	61.45	467	26508004258	12
3926	59.75	468	26508004272	12
3929BC	99.05	468	26508137284	12
3931	59.75	468	26508004289	12
3942	54.00	94	26508187586	6
3942BL	67.55	94	26508187890	6
3942SRS	72.75	94	26508234341	6
3944	52.95	94	26508187616	6
3944BL	70.50	94	26508289907	6
3944ORB	80.55	94	26508187937	6
3944SRS	72.75	94	26508234358	6
3959	59.80	470	26508004296	12
3960	61.45	467	26508004302	12
3988EP	288.70	452	26508282304	6
3988EPBN	573.65	452	26508282328	6
3988EPBRB	630.95	452	26508282335	6
3988EPORB	630.95	452	26508282342	6
3988EPSRN	573.65	452	26508282359	6
4500	304.20	234	26508253649	3
4500BN	453.05	234	26508253656	3
4500NL	453.05	234	26508255650	3
4500ORB	498.40	234	26508255667	3
4505	302.40	234	26508255674	3
4505BN	450.35	234	26508255681	3
4505NL	450.35	234	26508255698	3
4505ORB	495.35	234	26508255704	3
4507	450.35	234	26508255711	3
4507BN	658.35	234	26508255728	3
4507ORB	724.05	234	26508255742	3
4792	166.75	474	26508229583	6
4793	188.85	474	26508229590	6
4794	180.05	474	26508244050	6
4796	157.10	474	26508229606	6
4797	160.15	474	26508229613	6
4798	160.15	474	26508229620	6
4902	211.95	352	26508023204	6
4903	111.95	88	26508085325	12
4905	235.15	88	26508138748	3
4905ORB	339.00	88	26508164884	3
4905SRS	316.30	88	26508242902	3
4925	173.10	351	26508002360	12
4925BC	221.20	351	26508136737	12
4945	303.15	352	26508002537	6
4962	280.35	352	26508006009	6
4975	114.10	89	26508003206	12
5263	56.35	705	26508237212	12
5263CBN	102.85	705	26508237229	12
5263EP15	56.35	705	26508237236	12
5263EP15CBN	102.85	705	26508237243	12
5263EP17	56.35	705	26508237250	12
5263EP17CBN	102.85	705	26508237267	12
5303CH	7.20	513	34584823076	24
5308CH	14.30	513	34584823083	24
5318CH	18.65	513	34584823090	3
5324CH	19.95	513	34584823106	3
5386CH	10.05	513	34584823113	24
5520NC	12.50	537	34584741066	24
5571	23.30	537	34584115713	20
5577	41.75	537	34584700605	20
5802CH	5.15	514	34584220011	24
5808CH	12.50	514	34584220028	3
5818CH	14.70	514	34584220035	3
5824CH	15.55	514	34584220042	3
5886CH	9.85	514	34584220073	3
5923	540.30	69	26508267028	3
5923BG	778.65	69	26508329573	3
5923BL	723.05	69	26508282557	3
5923BLS	760.75	69	26508294505	3
5923EWBG	904.20	55	26508329580	3
5923EWBL	792.25	55	26508291054	3
5923EWBLS	837.50	55	26508294512	3
5923EWC	754.50	55	26508279007	3
5923EWSRS	904.20	55	26508279014	3
5923SRS	691.60	69	26508267035	3
5925	446.55	76	26508315316	3
5925BL	594.65	76	26508315323	3
5925BLS	630.40	76	26508315330	3
5925SRS	572.60	76	26508315347	3
5965	423.45	86	26508240007	3
5965BG	544.95	86	26508283851	3
5965BL	566.70	86	26508282564	3
5965BLS	644.20	86	26508294529	3
5965SRS	544.95	86	26508240014	3
5985	394.30	87	26508211748	3
5985ORB	544.05	87	26508211809	3
5985SRS	505.30	87	26508242926	3
5995	368.35	87	26508207291	3
5995BL	490.50	87	26508228395	3
5995ORB	493.50	87	26508209790	3
5995SRS	471.80	87	26508231968	3
6121	362.85	289	26508126745	3
6121BN	540.40	289	26508126769	3
6121ORB	594.55	289	26508131978	3
6121WR	594.55	289	26508126776	3
6126	414.00	86	26508335635	0
6126BL	637.55	86	26508335642	0
6126NL	476.10	86	26508336700	0
6126SRS	529.95	86	26508335659	0
6145	199.75	338	26508272060	3
6145BL	310.95	338	26508290170	3
6145BN	282.70	338	26508290064	3
6150	168.15	338	26508272077	3
6150BL	258.00	338	26508290071	3
6150BN	234.55	338	26508290088	3
6172	190.55	308	26508261163	3
6172BL	284.70	308	26508325506	3
6172BN	258.85	308	26508261170	3
6190	304.20	247	26508244913	3
6190BG	453.05	247	26508284674	3
6190BL	498.40	247	26508274989	3
6190BN	453.05	247	26508249567	3
6191	296.05	247	26508249598	3
6191BG	445.00	247	26508285930	3
6191BL	489.50	247	26508274996	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
6191BN	445.00	247	26508249604	3
6192	450.35	247	26508249611	3
6192BG	658.35	247	26508285947	3
6192BN	658.35	247	26508249628	3
6221	291.95	224	26508335932	2
6221BG	434.80	224	26508335949	2
6221BL	478.30	224	26508335956	2
6221BN	434.80	224	26508335963	2
6221EW	583.90	129	26508337790	0
6221EWBG	869.60	129	26508337806	0
6221EWBL	956.60	129	26508337813	0
6221EWBN	869.60	129	26508337820	0
6260	360.00	87	26508337530	3
6260BL	450.00	87	26508337547	3
6260ORB	506.87	87	26508337554	3
6260SRS	460.80	87	26508337561	3
6300	39.35	445	26508154724	12
6300BN	60.05	445	26508207574	12
6300EP	39.35	445	26508208557	12
6300EP15	39.35	445	26508241745	12
6300EPBC	46.00	445	26508208564	12
6300EPBN	60.05	445	26508208571	12
6302	101.45	441	26508142417	12
6302BN	158.40	441	26508142431	12
6302EP	101.45	441	26508208595	12
6302EP15	101.45	441	26508241752	12
6302EPBN	158.40	441	26508208625	12
6302EPORB	174.25	441	26508208632	12
6302ORB	174.25	441	26508142448	12
6302WR	174.25	441	26508142486	12
6303	56.10	444	26508153314	12
6303BN	85.95	444	26508153321	12
6303EP	56.10	444	26508208687	12
6303EPBN	85.95	444	26508208694	12
6303EPORB	94.55	444	26508208700	12
6303ORB	94.55	444	26508153338	12
6313	56.10	444	26508214862	12
6313BN	85.95	444	26508214879	12
6313ORB	94.55	444	26508214886	12
6322	100.25	442	26508239506	12
6322BL	165.55	442	26508290095	12
6322BN	157.45	442	26508260210	1
6322EP	100.25	442	26508239513	12
6322EPBL	165.55	442	26508290101	12
6322EPBN	157.45	442	26508260227	1
6325	100.25	442	26508230107	12
6325BG	156.50	442	26508285251	12
6325BN	156.50	442	26508230114	12
6325EP	100.25	442	26508230121	12
6325EPBG	156.50	442	26508285268	12
6325EPBN	156.50	442	26508230138	12
6325EPNL	156.50	442	26508301210	12
6325EPORB	172.30	442	26508230145	12
6325NL	156.50	442	26508301227	12
6325ORB	172.30	442	26508230152	12
6345	97.05	439	26508238554	3
6345BG	109.35	439	26508337837	3
6345BL	121.60	439	26508306000	3
6345BN	109.35	439	26508271469	3
6345EP	97.05	439	26508281857	3
6345EPBG	109.35	439	26508337844	3
6345EPBL	121.60	439	26508306017	3
6345EPBN	109.35	439	26508281864	3
6345EPORB	121.60	439	26508281871	3
6345ORB	121.60	439	26508271476	3
6370	60.55	443	26508266632	12
6370BL	101.95	443	26508325513	12
6370BN	92.70	443	26508266687	12
6370EP	60.55	443	26508281840	12
6370EPBL	102.05	443	26508325520	12
6370EPBN	92.70	443	26508281796	3
6371	60.55	443	26508266625	12
6371BL	102.05	443	26508342299	12
6371BN	92.70	443	26508266649	12
6371EP	60.55	443	26508281802	12
6371EPBL	102.05	443	26508342305	12
6371EPBN	92.70	443	26508281819	12
6371EPORB	102.05	443	26508281826	12
6371ORB	102.05	443	26508266670	12
6399	104.40	443	26508174722	12
6399BG	163.00	443	26508285954	12
6399BL	179.35	443	26508275009	12
6399BN	163.00	443	26508174739	12
6399EP	104.40	443	26508208762	12
6399EP15	104.40	443	26508274682	12
6399EP15BL	179.35	443	26508275016	12
6399EPBG	163.00	443	26508285961	12
6399EPBL	179.35	443	26508275023	12
6399EPBN	163.00	443	26508208779	12
6400	264.70	328	26508195369	3
6400BN	346.25	328	26508195376	3
6400ORB	381.00	328	26508195383	3
6401	310.95	276	26508275337	3
6401BN	435.25	276	26508275344	3
6401NL	435.25	276	26508301234	3
6401ORB	466.35	276	26508275351	3
6402	299.75	276	26508275153	3
6402BN	419.95	276	26508275160	3
6402NL	419.95	276	26508301241	3
6402ORB	449.80	276	26508275177	3
6410	190.55	328	26508153109	6
6410BN	258.85	328	26508153116	6
6410ORB	284.70	328	26508153123	6
6512EP	113.40	441	26508290408	12
6512EPBL	210.55	441	26508290392	12
6512EPBN	191.35	441	26508290385	12
6600	264.70	318	26508195390	3
6600BN	346.25	318	26508195406	3
6600ORB	381.00	318	26508195413	3
6610	190.55	318	26508162057	6
6610BN	258.85	318	26508160992	6
6610ORB	284.70	318	26508161005	6
6702	191.40	345	26508271186	3
6702BL	275.35	345	26508290118	3
6702BN	250.35	345	26508290125	3
6710	241.70	189	26508273074	3
6802	190.55	302	26508264386	3
6802BL	284.70	302	26508336977	3
6802BN	258.85	302	26508264393	3
6802ORB	284.70	302	26508264409	3
6900	304.20	293	26508235096	3
6900BL	498.40	293	26508301258	3
6900BN	453.05	293	26508258293	3
6901	290.20	260	26508230169	3
6901BG	432.20	260	26508284629	3
6901BN	432.20	260	26508230176	3
6901NL	432.20	260	26508301265	3
6901ORB	475.40	260	26508230183	3
6903	291.95	260	26508230190	3
6903BG	434.80	260	26508284636	3
6903BN	434.80	260	26508230206	3
6903NL	434.80	260	26508297582	3
6903ORB	478.30	260	26508230213	3
7050	113.80	81	26508274750	3
7050SRS	138.45	81	26508274767	3
7051	124.55	81	26508274774	3
7051SRS	145.85	81	26508274781	3
7081	145.90	81	26508274828	3
7081SRS	189.45	81	26508274835	3
7082	183.60	81	26508274842	3
7082SRS	238.35	81	26508274859	3
7165	437.65	70	26508240021	3
7165BL	585.65	70	26508317785	3
7165SRS	563.25	70	26508240038	3
7185C	429.95	72	26508211786	3
7185EC	774.80	54	26508242308	3
7185EORB	853.45	54	26508242315	3
7185ESRS	823.20	54	26508242322	3
7185EVC	671.45	53	26508303603	3
7185EVORB	733.95	53	26508303610	3
7185EVSRS	702.70	53	26508303627	3
7185EWC	562.10	56	26508292686	3
7185EWORB	623.90	56	26508292693	3
7185EWSRS	584.55	56	26508292709	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
7185ORB	592.20	72	26508211816	3
7185SRS	550.60	72	26508242940	3
7240BL	373.25	78	26508337578	3
7240C	298.60	78	26508259870	3
7240ORB	443.65	78	26508259887	3
7240SRS	403.30	78	26508259894	3
7245BL	434.15	78	26508337585	3
7245C	347.30	78	26508259900	3
7245ORB	515.80	78	26508259917	3
7245SRS	468.80	78	26508259924	3
7250BL	385.50	78	26508337592	3
7250C	282.40	78	26508259931	3
7250ORB	419.50	78	26508259948	3
7250SRS	381.25	78	26508259955	3
7255BL	413.40	78	26508337608	3
7255C	328.30	78	26508259962	3
7255ORB	487.60	78	26508259979	3
7255SRS	443.30	78	26508259986	3
7260	400.00	77	26508337615	2
7260BL	546.00	77	26508337622	2
7260EVBL	676.90	54	26508337639	3
7260EVC	661.55	54	26508337646	3
7260EVORB	723.10	77	26508337653	3
7260EVSRS	692.30	54	26508337660	3
7260EWBL	564.95	57	26508337677	3
7260EWC	553.80	57	26508337684	3
7260EWORB	614.70	57	26508337691	3
7260EWSRS	575.90	57	26508337707	3
7260ORB	563.20	77	26508337714	2
7260SRS	512.00	77	26508337721	2
7295C	390.15	73	26508267158	3
7295ORB	548.55	73	26508267172	3
7295SRS	522.40	73	26508267165	3
7365	385.10	70	26508251171	3
7365BL	515.35	70	26508317778	3
7365SRS	495.50	70	26508251188	3
7412	20.55	551	34584175373	6
7423	154.35	80	26508053157	6
7425	151.45	80	26508052938	6
7425SRS	174.85	80	26508274873	6
7430	190.60	79	26508052853	6
7430SRS	220.05	79	26508274880	6
7434	190.60	79	26508053034	6
7437	194.70	79	26508053126	6
7545C	390.15	74	26508138816	3
7545ORB	548.55	74	26508164907	3
7545SRS	522.40	74	26508242964	3
7565	471.80	70	26508240045	3
7565BG	607.20	70	26508283868	3
7565BL	631.40	70	26508274736	3
7565BLS	747.65	70	26508294536	3
7565EC	855.10	54	26508257944	3
7565ESRS	912.45	54	26508257951	3
7565EVBG	847.35	52	26508303634	3
7565EVBL	831.70	52	26508303641	3
7565EVBLS	878.80	52	26508303658	3
7565EVC	816.00	52	26508303665	3
7565EVSRS	847.35	52	26508303672	3
7565EWBG	745.30	55	26508303689	3
7565EWBL	728.20	55	26508303696	3
7565EWBLS	810.50	55	26508303702	3
7565EWC	737.30	55	2650834794	3
7565EWSRS	767.80	55	26508342800	3
7565SRS	607.20	70	26508240052	3
7585C	224.75	79	26508270318	3
7585SRS	301.15	79	26508270325	3
7594BL	546.40	74	26508228388	3
7594C	410.30	74	26508205037	3
7594EC	756.70	55	26508233863	3
7594EORB	837.75	55	26508233870	3
7594ESRS	799.00	55	26508233887	3
7594EVBL	693.80	53	26508303719	3
7594EVC	678.10	53	26508303726	3
7594EVORB	741.20	53	26508303733	3
7594EVSRS	709.60	53	26508303740	3
7594EWBL	579.05	56	26508289914	3
7594EWC	567.70	56	26508279021	3
7594EWORB	630.10	56	26508279038	3
7594EWSRS	590.35	56	26508279045	3
7594ORB	549.90	74	26508209806	3
7594SRS	525.55	74	26508231982	3
7664	328.30	87	26508316450	3
7664BL	437.20	87	26508316467	3
7664BLS	462.20	87	26508316474	3
7664ORB	462.20	87	26508316481	3
7664SRS	420.20	87	26508316498	3
7790	387.90	74	26508207581	3
7790SRS	499.65	74	26508231999	3
7825	200.65	75	26508138786	3
7825SRS	307.80	75	26508242988	3
7840	239.25	75	26508138847	3
7840SRS	350.90	75	26508243008	3
7864	364.75	76	26508278444	3
7864BL	485.75	76	26508278451	3
7864BLS	513.45	76	26508294543	3
7864EVBL	693.80	53	26508303757	3
7864EVBLS	741.20	53	26508303764	3
7864EVC	678.10	53	26508303771	3
7864EVSRS	709.60	53	26508303788	3
7864EWBL	579.05	57	26508289921	3
7864EWBLS	630.05	57	26508294550	3
7864EWC	567.70	57	26508279052	3
7864EWSRS	590.35	57	26508279069	3
7864ORB	513.60	76	26508316504	3
7864SRS	466.90	76	26508278468	3
7870	346.70	76	26508316511	3
7870BL	461.70	76	26508316528	3
7870SRS	443.85	76	26508316559	3
7871	401.25	76	26508316566	3
7871BL	534.35	76	26508316573	3
7871SRS	513.65	76	26508316603	3
7882	398.65	73	26508279311	3
7882BL	525.75	73	26508289938	3
7882SRS	505.80	73	26508279328	3
7906	143.80	80	26508003398	6
7907	180.90	80	26508030318	6
8103	182.95	653	26508162309	6
8106	247.00	653	26508162323	6
8113	271.05	446	26508162279	6
8116	335.10	653	26508162316	6
8119	317.75	651	26508162330	6
8121	257.80	651	26508025208	0
8124	269.30	652	26508026168	6
8125	195.65	650	26508026182	6
8126	318.60	651	26508162347	6
8137	256.55	650	26508185476	6
8138	305.40	650	26508199046	6
8161	155.15	650	26508227718	6
8198	67.95	652	26508140680	10
8199	49.50	652	26508140697	10
8210	209.90	642	26508153789	6
8210F05	209.90	642	26508235430	6
8210F12	209.90	642	26508266847	6
8210SMF05	209.90	642	26508258866	6
8210SMF12	209.90	642	26508266854	6
8215	232.75	642	26508161180	6
8215F03	232.75	643	26508235447	6
8215F05	232.75	643	26508235454	6
8215F12	232.75	643	26508266946	6
8215SMF12	232.75	643	26508266830	6
8216	237.10	642	26508014172	6
8218	230.25	642	26508155127	6
8219	258.60	643	26508167786	6
8220	328.75	640	26508015964	6
8220F05	328.75	640	26508235508	3
8223	364.85	640	26508155417	6
8224	357.85	640	26508155424	6
8225	341.35	646	26508162439	6
8225SM	341.35	646	26508238677	3
8225SMF15	341.35	646	26508238684	3
8226	263.75	647	26508155431	6
8227	320.60	647	26508162255	3
8228	349.50	641	26508161197	6
8228F05	349.50	641	26508235522	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
8228F12	349.50	641	26508266823	3
8229	284.60	646	26508162262	6
8230	218.45	652	26508172179	3
8232	316.10	652	26508199053	6
8239	385.60	641	26508015971	6
8242	367.70	647	26508185483	3
8244	388.40	647	26508185490	3
8248	334.30	646	26508181089	3
8248SM	334.30	646	26508238691	3
8248SMF12	334.30	646	26508267073	3
8270	249.65	446	26508154618	6
8272	261.75	644	26508154625	6
8273	214.65	644	26508181492	6
8274	201.25	644	26508155448	6
8276	224.10	645	26508167717	6
8277	227.10	651	26508199060	6
8278	263.05	645	26508167809	6
8278SM	263.05	645	26508238714	6
8278SMF12	263.05	645	26508267080	6
8279	284.65	645	26508167816	6
8279SM	279.90	645	26508238738	6
8279SMF12	279.90	645	26508267097	6
8280	252.80	648	26508154632	6
8285	273.55	648	26508161203	6
8287	315.10	648	26508162231	6
8289	335.75	648	26508162248	6
8290	126.35	705	26508154069	12
8290EP15	121.45	705	26508213360	12
8292	131.90	705	26508172186	12
8310	636.50	675	26508006412	3
8310AC16	636.50	675	26508167649	4
8310ACDF16	668.20	675	26508205969	4
8310BPW16	605.20	681	26508242261	2
8310BPW35	605.20	681	26508242254	3
8310BPWR	427.90	681	26508240151	3
8310DF16	668.20	675	26508205976	3
8310M128	198.30	680	26508236529	3
8310M16	198.30	680	26508236536	3
8310M35	198.30	680	26508236543	3
8310MR128	159.55	681	26508236550	6
8310MR16	159.55	681	26508239216	6
8310MR35	159.55	681	26508236567	6
8310R16	532.60	677	26508160329	3
8310RDF16	559.15	677	26508205983	3
8310S35	636.50	675	26508265123	3
8310SR128	532.60	677	26508265178	3
8310SR35	532.60	677	26508265192	3
8311	636.50	675	26508199077	3
8311AC12	636.50	675	26508199091	3
8312	636.50	675	26508152225	4
8312AC10	636.50	676	26508167656	4
8312M0125	198.30	680	26508236574	3
8312M05	198.30	680	26508236581	3
8312M10	198.30	680	26508236598	3
8312MR0125	159.55	681	26508236604	6
8312MR05	159.55	681	26508236611	6
8312MR10	159.55	681	26508236628	6
8312R10	532.60	677	26508160305	3
8312SR05	532.60	677	26508265260	3
8312SR125	532.60	677	26508265284	3
8314	636.50	676	26508152232	6
8314M10	198.30	680	26508236642	3
8315	636.50	675	26508199084	3
8315AC05	636.50	676	26508199107	3
8316	636.50	675	26508205990	3
8316AC	636.50	676	26508213223	3
8341	688.25	690	26508078259	1
8342	694.15	689	26508078266	1
8342EP15	694.15	689	26508213377	0
8343	712.90	686	26508083130	1
8346	492.80	693	26508063347	4
8346EP15	492.80	693	26508213384	4
8349	79.90	704	26508015094	6
8349CBN	116.35	704	26508237038	6
8349EP15	79.90	704	26508213391	6
8349EP15CBN	116.35	704	26508237045	6
8349EP17	79.90	704	26508228647	6
8349EP17CBN	116.35	704	26508237052	6
8360	243.70	700	26508086810	6
8370	198.10	698	26508013960	12
8370HD	139.65	684	26508228470	6
8371HD	168.05	684	26508228487	6
8372HD	168.05	684	26508228494	6
8373HD	168.05	684	26508228500	6
8374HD	181.15	684	26508228517	6
8375	223.20	697	26508040423	12
8375EP15	223.20	697	26508213407	12
8375HD	168.05	684	26508239803	6
8389	254.90	695	26508040430	6
8389EP15	254.90	695	26508213414	6
8400	188.20	660	26508015063	6
8413	179.75	639	26508129715	6
8413F03	179.75	639	26508234440	3
8413F05	179.75	639	26508234457	3
8413F12	179.75	639	26508266564	3
8414	214.50	639	26508137123	6
8414F12	214.50	639	26508269954	3
8414F12BN	277.55	639	26508271773	3
8416	193.05	639	26508017272	6
8416F05	193.05	639	26508234471	3
8417	248.30	638	26508129722	6
8417F05	248.30	638	26508234495	6
8417F12	248.30	638	26508266571	6
8418	260.95	638	26508150801	0
8419F05	282.05	638	26508227848	6
8419F12	282.05	638	26508266588	6
8420	218.40	660	26508015070	12
8420CBN	273.05	660	26508235324	12
8422	197.45	660	26508232125	12
8422F05	197.45	660	26508232149	12
8425	212.65	660	26508015087	12
8430	147.15	661	26508066454	12
8430CBN	184.00	661	26508235348	12
8430F05	147.15	661	26508232156	12
8432	181.10	661	26508066461	12
8432F05	181.10	661	26508264706	12
8434	174.60	661	26508066478	12
8437	190.55	661	26508232163	12
8437CBN	238.15	661	26508235355	12
8439	156.65	661	26508232170	12
8439F05	156.65	661	26508232675	12
8551	644.95	668	26508249901	6
8551AC	663.95	668	26508249918	6
8552	719.95	668	26508249925	6
8552AC	719.95	668	26508249932	6
8553	644.95	671	26508249949	6
8553AC	663.95	671	26508249956	6
8553ACBL	912.95	671	26508344590	0
8553ACBN	829.95	671	26508344606	0
8553BL	886.80	671	26508343715	0
8553BN	806.20	671	26508343722	0
8554	719.95	671	26508249963	6
8554AC	719.95	671	26508249970	6
8554ACBL	989.95	671	26508344613	0
8554ACBN	899.95	671	26508344620	0
8554BL	989.95	671	26508343739	0
8554BN	899.95	671	26508343746	0
8558	523.45	667	26508271995	3
8558BL	719.75	667	26508343753	0
8558BN	654.30	667	26508343760	0
8559	615.25	667	26508271483	6
8559BL	845.95	667	26508341599	6
8559BN	769.05	667	26508343777	0
8560	523.45	667	26508272008	3
8560BL	719.75	667	26508343784	0
8560BN	654.30	667	26508343791	0
8562	1117.10	668	26508271490	3
8565	639.80	668	26508271506	3
8701	155.20	649	26508129739	12
8707	184.90	649	26508206515	6
8711	231.95	649	26508020289	6
8713	465.70	649	26508020951	6
8714	480.15	649	26508015933	6
8716	28.05	549	34584017871	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
8717	274.05	649	26508237649	6
8718	29.05	549	34584178251	6
8724	32.45	549	34584175465	6
8730	35.55	549	34584175472	6
8732	37.40	549	34584175489	6
8736	39.70	549	34584175496	6
8742	42.95	549	34584175502	6
8748	49.50	549	34584175519	6
8780	125.75	664	26508021859	6
8791	148.20	664	26508125700	6
8792	287.00	664	26508125717	6
8798	201.55	664	26508003930	6
8799	262.70	664	26508013779	6
8800	174.65	663	26508007778	6
8800CBN	214.15	663	26508235379	6
8800F05	174.65	663	26508235317	6
8810	200.25	663	26508007785	6
8820	206.30	663	26508007792	6
8820CBN	253.05	663	26508235386	6
8884	189.05	657	26508093238	6
8886	348.45	657	26508093245	6
8889	446.00	657	26508093252	6
8894	214.65	657	26508220672	6
8912	28.15	550	34584175533	6
8915	128.40	663	26508094143	12
8915CBN	160.45	663	26508235393	12
8917	151.35	663	26508030325	12
8917CBN	189.25	663	26508235409	12
8922	270.65	662	26508039175	6
8922CBN	324.80	662	26508235416	6
8924	289.60	662	26508039205	6
8938	174.15	665	26508003954	6
8940	248.85	665	26508013762	6
8942	48.40	550	34584175595	6
8948	171.80	665	26508061695	6
8957	134.15	665	26508030264	12
8992	93.75	550	34584015037	3
8994	102.05	550	34584015044	3
8996	108.85	550	34584015051	3
9000	143.40	134	26508081112	6
9001	99.35	92	26508094709	6
9025	1600.15	277	26508298442	1
9025BN	2160.20	277	26508298459	1
9025NL	2160.20	277	26508298466	1
9025ORB	2376.25	277	26508298473	0
9126	460.00	71	26508335666	0
9126BL	708.40	71	26508335673	0
9126EVBL	936.00	52	26508335680	0
9126EVC	720.00	52	26508335697	0
9126EVNL	865.25	52	26508336724	0
9126EVSRS	866.05	52	26508335703	0
9126EWBL	857.65	56	26508335710	0
9126EWC	680.85	56	26508335727	0
9126EWNL	635.75	56	26508336731	0
9126EWSRS	707.60	56	26508335734	0
9126NL	627.90	71	26508336748	0
9126SRS	588.80	71	26508335741	0
9220F05	338.70	640	26508255391	3
9220F12	338.70	640	26508266953	3
9223F05	376.30	640	26508257302	3
9223F12	376.30	640	26508266960	3
9263	77.05	704	26508255421	12
9263EP15	77.05	704	26508255438	12
9265	295.35	245	26508255155	6
9349	113.40	704	26508255445	6
9349EP15	113.40	704	26508255452	6
9417F05	274.75	637	26508257296	3
9417F12	274.75	637	26508266977	3
9419F05	305.30	637	26508255483	3
9419F12	305.30	637	26508266984	3
9480	170.05	660	26508255490	3
9482	188.95	660	26508255506	3
9601	56.20	92	26508153918	18
9700	202.80	135	26508230008	3
9792	375.70	475	26508229637	6
9793	384.50	475	26508229644	6
9921	244.85	662	26508255513	3
9922	272.05	662	26508255520	3
10154	23.40	446	26508050903	50
10154BG	42.00	446	26508285213	30
10154BN	42.00	446	26508105344	50
10154BRB	33.55	446	26508210628	20
10154CBN	20.20	446	26508188095	20
10154NL	42.00	446	26508104248	0
10154ORB	46.20	446	26508100325	50
10154SLP	37.25	446	26508122068	20
10154WR	45.05	446	26508117101	20
15856	63.60	706	26508015186	12
15856CBN	92.60	706	26508239858	12
20001	34.95	445	26508255377	3
22036	20.35	116	26508017593	24
22037	17.80	116	26508008652	40
22174	9.20	115	26508038314	30
22175	4.45	117	26508036006	1000
22194	6.40	117	26508038321	0
22201	15.25	117	26508036037	142
22650	12.80	117	26508104385	0
22681	4.85	117	26508032336	0
22682	5.75	117	26508032374	0
22684	4.00	117	26508032299	0
22897	1.10	117	26508038307	0
23026	39.95	445	26508224281	4
23418A	1.55	534	34584100122	50
23418SS	2.90	535	34584100016	50
23424A	1.95	534	34584100146	50
23424SS	3.85	535	34584100023	50
23430A	2.55	534	34584100160	50
23430SS	5.00	535	34584100030	50
25818A	1.50	536	34584100184	50
25824A	2.00	536	34584100191	50
26100EP	69.80	456	26508266540	2
26100EPBL	87.90	456	26508329276	2
26100EPSRN	85.35	456	26508266557	2
52016F05	18.60	673	26508236284	100
52016F10	18.60	602	26508228708	24
52100	84.85	658	26508207635	24
52120	157.50	658	26508207048	12
52124GBM25	251.45	701	26508234112	3
52124GBM25CBN	515.50	701	26508234129	3
52136GBM25	274.25	702	26508191330	3
52136GBM25CBN	562.20	702	26508191347	3
52224GBM15	257.20	701	26508226964	3
52224GBM15CBN	527.15	701	26508236970	3
52224GBM17	257.20	701	26508226971	3
52224GBM25	257.20	701	26508226995	3
52224GBP25	223.00	701	26508227008	3
52236GBM15	280.05	702	26508227015	3
52236GBM15CBN	572.90	702	26508237007	3
52236GBM17	280.05	702	26508227022	3
52236GBM25	280.05	702	26508227046	3
52236GBP25	245.80	702	26508226957	3
52703	70.55	706	26508026083	12
52710	291.90	703	26508063361	6
52710CBN	580.95	703	26508237106	6
52710EP15	291.90	703	26508213346	6
52710EP15CBN	580.95	703	26508237144	6
52711	52.90	706	26508228630	12
52714	52.90	706	26508249871	12
52716EP15	74.20	705	26508213353	20
52740EP17	291.30	703	26508228524	6
52748EP15	212.95	703	26508234754	6
62300	128.35	480	26508025857	12
62320	128.35	479	26508009208	12
62320PF	146.20	484	26508337332	12
62330	170.15	482	26508102312	12
62340	142.45	482	26508102305	12
62345	128.35	482	26508252512	12
62360	156.00	481	26508102275	12
62360PF	173.80	484	26508337349	12
62365	128.35	481	26508227251	12
62365PF	146.20	485	26508337356	12
62370	156.00	479	26508009215	12
62370PF	173.80	484	26508337363	12
62380	128.35	481	26508102268	12

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
62380PF	146.20	484	26508337370	12
62385	156.00	482	26508227268	12
62385PF	173.80	485	26508337387	12
62390	156.00	480	26508067055	12
62700	116.90	487	26508009277	12
62720	116.90	487	26508009284	12
74998	85.75	89	26508028070	12
90410	145.40	471	26508904107	10
90410BN	232.70	471	26508132050	10
90410ORB	255.90	471	26508132067	10
90480	164.35	471	26508904800	8
90480BN	259.20	471	26508120873	8
90480ORB	274.00	471	26508132081	8
90530	56.50	471	26508905302	10
99550	30.45	650	26508207659	12
99551	30.45	657	26508220689	12
99556	33.30	576	26508252130	20
99557	33.30	671	26508252147	20
99557BL	45.80	671	26508343968	0
99557BN	41.65	671	26508343975	0
99558	42.80	671	26508252154	20
99558BL	58.85	667	26508343708	0
99558BN	53.50	667	26508343869	0
99559	33.30	637	26508258859	20
100686	53.05	706	26508057711	60
100686CBN	76.25	706	26508246436	60
101663BG	34.10	472	26508285411	12
101663BN	34.10	472	26508120897	12
101663ORB	39.30	472	26508100349	12
101663WR	37.55	472	26508120927	12
101664BG	42.35	472	26508285428	12
101664BN	42.35	472	26508120903	12
101664ORB	48.70	472	26508100363	12
101664WR	46.65	472	26508120934	12
102763BG	42.35	472	26508285435	12
102763BN	42.35	472	26508120910	12
102763ORB	48.70	472	26508100387	12
102763WR	46.65	472	26508120941	12
104414	51.40	706	26508081525	0
104451	184.65	672	26508199282	12
104463	180.55	708	26508324257	12
104464	180.55	708	26508324240	12
104465	184.65	708	26508204368	12
104466	184.65	708	26508267103	12
104540	38.25	682	26508245293	20
104541	33.50	682	26508245309	20
104542	46.60	682	26508245316	20
104543	51.40	682	26508245323	20
104544	57.35	682	26508245330	20
104545	63.30	682	26508245347	20
104546	33.50	682	26508245354	20
104547	37.10	682	26508245361	20
104548	39.45	682	26508245378	20
104549	43.00	682	26508245385	20
104550	47.85	682	26508245392	20
104551	51.40	682	26508245408	20
104552	57.35	682	26508245415	20
104553	60.95	682	26508245422	20
104554	65.70	682	26508245439	20
104555	115.10	682	26508246535	20
104556	115.10	682	26508244074	20
104557	20.15	682	26508244081	20
104560	44.70	682	26508247891	12
104561	63.10	682	26508246559	20
104563	84.85	682	26508245446	20
104564	84.85	682	26508246573	20
104565	84.85	682	26508245453	20
104566	84.85	682	26508245460	20
104567	84.85	682	26508245477	20
104568	84.85	682	26508245484	20
104569	25.50	682	26508245491	20
104570	18.85	682	26508245507	12
104571	25.15	682	26508246580	20
104572	6.55	682	26508245514	20
104573	24.35	682	26508246801	30
104574	53.20	682	26508246818	15
104575	53.20	682	26508248010	6
104577	11.45	682	26508246825	30
104578	48.05	682	26508244098	12
104579	52.15	682	26508244104	12
104580	48.15	682	26508244111	12
104581	33.65	682	26508244128	20
104582	30.65	682	26508246832	20
104583	26.35	682	26508246856	20
104584	78.35	682	26508247877	12
104585	123.40	682	26508247884	0
104587	150.40	682	26508248614	6
104588	28.30	682	26508246863	20
104589	45.50	682	26508246870	20
104590	27.05	682	26508247426	33
104591	27.05	682	26508247433	33
104592	27.05	682	26508247440	33
104593	27.05	682	26508247457	33
104594	27.05	682	26508247464	33
104595	27.05	682	26508247471	33
104597	18.05	682	26508246849	40
104598	26.65	682	26508251843	20
104599	47.85	682	26508251850	20
104600	51.35	682	26508252536	12
104609	10.45	682	26508251867	20
104617	30.50	678	26508273999	12
104618	72.10	678	26508274002	12
104619	72.10	678	26508274019	12
104620	72.10	678	26508274026	12
104621	72.10	678	26508274033	12
104622	72.10	678	26508274040	12
104623	72.10	678	26508274057	12
104624	72.10	678	26508274064	12
104625	33.95	678	26508274071	12
104626	34.90	678	26508274088	12
104627	32.45	678	26508274095	12
104628	95.95	678	26508274101	12
104630	98.55	678	26508273609	12
104631	32.55	678	26508274118	12
104633	116.10	678	26508274125	12
104634	22.95	678	26508274132	20
105895	26.65	95	26508288542	6
105895BG	35.95	95	26508283608	6
105895BL	35.50	95	26508098011	6
105895BLS	37.50	95	26508294499	6
105895NL	35.50	95	26508294338	6
105895ORB	37.40	95	26508144336	6
105895SRS	35.80	95	26508214138	6
114348	97.15	462	26508118085	12
114348BN	140.85	462	26508118115	12
114348NL	112.95	462	26508146354	12
114348ORB	154.85	462	26508101766	12
114348WR	154.85	462	26508118122	12
116651	16.15	446	26508128572	6
116651BG	27.35	446	26508285572	6
116651BN	27.35	446	26508128589	6
116651NL	27.35	446	26508147146	6
116651ORB	35.50	446	26508147191	6
116651WR	35.50	446	26508128596	6
123815	31.80	446	26508140437	12
123815BG	53.00	446	26508285138	12
123815BL	58.25	446	26508279410	12
123815BN	53.00	446	26508152881	12
123815NL	53.00	446	26508301159	12
123815ORB	58.25	446	26508164983	12
128284	30.55	461	26508156568	12
137488	9.15	448	26508178454	200
137488BG	23.75	448	26508285220	12
137488BL	25.05	448	26508277409	24
137488BN	23.75	448	26508178461	200
137488NL	23.75	448	26508309698	48
140680	15.20	471	26508184431	12
140690	17.15	471	26508184448	12
140715	11.40	475	26508187517	200
140780	68.90	149	26508165720	12
140780BG	96.00	149	26508286623	12
140780BL	108.45	149	26508299371	12
140780BN	96.00	149	26508165737	12
140780NL	96.00	149	26508230923	12

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
140780ORB	108.45	149	26508165744	12
141002	50.75	52	26508187296	6
141002BG	58.25	52	26508283677	6
141002BL	58.25	52	26508229019	6
141002BLS	64.10	52	26508314159	6
141002NL	55.25	52	26508265765	6
141002ORB	64.20	65	26508211410	6
141002SRS	58.25	52	26508209370	6
142538	6.00	471	26508188668	180
147204	27.30	189	26508204450	12
147204BN	66.15	189	26508205136	12
147556	143.65	189	26508204696	6
147556BN	210.65	182	26508205211	6
147572	13.15	448	26508204849	12
147572BN	19.15	448	26508205327	12
147913	147.90	456	26508200513	6
147913BN	218.95	456	26508200520	6
151380	82.65	446	26508207413	6
151380BG	140.50	446	26508323687	6
151380BL	154.50	446	26508323694	6
151380BN	140.50	446	26508207420	6
151380ORB	154.50	446	26508207437	6
154296	306.95	459	26508218266	6
154296BG	335.50	459	26508291870	6
154296BN	337.55	459	26508218273	6
154296NL	371.30	459	26508231029	6
154296ORB	371.30	459	26508218280	6
154305	150.70	456	26508218488	6
154305BG	217.15	456	26508291887	6
154305BL	232.05	456	26508312643	6
154305BN	218.50	456	26508218495	6
154305NL	232.05	456	26508231098	6
154305ORB	232.05	456	26508218501	6
155694	27.00	462	26508221372	12
155694BG	39.00	462	26508337769	12
155694BL	42.95	462	26508337776	12
155694BN	39.00	462	26508221389	12
155694ORB	42.95	462	26508227565	12
155746	217.95	459	26508221396	6
155746BG	315.90	459	26508292853	6
155746BN	315.90	459	26508221402	6
155746ORB	347.55	459	26508227572	6
155747	69.90	458	26508221419	6
155747BG	91.90	458	26508293584	6
155747BN	101.40	458	26508221426	6
155747NL	129.45	458	26508312674	6
155747ORB	111.55	458	26508227589	6
155748	41.75	460	26508221433	8
155748BG	41.00	460	26508294314	8
155748BL	89.30	460	26508280775	8
155748BN	60.55	460	26508221440	8
155748BR	89.30	460	26508280782	8
155891	69.90	458	26508223178	6
155891BG	97.15	458	26508293591	6
155891BL	111.55	458	26508278185	24
155891BN	97.15	458	26508223185	6
157276EP15	69.90	458	26508241714	6
157276EP15BN	99.10	458	26508241721	6
157276EP15ORB	109.10	458	26508241738	6
159060	19.90	566	26508231425	6
160042	107.50	457	26508228166	6
160042BN	156.00	457	26508228173	6
160042ORB	171.55	457	26508228180	6
161919	23.65	162	26508233283	20
161919BG	33.50	162	26508292891	20
161919BN	33.50	162	26508233290	20
161919NL	33.50	162	26508309704	20
161919ORB	42.00	593	26508233306	20
161951	108.30	447	26508233559	12
161951BG	146.50	447	26508285237	12
161951BL	161.15	447	26508299432	12
161951BN	146.50	447	26508233610	12
161951NL	146.50	447	26508299449	12
161951ORB	161.15	447	26508233627	12
161955	85.40	466	26508233726	6
161955BG	132.35	466	26508285589	6
161955BN	132.35	466	26508233733	6
161955NL	132.35	466	26508299456	6
161955ORB	145.60	466	26508233740	6
164745	12.95	448	26508239247	20
164745BG	18.95	448	26508285244	20
164745BN	18.95	448	26508239254	20
164745NL	18.95	448	26508299463	20
164745ORB	24.60	448	26508239261	20
164927	81.45	457	26508241585	6
164927BN	118.00	457	26508241592	6
164927NL	111.55	457	26508299470	6
164927ORB	133.10	457	26508241608	6
164928	83.45	457	26508241615	6
164928BL	133.10	457	26508290194	6
164928BN	121.00	457	26508241622	6
164928ORB	133.10	457	26508241639	6
164929	69.90	458	26508241646	6
164929BN	101.40	458	26508241653	6
164929NL	101.10	458	26508271872	6
164929ORB	111.55	458	26508241660	6
165006	25.00	293	26508239926	20
165006BL	51.65	293	26508306482	20
165006BN	46.95	293	26508260067	20
165914	162.50	465	26508242339	6
165914BL	303.15	465	26508308103	6
165914BN	275.55	465	26508242346	6
169031	140.30	50	26508266199	12
172656	80.95	466	26508251003	6
172656BG	122.90	466	26508285145	6
172656BL	147.50	466	26508274675	6
172656BN	128.25	466	26508251010	6
172657	80.95	467	26508251027	6
172657BL	158.75	467	26508293379	6
172657BN	128.25	467	26508251034	6
172666	17.15	247	26508250938	20
172666BG	21.25	247	26508292006	20
172666BL	29.90	247	26508280942	20
172666BN	21.25	247	26508250945	20
174055	30.55	673	26508235799	12
174056	97.00	673	26508235904	12
174057	26.95	673	26508235911	12
174060	17.10	673	26508235942	12
174061	23.95	673	26508235959	12
174062	8.85	673	26508252765	12
174065	48.45	673	26508252772	12
174066	5.60	673	26508252789	12
174334	187.35	673	26508254387	12
174335	191.60	673	26508254394	12
174336	19.00	673	26508254400	20
174337	19.00	673	26508254417	20
175385	84.85	466	26508257753	6
175385BN	131.70	466	26508257760	6
175385NL	131.70	466	26508257777	6
175385ORB	144.80	466	26508257784	6
175916	15.30	672	26508261903	12
175917	15.30	672	26508261910	1
175918	15.30	672	26508261927	12
175921	15.30	672	26508266755	12
175925	15.30	672	26508266762	12
176257	101.10	457	26508254974	6
176257BN	148.30	457	26508254981	6
177171	98.75	447	26508257876	12
177171BN	133.50	447	26508257883	12
177171NL	133.50	447	26508257890	12
177171ORB	146.90	447	26508257906	12
177566	43.15	55	26508259719	6
179791	102.50	466	26508264171	6
179791BL	143.50	466	26508326855	6
179791BN	130.45	466	26508264188	6
179834	15.00	448	26508263969	20
180238	57.00	458	26508262276	6
181040	15.30	672	26508266786	12
181250	69.50	117	26508266601	12
182534	50.05	712	26508273708	6
182535	134.80	712	26508273715	6
182536	9.55	712	26508273722	20
182537	148.30	712	26508273739	12
182538	21.00	712	26508273746	20

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
182539	43.90	673	26508273753	12
182540	50.75	712	26508273760	12
182542	16.30	712	26508273777	20
182543	16.20	712	26508273784	20
182544	16.20	712	26508273791	20
182546	32.60	712	26508273807	12
182546BL	44.85	667	26508343692	0
182546BN	40.75	667	26508343951	0
182547	23.55	712	26508273814	20
185820	100.60	465	26508276969	6
185820BN	120.05	465	26508276976	6
185820NL	120.05	465	26508299487	6
185820ORB	127.80	465	26508276983	6
186117	23.35	462	26508284742	6
186117BL	37.65	462	26508329221	6
186117BN	34.20	462	26508329238	6
186117ORB	37.65	462	26508329252	6
186117SRN	28.35	462	26508284759	6
186568	26.65	124	26508277157	50
186589	9.30	123	26508275221	6
187054	142.05	456	26508281147	6
187054BL	196.25	456	26508324745	6
187054BN	177.10	456	26508281154	6
187054ORB	196.25	456	26508281161	6
189315	62.40	458	26508282120	6
189315BL	92.70	458	26508285459	6
189315BN	84.20	458	26508282137	6
189315ORB	92.70	458	26508282144	6
189318	69.45	458	26508282151	6
189318BN	100.75	458	26508282168	6
189318BRB	110.90	458	26508282175	6
189318ORB	110.90	458	26508282182	6
189318SRN	100.75	458	26508282199	6
189575	100.45	457	26508282205	6
189575BG	147.40	457	26508304815	6
189575BL	162.15	457	26508337783	6
189575BN	147.40	457	26508282212	6
189575NL	147.40	457	26508304822	6
191956	80.35	469	26508281178	6
191956BG	116.45	469	26508285152	6
191956BN	116.45	469	26508281185	6
191956NL	116.45	469	26508299494	6
191956ORB	128.05	469	26508281192	6
193371	66.90	470	26508299913	6
193371BN	103.30	470	26508299920	6
193371NL	103.30	470	26508299937	6
193371ORB	113.65	470	26508299944	6
195386	79.80	470	26508281208	6
195386BN	115.80	470	26508281215	6
195386NL	115.80	470	26508281222	6
195386ORB	127.40	470	26508281239	6
195827	66.90	470	26508299951	6
195827BG	103.30	470	26508299968	6
195827BL	113.65	470	26508299975	6
195827BN	103.30	470	26508299982	6
195957	69.45	457	26508305102	6
195957BN	100.75	457	26508305119	6
195957NL	100.75	457	26508305126	6
195957ORB	110.90	457	26508305133	6
195958	69.45	457	26508305140	6
195958BN	100.75	457	26508305157	6
195958NL	100.75	457	26508305164	6
195958ORB	110.60	457	26508305171	6
198017	83.40	459	26508315163	6
198017BL	128.45	459	26508315170	6
198017BN	120.95	459	26508315187	6
199785	52.55	50	26508328699	6
221672	24.15	135	26508224519	12
221672BL	35.50	135	26508301166	12
221672BL	35.50	135	26508301166	12
221672BN	32.10	135	26508224526	12
221672NL	32.10	135	26508231135	12
221672ORB	35.50	135	26508224533	12
221673	16.35	147	26508224540	12
221673BG	21.85	147	26508293157	12
221673BL	24.10	147	26508301173	12
221673BN	21.85	147	26508224557	12
221673NL	21.85	147	26508231142	12
221673ORB	24.10	147	26508224564	12
221772	15.50	136	26508256947	12
221772BG	21.75	602	26508336878	12
221772BN	20.60	136	26508256954	12
221772NL	21.75	602	26508336885	12
221772ORB	22.65	136	26508288290	12
226651	49.90	446	26508165751	6
226651BG	96.80	446	26508285596	6
226651BN	96.80	446	26508165782	6
226651NL	96.80	446	26508165799	6
226651ORB	106.40	446	26508165805	6
226651WR	106.40	446	26508165829	6
336651	74.70	446	26508282229	6
336651BG	145.20	446	26508285169	6
336651BL	159.60	446	26508282236	6
336651BN	145.20	446	26508282243	6
336651NL	145.20	446	26508282250	6
336651ORB	159.60	446	26508282267	6
A501	108.50	464	26508149119	12
A501BN	135.70	464	26508149300	12
A501NL	135.70	464	26508149171	12
A501ORB	149.20	464	26508149256	12
A501WR	149.20	464	26508149188	12
A701	54.45	463	26508232941	12
A701BG	78.80	463	26508335970	12
A701BL	86.70	463	26508335987	12
A701BN	78.80	463	26508232958	12
A701ORB	86.70	463	26508232965	12
A705	56.05	704	26508240816	12
A705CBN	84.05	704	26508240823	12
A714	47.25	462	26508042847	24
A714ORB	75.40	462	26508181317	12
A714ST	68.50	644	26508081013	24
A714WR	75.40	462	26508167014	12
A720	83.40	463	26508042892	12
A720BN	113.30	463	26508141984	12
A720ORB	124.65	463	26508141991	12
A721	74.75	461	26508227725	12
A721BG	105.45	461	26508282496	12
A721BL	115.95	461	26508335994	12
A721BN	105.45	461	26508227732	12
A721BRB	114.05	461	26508282489	12
A721NL	105.45	461	26508301272	12
A721ORB	115.95	461	26508282472	12
A721SRN	105.45	452	26508282465	12
A723	30.35	706	26508228654	20
A725	58.45	450	26508044551	12
A725BG	83.25	461	26508285275	12
A725BN	82.75	450	26508121955	12
A725CBN	79.70	706	26508191224	12
A725CBN	79.70	706	26508191224	12
A725NL	82.75	461	26508079232	12
A725ORB	91.00	450	26508132166	12
A725WR	91.00	450	26508121962	12
A726	112.50	706	26508073032	12
A726BG	201.00	460	26508285367	12
A726BR	208.30	460	26508181225	12
A726NL	201.00	460	26508079638	24
A726SRN	201.00	460	26508282458	12
A726ST	201.00	460	26508079645	12
A726WR	128.20	460	26508118412	6
A735	175.75	459	26508172728	6
A735BG	239.50	459	26508294307	6
A735BN	254.85	459	26508172735	6
A735NL	250.00	459	26508313374	6
A735ORB	270.45	459	26508172742	6
A735P	270.45	459	26508172803	6
A735WR	270.45	459	26508172766	6
A742	190.05	459	26508204078	6
A742BG	244.30	459	26508282441	6
A742BN	275.65	459	26508205433	6
A742BRB	303.25	459	26508282434	6
A742NL	260.70	459	26508301289	6
A742ORB	303.25	459	26508282427	6
A742SRN	275.65	459	26508282403	6
A750	35.85	461	26508172674	24

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
A755	149.45	461	26508232972	12
A755BN	216.80	461	26508232989	12
A755ORB	238.50	461	26508232996	12
A780	132.75	706	26508227138	20
A1717	157.30	318	26508166116	6
A1717BN	225.40	318	26508166123	6
A1717ORB	244.95	318	26508199015	6
ARC-4200	62.50	123	29122010520	60
ARC-4200-CH/SN	80.00	123	29122010711	6
AS-4201-BG	42.00	123	26508292075	100
AS-4201-BL	26.25	123	26508294369	100
AS-4201-BLS	31.75	123	26508294574	100
AS-4201-BRB	31.75	123	26508251706	100
AS-4201-CH	21.00	123	29122010681	100
AS-4201-NL	37.30	123	26508294376	100
AS-4201-SN	42.00	123	29122010674	100
AT2099	19.05	448	26508065112	12
AT2099BN	48.45	448	26508105924	12
AT2099ORB	53.20	448	26508132173	12
AT2199	9.10	448	26508065136	200
AT2199BG	24.05	448	26508324271	1
AT2199BN	23.85	448	26508130162	200
AT2199NL	23.85	448	26508104057	48
AT2199ORB	26.25	448	26508132180	200
AT2199SLP	17.05	448	26508123386	24
AT2199WR	26.25	448	26508118436	24
BH3803BL	30.70	301	34584029041	24
BH3803BN	27.85	301	34584029058	24
BH3803CH	25.35	301	34584024848	12
BH3808BL	55.25	301	34584029065	6
BH3808BN	50.25	301	34584029072	6
BH3808CH	45.65	301	34584024855	3
BH3818BL	55.65	301	34584029089	6
BH3818BN	50.60	301	34584029096	6
BH3818CH	46.00	301	34584024862	3
BH3824BL	57.55	301	34584029102	6
BH3824BN	52.35	301	34584029119	6
BH3824CH	47.60	301	34584024879	3
BH3886BL	42.20	301	34584029126	6
BH3886BN	38.40	301	34584029133	6
BH3886CH	34.90	301	34584024886	3
BP1803BL	24.20	503	34584030856	24
BP1803BN	20.15	503	34584030863	24
BP1803CH	16.80	503	34584030870	24
BP1808BL	33.30	503	34584030887	6
BP1808BN	27.75	503	34584030894	6
BP1808CH	23.10	503	34584030900	6
BP1818BL	52.95	503	34584030917	6
BP1818BN	42.00	503	34584030924	6
BP1818CH	36.75	503	34584030931	6
BP1822BL	89.95	503	34584030948	6
BP1822BN	69.25	503	34584030955	6
BP1822CH	62.45	503	34584030962	6
BP1824BL	57.45	503	34584030979	6
BP1824BN	46.20	503	34584030986	6
BP1824CH	39.90	503	34584030993	6
BP1886BL	29.40	503	34584031006	6
BP1886BN	25.20	503	34584031013	6
BP1886CH	21.00	503	34584031020	6
BP1888BL	54.45	503	34584031037	6
BP1888BN	45.35	503	34584031044	6
BP1888CH	37.80	503	34584031051	6
BP1892BL	302.30	503	34584031068	1
BP1892BN	251.90	503	34584031075	1
BP1892CH	209.90	503	34584031082	1
BP3703BN	30.65	506	34584025401	24
BP3703CH	27.20	506	34584025418	24
BP3708BN	42.35	506	34584025425	6
BP3708CH	37.65	506	34584025432	6
BP3718BN	59.95	506	34584025449	6
BP3718CH	53.35	506	34584025456	6
BP3724BN	65.25	506	34584025463	6
BP3724CH	55.75	506	34584025470	6
BP3786BN	44.95	506	34584025487	6
BP3786CH	40.00	506	34584025494	6
BP5303OWB	9.70	513	34584007643	24
BP5303SN	8.65	513	34584002549	24
BP5308CH	14.30	513	34584484215	6
BP5308OWB	21.55	513	34584007650	6
BP5308SN	17.65	513	34584002556	6
BP5318OWB	23.35	513	34584007667	6
BP5318SN	19.15	513	34584002563	6
BP5324CH	19.95	513	34584484208	6
BP5324OWB	26.95	513	34584007674	6
BP5324SN	23.45	513	34584002570	6
BP5380CH	14.20	513	34584014627	6
BP5380OWB	20.10	513	34584014641	6
BP5380SN	17.50	513	34584014634	6
BP5386CH	10.85	513	34584484222	6
BP5386OWB	13.25	513	34584007681	6
BP5386SN	12.15	513	34584002587	6
BP5808CH	12.50	514	34584007384	6
BP5824CH	15.55	514	34584007391	6
BP5886CH	9.85	514	34584007407	6
BP6903CH	10.70	508	34584020215	24
BP6903OWB	16.20	508	34584012517	24
BP6908CH	23.60	508	34584484093	6
BP6908OWB	31.80	508	34584012524	6
BP6908PW	31.85	508	34584484178	6
BP6918CH	25.85	508	34584484079	6
BP6918OWB	32.30	508	34584012531	6
BP6924CH	27.20	508	34584484086	6
BP6924OWB	35.95	508	34584012548	6
BP6924PW	35.95	508	34584484161	6
BP6980CH	19.80	508	34584014658	6
BP6980OWB	23.95	508	34584014665	6
BP6986CH	17.80	508	34584484109	6
BP6986OWB	22.25	508	34584012555	6
BP6986PW	22.20	508	34584484185	6
BR587	4.25	538	34584701183	72
CA8301	623.50	667	26508211076	6
CA8301BL	857.35	667	26508343807	0
CA8301BN	779.40	667	26508343814	0
CA8302	615.25	667	26508211083	6
CA8302BL	845.95	667	26508343821	0
CA8302BN	769.05	667	26508343838	0
CA8303	693.80	668	26508211090	3
CL703	92.80	463	26508250549	12
CL703BN	134.50	463	26508250556	12
CL703ORB	148.05	463	26508250563	12
CL707	126.00	463	26508250570	12
CL707BN	182.65	463	26508250587	12
CL707ORB	200.95	463	26508250594	12
CL6302	101.45	442	26508254240	12
CL6302BN	158.40	442	26508254257	12
CL6302EP	101.45	442	26508266892	12
CL6302EPBN	158.40	442	26508266908	12
CL6303	56.10	444	26508254264	12
CL6303BN	85.95	444	26508254271	12
CL6303EP	56.10	444	26508266878	12
CL6303EPBN	85.95	444	26508266885	12
CL10154	32.50	446	26508254103	12
CL10154BN	65.75	446	26508254110	12
CL26500	59.75	444	26508254226	12
CL26500BN	97.50	444	26508254233	12
CL26500EP	59.75	444	26508266915	12
CL26500EPBN	97.50	444	26508266922	12
CL123815	40.75	446	26508254127	12
CL123815BN	76.85	446	26508254134	12
CL155694	26.85	462	26508254141	12
CL155694BN	38.75	462	26508254158	12
CL155747	69.45	458	26508254776	6
CL155747BN	100.75	458	26508254783	6
CL155748	41.45	460	26508254165	12
CL155748BN	60.20	460	26508254172	12
CL164928	82.95	457	26508254202	6
CL164928BN	120.30	457	26508254219	6
CLA701	54.45	463	26508254288	12
CLA701BN	78.80	463	26508254295	12
CSR2145BN	55.15	520	34584023391	10
CSR2145CH	47.25	520	34584023407	10
CSR2155BN	59.45	520	34584023414	10
CSR2155CH	51.55	520	34584023421	10
CSR2155OWB	70.20	520	34584023438	10

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
CSR2160BG	89.15	519	34584028587	10
CSR2160BL	86.90	519	34584029805	10
CSR2160BN	63.70	519	34584008848	10
CSR2160CH	57.90	519	34584008831	10
CSR2160NL	115.85	519	34584029812	10
CSR2160OWB	72.85	519	34584008855	10
CSR2164BG	89.15	519	34584028570	10
CSR2164BL	86.90	519	34584029829	10
CSR2164BN	63.70	519	34584024381	10
CSR2164CH	57.90	519	34584024374	10
CSR2164NL	115.85	519	34584029836	10
CSR2164OWB	72.85	519	34584024398	10
CSR2165BN	49.00	520	34584008800	10
CSR2165CH	45.80	520	34584008794	10
CSR2165OWB	58.90	520	34584011336	10
CSR2166BN	56.35	520	34584008824	10
CSR2166CH	52.40	520	34584008817	10
CSR2167BL	63.40	520	34584031099	10
CSR2167BN	51.35	520	34584031105	10
CSR2167CH	44.00	520	34584031112	10
CSR2168BL	77.60	519	34584031129	10
CSR2168BN	59.35	519	34584031136	10
CSR2168CH	53.90	519	34584031143	10
CSR2172BN	63.70	521	34584023001	10
CSR2172CH	57.90	521	34584023018	10
DN0703BN	24.80	344	34584012890	24
DN0703CH	22.05	344	34584008268	12
DN0705BG	13.30	344	34584028563	48
DN0705BG	13.30	344	34584028563	48
DN0705BL	11.55	344	34584029843	48
DN0705BL	11.55	344	34584029843	48
DN0705BN	11.10	344	34584018472	48
DN0705BN	11.10	344	34584018472	48
DN0705CH	9.50	344	34584018489	48
DN0705CH	9.50	344	34584018489	48
DN0707BG	24.50	344	34584028556	48
DN0707BL	22.95	344	34584029850	48
DN0707BL	22.95	344	34584029850	48
DN0707BN	20.45	344	34584018144	48
DN0707BN	20.45	344	34584018144	48
DN0707CH	19.00	344	34584018496	48
DN0707CH	19.00	344	34584018496	48
DN0708BN	52.80	344	34584012906	3
DN0708CH	46.90	344	34584008275	3
DN0709BN	44.65	344	34584017307	3
DN0709CH	39.90	344	34584017314	3
DN0718BN	48.50	344	34584012913	3
DN0718CH	43.15	344	34584008282	3
DN0722BN	78.95	344	34584012920	3
DN0722CH	70.35	344	34584008299	3
DN0724BN	52.80	344	34584012937	3
DN0724CH	46.90	344	34584008305	3
DN0761BG	192.70	528	34584028549	2
DN0761BL	154.50	528	34584029867	2
DN0761BN	160.60	528	34584018625	2
DN0761CH	127.55	528	34584018632	2
DN0762BG	269.80	528	34584028532	2
DN0762BL	220.40	528	34584029874	2
DN0762BN	224.85	528	34584018649	2
DN0762CH	182.00	528	34584018656	2
DN0763BG	335.05	528	34584028525	2
DN0763BL	270.45	528	34584029881	2
DN0763BN	279.20	528	34584018663	2
DN0763CH	223.30	528	34584018670	2
DN0764BG	428.95	528	34584028518	2
DN0764BL	346.45	528	34584029898	2
DN0764BN	357.45	528	34584018687	2
DN0764CH	286.05	528	34584018694	2
DN0769	23.55	528	34584019097	3
DN0786BN	34.25	344	34584012982	3
DN0786CH	30.45	344	34584008312	3
DN0790BN	88.65	344	34584012999	3
DN0790CH	78.75	344	34584008329	3
DN0792BN	128.05	344	34584013101	3
DN0792CH	113.80	344	34584008336	3
DN0794BN	199.30	344	34584015174	2

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
DN0794CH	184.35	344	34584015167	2
DN0892ORB	103.95	515	34584004994	3
DN2141BL	102.25	518	34584029904	6
DN2141BN	79.25	518	34584017543	2
DN2141CH	78.60	518	34584017536	2
DN2141NL	165.15	518	34584029911	6
DN2141OWB	99.70	518	34584017550	2
DN2692BN	92.85	516	34584005038	3
DN2692CH	88.65	516	34584005014	3
DN4103BN	15.90	511	34584483430	12
DN4108BN	27.60	511	34584483454	3
DN4118BN	32.00	511	34584483478	3
DN4124BN	34.80	511	34584483515	3
DN4150BN	61.30	511	34584483539	2
DN4186BN	24.10	511	34584483553	3
DN5075	22.10	538	34584014856	3
DN5075W	22.10	538	34584014863	3
DN6703BN	14.05	512	34584000811	24
DN6703ORB	15.20	512	34584483591	24
DN6708BN	23.85	512	34584000828	3
DN6708ORB	25.75	512	34584483614	3
DN6718BN	30.60	512	34584000835	3
DN6718ORB	34.15	512	34584483638	3
DN6724BN	33.30	512	34584000842	3
DN6724ORB	37.00	512	34584483652	3
DN6786BN	21.70	512	34584000859	3
DN6786ORB	24.15	512	34584483676	3
DN6801BN	31.15	504	34584001146	12
DN6801CH	20.50	504	34584001139	3
DN6801ORB	34.35	504	34584009333	12
DN6803BN	20.85	504	34584483317	12
DN6803CH	12.75	504	34584483300	3
DN6803ORB	21.10	504	34584015983	12
DN6808BN	32.45	504	34584483331	3
DN6808CH	24.35	504	34584483324	3
DN6808ORB	35.90	504	34584015990	3
DN6818BN	38.35	504	34584483355	3
DN6818CH	28.45	504	34584483348	3
DN6818ORB	39.85	504	34584016003	3
DN6822BN	63.30	504	34584002297	3
DN6824BN	41.65	504	34584483379	3
DN6824CH	30.90	504	34584483362	3
DN6824ORB	43.35	504	34584016010	3
DN6850BN	61.90	504	34584483416	2
DN6886BN	29.10	504	34584483393	3
DN6886CH	20.10	504	34584483386	3
DN6886ORB	29.40	504	34584016027	3
DN6890BN	61.55	504	34584485564	3
DN6892BN	119.45	504	34584002235	3
DN6903PW	16.10	508	34584190819	24
DN6918PW	32.35	508	34584190833	3
DN7005	42.30	555	34584179623	2
DN7010	35.00	555	34584179630	2
DN7015	42.25	555	34584179647	2
DN7020	40.05	555	34584179654	2
DN7025	55.70	554	34584179661	2
DN7030	73.15	554	34584179678	2
DN7050	18.25	555	34584179715	24
DN7060	95.70	554	34584484277	2
DN7064	84.30	554	34584017161	2
DN7075	93.15	555	34584484307	2
DN7100	128.80	554	34584011923	2
DN7105	157.25	554	34584011947	2
DN7110	448.10	554	34584019141	2
DN7110OWB	519.85	554	34584023827	2
DN7175	65.70	555	34584011916	2
DN7703BN	15.65	507	34584004215	24
DN7703CH	13.50	507	34584004154	24
DN7708BN	28.75	507	34584004222	3
DN7708CH	25.05	507	34584004161	3
DN7718BN	30.35	507	34584004239	3
DN7718CH	26.40	507	34584004178	3
DN7722BN	50.20	507	34584004871	3
DN7722CH	43.65	507	34584004864	3
DN7724BN	33.00	507	34584004246	3
DN7724CH	28.65	507	34584004185	3
DN7786BN	21.55	507	34584004253	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
DN7786CH	18.75	507	34584004192	3
DN7790BN	56.15	507	34584004260	3
DN7790CH	48.80	507	34584004208	3
DN8001CH	59.50	555	34584011701	3
DN8001W	52.50	555	34584025319	3
DN8303BN	18.60	501	34584004482	24
DN8303CH	16.60	501	34584004413	24
DN8308BN	35.50	501	34584004499	3
DN8308CH	31.85	501	34584004420	3
DN8318BN	36.40	501	34584004505	3
DN8318CH	32.55	501	34584004437	3
DN8322BN	60.10	501	34584004512	3
DN8322CH	53.80	501	34584004444	3
DN8324BN	39.50	501	34584004529	3
DN8324CH	35.30	501	34584004451	3
DN8386BN	25.70	501	34584004536	3
DN8386CH	23.00	501	34584004468	3
DN8390BN	67.00	501	34584004543	3
DN8390CH	60.10	501	34584004475	3
DN8403BN	12.65	509	34584002242	12
DN8403CH	8.50	509	34584141118	12
DN8408BN	24.95	509	34584002259	3
DN8408CH	18.10	509	34584141125	3
DN8418BN	29.20	509	34584002266	3
DN8418CH	23.60	509	34584141132	3
DN8422CH	38.95	509	34584141187	3
DN8424BN	31.15	509	34584002273	3
DN8424CH	25.30	509	34584141149	1
DN8486BN	20.95	509	34584002280	3
DN8486CH	16.25	509	34584141156	3
DN8490CH	42.60	509	34584481849	3
DN8712	25.70	549	34584178275	6
DN8948	56.00	550	34584175601	6
DN9830BC	6.60	517	34584005908	50
DN9830BL	7.85	517	34584029928	50
DN9830BN	9.15	517	34584005892	50
DN9830CH	5.20	517	34584005885	50
DN9830NL	13.05	517	34584029935	50
DN9830ORB	9.95	517	34584005922	50
DN9830SN	8.60	517	34584005915	50
EXL100C	475.00	120	26508295670	2
FC301810	829.00	99	26508334744	1
FC331910	899.00	99	26508334751	1
FP62300	128.35	480	26508154502	12
FP62320	128.35	479	26508154496	12
FP62325PF	139.85	483	26508312377	12
FP62326PF	167.50	483	26508312384	12
FP62327PF	139.85	483	26508312391	12
FP62328PF	167.50	483	26508312407	12
FP62340	142.45	482	26508199213	12
FP62360PF	173.80	484	26508312414	12
FP62365	128.35	481	26508233580	12
FP62365PF	146.20	485	26508312421	12
FP62370	156.00	479	26508154519	12
FP62380	128.35	481	26508154526	12
FP62380PF	146.20	484	26508312438	12
FP62385	156.00	482	26508264713	12
FP62385PF	173.80	485	26508312445	12
FP62390	156.00	480	26508235232	12
G16100	779.00	102	26508240267	1
G16200	759.00	102	26508240274	1
G16221	799.00	102	26508240281	1
G16430	479.00	102	26508240298	1
G18121	819.00	104	26508248447	1
G18180	529.15	103	26508248119	1
G18185	410.00	103	26508248140	1
G18220	959.45	103	26508248454	1
G18252	936.45	104	26508255032	1
G18253	989.20	104	26508255049	1
G18287	529.15	103	26508248157	1
G18288	599.00	103	26508248164	1
GA726	74.45	104	26508248041	15
GA760	179.05	100	26508248218	3
GA763	132.35	102	26508248225	12
GA768	156.20	102	26508248232	10
GA771	172.05	104	26508248249	6
GA772	131.85	103	26508248256	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
GA780B	174.95	103	26508248263	6
GA781B	156.20	103	26508248270	8
GA782B	132.35	103	26508248287	15
GA785B	144.40	103	26508248294	12
GA922	117.50	103	26508248386	5
GA944	171.75	104	26508248393	5
GGA50B	129.45	101	26508307328	9
GGA51B	164.55	101	26508307335	10
GGA52B	178.90	101	26508307342	9
GGA53B	147.65	101	26508307359	10
GGA54B	147.65	101	26508307366	10
GGA55B	141.75	100	26508307373	10
GGA56B	156.50	100	26508307380	9
GGA57B	134.85	100	26508307397	9
GGA58B	142.45	100	26508307403	10
GGA60B	78.75	116	26508307427	56
GGA60M	78.75	116	26508307434	56
GGA60R	78.75	116	26508307441	56
GGA60W	78.75	116	26508307458	56
GGA61B	91.05	117	26508307465	72
GGA61M	91.05	117	26508307472	72
GGA61R	91.05	117	26508307489	72
GGA61W	91.05	117	26508307496	72
GGB3018B	354.30	101	26508307502	1
GGB3019B	483.05	101	26508307519	1
GGB3024B	813.10	100	26508307526	1
GGB3026B	651.40	101	26508307533	1
GGB3027B	723.35	101	26508307540	1
GGB3028B	593.60	101	26508307557	1
GGB3029B	656.65	100	26508307564	1
GGB4010B	613.35	101	26508309353	1
GGB4012B	597.45	100	26508309360	1
GGB4014B	652.65	100	26508309377	1
GGM3018B	354.30	101	26508307571	1
GGM3019B	483.05	101	26508307588	1
GGM3024B	813.10	100	26508307595	1
GGM3026B	651.40	101	26508307601	1
GGM3027B	723.35	101	26508307618	1
GGM3028B	593.60	101	26508307625	1
GGM3029B	656.65	100	26508307632	1
GGM4010B	613.35	101	26508309384	1
GGM4012B	597.45	100	26508309391	1
GGM4014B	652.65	100	26508309407	1
GGR3018B	354.30	101	26508307649	1
GGR3019B	483.05	101	26508307656	1
GGR3024B	813.10	100	26508307663	1
GGR3026B	651.40	101	26508307670	1
GGR3027B	723.35	101	26508307687	1
GGR3028B	593.60	101	26508307694	1
GGR3029B	656.65	100	26508307700	1
GGR4010B	613.35	101	26508309414	1
GGR4012B	597.45	100	26508309421	1
GGR4014B	652.65	100	26508309438	1
GGW3018B	354.30	101	26508307717	1
GGW3019B	483.05	101	26508307724	1
GGW3024B	813.10	100	26508307731	1
GGW3026B	651.40	101	26508307748	1
GGW3027B	723.35	101	26508307755	1
GGW3028B	593.60	101	26508307762	1
GGW3029B	656.65	100	26508307779	1
GGW4010B	613.35	101	26508309445	1
GGW4012B	597.45	100	26508309452	1
GGW4014B	652.65	100	26508309469	1
GS18110	921.00	106	26508306543	1
GS18160	660.60	105	26508306550	1
GS18161	709.05	105	26508306567	1
GS18163B	754.30	104	26508306581	1
GS18165B	978.45	104	26508306598	1
GS18190	455.70	106	26508306604	1
GS18191	369.50	106	26508306611	1
GS18192	346.70	106	26508306628	1
GS18192B	346.70	106	26508306635	1
GS18192L	346.70	106	26508306642	1
GS18195B	323.80	106	26508306673	1
GS18195L	323.80	106	26508306680	1
GS18210	557.15	105	26508306697	1
GS18211	586.55	105	26508306703	1

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
GS18212	850.50	105	26508306727	1
GS18215B	320.25	105	26508306765	1
GS18231	864.10	105	26508306772	1
GS18242	869.75	105	26508306796	1
GS18246B	1011.95	104	26508306802	1
GS18264B	1011.95	104	26508306833	1
GS18440	358.15	106	26508306864	1
GS18442	442.30	106	26508306871	1
GS18443	349.65	107	26508306888	1
GS18450	261.55	107	26508306895	1
GS20192	240.95	109	26508306901	1
GS20193	230.45	109	26508306918	1
GS20193B	230.45	109	26508306925	1
GS20194B	209.40	109	26508306932	1
GS20210	314.65	109	26508307021	1
GS20210B	314.65	109	26508307038	1
GS20214	283.05	109	26508307083	1
GS20214B	283.05	109	26508307090	1
GS181631BQ	549.50	108	26508306574	1
GS181873	310.20	108	26508308332	1
GS181953Q	607.95	108	26508306659	1
GS181954Q	607.95	108	26508306666	1
GS182114Q	519.65	107	26508306710	1
GS182133Q	413.35	107	26508306734	1
GS182134Q	413.35	107	26508306741	1
GS182154Q	394.45	107	26508306758	1
GS201673	340.20	111	26508308349	1
GS201961BQ	167.30	111	26508306949	1
GS201962BQ	167.30	111	26508306956	1
GS201963BQ	167.30	111	26508306963	1
GS201963Q	167.30	111	26508308356	1
GS201964BQ	167.30	111	26508306970	1
GS201964Q	167.30	111	26508306987	1
GS201974BQ	146.25	111	26508306994	1
GS201974LQ	146.25	111	26508307007	1
GS201974RQ	146.25	111	26508307014	1
GS202131Q	251.50	110	26508307045	1
GS202133Q	251.50	110	26508307052	1
GS202134Q	251.50	110	26508307076	1
GS202153BQ	230.45	110	26508307106	1
GS202154BQ	230.45	110	26508307113	1
GS202173BQ	209.40	110	26508307120	1
GS202174BQ	209.40	110	26508307137	1
GS202334Q	314.65	110	26508307144	1
GS202861Q	251.50	110	26508307175	1
GS202864Q	251.50	110	26508307182	1
GS204502	177.85	110	26508307199	1
GS204571BQ	230.45	111	26508307205	1
GS204573BQ	230.45	111	26508307212	1
GSA30	107.40	108	26508307786	1
GSA31	113.80	111	26508307793	1
GSA401	74.45	105	26508307809	22
GSA401B	131.85	105	26508307816	22
GSA402	145.60	106	26508307823	11
GSA402B	156.20	106	26508307830	11
GSA403	130.10	106	26508307861	11
GSA403B	172.05	104	26508307878	11
GSA404B	144.40	104	26508307885	11
GSA405B	135.80	115	26508307908	22
GSA406B	136.30	104	26508307915	9
GSA409B	140.05	111	26508307922	22
GSA413B	162.45	105	26508307939	11
GT33C	125.35	121	26508290453	2
GT50C	149.05	121	26508290460	2
GX50C	179.75	120	26508261798	2
GX100C	388.75	120	26508277720	1
GXB75C	334.15	120	26508274453	2
GXP33C	118.35	122	26508261811	2
GXP50C	139.25	122	26508261804	2
GXS75C	249.45	120	26508261781	2
IN208C2	306.15	455	26508323496	2
IN208C2SRN	321.55	455	26508323502	2
INC20801	24.60	455	3760094160819	6
INC20802	24.60	455	3760094160826	6
INC20803	24.60	455	3760094160833	6
INC20804	24.60	455	3760094160840	6
KGS2045622BQ	125.20	111	26508307311	0

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
L2352	174.45	356	26508047538	6
L2352EP	174.45	356	26508269787	6
L2361	189.95	358	26508047613	6
L2362	202.75	356	26508047545	6
L2368EP	252.20	356	26508241813	3
L4601	152.30	351	26508047293	12
L4605	152.30	351	26508060759	12
L4621	188.15	351	26508047286	12
L4621BC	225.80	351	26508136706	12
L4625	188.15	351	26508047323	12
L4631BC	225.80	351	26508139301	12
L4635	188.15	351	26508061527	12
LR2250DCH	25.05	553	34584009005	3
LR2350DBN	70.15	552	34584017598	3
LR2350DCH	67.50	552	34584020857	3
LR2352DBN	64.90	552	34584017604	3
LR2352DCH	67.50	552	34584020871	3
LR2354DBN	70.15	552	34584020550	3
LR2354DCH	67.50	552	34584020918	3
LR2356DCH	67.50	552	34584020895	3
LR7518	27.75	551	34584485397	3
LR7524	31.65	551	34584485403	3
LR7536	40.00	551	34584485410	3
LR7542	44.50	551	34584485427	3
LR8716D3BN	40.75	547	34584005212	3
LR8716D3CH	36.35	547	34584005236	3
LR8716D3GBN	55.95	548	34584005298	3
LR8716D3GCH	54.75	548	34584005311	3
LR8716D3GOWB	66.20	548	34584007780	3
LR8724D1GBN	68.55	547	34584005267	3
LR8724D1GCH	65.35	547	34584005281	3
LR8724D1GOWB	81.45	547	34584007773	3
LR8724D2BN	48.95	547	34584005182	3
LR8724D2CH	44.00	547	34584005205	3
LR8724D3BN	45.30	547	34584005229	3
LR8724D3CH	40.75	547	34584005243	3
LR8724D3GBN	65.35	548	34584005304	3
LR8724D3GCH	59.95	548	34584005328	3
LR8724D3GOWB	77.40	548	34584007797	3
LR8724PS	44.20	549	34584000798	3
MBHG3818BN	138.05	301	34584030061	3
MBHG3818BN	138.05	301	34584030061	3
MBHG3818CH	132.65	301	34584030078	3
MBHG3818CH	132.65	301	34584030078	3
N207C0BL	550.75	449	26508324028	2
N207C0BLC	473.85	449	26508324035	2
N207C0CH	396.90	449	26508324042	2
N207C0SRN	460.00	420	26508324059	2
N207H0BL	152.30	449	26508318089	2
N207H0BLC	121.55	449	26508324066	2
N207H0CH	90.75	449	26508318096	2
N207H0SRN	113.85	420	26508318102	2
N207R0BL	398.45	449	26508318119	2
N207R0BLC	352.30	449	26508324073	2
N207R0CH	306.15	449	26508318126	2
N207R0SRN	346.15	420	26508318133	2
N207Z0BL	29.20	449	26508324080	6
N207Z0GLC	26.10	449	26508324097	6
N207Z0SRN	27.70	420	26508324103	6
P1700	13.65	535	34584751904	100
P1703	6.30	535	34584751805	100
P1718	15.95	535	34584029171	50
P1724	16.70	535	34584029188	50
P1780	14.25	535	34584751409	50
P1786	10.90	535	34584751706	100
P5030	2.25	534	34584090300	100
P5030BN	4.40	534	34584027481	100
P5050	4.85	534	34584090454	100
P5050BN	10.20	534	34584027498	100
P5080	4.10	534	34584090317	100
P5080BN	8.35	534	34584027504	100
P5100	3.75	534	34584090478	100
P5118	5.05	534	34584090324	50
P5118BN	11.00	534	34584027511	36
P5124	5.70	534	34584090331	50
P5124BN	12.20	534	34584027528	36
P5130BN	13.20	534	34584027535	36

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
P5340	2.80	534	34584090348	100
P5360	3.20	534	34584090355	100
P5500	3.95	534	34584090362	100
P5860	4.70	534	34584090379	100
P5860BN	8.80	534	34584027542	100
P26100EP	69.80	456	26508266540	12
R2250	17.65	553	34584094452	6
R2260	21.25	553	34584094469	6
R2270	25.20	553	34584094476	6
R2356DBN	70.15	552	34584025258	3
R5519	47.25	537	34584700544	10
R7418	20.85	551	34584174185	6
R7424	23.75	551	34584174246	6
R7436	32.10	551	34584174369	6
R7442	34.75	551	34584174420	6
R8712D3GBN	54.45	548	34584020000	6
R8712D3GCH	49.70	548	34584020017	6
R8712D3GOWB	65.35	548	34584020024	6
R8712P	25.45	549	34584094889	6
R8712W	35.60	549	34584017826	6
R8716D1GBN	65.35	547	34584025272	3
R8716D1GCH	60.40	547	34584025289	3
R8716P	27.10	549	34584017833	6
R8716W	39.10	549	34584017840	6
R8718D3GBN	61.85	548	34584020031	6
R8718D3GCH	54.50	548	34584020048	6
R8718D3GOWB	72.95	548	34584020055	6
R8718P	28.60	549	34584094896	6
R8718PB	78.25	549	34584177186	6
R8718PS	36.85	549	34584172273	6
R8718W	41.05	549	34584171870	6
R8724P	32.60	549	34584094902	6
R8724PB	86.60	549	34584178244	6
R8724PS	40.40	549	34584172259	6
R8724W	44.55	549	34584172242	6
R8730P	38.60	549	34584094919	6
R8730W	49.00	549	34584014917	6
R8732P	38.65	549	34584014955	6
R8732W	52.95	549	34584015181	6
R8736D3GBN	91.70	548	34584009050	6
R8736D3GCH	90.80	548	34584009043	6
R8736D3GOWB	108.45	548	34584016256	6
R8736P	43.70	549	34584094926	6
R8736PS	47.65	549	34584172280	6
R8736W	54.70	549	34584094872	6
R8742D3GBN	111.10	548	34584009074	6
R8742D3GCH	110.05	548	34584009067	6
R8742D3GOWB	130.25	548	34584016263	6
R8742P	47.00	549	34584094933	6
R8742PS	58.30	549	34584172297	6
R8742W	60.20	549	34584014962	6
R8748D3GBN	127.30	548	34584020062	6
R8748D3GCH	125.40	548	34584020079	6
R8748D3GOWB	148.40	548	34584020086	6
R8748P	60.00	549	34584482594	6
R8748W	66.35	549	34584014979	6
R8912P	29.60	550	34584094940	6
R8912W	44.40	550	34584485571	6
R8916	31.10	550	34584017888	6
R8916P	28.60	550	34584017857	6
R8918	32.60	550	34584176011	6
R8918P	34.05	550	34584094438	6
R8918W	51.95	550	34584171924	6
R8924	36.85	550	34584176028	6
R8924P	38.60	550	34584094445	6
R8924W	56.35	550	34584176059	6
R8930	39.75	550	34584014986	6
R8930P	41.85	550	34584094957	6
R8930W	60.85	550	34584014993	6
R8932	42.85	550	34584015006	6
R8932P	45.20	550	34584015020	6
R8932W	65.70	550	34584015013	6
R8936	45.20	550	34584176035	6
R8936P	48.05	550	34584481047	6
R8936W	69.45	550	34584176073	6
R8942P	51.75	550	34584481054	6
R8942W	74.95	550	34584176097	6

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
R8948P	55.85	550	34584482587	6
R8948W	81.00	550	34584092533	6
R8960FD	166.35	551	34584016584	2
R8960FDW	163.15	551	34584016607	2
R8962FD	184.85	551	34584016591	2
R8962FDW	175.50	551	34584016614	2
RA8716D1GBN	74.65	547	34584025296	3
RR5506HD	23.85	537	34584115263	60
RR5520SS	20.85	537	34584700551	24
S0000	49.65	654	26508181461	12
S0000T	34.35	655	26508269633	1
S0001	59.70	654	26508025314	12
S0002	60.95	654	26508025321	12
S0003	59.70	654	26508025338	12
S0004	71.70	654	26508025345	12
S0006	45.50	654	26508025369	12
S0007	60.95	654	26508025376	12
S0009	65.70	654	26508025390	12
S0010	71.70	654	26508025406	12
S0010T	56.35	655	26508269824	1
S0011	59.70	654	26508025413	12
S0012	130.30	654	26508025420	12
S0020	60.95	655	26508148112	12
S0020T	45.65	655	26508269831	12
S0030	66.95	655	26508148129	12
S0030NA	68.95	655	26508273821	6
S0030T	51.60	655	26508269848	12
S0050	74.10	655	26508160718	12
S0050T	58.75	655	26508269855	12
S0060	92.05	655	26508199275	12
S0070	80.10	655	26508181478	12
S110	137.75	447	26508242353	6
S110BL	183.35	447	26508279434	6
S110BN	166.80	447	26508242360	6
S112	471.00	437	26508132753	3
S112BG	637.70	437	26508323700	3
S112BN	637.70	437	26508132760	3
S112EP	471.00	437	26508221761	3
S112EPBG	637.70	437	26508323717	3
S112EPBN	637.70	437	26508222065	3
S112EPNL	701.45	437	26508222072	3
S112EPORB	701.45	437	26508222089	3
S112EPWR	701.45	437	26508222096	3
S112NL	701.45	437	26508144671	3
S112ORB	701.45	437	26508144664	3
S112WR	701.45	437	26508132777	3
S113	137.75	447	26508133965	6
S113BG	166.80	447	26508285978	3
S113BN	166.80	447	26508133972	6
S113NL	166.80	447	26508144695	3
S113ORB	183.35	447	26508144688	6
S113WR	183.35	447	26508133989	3
S122	50.60	447	26508223499	6
S122BG	104.55	447	26508337851	6
S122BL	115.10	447	26508299500	6
S122BN	104.55	447	26508223512	6
S122NL	104.55	447	26508299517	6
S122ORB	115.10	447	26508223529	6
S133	50.60	447	26508223536	6
S133BN	104.55	447	26508223543	6
S176	209.05	438	26508139189	3
S176BG	287.45	438	26508285190	3
S176BL	301.80	438	26508279335	3
S176BN	287.45	438	26508152911	3
S176EP	209.05	438	26508214558	3
S176EPBG	287.45	438	26508286012	3
S176EPBL	301.80	438	26508279342	3
S176EPBN	287.45	438	26508214565	3
S177	50.50	447	26508223550	6
S177BN	104.55	447	26508223574	6
S664	903.30	83	26508200063	3
S664BG	1327.85	83	26508283967	3
S664BL	1233.00	83	26508289525	3
S664NL	1233.00	83	26508294352	3
S664ORB	1365.30	83	26508169032	3
S664SRS	1241.30	83	26508234242	3
S665	903.30	83	26508205617	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S665BG	1327.85	83	26508283974	3
S665BL	1233.00	83	26508289532	3
S665BLS	1365.20	83	26508294635	3
S665SRS	1241.30	83	26508234259	3
S711	718.30	62	26508098943	3
S711ORB	1065.00	62	26508144442	3
S711SRS	968.05	62	26508242056	3
S713	1189.80	62	26508132784	3
S713ORB	1766.80	62	26508144404	3
S713SRS	1606.20	62	26508242070	3
S713WR	1487.25	62	26508132807	3
S905	1848.50	191	26508298480	1
S905BN	2495.45	191	26508298497	1
S931	1803.40	163	26508302484	1
S931BG	2434.55	163	26508302491	1
S931BN	2434.55	163	26508302507	1
S931NL	2434.55	163	26508302514	1
S989	230.15	465	26508302521	6
S989BG	345.25	465	26508302538	6
S989BN	345.25	465	26508302545	6
S989NL	345.25	465	26508302552	6
S990	226.40	469	26508302569	6
S990BG	339.60	469	26508302576	6
S990BN	339.60	469	26508302583	6
S990NL	339.60	469	26508302590	6
S1001	447.95	436	26508282366	3
S1001EP	447.95	436	26508290507	3
S1002	477.80	447	26508290514	3
S1002EP	477.80	448	26508290521	3
S1003	447.95	436	26508290538	3
S1003EP	447.95	436	26508290545	3
S1004	477.80	436	26508290552	3
S1004EP	477.80	436	26508290569	3
S1300	104.35	487	26508219621	6
S1311	502.45	435	26508152171	3
S1311BG	685.80	437	26508285282	3
S1311BL	754.25	440	26508301326	3
S1311BN	685.80	436	26508152188	3
S1311EP	502.45	441	26508213988	3
S1311EPBG	685.80	443	26508285299	3
S1311EPBL	754.25	446	26508301333	3
S1311EPBN	685.80	442	26508214015	3
S1311EPNL	685.80	444	26508231180	3
S1311EPORB	754.25	445	26508214022	3
S1311NL	685.80	438	26508231197	3
S1311ORB	754.25	439	26508152195	3
S3102	755.55	43	26508269916	3
S3104	1614.60	43	26508269923	3
S3105	1848.50	213	26508294277	1
S3105BL	2745.05	213	26508294284	1
S3105BN	2495.45	213	26508294291	1
S3371	601.50	476	26508216408	6
S3600	152.95	476	26508216439	12
S3835	139.20	465	26508291221	6
S3835BL	222.00	465	26508291238	6
S3835BN	201.80	465	26508291245	6
S3836	125.35	469	26508291252	6
S3836BL	199.85	469	26508291269	6
S3836BN	181.75	469	26508291276	6
S3870EP	403.15	450	26508228975	6
S3870EPBN	808.45	450	26508228982	6
S3870EPORB	890.05	450	26508228999	6
S3879EP	355.85	451	26508221884	6
S3879EPBN	713.95	451	26508221891	6
S3880EP	355.85	451	26508282380	6
S3880EPBG	713.95	451	26508318997	6
S3880EPBN	713.95	451	26508282373	6
S3880EPNL	713.95	451	26508316696	6
S3894	118.95	465	26508240144	6
S3896	113.85	465	26508220764	6
S3896BN	165.15	465	26508222126	6
S3898	112.00	469	26508220450	6
S3898BN	162.50	469	26508220467	6
S3900	158.70	465	26508263990	6
S3901	142.90	469	26508281284	6
S3945BG	239.00	93	26508283882	6
S3945BL	221.95	93	26508289945	6
S3945C	170.75	93	26508248911	6
S3945NL	221.95	93	26508295236	6
S3945ORB	213.35	93	26508248928	6
S3945SRS	205.00	93	26508248935	6
S3946BG	239.00	94	26508283899	6
S3946BL	213.40	94	26508247167	6
S3946BLS	227.55	94	26508294581	6
S3946C	170.75	94	26508248942	6
S3946NL	221.95	94	26508316900	6
S3946ORB	213.35	94	26508248959	6
S3946SRS	205.00	94	26508248966	6
S3947BG	239.00	93	26508283905	6
S3947BL	221.95	93	26508289457	6
S3947BLS	227.55	93	26508294598	6
S3947C	170.75	93	26508248973	6
S3947SRS	205.00	93	26508247327	6
S3948BL	221.95	94	26508289464	6
S3948C	170.75	94	26508247150	6
S3948ORB	213.35	94	26508250273	6
S3948SRS	205.00	94	26508250280	6
S3955BL	221.95	93	26508300602	6
S3955C	170.75	93	26508300619	6
S3955SRS	205.00	93	26508300626	6
S5000	215.15	465	26508310526	6
S5000BG	322.70	465	26508310533	6
S5000BL	354.95	465	26508310540	6
S5000BN	322.70	465	26508310557	6
S5001	201.30	469	26508310564	6
S5001BG	301.95	469	26508310571	6
S5001BL	332.10	469	26508310588	6
S5001BN	301.95	469	26508310595	6
S5235	716.65	66	26508316702	3
S5235BL	931.60	66	26508316719	3
S5235NL	825.55	66	26508316726	3
S5235SRS	917.30	66	26508316733	3
S5500	307.35	92	26508249475	6
S5510	355.25	91	26508249482	3
S5510BG	497.35	91	26508283912	3
S5510BL	461.85	91	26508289471	3
S5510NL	461.85	91	26508294345	3
S5510ORB	546.45	91	26508249499	3
S5510SRS	497.35	91	26508249505	3
S5520	355.25	91	26508249512	3
S5520BG	497.35	91	26508283929	3
S5520BL	461.85	91	26508289488	3
S5520BLS	546.45	91	26508294604	3
S5520ORB	546.45	91	26508249529	3
S5520SRS	497.35	91	26508249536	3
S5530	355.25	90	26508249543	3
S5530BG	497.35	90	26508283936	3
S5530BL	461.85	90	26508289495	3
S5530BLS	546.45	90	26508294611	3
S5530SRS	497.35	90	26508249550	3
S5535	331.50	91	26508316788	3
S5535BL	430.95	91	26508316795	3
S5535NL	430.95	91	26508316801	3
S5535SRS	464.05	91	26508316818	3
S5540	355.25	90	26508300633	3
S5540BL	461.85	90	26508300640	3
S5540SRS	497.35	90	26508300657	3
S5550	355.25	90	26508300695	3
S5550BL	461.85	90	26508300701	3
S5550BLS	546.45	90	26508316672	3
S5550SRS	497.35	90	26508300718	3
S5560	338.35	91	26508335758	0
S5560BL	422.95	91	26508335765	0
S5560NL	407.00	91	26508336755	0
S5560SRS	473.65	91	26508335772	0
S6235	496.15	85	26508316825	3
S6235BL	644.95	85	26508316832	3
S6235NL	644.95	85	26508316849	3
S6235SRS	635.05	85	26508316856	3
S6310	209.05	438	26508220771	3
S6310BN	287.45	438	26508220986	3
S6310EP	209.05	438	26508221921	3
S6310EPBN	287.45	438	26508221938	3
S6310EPNL	273.70	438	26508234389	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S6310EPORB	301.80	438	26508221945	3
S6310EPWR	301.80	438	26508281000	3
S6310NL	273.70	438	26508234549	3
S6310ORB	301.80	438	26508220993	3
S6310WR	301.80	438	26508221013	3
S6312	136.00	440	26508220788	12
S6312BN	161.65	440	26508221037	12
S6312EP	136.00	440	26508222003	12
S6312EPBN	161.65	440	26508222027	12
S6312EPNL	161.65	440	26508260845	6
S6312EPORB	177.75	440	26508260852	12
S6312NL	161.65	440	26508260869	12
S6312ORB	177.75	440	26508260876	12
S6320	327.50	437	26508220795	3
S6320BG	514.65	437	26508286494	3
S6320BN	514.65	437	26508221068	3
S6320EP	327.50	437	26508221853	3
S6320EPBG	514.65	437	26508285206	3
S6320EPBN	514.65	437	26508221860	3
S6320EPORB	566.05	437	26508221877	3
S6320ORB	566.05	437	26508221075	3
S6335	163.95	440	26508220849	6
S6335BN	223.20	440	26508220863	6
S6335EP	163.95	440	26508221778	6
S6335EP15	163.95	440	26508264218	6
S6335EPBN	223.20	440	26508222041	6
S6335EPORB	245.35	440	26508222058	6
S6335ORB	245.35	440	26508220870	6
S6340	209.05	439	26508220801	3
S6340BN	287.45	439	26508220634	3
S6340EP	209.05	439	26508221907	3
S6340EP15	209.05	439	26508241790	3
S6340EP15BN	287.45	439	26508241806	3
S6340EPBN	287.45	439	26508221914	3
S6345	327.50	437	26508260944	3
S6345BG	514.65	437	26508286036	3
S6345BN	514.65	437	26508260951	3
S6345EP	327.50	437	26508260968	3
S6345EPBG	514.65	437	26508286043	3
S6345EPBN	514.65	437	26508260975	3
S6360	304.35	438	26508220481	3
S6360BN	456.55	438	26508220498	3
S6360EP	304.35	438	26508220504	3
S6360EPBN	456.55	438	26508220511	3
S6360EPORB	502.95	438	26508224946	3
S6360ORB	502.95	438	26508224953	3
S6365	209.05	439	26508230220	3
S6365BG	287.45	439	26508285305	3
S6365BL	301.80	439	26508289501	3
S6365BN	287.45	439	26508230237	3
S6365EP	209.05	439	26508230244	3
S6365EPBG	287.45	439	26508285312	3
S6365EPBL	301.80	439	26508289518	3
S6365EPBN	287.45	439	26508230251	3
S6365EPNL	287.45	439	26508301371	3
S6365EPORB	301.80	439	26508230268	3
S6365NL	287.45	439	26508301388	3
S6365ORB	301.80	439	26508230275	3
S6700	497.15	189	26508216606	3
S6700BN	820.75	189	26508216613	3
S6705	621.45	189	26508242377	3
S6705BN	1025.90	189	26508242384	3
S6710	497.15	189	26508298206	3
S6710BN	820.75	189	26508298213	3
S6711	695.85	189	26508216620	3
S6711BN	1049.20	189	26508216637	3
S6712	695.85	189	26508298220	3
S6712BN	1049.20	189	26508298237	3
S6910	378.85	213	26508291085	3
S6910BL	583.50	213	26508291092	3
S6910BN	530.40	213	26508291108	3
S6981	529.10	162	26508302408	3
S6981BG	740.70	162	26508302415	3
S6981BN	740.70	162	26508302422	3
S6981NL	740.70	162	26508302439	3
S6982	634.95	162	26508302446	3
S6982BG	888.90	162	26508302453	3
S6982BN	888.90	162	26508302460	3
S6982NL	888.90	162	26508302477	3
S7235	551.25	67	26508316863	3
S7235BL	716.65	67	26508316870	3
S7235EVBL	971.25	52	26508329184	3
S7235EVC	945.00	52	26508329191	3
S7235EVNL	960.75	52	26508329207	3
S7235EVSRS	976.50	52	26508329214	3
S7235NL	716.65	67	26508316887	3
S7235SRS	705.60	67	26508316894	3
S8000	417.20	203	26508261446	3
S8001	404.20	203	26508261453	3
S11705EP	289.95	454	26508221969	6
S11705EPBN	420.25	454	26508221952	6
S12104	180.45	465	26508215531	6
S12104BG	285.80	465	26508285985	6
S12104BL	314.40	465	26508301302	6
S12104BN	285.80	465	26508215548	6
S12104NL	288.70	465	26508231166	6
S12104ORB	314.40	465	26508215555	6
S12105	162.45	469	26508281246	6
S12105BG	235.55	469	26508285992	6
S12105BL	259.15	469	26508301319	6
S12105BN	235.55	469	26508281253	6
S12105NL	235.55	469	26508281260	6
S12105ORB	259.15	469	26508281277	6
S12107EP	585.70	450	26508218945	6
S12107EPBG	828.25	450	26508286005	6
S12107EPBL	919.65	450	26508313381	6
S12107EPBN	828.25	450	26508218952	6
S12107EPNL	828.25	450	26508231173	6
S12107EPORB	911.00	450	26508218969	6
S16900	152.55	469	26508282946	6
S16900BL	284.65	469	26508301340	6
S16900BN	258.70	469	26508282953	6
S22105	1910.75	136	26508251072	1
S22105BN	2770.65	136	26508251089	3
S22105ORB	3047.75	136	26508285015	1
S22110	1910.75	136	26508255001	1
S22110BN	2770.65	136	26508255018	1
S22110ORB	3047.75	136	26508285022	1
S42107	641.90	134	26508215562	3
S42107BG	987.40	134	26508286029	3
S42107BL	1065.30	134	26508301357	3
S42107BN	987.40	134	26508215579	3
S42107NL	987.40	134	26508231203	3
S42107ORB	1065.30	134	26508215586	3
S43001	585.95	149	26508242391	3
S43001BL	939.60	149	26508301364	3
S43001BN	854.20	149	26508242407	3
S44101	491.10	176	26508310441	3
S44101BG	687.55	176	26508310458	3
S44101BL	756.30	176	26508310465	3
S44101BN	687.55	176	26508310472	3
S44507	1803.40	178	26508310489	1
S44507BG	2434.55	178	26508310496	1
S44507BL	2678.05	178	26508310502	1
S44507BN	2434.55	178	26508310519	1
S52003	495.70	85	26508294734	3
S52003BL	644.40	85	26508294741	3
S52003SRS	634.45	85	26508294758	3
S53004	510.75	85	26508288689	3
S53004BG	715.10	85	26508299241	3
S53004BL	664.00	85	26508337165	3
S53004NL	664.00	85	26508288696	3
S53004ORB	719.15	85	26508288702	3
S53004SRS	653.75	85	26508288719	3
S55005	597.85	84	26508288764	3
S55005BL	777.25	84	26508288771	3
S55005BLS	841.85	84	26508300572	3
S55005SRS	765.30	84	26508288788	3
S62101	527.00	85	26508236420	3
S62101BG	737.80	85	26508283943	3
S62101BL	685.10	85	26508337172	3
S62101NL	685.10	85	26508236437	3
S62101ORB	902.85	85	26508236444	3
S62101SRS	827.45	85	26508236451	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S62308	535.30	84	26508236796	3
S62308BG	749.40	84	26508283950	3
S62308BL	695.90	84	26508236802	3
S62308SRS	704.80	84	26508236819	3
S72003	556.95	67	26508294765	3
S72003BL	724.05	67	26508294772	3
S72003EVBL	810.25	67	26508304631	3
S72003EVC	796.55	51	26508304648	3
S72003EVSRS	824.00	67	26508304655	3
S72003SRS	712.95	67	26508294789	3
S72101	876.90	65	26508236468	3
S72101BG	1227.65	65	26508283981	3
S72101BL	1140.00	65	26508337189	0
S72101NL	1140.00	65	26508236475	3
S72101ORB	1203.70	65	26508236482	3
S72101SRS	1157.40	65	26508236499	3
S72103	692.00	67	26508300664	3
S72103BL	899.60	67	26508300671	3
S72103SRS	885.75	67	26508300688	3
S72308	670.85	64	26508236826	3
S72308BG	939.20	64	26508283998	3
S72308BL	872.10	64	26508236833	3
S72308EC	1070.30	54	26508257968	3
S72308ESRS	1180.55	54	26508257975	3
S72308EVBG	906.40	51	26508303795	3
S72308EVBL	892.65	51	26508303801	3
S72308EVC	878.90	51	26508303825	3
S72308EVSRS	906.40	51	26508303832	3
S72308SRS	883.50	64	26508236840	3
S73004	573.85	66	26508288726	3
S73004BG	803.35	66	26508299234	3
S73004BL	746.00	66	26508337196	3
S73004EVBG	851.45	51	26508303849	3
S73004EVBL	993.25	51	26508341520	3
S73004EVC	824.00	51	26508303856	3
S73004EVNL	837.70	51	26508303863	3
S73004EVORB	878.90	51	26508303870	3
S73004EVSRS	851.45	51	26508303887	3
S73004NL	745.95	66	26508288733	3
S73004ORB	808.05	66	26508288740	3
S73004SRS	734.55	66	26508288757	3
S73104	703.25	66	26508305386	3
S73104BG	984.55	66	26508305393	3
S73104BL	837.20	66	26508337202	3
S73104NL	914.20	66	26508305409	3
S73104ORB	990.15	66	26508305416	3
S73104SRS	900.15	66	26508305423	3
S73204	827.00	65	26508337219	3
S73204BG	1157.80	65	26508337226	3
S73204BL	1075.10	65	26508337233	3
S73204NL	1075.10	65	26508337240	3
S73204ORB	1157.80	65	26508337257	3
S73204SRS	1042.00	65	26508337264	3
S75005	671.80	63	26508288795	3
S75005BL	873.35	63	26508288801	3
S75005BLS	946.25	63	26508300589	3
S75005EVBL	947.60	50	26508304693	3
S75005EVBLS	988.80	50	26508304709	3
S75005EVC	933.85	50	26508304716	3
S75005EVSRS	961.30	50	26508304723	3
S75005SRS	859.80	63	26508288818	3
S93005	1848.50	150	26508251096	1
S93005BN	2495.45	150	26508251102	1
SMA1000CH	36.90	706	34584007728	24
SMA1000CH	36.90	706	34584007728	24
SMA1000OWB	36.90	553	34584007735	24
SMA1001CH	32.75	553	34584007759	10
SR2100BN	16.25	522	34584013361	25
SR2100CH	14.15	522	34584013354	25
SR2100OWB	16.45	522	34584013378	25
SR2201BL	28.60	522	34584029195	24
SR2201BN	20.35	522	34584018823	12
SR2201CH	17.65	522	34584018830	12
SR2201NL	28.60	522	34584029201	24
SR2201OWB	20.65	522	34584018847	12
SV003	123.10	654	26508025444	12
SV006	114.75	654	26508025475	12
SV010	120.70	654	26508025512	12
T373	307.25	308	26508261316	3
T373BL	505.75	308	26508325612	3
T373BN	459.70	308	26508261323	3
T393	447.05	248	26508249642	3
T393BG	624.70	248	26508285909	3
T393BL	662.00	248	26508281925	3
T393BN	624.70	248	26508249659	3
T394	696.30	249	26508249666	3
T394BG	1146.25	249	26508285893	3
T394BN	1146.25	249	26508249673	3
T653	447.05	235	26508253830	3
T653BN	624.70	235	26508253847	3
T653NL	624.70	235	26508256091	3
T653ORB	687.10	235	26508256107	3
T654	696.30	236	26508256114	3
T654BN	1146.25	236	26508254448	3
T654NL	1146.25	236	26508254509	3
T654ORB	1260.85	236	26508254578	3
T657	455.95	235	26508253854	3
T657BN	637.20	235	26508253861	3
T657NL	637.20	235	26508256121	3
T657ORB	700.80	235	26508256138	3
T658	710.35	236	26508256145	3
T658BN	1169.20	236	26508256152	3
T658ORB	1286.10	236	26508256176	3
T683	307.25	302	26508264621	3
T683BL	505.75	302	26508337066	3
T683BN	459.70	302	26508264638	3
T683ORB	505.75	302	26508264645	3
T693	429.05	262	26508230701	3
T693BG	599.50	262	26508286272	3
T693BN	599.50	262	26508230718	3
T693NL	599.50	262	26508301777	3
T693ORB	659.40	262	26508230725	3
T694	668.25	263	26508230732	3
T694BG	1100.05	263	26508286487	3
T694BN	1100.05	263	26508230749	3
T694NL	1100.05	263	26508301784	3
T694ORB	1210.05	263	26508230756	3
T908	307.30	345	26508295717	3
T908BL	505.70	345	26508295724	3
T908BN	459.70	345	26508295731	3
T920	536.50	289	26508126868	3
T920BN	749.65	289	26508126882	3
T920ORB	824.55	289	26508132494	3
T924	482.45	319	26508162019	3
T924BN	611.15	319	26508161036	3
T924ORB	672.35	319	26508161043	3
T933	307.25	319	26508162118	3
T933BN	459.70	319	26508162132	3
T933ORB	505.75	319	26508162125	3
T935	447.05	293	26508027806	3
T935BL	687.15	293	26508301814	3
T935BN	624.70	293	26508258385	3
T936	696.30	294	26508235171	3
T943	307.25	329	26508153192	3
T943BN	459.70	329	26508153208	3
T943ORB	505.75	329	26508153215	3
T944	482.45	329	26508153161	3
T944BN	611.15	329	26508153178	3
T944ORB	672.35	329	26508153185	3
T961	300.75	338	26508272190	3
T961BL	480.90	338	26508289860	3
T961BN	437.20	338	26508289877	3
T990	294.15	352	26508125724	6
T994	181.40	352	26508017173	6
T999	229.15	352	26508015858	6
T2111	148.70	290	26508107980	3
T2111BN	269.90	290	26508115305	3
T2112	198.10	290	26508107997	3
T2112BN	360.35	290	26508115312	3
T2112ORB	396.30	290	26508132371	3
T2112WR	396.30	290	26508115398	3
T2113	252.05	290	26508108000	3
T2113BN	458.00	290	26508115329	3
T2113ORB	504.05	290	26508132388	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2113WR	504.05	290	26508115404	3
T2131	62.65	335	26508153222	3
T2131BN	143.10	335	26508153239	3
T2131ORB	157.35	335	26508153246	3
T2132	82.20	334	26508153253	3
T2132BN	176.85	334	26508153260	3
T2132EPBN	176.85	334	26508209066	3
T2132EPORB	194.45	334	26508209073	3
T2132NHBN	151.65	334	26508207819	3
T2132NHORB	166.75	334	26508207826	3
T2132ORB	194.45	334	26508153277	3
T2133	119.60	333	26508153284	3
T2133BN	233.20	333	26508153291	3
T2133EPBN	233.20	333	26508207833	3
T2133EPORB	256.55	333	26508207840	3
T2133NHBN	178.65	334	26508207857	3
T2133NHORB	191.20	334	26508207864	3
T2133ORB	256.55	333	26508153307	3
T2137EP	146.75	333	26508272411	3
T2137EPBN	269.80	333	26508272428	3
T2137EPORB	298.55	333	26508272435	3
T2138	127.90	334	26508326923	3
T2138BN	220.50	334	26508326930	3
T2138EP	127.90	334	26508326947	3
T2138EPBN	220.50	334	26508326954	3
T2139	164.50	333	26508326961	3
T2139BN	275.70	333	26508326978	3
T2139EP	164.50	333	26508326985	3
T2139EPBN	275.70	333	26508326992	3
T2151	62.65	324	26508162149	3
T2151BN	143.10	324	26508162163	3
T2151ORB	157.35	324	26508162156	3
T2152	82.20	324	26508162170	3
T2152BN	176.85	324	26508162194	3
T2152EPBN	176.85	324	26508207871	3
T2152EPORB	194.45	324	26508207888	3
T2152NHBN	151.65	324	26508207895	3
T2152NHORB	166.75	324	26508207901	3
T2152ORB	194.45	324	26508162187	3
T2153	119.60	323	26508162200	3
T2153BN	233.20	323	26508162224	3
T2153EPBN	233.20	323	26508207918	3
T2153EPORB	256.55	323	26508207925	3
T2153NHBN	178.65	323	26508207932	3
T2153NHORB	191.20	323	26508207949	3
T2153ORB	256.55	323	26508162217	3
T2157EP	146.75	323	26508272442	3
T2157EPBN	269.80	323	26508272459	3
T2157EPORB	298.55	323	26508272466	3
T2181	50.75	306	26508264423	3
T2181BL	157.35	306	26508336984	3
T2181BN	143.10	306	26508264430	3
T2181ORB	157.35	306	26508264447	3
T2182	82.20	306	26508264454	3
T2182BL	194.45	306	26508336991	3
T2182BN	176.85	306	26508264461	3
T2182EP	68.15	306	26508264478	3
T2182EPBL	194.45	306	26508337004	3
T2182EPBN	176.85	306	26508264485	3
T2182EPORB	194.45	306	26508264492	3
T2182ORB	194.45	306	26508264508	3
T2183	119.60	305	26508264515	3
T2183BL	256.55	305	26508337011	3
T2183BN	233.20	305	26508264522	3
T2183EP	102.65	305	26508264539	3
T2183EPBL	256.55	305	26508337028	3
T2183EPBN	233.20	305	26508264546	3
T2183EPORB	256.55	305	26508264553	3
T2183ORB	256.55	305	26508264560	3
T2190	257.15	257	26508300107	4
T2190BG	466.90	257	26508300114	4
T2190BL	513.65	257	26508300121	4
T2190BN	466.90	257	26508300138	4
T2191	142.45	257	26508249680	3
T2191BG	258.60	257	26508286050	3
T2191BL	284.55	257	26508275030	3
T2191BN	258.60	257	26508249178	3
T2192	189.80	256	26508249710	3
T2192BG	345.25	256	26508286067	3
T2192BL	379.80	256	26508281888	3
T2192BN	345.25	256	26508249727	3
T2192EP	189.80	256	26508249185	3
T2192EPBG	345.25	256	26508286074	3
T2192EPBL	379.80	256	26508281895	3
T2192EPBN	345.25	256	26508249192	3
T2192NH	151.00	256	26508249314	3
T2192NHBG	274.25	256	26508286081	3
T2192NHBL	301.70	256	26508275047	3
T2192NHBN	274.25	256	26508249321	3
T2193	241.55	256	26508249758	3
T2193BG	438.85	256	26508286098	3
T2193BL	482.70	256	26508281901	3
T2193BN	438.85	256	26508249765	3
T2193EP	241.55	256	26508249208	3
T2193EPBG	438.85	256	26508286104	3
T2193EPBL	482.70	256	26508281918	3
T2193EPBN	438.85	256	26508249772	3
T2193NH	162.65	256	26508249338	3
T2193NHBG	318.00	256	26508286111	3
T2193NHBL	349.85	256	26508275054	3
T2193NHBN	318.00	256	26508249345	3
T2232EP	127.90	334	26508271414	4
T2232EPBN	220.50	334	26508271544	4
T2232EPORB	237.70	334	26508271551	4
T2233EP	164.50	333	26508271407	4
T2233EPBN	275.70	333	26508271568	4
T2233EPORB	298.55	333	26508271575	4
T2252EP	127.90	324	26508271391	4
T2252EPBN	220.50	324	26508271582	4
T2252EPORB	237.70	324	26508271599	4
T2253EP	164.50	323	26508271384	4
T2253EPBN	275.70	323	26508271605	4
T2253EPORB	298.55	323	26508271612	4
T2261	136.70	232	26508336007	3
T2261BG	248.20	232	26508336014	3
T2261BL	273.10	232	26508336021	3
T2261BN	248.20	232	26508336038	3
T2262EP	182.15	232	26508336045	4
T2262EPBG	331.35	232	26508336052	4
T2262EPBL	364.50	232	26508336069	4
T2262EPBN	331.35	232	26508336076	4
T2263EP	231.80	232	26508336083	4
T2263EPBG	421.15	232	26508336090	4
T2263EPBL	463.25	232	26508336106	4
T2263EPBN	421.15	232	26508336113	4
T2282EP	127.90	306	26508271438	4
T2282EPBL	237.70	306	26508337035	4
T2282EPBN	220.50	306	26508271629	4
T2282EPORB	237.70	306	26508271636	4
T2283EP	164.50	305	26508271421	4
T2283EPBL	298.55	305	26508337042	4
T2283EPBN	275.70	305	26508271643	4
T2283EPORB	298.55	305	26508271650	4
T2310	247.80	286	26508300145	4
T2310BN	449.90	286	26508300152	4
T2310NL	449.90	286	26508300169	4
T2310ORB	494.95	286	26508300176	4
T2311	137.30	286	26508275429	3
T2311BN	249.20	286	26508275436	3
T2311NL	249.20	286	26508301418	3
T2311ORB	274.15	286	26508275443	3
T2312	182.90	285	26508275450	4
T2312BN	332.65	285	26508275467	4
T2312EP	182.90	285	26508275474	4
T2312EPBN	332.65	285	26508275481	4
T2312EPNL	332.65	285	26508301425	4
T2312EPORB	365.80	285	26508275498	4
T2312NH	145.45	285	26508275504	3
T2312NHBN	264.20	285	26508275511	3
T2312NHNL	264.20	285	26508301432	3
T2312NHORB	290.05	285	26508275528	3
T2312NL	332.65	285	26508301449	4
T2312ORB	365.80	285	26508275535	4
T2313	232.55	285	26508275542	4

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2313BN	422.80	285	26508275559	4
T2313EP	232.55	285	26508275566	4
T2313EPBN	422.80	285	26508275573	4
T2313EPNL	422.80	285	26508301456	4
T2313EPORB	465.30	285	26508275580	4
T2313NH	156.60	285	26508275597	3
T2313NHBN	306.40	285	26508275603	3
T2313NHNL	306.40	285	26508301463	3
T2313NHORB	337.05	285	26508275610	3
T2313NL	422.80	285	26508301470	4
T2313ORB	465.30	285	26508275627	4
T2470	87.30	349	26508300183	4
T2470BL	136.35	349	26508300190	4
T2470BN	126.55	349	26508300206	4
T2471	58.80	349	26508271223	3
T2471BL	132.60	349	26508289587	3
T2471BN	120.50	349	26508289594	3
T2472EP	63.95	348	26508271230	3
T2472EPBL	144.20	348	26508289600	3
T2472EPBN	131.05	348	26508289617	3
T2472NH	60.75	348	26508271247	3
T2472NHBL	137.05	348	26508289624	3
T2472NHBN	124.60	348	26508289631	3
T2473EP	96.25	348	26508271254	3
T2473EPBL	203.55	348	26508289648	3
T2473EPBN	185.10	348	26508289655	3
T2473NH	82.50	348	26508271261	3
T2473NHBL	180.55	348	26508289662	3
T2473NHBN	164.10	348	26508289679	3
T2662EP	66.70	316	26508273098	3
T2663EP	100.45	316	26508273111	3
T2690	246.80	271	26508300220	4
T2690BG	448.10	271	26508300237	4
T2690BN	448.10	271	26508300244	4
T2690NL	448.10	271	26508300251	4
T2690ORB	492.95	271	26508300268	4
T2691	136.70	271	26508230282	3
T2691BG	248.20	271	26508286128	3
T2691BN	248.20	271	26508230299	3
T2691NL	248.20	271	26508301487	3
T2691ORB	273.10	271	26508230305	3
T2692	182.15	270	26508230312	3
T2692BG	331.35	270	26508286135	3
T2692BN	331.35	270	26508230329	3
T2692EP	182.15	270	26508230336	3
T2692EPBG	331.35	270	26508286142	3
T2692EPBN	331.35	270	26508230343	3
T2692EPNL	331.35	270	26508301494	3
T2692EPORB	364.40	270	26508230350	3
T2692NH	144.90	270	26508230367	3
T2692NHBG	263.20	270	26508286159	3
T2692NHBN	263.20	270	26508230374	3
T2692NHNL	263.20	270	26508301500	3
T2692NHORB	289.55	270	26508230381	3
T2692NL	331.35	270	26508301517	3
T2692ORB	364.40	270	26508230398	3
T2693	231.80	270	26508230404	3
T2693BG	421.15	270	26508286166	3
T2693BN	421.15	270	26508230411	3
T2693EP	231.80	270	26508230428	3
T2693EPBG	421.15	270	26508286173	3
T2693EPBN	421.15	270	26508230435	3
T2693EPNL	421.15	270	26508301524	3
T2693EPORB	463.50	270	26508230442	3
T2693NH	156.10	270	26508230459	3
T2693NHBG	305.20	270	26508286180	3
T2693NHBN	305.20	270	26508230466	3
T2693NHNL	305.20	270	26508301531	3
T2693NHORB	335.75	270	26508230473	3
T2693NL	421.15	270	26508301548	3
T2693ORB	463.50	270	26508230480	3
T2741	50.75	312	26508261217	3
T2741BL	157.35	312	26508325544	3
T2741BN	143.10	312	26508261224	3
T2742	82.20	311	26508261231	3
T2742BL	194.45	311	26508325551	3
T2742BN	176.85	311	26508261248	3
T2742EP	68.15	311	26508261255	3
T2742EPBL	194.45	311	26508325568	3
T2742EPBN	176.85	311	26508261262	3
T2743	119.60	311	26508261279	3
T2743BL	256.55	311	26508325575	3
T2743BN	233.20	311	26508261286	3
T2743EP	102.65	311	26508261293	3
T2743EPBL	256.55	311	26508325582	3
T2743EPBN	233.20	311	26508261309	3
T2810	257.15	300	26508300305	4
T2810BL	513.65	300	26508300312	4
T2810BN	466.90	300	26508300329	4
T2811	142.45	300	26508235102	3
T2811BL	284.50	300	26508301555	3
T2811BN	258.60	300	26508258323	3
T2812	189.80	299	26508235119	3
T2812BL	379.75	299	26508301562	3
T2812BN	345.25	299	26508258330	3
T2812EP	189.80	299	26508235126	3
T2812EPBL	379.75	299	26508301579	3
T2812EPBN	345.25	299	26508258347	3
T2812NH	151.00	299	26508256671	3
T2812NHBL	301.70	299	26508301586	3
T2812NHBN	274.25	299	26508277997	3
T2813	241.55	299	26508235133	3
T2813BL	482.70	299	26508301593	3
T2813BN	438.85	299	26508258354	3
T2813EP	241.55	299	26508235140	3
T2813EPBL	482.70	299	26508301609	3
T2813EPBN	438.85	299	26508258361	3
T2813NH	162.65	299	26508256688	3
T2813NHBL	349.80	299	26508301616	3
T2813NHBN	318.00	299	26508278000	3
T2842EP	127.90	311	26508271452	4
T2842EPBL	237.70	311	26508325599	4
T2842EPBN	220.50	311	26508271667	4
T2843EP	164.50	311	26508271445	4
T2843EPBL	298.55	311	26508325605	4
T2843EPBN	275.70	311	26508271674	4
T2900	91.15	343	26508300336	4
T2900BL	145.40	343	26508300343	4
T2900BN	132.15	343	26508300350	4
T2901	61.40	343	26508272121	3
T2901BL	138.70	343	26508289686	3
T2901BN	126.10	343	26508289693	3
T2902EP	66.70	342	26508272138	3
T2902EPBL	150.85	342	26508289709	3
T2902EPBN	137.10	342	26508289716	3
T2902NH	63.45	342	26508272145	3
T2902NHBL	143.45	342	26508289723	3
T2902NHBN	130.40	342	26508289730	3
T2903EP	100.45	342	26508272152	3
T2903EPBL	208.25	342	26508289747	3
T2903EPBN	189.30	342	26508289754	3
T2903NH	86.00	342	26508272169	3
T2903NHBL	188.75	342	26508289761	3
T2903NHBN	171.60	342	26508289778	3
T3002EP	114.20	342	26508272176	4
T3002EPBL	223.15	342	26508306024	4
T3002EPBN	202.85	342	26508289822	4
T3003EP	147.95	342	26508272183	4
T3003EPBL	306.70	342	26508306031	4
T3003EPBN	278.80	342	26508289839	4
T4192	129.50	700	26508260326	12
T4291	259.05	250	26508290668	3
T4291BG	391.20	250	26508290705	3
T4291BL	420.95	250	26508290712	3
T4291BN	391.20	250	26508290729	3
T4292	131.85	250	26508290736	6
T4292BG	198.75	250	26508290743	6
T4292BL	214.35	250	26508290750	6
T4292BN	198.75	250	26508290767	6
T4411	259.70	279	26508290774	3
T4411BN	391.20	279	26508290781	3
T4411NL	391.20	279	26508290798	3
T4411ORB	422.00	279	26508290804	3
T4412	131.85	279	26508290811	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T4412BN	198.75	279	26508290828	6
T4412NL	198.75	279	26508290835	6
T4412ORB	214.35	279	26508290842	6
T4500	257.15	244	26508300367	4
T4500BN	466.90	244	26508300374	4
T4500NL	466.90	244	26508300381	4
T4500ORB	513.65	244	26508300398	4
T4501	142.45	244	26508253441	3
T4501BN	258.60	244	26508253458	3
T4501NL	258.60	244	26508255759	3
T4501ORB	284.55	244	26508255766	3
T4502	189.80	243	26508253465	3
T4502BN	345.25	243	26508253472	3
T4502EP	189.80	243	26508253489	3
T4502EPBN	345.25	243	26508253496	3
T4502EPORB	379.70	243	26508255780	3
T4502NH	151.00	243	26508253663	3
T4502NHBN	274.25	243	26508253502	3
T4502NL	345.25	243	26508255803	3
T4502ORB	379.70	243	26508255810	3
T4503	241.55	243	26508253519	3
T4503BN	438.85	243	26508253526	3
T4503EP	241.55	243	26508253533	3
T4503EPBN	438.85	243	26508253540	3
T4503EPORB	482.95	243	26508255834	3
T4503NH	162.65	243	26508253557	3
T4503NHBN	318.00	243	26508253670	3
T4503NL	438.85	243	26508255865	3
T4503ORB	482.95	243	26508255872	3
T4520	315.90	234	26508253403	3
T4520BN	530.90	234	26508253700	3
T4520NL	530.90	234	26508255902	3
T4520ORB	583.90	234	26508255919	3
T4524	322.15	234	26508253717	3
T4524BN	541.50	234	26508253762	3
T4524NL	541.50	234	26508255926	3
T4524ORB	595.65	234	26508255933	3
T4621	248.60	226	26508336120	3
T4621BG	375.45	226	26508336137	3
T4621BL	404.00	226	26508336144	3
T4621BN	375.45	226	26508336151	3
T4622	126.55	226	26508336168	6
T4622BG	190.75	226	26508336175	6
T4622BL	205.70	226	26508336182	6
T4622BN	190.75	226	26508336199	6
T4691	249.25	264	26508290859	3
T4691BG	375.45	264	26508290866	3
T4691BN	375.45	264	26508290873	3
T4691NL	375.45	264	26508290880	3
T4691ORB	405.00	264	26508290897	3
T4692	126.55	264	26508290903	6
T4692BG	190.75	264	26508290910	6
T4692BN	190.75	264	26508290927	6
T4692NL	190.75	264	26508290934	6
T4692ORB	205.70	264	26508290941	6
T4943	231.90	319	26508162088	3
T4943BN	302.70	319	26508162101	3
T4943ORB	332.85	319	26508162095	3
T5191	492.35	258	26508249277	3
T5191BN	674.25	258	26508249284	3
T5220	432.60	335	26508171769	3
T5220BN	522.35	335	26508171776	3
T5220ORB	574.55	335	26508171783	3
T5225	432.60	325	26508171790	3
T5225BN	522.35	325	26508171806	3
T5225ORB	574.55	325	26508171813	3
T5245	492.35	245	26508255940	3
T5245BN	674.25	245	26508255957	3
T5245ORB	741.65	245	26508255971	3
T5269	473.45	272	26508230619	3
T5269BN	648.35	272	26508230626	3
T5269ORB	713.15	272	26508230633	3
T6125	379.10	289	26508126820	3
T6125BN	637.05	289	26508126844	3
T6125ORB	700.85	289	26508132463	3
T6125WR	700.85	289	26508126851	3
T6142	184.25	338	26508272114	3
T6142BL	323.00	338	26508289846	3
T6142BN	293.70	338	26508289853	3
T6173	188.30	308	26508261330	3
T6173BL	310.35	308	26508325629	3
T6173BN	282.20	308	26508261347	3
T6193	315.90	247	26508249857	3
T6193BG	530.90	247	26508286258	3
T6193BL	583.90	247	26508275078	3
T6193BN	530.90	247	26508249291	3
T6222	303.15	224	26508336205	3
T6222BG	509.50	224	26508336212	3
T6222BL	560.35	224	26508336229	3
T6222BN	509.50	224	26508336236	3
T6223	429.05	225	26508336243	3
T6223BG	599.50	225	26508336250	3
T6223BL	659.45	225	26508336267	3
T6223BN	599.50	225	26508336274	3
T6405	326.05	276	26508275757	3
T6405BN	508.25	276	26508275764	3
T6405NL	508.25	276	26508301739	3
T6405ORB	553.80	276	26508275771	3
T6420	188.30	328	26508153130	3
T6420BN	282.20	328	26508153147	3
T6420ORB	310.35	328	26508153154	3
T6601	259.70	237	26508290958	3
T6601BN	391.20	237	26508290965	3
T6601NL	391.20	237	26508290675	3
T6601ORB	422.00	237	26508290682	3
T6602	131.85	237	26508290699	6
T6602BN	198.75	237	26508290972	6
T6602NL	198.75	237	26508290989	6
T6602ORB	214.35	237	26508290996	6
T6620	188.30	318	26508162071	3
T6620BN	282.20	318	26508161012	3
T6620ORB	310.35	318	26508161029	3
T6708	155.10	345	26508295687	3
T6708BL	239.10	345	26508295694	3
T6708BN	217.15	345	26508295700	3
T6805	188.30	302	26508264591	3
T6805BL	310.35	302	26508337059	3
T6805BN	282.20	302	26508264607	3
T6805ORB	310.35	302	26508264614	3
T6905	303.15	260	26508230640	3
T6905BG	509.50	260	26508284650	3
T6905BN	509.50	260	26508230657	3
T6905NL	509.50	260	26508301746	3
T6905ORB	560.35	260	26508230664	3
T6906	345.60	261	26508230671	3
T6906BG	562.80	261	26508286265	3
T6906BN	562.80	261	26508230688	3
T6906NL	562.80	261	26508301753	3
T6906ORB	619.25	261	26508230695	3
T6920	315.90	293	26508235157	3
T6920BL	584.05	293	26508301760	3
T6920BN	530.90	293	26508258378	3
T8341	354.70	690	26508228555	1
T8342	361.00	689	26508228562	1
T8342CBN	530.65	689	26508237151	1
T8342EP15	361.00	689	26508228579	1
T8342EP15CBN	530.65	689	26508237168	1
T8342NH	352.35	689	26508237175	1
T8342NHCBN	483.15	689	26508237182	1
T8343	381.40	686	26508228586	1
T8343CBN	560.80	686	26508237199	1
T8343EP15	381.40	686	26508228593	1
T8343EP15CBN	560.80	686	26508237625	1
T8343NH	372.80	686	26508237632	1
T8343NHCBN	513.30	686	26508235751	1
T8346	333.15	693	26508228609	4
T8346CBN	472.40	693	26508235638	4
T8346EP15	333.15	693	26508228616	4
T8346EP15CBN	472.40	693	26508235645	4
T8360	48.15	700	26508222775	3
T8360CBN	87.95	700	26508235652	3
T8370	37.65	698	26508211885	3
T8370CBN	68.75	698	26508235669	3
T8375	65.05	697	26508211892	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T8375CBN	100.10	697	26508235676	3
T8375EP15	65.05	697	26508222782	3
T8375EP15CBN	100.10	697	26508235683	3
T8375NH	46.10	697	26508235690	3
T8375NHCBN	77.05	697	26508235706	3
T8389	99.60	695	26508212134	3
T8389CBN	155.60	695	26508235713	3
T8389EP15	99.60	695	26508222799	3
T8389EP15CBN	155.60	695	26508235720	3
T8389NH	83.20	695	26508235737	3
T8389NHCBN	121.85	695	26508235744	3
T9023	402.70	277	26508275788	3
T9023BN	565.85	277	26508275795	3
T9023NL	565.90	277	26508301791	3
T9023ORB	614.50	277	26508275801	3
T9024	547.30	278	26508275818	3
T9024BN	770.70	278	26508275825	3
T9024NL	770.70	278	26508301807	3
T9024ORB	826.55	278	26508275832	3
T9342	493.55	687	26508257333	1
T9342EP15	493.55	687	26508257340	1
T9342GBM15	542.85	688	26508257388	1
T9342GBM25	542.85	688	26508257371	1
T9343	521.50	684	26508257319	1
T9343EP15	521.50	684	26508257326	1
T9343GBM15	573.65	685	26508257364	1
T9343GBM25	573.65	685	26508257357	1
T9346	434.80	691	26508255544	4
T9346EP15	434.80	691	26508255551	4
T9346GBM15	478.25	692	26508255568	1
T9346GBM25	478.25	692	26508255575	1
T9360	133.20	700	26508255582	3
T9370	104.10	698	26508255599	3
T9375	130.25	696	26508255605	3
T9375EP15	130.25	696	26508255612	3
T9389	165.70	694	26508255629	3
T9389EP15	165.70	694	26508255636	3
T90331	38.45	471	26508184455	12
T90331BG	121.20	471	26508286289	12
T90331BN	121.20	471	26508184509	12
T90331NL	121.20	471	26508184516	12
T90331ORB	133.35	471	26508184523	12
T90331WR	133.35	471	26508184578	12
TL2368EP	91.40	357	26508242414	6
TL2369EP	111.20	355	26508242421	6
TL5265	258.10	359	26508255162	3
TR1000BN	36.45	521	34584017710	3
TR1000CH	36.45	521	34584017727	3
TR1000OWB	36.45	521	34584017734	3
TR1032BN	51.25	521	34584029164	3
TS903	610.45	191	26508215371	3
TS903BN	869.30	191	26508217771	3
TS904	950.75	192	26508215395	3
TS904BN	1595.20	192	26508217795	3
TS913	610.45	191	26508298282	3
TS913BN	869.30	191	26508298299	3
TS914	950.75	192	26508298305	3
TS914BN	1595.20	192	26508298312	3
TS926	851.60	163	26508303245	3
TS926BG	1234.80	163	26508303252	3
TS926BN	1234.80	163	26508303269	3
TS926NL	1234.80	163	26508303276	3
TS927	873.55	163	26508303283	3
TS927BG	1256.75	163	26508303290	3
TS927BN	1256.75	163	26508303306	3
TS927NL	1256.75	163	26508303313	3
TS928	1123.00	164	26508303320	3
TS928BG	1628.30	164	26508303337	3
TS928BN	1628.30	164	26508303344	3
TS928NL	1628.30	164	26508303351	3
TS929	1144.90	164	26508303368	3
TS929BG	1650.25	164	26508303375	3
TS929BN	1650.25	164	26508303382	3
TS929NL	1650.25	164	26508303399	3
TS955	614.90	203	26508295748	3
TS983	415.85	214	26508291146	3
TS983BL	640.35	214	26508291153	3
TS983BN	582.15	214	26508291160	3
TS984	647.75	214	26508291177	3
TS984BL	997.60	214	26508291184	3
TS984BN	906.90	214	26508291191	3
TS1320	160.60	464	26508219638	6
TS1320BN	226.40	464	26508219645	6
TS1320NL	226.40	464	26508250754	6
TS1320ORB	255.55	464	26508219652	6
TS1322	160.60	464	26508219669	6
TS1322BG	226.40	464	26508285374	6
TS1322BL	255.55	464	26508301821	6
TS1322BN	226.40	464	26508219676	6
TS1322NL	226.40	464	26508250761	6
TS1322ORB	255.55	464	26508219683	6
TS1420	248.50	464	26508252543	6
TS1420BN	336.75	464	26508258743	6
TS1420NL	336.75	464	26508258750	6
TS1420ORB	370.55	464	26508258767	6
TS1422	248.50	464	26508258798	6
TS1422BG	336.75	464	26508286296	6
TS1422BL	370.55	464	26508301838	6
TS1422BN	336.75	464	26508258804	6
TS1422NL	336.75	464	26508258811	6
TS1422ORB	370.55	464	26508258828	6
TS2200	430.35	222	26508300404	4
TS2200BL	686.45	222	26508300442	4
TS2200BN	624.05	222	26508300459	4
TS2201	205.85	222	26508291283	3
TS2201BL	328.35	222	26508291290	3
TS2201BN	298.50	222	26508291306	3
TS2202	274.45	221	26508291313	4
TS2202BL	437.75	221	26508291320	4
TS2202BN	397.90	221	26508291337	4
TS2202EP	274.45	221	26508291344	4
TS2202EPBL	437.75	221	26508291351	4
TS2202EPBN	397.90	221	26508291368	4
TS2202NH	219.55	221	26508291375	4
TS2202NHBL	350.25	221	26508291382	4
TS2202NHBN	318.35	221	26508291399	4
TS2203	348.95	221	26508291405	4
TS2203BL	556.50	221	26508291412	4
TS2203BN	506.00	221	26508291429	4
TS2203EP	348.95	221	26508291436	4
TS2203EPBL	556.50	221	26508291443	4
TS2203EPBN	506.00	221	26508291450	4
TS2203NH	234.90	221	26508291467	4
TS2203NHBL	374.65	221	26508291474	4
TS2203NHBN	340.55	221	26508291481	4
TS2710	400.00	200	26508300466	4
TS2710BN	740.60	200	26508300473	4
TS2711	194.45	200	26508215111	3
TS2711BN	360.05	200	26508216989	3
TS2712	259.35	199	26508215128	3
TS2712BN	480.40	199	26508216996	3
TS2712EP	259.35	199	26508222218	3
TS2712EPBN	480.40	199	26508223413	3
TS2712NH	206.10	199	26508222225	3
TS2712NHBN	381.75	199	26508223420	3
TS2713	329.70	199	26508215135	3
TS2713BN	610.80	199	26508217009	3
TS2713EP	329.70	199	26508222249	3
TS2713EPBN	610.80	199	26508223437	3
TS2713NH	222.00	199	26508222232	3
TS2713NHBN	442.55	199	26508223444	3
TS2911	236.00	172	26508302606	3
TS2911BG	354.00	172	26508302613	3
TS2911BN	354.00	172	26508302620	3
TS2911NL	354.00	172	26508302637	3
TS2912	357.20	171	26508302644	4
TS2912BG	535.80	171	26508302651	4
TS2912BN	535.80	171	26508302668	4
TS2912EP	357.20	171	26508302675	4
TS2912EPBG	535.80	171	26508302682	4
TS2912EPBN	535.80	171	26508302699	4
TS2912EPNL	535.80	171	26508302705	4
TS2912NH	283.95	171	26508302712	4
TS2912NHBG	426.00	171	26508302729	4

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS2912NHBN	426.00	171	26508302736	4
TS2912NHNL	426.00	171	26508302743	4
TS2912NL	535.80	171	26508302750	4
TS2913	454.25	171	26508302767	4
TS2913BG	681.35	171	26508302774	4
TS2913BN	681.35	171	26508302781	4
TS2913EP	454.25	171	26508302798	4
TS2913EPBG	681.35	171	26508302804	4
TS2913EPBN	681.35	171	26508302811	4
TS2913EPNL	681.35	171	26508302828	4
TS2913NH	305.70	171	26508302835	4
TS2913NHBG	458.60	171	26508302842	4
TS2913NHBN	458.60	171	26508302859	4
TS2913NHNL	458.60	171	26508302866	4
TS2913NL	681.35	171	26508302873	4
TS3100	327.65	193	26508223581	3
TS3100BN	495.65	193	26508223598	3
TS3101	346.75	215	26508291498	3
TS3101BL	553.05	215	26508291504	3
TS3101BN	502.80	215	26508291511	3
TS3102	160.05	215	26508291528	6
TS3102BL	255.30	215	26508291535	6
TS3102BN	232.10	215	26508291542	6
TS3210	330.85	146	26508215715	3
TS3210BG	468.00	146	26508286371	3
TS3210BL	505.00	146	26508301999	3
TS3210BN	468.00	146	26508215845	3
TS3210NL	468.00	146	26508231319	3
TS3210ORB	505.00	146	26508215852	3
TS3300	151.25	193	26508223635	6
TS3300BN	201.70	193	26508223642	6
TS3302BL	496.80	43	26508299203	3
TS3302TB	496.80	43	26508269930	3
TS3304BL	755.55	43	26508299210	3
TS3304TB	755.55	43	26508269947	3
TS3661NH	576.30	420	26508266991	3
TS3661NHBG	910.40	420	26508324585	3
TS3661NHBL	960.65	420	26508279441	3
TS3661NHBN	910.40	420	26508279458	3
TS3661NHORB	960.65	420	26508279465	3
TS4201	330.75	165	26508303009	3
TS4201BG	496.15	165	26508303016	3
TS4201BN	496.15	165	26508303023	3
TS4201NL	496.15	165	26508303030	3
TS4202	152.65	165	26508303047	6
TS4202BG	229.05	165	26508303054	6
TS4202BN	229.05	165	26508303061	6
TS4202NL	229.05	165	26508303078	6
TS6720	445.05	190	26508215364	3
TS6720BN	762.55	190	26508217757	3
TS6721	445.05	190	26508298244	3
TS6721BN	762.55	190	26508298251	3
TS6730	516.20	190	26508221679	3
TS6730BN	861.10	190	26508221686	3
TS6731	516.20	190	26508298268	3
TS6731BN	861.10	190	26508298275	3
TS6925	337.05	213	26508291115	3
TS6925BL	519.00	213	26508291122	3
TS6925BN	471.85	213	26508291139	3
TS6984	504.95	162	26508303160	3
TS6984BG	706.90	162	26508303177	3
TS6984BN	706.90	162	26508303184	3
TS6984NL	706.90	162	26508303191	3
TS6985	526.90	162	26508303207	3
TS6985BG	737.70	162	26508303214	3
TS6985BN	737.70	162	26508303221	3
TS6985NL	737.70	162	26508303238	3
TS8002	446.10	203	26508264003	3
TS8710	400.85	211	26508300541	4
TS8711	194.90	211	26508264010	3
TS8712	259.80	210	26508264027	3
TS8712EP	259.80	210	26508264034	3
TS8713	330.45	210	26508264041	3
TS8713EP	330.45	210	26508264058	3
TS9711	345.00	204	26508291009	3
TS9712	159.25	204	26508291016	6
TS21102	1431.05	138	26508215593	3
TS21102BG	2491.00	138	26508286302	3
TS21102BL	2687.55	138	26508301845	3
TS21102BN	2491.00	138	26508215609	3
TS21102NL	2491.00	138	26508231210	3
TS21102ORB	2687.55	138	26508215616	3
TS21104	1431.05	138	26508215623	3
TS21104BG	2491.00	138	26508286319	3
TS21104BL	2687.55	138	26508301852	3
TS21104BN	2491.00	138	26508215630	3
TS21104NL	2491.00	138	26508231227	3
TS21104ORB	2687.55	138	26508215647	3
TS22000	659.35	159	26508300411	4
TS22000BL	1078.40	159	26508305720	4
TS22000BN	980.50	159	26508300435	4
TS22001	307.50	159	26508242438	3
TS22001BL	503.00	159	26508301869	3
TS22001BN	457.30	159	26508242445	3
TS22002	599.25	158	26508242452	3
TS22002BL	962.70	158	26508301876	3
TS22002BN	875.10	158	26508242469	3
TS22002EP	599.25	158	26508242476	3
TS22002EPBL	962.70	158	26508301883	3
TS22002EPBN	875.10	158	26508242483	3
TS22003	717.40	158	26508242513	3
TS22003BL	1144.75	158	26508301890	3
TS22003BN	1040.65	158	26508242520	3
TS22003EP	717.40	158	26508242537	3
TS22003EPBL	1144.75	158	26508301906	3
TS22003EPBN	1040.65	158	26508242544	3
TS22101	938.65	137	26508215654	3
TS22101BG	1328.50	137	26508291078	3
TS22101BL	1433.30	137	26508301913	3
TS22101BN	1328.50	137	26508215661	3
TS22101NL	1328.50	137	26508231234	3
TS22101ORB	1433.30	137	26508215678	3
TS22103	938.65	137	26508215685	3
TS22103BG	1328.50	137	26508286326	3
TS22103BL	1433.30	137	26508301920	3
TS22103BN	1328.50	137	26508215692	3
TS22103NL	1328.50	137	26508231241	3
TS22103ORB	1433.30	137	26508215708	3
TS25105	797.20	136	26508251119	3
TS25105BN	1155.85	136	26508251126	3
TS25105ORB	1271.45	136	26508282014	3
TS32100	709.35	147	26508300480	4
TS32100BG	1003.15	147	26508300497	4
TS32100BL	1082.55	147	26508300503	4
TS32100BN	1003.15	147	26508300510	4
TS32100NL	1003.15	147	26508300527	4
TS32100ORB	1082.55	147	26508300534	4
TS32102	631.00	145	26508215722	3
TS32102BG	921.00	145	26508286333	3
TS32102BL	993.50	145	26508299180	3
TS32102BN	921.00	145	26508215739	3
TS32102EP	631.00	145	26508218877	3
TS32102EPBG	921.00	145	26508286340	3
TS32102EPBL	993.50	145	26508299173	3
TS32102EPBN	921.00	145	26508218884	3
TS32102EPNL	921.00	145	26508231258	3
TS32102EPORB	993.50	145	26508218891	3
TS32102NL	921.00	145	26508231272	3
TS32102ORB	993.50	145	26508215777	3
TS32104	769.40	145	26508215784	3
TS32104BG	1079.45	145	26508286357	3
TS32104BL	1164.65	145	26508299159	3
TS32104BN	1079.45	145	26508215791	3
TS32104EP	769.40	145	26508218914	3
TS32104EPBG	1079.45	145	26508286364	3
TS32104EPBL	1164.65	145	26508299142	3
TS32104EPBN	1079.45	145	26508218921	3
TS32104EPNL	1079.45	145	26508231289	3
TS32104EPORB	1164.65	145	26508218938	3
TS32104NL	1079.45	145	26508231302	3
TS32104ORB	1164.65	145	26508215838	3
TS32110	400.10	139	26508215869	3
TS32110BG	588.90	139	26508286388	3
TS32110BL	635.25	139	26508302002	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS32110BN	588.90	139	26508215876	3
TS32110NL	588.90	139	26508231326	3
TS32110ORB	635.25	139	26508215883	3
TS33002	328.95	152	26508242599	3
TS33002BL	542.85	152	26508302033	3
TS33002BN	493.50	152	26508242605	3
TS33003	187.95	152	26508242612	6
TS33003BL	301.65	152	26508302040	6
TS33003BN	274.15	152	26508242629	6
TS42106	697.30	135	26508215951	3
TS42106BG	979.60	135	26508286418	3
TS42106BL	1056.90	135	26508302088	3
TS42106BN	979.60	135	26508215968	3
TS42106NL	979.60	135	26508231357	3
TS42106ORB	1056.90	135	26508215975	3
TS42108	681.45	134	26508215982	3
TS42108BG	1034.00	134	26508286425	3
TS42108BL	1115.65	134	26508302095	3
TS42108BN	1034.00	134	26508215999	3
TS42108NL	1034.00	134	26508231364	3
TS42108ORB	1115.65	134	26508216002	3
TS42112	697.30	135	26508216019	3
TS42112BG	979.60	135	26508286432	3
TS42112BL	1056.90	135	26508302101	3
TS42112BN	979.60	135	26508216026	3
TS42112NL	979.60	135	26508231371	3
TS42112ORB	1056.90	135	26508216033	3
TS42114	681.45	134	26508216040	3
TS42114BG	1034.00	134	26508284667	3
TS42114BL	1115.65	134	26508302118	3
TS42114BN	1034.00	134	26508216057	3
TS42114NL	1034.00	134	26508231388	3
TS42114ORB	1115.65	134	26508216064	3
TS43002	634.40	149	26508242636	3
TS43002BL	1079.40	149	26508302125	3
TS43002BN	981.25	149	26508242643	3
TS43003	649.30	149	26508242650	3
TS43003BL	1076.65	149	26508281932	3
TS43003BN	978.80	149	26508242667	3
TS44102	439.65	176	26508310601	3
TS44102BG	615.50	176	26508310618	3
TS44102BL	677.05	176	26508310625	3
TS44102BN	615.50	176	26508310632	3
TS44103	460.65	176	26508310649	3
TS44103BG	636.50	176	26508310656	3
TS44103BL	698.05	176	26508310663	3
TS44103BN	636.50	176	26508310670	3
TS44104	461.65	177	26508310687	3
TS44104BG	646.25	177	26508310694	3
TS44104BL	710.90	177	26508310700	3
TS44104BN	646.25	177	26508310717	3
TS44105	482.65	177	26508310724	3
TS44105BG	667.25	177	26508310731	3
TS44105BL	731.90	177	26508310748	3
TS44105BN	667.25	177	26508310755	3
TS44201	225.75	186	26508310809	3
TS44201BG	338.65	186	26508310816	3
TS44201BL	372.50	186	26508310823	3
TS44201BN	338.65	186	26508310830	3
TS44401	316.35	180	26508311004	3
TS44401BG	474.55	180	26508311011	3
TS44401BL	522.00	180	26508311028	3
TS44401BN	474.55	180	26508311035	3
TS44402	146.05	180	26508311042	6
TS44402BG	219.10	180	26508311059	6
TS44402BL	241.00	180	26508311066	6
TS44402BN	219.10	180	26508311073	6
TS44503	814.60	178	26508311080	3
TS44503BG	1181.15	178	26508311097	3
TS44503BL	1299.25	178	26508311103	3
TS44503BN	1181.15	178	26508311110	3
TS44504	986.15	179	26508311127	3
TS44504BG	1429.95	179	26508311134	3
TS44504BL	1572.95	179	26508311141	3
TS44504BN	1429.95	179	26508311158	3
TS44505	835.60	178	26508311165	3
TS44505BG	1202.15	178	26508311172	3
TS44505BL	1320.25	178	26508311189	3
TS44505BN	1202.15	178	26508311196	3
TS44506	1007.15	179	26508311202	3
TS44506BG	1450.95	179	26508311219	3
TS44506BL	1593.95	179	26508311226	3
TS44506BN	1450.95	179	26508311233	3
TS50100	329.85	150	26508251133	2
TS50110	268.20	150	26508258231	2
TS50200	494.90	136	26508251140	2
TS50210	402.30	136	26508258248	2
TS52104	207.70	139	26508216071	6
TS52104BG	286.95	139	26508286449	6
TS52104BL	309.40	139	26508302132	6
TS52104BN	286.95	139	26508216088	6
TS52104NL	286.95	139	26508231395	6
TS52104ORB	309.40	139	26508216095	6
TS93003	826.30	150	26508242735	3
TS93003BL	1314.50	150	26508302149	3
TS93003BN	1195.05	150	26508242742	3
TS93004	1261.65	151	26508242759	3
TS93004BL	2475.05	151	26508302156	3
TS93004BN	2250.15	151	26508242766	3
U130CI	63.00	477	26508319390	6
U130CIS	90.60	477	26508319406	6
U130CX	63.00	477	26508319413	6
U130CXS	90.60	477	26508319420	6
U130X	63.00	477	26508319437	6
U130XS	90.60	477	26508319444	6
U140CI	63.00	477	26508319451	6
U140CIS	90.60	477	26508319468	6
U140CX	63.00	477	26508319475	6
U140CX-PF	71.10	477	26508319482	3
U140CXS	90.60	477	26508319499	6
U140CXS-PF	98.75	477	26508319505	3
U140V	77.10	477	26508319512	6
U140VS	104.75	477	26508319529	6
U140X	63.00	477	26508319536	6
U140X-PF	71.10	477	26508319543	3
U140XS	90.60	477	26508319550	6
U140XS-PF	98.75	477	26508319567	3
U231CI	132.40	478	26508319574	6
U231CX	132.40	478	26508319581	6
U231X	132.40	478	26508319598	6
U232CIS	234.70	478	26508319604	6
U232CXS	234.70	478	26508319611	6
U232XS	234.70	478	26508319628	6
U361CI	132.40	478	26508319635	6
U361CX	132.40	478	26508319642	6
U361X	132.40	478	26508319659	6
U362CIS	234.70	478	26508319666	6
U362CXS	234.70	478	26508319673	6
U362XS	234.70	478	26508319680	6
U8350	255.30	699	26508319697	3
UT2011	166.05	330	26508319703	12
UT2011BN	201.65	330	26508319710	12
UT2011ORB	215.55	330	26508319727	12
UT2021	166.05	320	26508319734	12
UT2021BN	201.65	320	26508319741	12
UT2021ORB	215.55	320	26508319758	12
UT2031	166.05	303	26508319765	12
UT2031BL	215.55	303	26508337073	12
UT2031BN	201.65	303	26508319772	12
UT2031ORB	215.55	303	26508319789	12
UT2081	194.30	296	26508319826	12
UT2081BL	256.75	296	26508319833	12
UT2081BN	239.20	296	26508319840	12
UT2131	146.85	332	26508338094	3
UT2131BN	248.90	332	26508338100	3
UT2131ORB	263.10	332	26508338117	3
UT2132EP	164.25	331	26508338124	12
UT2132EPBN	282.60	331	26508338131	12
UT2132EPORB	300.25	331	26508338148	12
UT2132NH	160.80	331	26508338155	3
UT2132NHBN	257.45	331	26508338162	3
UT2132NHORB	272.55	331	26508338179	3
UT2133EP	198.75	330	26508338186	4
UT2133EPBN	339.00	330	26508338193	4

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
UT2133EPORB	362.35	330	26508338209	4
UT2133NH	184.00	330	26508338216	3
UT2133NHBN	284.40	330	26508338223	3
UT2133NHORB	296.95	330	26508338230	3
UT2151	146.85	322	26508338247	3
UT2151BN	248.90	322	26508338254	3
UT2151ORB	263.10	322	26508338261	3
UT2152EP	164.25	321	26508338278	12
UT2152EPBN	282.60	321	26508338285	12
UT2152EPORB	300.25	321	26508338292	12
UT2152NH	160.80	321	26508338308	3
UT2152NHBN	257.45	321	26508338315	3
UT2152NHORB	272.55	321	26508338322	3
UT2153EP	198.75	320	26508338339	12
UT2153EPBN	339.00	320	26508338346	12
UT2153EPORB	362.35	320	26508338353	12
UT2153NH	193.70	320	26508338360	3
UT2153NHBN	274.75	320	26508338377	3
UT2153NHORB	296.95	320	26508338384	3
UT2181	156.50	304	26508338391	3
UT2181BL	263.10	304	26508343258	0
UT2181BN	248.90	304	26508338407	3
UT2181ORB	263.10	304	26508338414	3
UT2182EP	164.25	304	26508338421	12
UT2182EPBL	300.25	304	26508343265	12
UT2182EPBN	282.60	304	26508338438	12
UT2182EPORB	300.25	304	26508338445	12
UT2183EP	198.75	303	26508338452	12
UT2183EPBL	362.35	303	26508343272	12
UT2183EPBN	339.00	303	26508338469	12
UT2183EPORB	362.35	303	26508338476	12
UT2191	250.10	255	26508338483	3
UT2191BG	366.25	255	26508338490	3
UT2191BL	392.20	255	26508338506	3
UT2191BN	366.25	255	26508338513	3
UT2192EP	297.45	254	26508338520	4
UT2192EPBG	452.90	254	26508338537	4
UT2192EPBL	487.45	254	26508338544	4
UT2192EPBN	452.90	254	26508338551	4
UT2192NH	258.60	254	26508338568	3
UT2192NHBG	381.90	254	26508338575	3
UT2192NHBL	409.35	254	26508338582	3
UT2192NHBN	381.90	254	26508338599	3
UT2193EP	349.15	254	26508338605	3
UT2193EPBG	546.50	254	26508338612	3
UT2193EPBL	590.35	254	26508338629	3
UT2193EPBN	546.50	254	26508338636	3
UT2193NH	270.30	254	26508338643	3
UT2193NHBG	425.65	254	26508338650	3
UT2193NHBL	457.50	254	26508338667	3
UT2193NHBN	425.65	254	26508338674	3
UT2232EP	233.70	331	26508338681	4
UT2232EPBN	326.30	331	26508338698	4
UT2232EPORB	343.50	331	26508338704	4
UT2233EP	270.30	330	26508338711	4
UT2233EPBN	381.50	330	26508338728	4
UT2233EPORB	404.35	330	26508338735	4
UT2252EP	233.70	321	26508338742	4
UT2252EPBN	326.30	321	26508338759	4
UT2252EPORB	343.50	321	26508338766	4
UT2253EP	270.30	320	26508338773	4
UT2253EPBN	381.50	320	26508338780	4
UT2253EPORB	404.35	320	26508338797	4
UT2261	240.00	231	26508336281	3
UT2261BG	351.50	231	26508336298	3
UT2261BL	376.40	231	26508336304	3
UT2261BN	351.50	231	26508336311	3
UT2262EP	285.45	230	26508336328	4
UT2262EPBG	434.65	230	26508336335	4
UT2262EPBL	467.80	230	26508336342	4
UT2262EPBN	434.65	230	26508336359	4
UT2263EP	335.10	230	26508336366	4
UT2263EPBG	524.45	230	26508336373	4
UT2263EPBL	566.55	230	26508336380	4
UT2263EPBN	524.45	230	26508336397	4
UT2282EP	233.70	304	26508338803	4
UT2282EPBL	343.50	304	26508343289	4
UT2282EPBN	326.30	304	26508338810	4
UT2282EPORB	343.50	304	26508338827	4
UT2283EP	270.30	303	26508338834	4
UT2283EPBL	404.35	303	26508343296	4
UT2283EPBN	381.50	303	26508338841	4
UT2283EPORB	404.35	303	26508338858	4
UT2311	244.90	284	26508338865	3
UT2311BN	356.85	284	26508338872	3
UT2311NL	356.85	284	26508338889	3
UT2311ORB	381.80	284	26508338896	3
UT2312EP	290.55	283	26508338902	4
UT2312EPBN	440.30	283	26508338919	4
UT2312EPNL	440.30	283	26508338926	4
UT2312EPORB	473.45	283	26508338933	4
UT2313EP	340.20	283	26508338940	4
UT2313EPBN	530.45	283	26508338957	4
UT2313EPNL	530.45	283	26508338964	4
UT2313EPORB	572.95	283	26508338971	4
UT2401	161.75	346	26508319857	12
UT2401BL	215.55	346	26508319864	12
UT2401BN	201.65	346	26508319871	12
UT2471	164.55	347	26508339107	3
UT2471BL	238.40	347	26508339114	3
UT2471BN	226.30	347	26508339121	3
UT2472EP	169.75	347	26508339138	12
UT2472EPBL	249.95	347	26508339145	12
UT2472EPBN	236.85	347	26508339152	12
UT2472NH	166.55	347	26508339169	3
UT2472NHBL	242.85	347	26508339176	3
UT2472NHBN	230.40	347	26508339183	3
UT2473EP	202.05	346	26508339190	12
UT2473EPBL	309.35	346	26508339206	12
UT2473EPBN	290.85	346	26508339213	12
UT2473NH	188.25	346	26508339220	3
UT2473NHBL	286.30	346	26508339237	3
UT2473NHBN	269.90	346	26508339244	3
UT2661	167.15	315	26508339251	3
UT2662EP	172.50	314	26508339268	12
UT2662NH	169.20	314	26508339275	3
UT2663EP	206.25	314	26508339282	12
UT2663NH	191.80	314	26508339299	3
UT2691	240.00	269	26508339305	3
UT2691BG	351.50	269	26508339312	3
UT2691BN	351.50	269	26508339329	3
UT2691NL	351.50	269	26508339336	3
UT2691ORB	376.40	269	26508339343	3
UT2692EP	285.45	268	26508339350	12
UT2692EPBG	434.65	268	26508339367	12
UT2692EPBN	434.65	268	26508339374	12
UT2692EPNL	434.65	268	26508339381	12
UT2692EPORB	467.70	268	26508339398	12
UT2693EP	335.10	268	26508339404	3
UT2693EPBG	524.45	268	26508339411	3
UT2693EPBN	524.45	268	26508339428	3
UT2693EPNL	524.45	268	26508339435	3
UT2693EPORB	566.80	268	26508339442	3
UT2721	166.05	309	26508319888	12
UT2721BL	215.55	309	26508337080	12
UT2721BN	201.65	309	26508319895	12
UT2741	156.50	310	26508339459	3
UT2741BL	263.10	310	26508339466	3
UT2741BN	248.90	310	26508339473	3
UT2742EP	164.25	310	26508339480	12
UT2742EPBL	300.25	310	26508339497	12
UT2742EPBN	282.60	310	26508339503	12
UT2743EP	198.75	309	26508339510	3
UT2743EPBL	362.30	309	26508339527	3
UT2743EPBN	339.00	309	26508339534	3
UT2811	250.10	298	26508339541	3
UT2811BL	392.15	298	26508339558	3
UT2811BN	366.25	298	26508339565	3
UT2812EP	297.45	297	26508339572	12
UT2812EPBL	487.40	297	26508339589	12
UT2812EPBN	452.90	297	26508339596	0
UT2812NH	258.60	297	26508339602	3
UT2812NHBL	409.35	297	26508339619	3
UT2812NHBN	381.90	297	26508339626	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
UT2813EP	349.15	297	26508339633	12
UT2813EPBL	590.35	297	26508339640	12
UT2813EPBN	546.50	297	26508339657	12
UT2813NH	270.30	297	26508339664	3
UT2813NHBL	457.45	297	26508339671	3
UT2813NHBN	425.65	297	26508339688	3
UT2842EP	233.70	310	26508339695	4
UT2842EPBL	343.50	310	26508339701	4
UT2842EPBN	326.30	310	26508339718	4
UT2843EP	270.30	309	26508339725	4
UT2843EPBL	404.35	309	26508339732	4
UT2843EPBN	381.50	309	26508339749	4
UT2901	167.15	341	26508339756	3
UT2901BL	244.50	341	26508339763	3
UT2901BN	231.90	341	26508339770	3
UT2902EP	172.50	340	26508339787	12
UT2902EPBL	256.60	340	26508339794	12
UT2902EPBN	242.90	340	26508339800	12
UT2902NH	169.20	340	26508339817	3
UT2902NHBL	249.25	340	26508339824	3
UT2902NHBN	236.20	340	26508339831	3
UT2903EP	206.25	339	26508339848	12
UT2903EPBL	314.00	339	26508339855	12
UT2903EPBN	295.05	339	26508339862	12
UT2903NH	191.80	339	26508339879	3
UT2903NHBL	294.55	339	26508339886	3
UT2903NHBN	277.40	339	26508339893	3
UT2921	166.05	339	26508319901	12
UT2921BL	215.95	339	26508319918	12
UT2921BN	201.95	339	26508319925	12
UT3002EP	219.95	340	26508339909	4
UT3002EPBL	328.90	340	26508339916	4
UT3002EPBN	308.65	340	26508339923	4
UT3003EP	253.75	339	26508339930	4
UT3003EPBL	412.45	339	26508339947	4
UT3003EPBN	384.55	339	26508339954	4
UT3290	280.70	253	26508319932	4
UT3290BG	348.00	253	26508319949	4
UT3290BL	382.80	253	26508319956	4
UT3290BN	348.00	253	26508319963	4
UT3291	297.00	252	26508319970	3
UT3291BG	487.55	252	26508319987	3
UT3291BL	536.30	252	26508319994	3
UT3291BN	487.55	252	26508320006	3
UT3292	353.45	251	26508320013	4
UT3292BG	594.00	251	26508320020	4
UT3292BL	653.40	251	26508320037	4
UT3292BN	594.00	251	26508320044	4
UT3292EP	353.45	251	26508320051	4
UT3292EPBG	594.00	251	26508320068	4
UT3292EPBL	653.40	251	26508320075	4
UT3292EPBN	594.00	251	26508320082	4
UT3293	433.85	251	26508320099	4
UT3293BG	722.95	251	26508320105	4
UT3293BL	795.25	251	26508320112	4
UT3293BN	722.95	251	26508320129	4
UT3293EP	433.85	251	26508320136	4
UT3293EPBG	722.95	251	26508320143	4
UT3293EPBL	795.25	251	26508320150	4
UT3293EPBN	722.95	251	26508320167	4
UT3311	273.70	281	26508320174	3
UT3311BN	467.50	281	26508320181	3
UT3311NL	467.50	281	26508320198	3
UT3311ORB	501.35	281	26508320204	3
UT3312	332.70	280	26508320211	4
UT3312BN	549.70	280	26508320228	4
UT3312EP	332.70	280	26508320235	4
UT3312EPBN	549.70	280	26508320242	4
UT3312EPNL	549.70	280	26508320259	4
UT3312EPORB	623.80	280	26508320266	4
UT3312NL	549.70	280	26508320273	4
UT3312ORB	623.80	280	26508320280	4
UT3313	410.75	280	26508320297	4
UT3313BN	693.40	280	26508320303	4
UT3313EP	410.75	280	26508320310	4
UT3313EPBN	693.40	280	26508320327	4
UT3313EPNL	693.40	280	26508320334	4
UT3313EPORB	785.20	280	26508320341	4
UT3313NL	693.40	280	26508320358	4
UT3313ORB	785.20	280	26508320365	4
UT3322	280.70	282	26508320372	4
UT3322BN	348.00	282	26508320389	4
UT3322NL	348.00	282	26508320396	4
UT3322ORB	374.35	282	26508320402	4
UT3331	269.40	229	26508336403	4
UT3331BG	333.95	229	26508336410	4
UT3331BL	367.35	229	26508336427	4
UT3331BN	333.95	229	26508336434	4
UT3361	285.05	228	26508336441	3
UT3361BG	467.90	228	26508336458	3
UT3361BL	514.70	228	26508336465	3
UT3361BN	467.90	228	26508336472	3
UT3362	339.20	227	26508336489	3
UT3362BG	570.05	227	26508336496	3
UT3362BL	627.05	227	26508336502	3
UT3362BN	570.05	227	26508336519	3
UT3362EP	339.20	227	26508336526	3
UT3362EPBG	570.05	227	26508336533	3
UT3362EPBL	627.05	227	26508336540	3
UT3362EPBN	570.05	227	26508336557	3
UT3363	416.35	227	26508336564	3
UT3363BG	693.80	227	26508336571	3
UT3363BL	763.20	227	26508336588	3
UT3363BN	693.80	227	26508336595	3
UT3363EP	416.35	227	26508336601	3
UT3363EPBG	693.80	227	26508336618	3
UT3363EPBL	763.20	227	26508336625	3
UT3363EPBN	693.80	227	26508336632	3
UT3611	269.35	267	26508320419	4
UT3611BG	333.95	267	26508320426	4
UT3611BN	333.95	267	26508320440	4
UT3611NL	333.95	267	26508324738	4
UT3611ORB	359.25	267	26508320457	4
UT3691	285.05	266	26508320464	3
UT3691BG	467.90	266	26508320471	3
UT3691BN	467.90	266	26508320488	3
UT3691NL	467.90	266	26508320495	3
UT3691ORB	502.50	266	26508320501	3
UT3692	339.20	265	26508320518	4
UT3692BG	570.05	265	26508320525	4
UT3692BN	570.05	265	26508320532	4
UT3692EP	339.20	265	26508320549	4
UT3692EPBG	570.05	265	26508320556	4
UT3692EPBN	570.05	265	26508320563	4
UT3692EPNL	570.05	265	26508320570	4
UT3692EPORB	614.75	265	26508320587	4
UT3692NL	570.05	265	26508320594	4
UT3692ORB	614.75	265	26508320600	4
UT3693	416.35	265	26508320617	4
UT3693BG	693.80	265	26508320624	4
UT3693BN	693.80	265	26508320631	4
UT3693EP	416.35	265	26508320648	4
UT3693EPBG	693.80	265	26508320655	4
UT3693EPBN	693.80	265	26508320662	4
UT3693EPNL	693.80	265	26508320679	4
UT3693EPORB	750.80	265	26508320686	4
UT3693NL	693.80	265	26508320693	4
UT3693ORB	750.80	265	26508320709	4
UT3811	297.00	295	26508325209	3
UT3811BL	523.60	295	26508325216	3
UT3811BN	487.55	295	26508325223	3
UT3812EP	353.45	294	265083252230	4
UT3812EPBL	640.55	294	26508325247	4
UT3812EPBN	594.00	294	26508325254	4
UT3813EP	433.85	294	26508325261	4
UT3813EPBL	782.35	294	26508325278	4
UT3813EPBN	722.95	294	26508325285	4
UT4191	194.30	253	26508320716	12
UT4191BG	239.20	253	26508320723	12
UT4191BL	256.70	253	26508320730	12
UT4191BN	239.20	253	26508320747	12
UT4301	189.45	282	26508320754	12
UT4301BN	232.75	282	26508320761	12
UT4301NL	232.75	282	26508320778	12

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
UT4301ORB	249.60	282	26508320785	12
UT4511	194.30	240	26508320792	12
UT4511BN	239.20	240	26508320808	12
UT4511NL	239.20	240	26508320815	12
UT4511ORB	256.70	240	26508320822	12
UT4611	186.45	267	26508320839	12
UT4611BG	229.55	267	26508320846	12
UT4611BN	229.55	267	26508320853	12
UT4611NL	229.55	267	26508320860	12
UT4611ORB	246.35	267	26508320877	12
UT4620	186.45	229	26508336649	12
UT4620BG	229.55	229	26508336656	12
UT4620BL	246.35	229	26508336663	12
UT4620BN	229.55	229	26508336670	12
UT5500	273.85	240	26508320884	4
UT5500BN	348.00	240	26508320891	4
UT5500NL	348.00	240	26508320907	4
UT5500ORB	374.35	240	26508320914	4
UT8350	189.70	699	26508321126	3
UT8350CBN	243.45	699	26508321133	3
UT24501	250.10	242	26508338988	3
UT24501BN	366.25	242	26508338995	3
UT24501NL	366.25	242	26508339008	3
UT24501ORB	392.20	242	26508339015	3
UT24502EP	297.45	241	26508339022	12
UT24502EPBN	452.90	241	26508339039	12
UT24502EPNL	452.90	241	26508339046	12
UT24502EPORB	487.35	241	26508339053	12
UT24503EP	349.15	241	26508339060	3
UT24503EPBN	546.50	241	26508339077	3
UT24503EPNL	546.50	241	26508339084	3
UT24503EPORB	590.60	241	26508339091	3
UT35501	297.00	239	26508323014	3
UT35501BN	487.55	239	26508323021	3
UT35501NL	487.55	239	26508323038	3
UT35501ORB	523.60	239	26508323045	3
UT35502	353.45	238	26508323052	4
UT35502BN	594.00	238	26508323069	4
UT35502EP	353.45	238	26508323076	4
UT35502EPBN	594.00	238	26508323083	4
UT35502EPNL	594.00	238	26508323090	4
UT35502EPORB	640.55	238	26508323106	4
UT35502NL	594.00	238	26508323113	4
UT35502ORB	640.55	238	26508323120	4
UT35503	433.85	238	26508323137	4
UT35503BN	722.95	238	26508323144	4
UT35503EP	433.85	238	26508323151	4
UT35503EPBN	722.95	238	26508323168	4
UT35503EPNL	722.95	238	26508323175	4
UT35503EPORB	782.35	238	26508323182	4
UT35503NL	722.95	238	26508323199	4
UT35503ORB	782.35	238	26508323205	4
UTL181	135.55	354	26508339961	3
UTL181BC	170.40	354	26508339978	3
UTL182EP	139.50	354	26508339985	12
UTL182EPBC	177.40	354	26508339992	12
UTL182NH	137.20	354	26508340004	12
UTL183EP	166.50	353	26508340011	12
UTL183EPBC	211.75	353	26508340028	12
UTL183NH	157.95	353	26508340035	12
UTS2171	248.70	207	26508321195	12
UTS2201	330.10	220	26508340134	3
UTS2201BL	452.60	220	26508340141	3
UTS2201BN	422.80	220	26508340158	3
UTS2202EP	398.75	219	26508340165	4
UTS2202EPBL	562.00	219	26508340172	4
UTS2202EPBN	522.15	219	26508340189	4
UTS2203EP	473.25	219	26508340196	4
UTS2203EPBL	680.75	219	26508340202	4
UTS2203EPBN	630.25	219	26508340219	4
UTS2411	418.50	168	26508321232	4
UTS2411BG	606.80	168	26508321249	4
UTS2411BN	606.80	168	26508321256	4
UTS2411NL	606.80	168	26508321263	4
UTS2611	365.50	218	26508321270	4
UTS2611BL	583.00	218	26508321287	4
UTS2611BN	530.00	218	26508321294	4
UTS2711	312.80	198	26508340523	3
UTS2711BN	478.40	198	26508340530	3
UTS2712EP	377.70	197	26508340547	4
UTS2712EPBN	598.75	197	26508340554	4
UTS2713EP	448.05	197	26508340561	4
UTS2713EPBN	729.15	197	26508340578	4
UTS2811	345.85	207	26508321300	4
UTS2911	360.25	170	26508340615	3
UTS2911BG	478.30	170	26508340622	3
UTS2911BN	478.30	170	26508340639	3
UTS2911NL	478.30	170	26508340646	3
UTS2912EP	481.50	169	26508340653	4
UTS2912EPBG	660.10	169	26508340660	4
UTS2912EPBN	660.10	169	26508340677	4
UTS2912EPNL	660.10	169	26508340684	4
UTS2913EP	578.50	169	26508340691	4
UTS2913EPBG	805.60	169	26508340707	4
UTS2913EPBN	805.60	169	26508340714	4
UTS2913EPNL	805.60	169	26508340721	4
UTS3201	371.50	217	26508321461	3
UTS3201BL	499.70	217	26508321478	3
UTS3201BN	468.45	217	26508321485	3
UTS3202	447.90	216	26508321492	4
UTS3202BL	674.30	216	26508321508	4
UTS3202BN	597.60	216	26508321515	4
UTS3202EP	447.90	216	26508321522	4
UTS3202EPBL	674.30	216	26508321539	4
UTS3202EPBN	597.60	216	26508321546	4
UTS3203	531.40	216	26508321553	4
UTS3203BL	824.55	216	26508321560	4
UTS3203BN	731.35	216	26508321577	4
UTS3203EP	531.40	216	26508321584	1
UTS3203EPBL	824.55	216	26508321591	4
UTS3203EPBN	731.35	216	26508321607	4
UTS3311	413.95	155	26508321973	4
UTS3311BL	900.95	155	26508321980	4
UTS3311BN	819.05	155	26508321997	4
UTS3711	358.05	195	26508322000	3
UTS3711BN	670.00	195	26508322017	3
UTS3713	527.75	194	26508322024	4
UTS3713BN	1011.50	194	26508322031	4
UTS3713EP	527.75	194	26508322048	4
UTS3713EPBN	1011.50	194	26508322055	4
UTS3715	427.95	194	26508322062	4
UTS3715BN	824.45	194	26508322079	4
UTS3715EP	427.95	194	26508322086	4
UTS3715EPBN	824.45	194	26508322093	4
UTS3771	377.15	206	26508325292	3
UTS3772	452.55	205	26508325308	4
UTS3772EP	452.55	205	26508325315	4
UTS3773	559.75	205	26508325322	4
UTS3773EP	559.75	205	26508326909	4
UTS3911	448.60	167	26508322109	3
UTS3911BG	594.95	167	26508322116	3
UTS3911BN	594.95	167	26508322123	3
UTS3911NL	594.95	167	26508322130	3
UTS3912	533.60	166	26508322147	4
UTS3912BG	738.20	166	26508322154	4
UTS3912BN	738.20	166	26508322161	4
UTS3912EP	533.60	166	26508322178	4
UTS3912EPBG	738.20	166	26508322185	4
UTS3912EPBN	738.20	166	26508322192	4
UTS3912EPNL	738.20	166	26508322208	4
UTS3912NL	738.20	166	26508322215	4
UTS3913	636.00	166	26508322222	4
UTS3913BG	902.25	166	26508322239	4
UTS3913BN	902.25	166	26508322246	4
UTS3913EP	636.00	166	26508322253	4
UTS3913EPBG	902.25	166	26508322260	4
UTS3913EPBN	902.25	166	26508322277	4
UTS3913EPNL	902.25	166	26508322284	4
UTS3913NL	902.25	166	26508322291	4
UTS4172	244.80	196	26508322307	12
UTS4172BN	304.75	196	26508322314	12
UTS4311	607.80	142	26508322321	4
UTS4311BG	881.30	142	26508322338	4
UTS4311BL	969.40	142	26508322345	4

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
UTS4311BN	881.30	142	26508322352	4
UTS4311NL	881.30	142	26508322369	4
UTS4311ORB	969.40	142	26508322376	4
UTS4911	272.10	169	26508322581	12
UTS4911BG	369.50	169	26508322598	12
UTS4911BN	369.50	169	26508322604	12
UTS4911NL	369.50	169	26508322611	12
UTS9011	345.90	196	26508322628	4
UTS9011BN	500.85	196	26508322635	4
UTS9204	258.45	218	26508322642	12
UTS9204BL	366.25	218	26508322659	12
UTS9204BN	339.95	218	26508322666	12
UTS9211	399.65	183	26508322673	4
UTS9211BG	579.50	183	26508322680	4
UTS9211BL	637.45	183	26508322697	4
UTS9211BN	579.50	183	26508322703	4
UTS9381	259.90	183	26508322710	12
UTS9381BG	352.85	183	26508322727	12
UTS9381BL	388.15	183	26508322734	12
UTS9381BN	352.85	183	26508322741	12
UTS22001	400.25	157	26508340042	3
UTS22001BL	595.75	157	26508340059	3
UTS22001BN	550.05	157	26508340066	3
UTS22002EP	692.00	156	26508340073	3
UTS22002EPBL	1055.45	156	26508340080	3
UTS22002EPBN	967.90	156	26508340097	3
UTS22003EP	810.20	156	26508340103	3
UTS22003EPBL	1237.55	156	26508340110	3
UTS22003EPBN	1133.40	156	26508340127	3
UTS23005	357.25	155	26508321201	12
UTS23005BL	458.90	155	26508321218	12
UTS23005BN	424.20	155	26508321225	12
UTS23210	423.60	144	26508340226	3
UTS23210BG	560.75	144	26508340356	3
UTS23210BL	597.75	144	26508340363	3
UTS23210BN	560.75	144	26508340370	3
UTS23210NL	560.75	144	26508340387	3
UTS23210ORB	597.75	144	26508340394	3
UTS28711	319.15	209	26508340585	0
UTS28712EP	384.10	208	26508340592	4
UTS28713EP	454.70	208	26508340608	4
UTS32001	467.05	154	26508321317	3
UTS32001BL	665.80	154	26508321324	3
UTS32001BN	619.45	154	26508321331	3
UTS32002	731.20	153	26508321348	3
UTS32002BL	1132.25	153	26508321355	3
UTS32002BN	1013.95	153	26508321362	3
UTS32002EP	731.20	153	26508321379	3
UTS32002EPBL	1132.25	153	26508321386	3
UTS32002EPBN	1013.95	153	26508321393	3
UTS32003	828.00	153	26508321409	3
UTS32003BL	1297.95	153	26508321416	4
UTS32003BN	1161.65	153	26508321423	3
UTS32003EP	828.00	153	26508321430	3
UTS32003EPBL	1297.95	153	26508321447	3
UTS32003EPBN	1161.65	153	26508321454	3
UTS32205	378.45	142	26508321614	12
UTS32205BG	432.45	142	26508321621	12
UTS32205BL	460.35	142	26508321638	12
UTS32205BN	432.45	142	26508321645	12
UTS32205NL	432.45	142	26508321652	12
UTS32205ORB	460.35	142	26508321669	12
UTS33101	506.65	141	26508321676	3
UTS33101BG	650.35	141	26508321683	3
UTS33101BL	689.90	141	26508321690	3
UTS33101BN	650.35	141	26508321706	3
UTS33101NL	650.35	141	26508321713	3
UTS33101ORB	689.90	141	26508321720	3
UTS33102	758.80	140	26508321737	3
UTS33102BG	1053.90	140	26508321744	3
UTS33102BL	1159.15	140	26508321751	3
UTS33102BN	1053.90	140	26508321768	3
UTS33102EP	758.80	140	26508321775	3
UTS33102EPBG	1053.90	140	26508321782	3
UTS33102EPBL	1159.15	140	26508321799	3
UTS33102EPBN	1053.90	140	26508321805	3
UTS33102EPNL	1053.90	140	26508321812	3
UTS33102EPORB	1159.15	140	26508321829	3
UTS33102NL	1053.90	140	26508321836	3
UTS33102ORB	1159.15	140	26508321843	3
UTS33103	869.75	140	26508321850	3
UTS33103BG	1192.90	140	26508321867	3
UTS33103BL	1313.90	140	26508321874	3
UTS33103BN	1192.90	140	26508321881	3
UTS33103EP	869.75	140	26508321898	3
UTS33103EPBG	1192.90	140	26508321904	3
UTS33103EPBL	1313.90	140	26508321911	3
UTS33103EPBN	1192.90	140	26508321928	3
UTS33103EPNL	1192.90	140	26508321935	3
UTS33103EPORB	1313.90	140	26508321942	3
UTS33103NL	1192.90	140	26508321959	3
UTS33103ORB	1313.90	140	26508321966	3
UTS232102EP	723.75	143	26508340233	3
UTS232102EPBG	1013.80	143	26508340240	3
UTS232102EPBL	1086.30	143	26508340257	3
UTS232102EPBN	1013.80	143	26508340264	3
UTS232102EPNL	1013.80	143	26508340271	3
UTS232102EPORB	1086.30	143	26508340288	3
UTS232104EP	862.15	143	26508340295	3
UTS232104EPBG	1172.20	143	26508340301	3
UTS232104EPBL	1257.45	143	26508340318	3
UTS232104EPBN	1172.20	143	26508340325	3
UTS232104EPNL	1172.20	143	26508340332	3
UTS232104EPORB	1257.45	143	26508340349	3
UTS244201	350.00	185	26508340400	3
UTS244201BG	462.90	185	26508340417	3
UTS244201BL	496.75	185	26508340424	3
UTS244201BN	462.90	185	26508340431	3
UTS244202EP	465.95	184	26508340448	3
UTS244202EPBG	636.75	184	26508340455	3
UTS244202EPBL	688.00	184	26508340462	3
UTS244202EPBN	636.75	184	26508340479	3
UTS244203EP	558.75	184	26508340486	3
UTS244203EPBG	776.00	184	26508340493	3
UTS244203EPBL	841.15	184	26508340509	3
UTS244203EPBN	776.00	184	26508340516	3
UTS344301	428.40	182	26508323212	3
UTS344301BG	568.15	182	26508323229	3
UTS344301BL	624.95	182	26508323236	3
UTS344301BN	568.15	182	26508323243	3
UTS344302	509.60	181	26508323250	3
UTS344302BG	704.95	181	26508323267	3
UTS344302BL	775.50	181	26508323274	3
UTS344302BN	704.95	181	26508323281	3
UTS344302EP	509.60	181	26508323298	3
UTS344302EPBG	704.95	181	26508323304	3
UTS344302EPBL	775.50	181	26508323311	3
UTS344302EPBN	704.95	181	26508323328	3
UTS344303	607.35	181	26508323335	3
UTS344303BG	861.70	181	26508323342	3
UTS344303BL	947.85	181	26508323359	3
UTS344303BN	861.70	181	26508323366	3
UTS344303EP	607.35	181	26508323373	3
UTS344303EPBG	861.70	181	26508323380	3
UTS344303EPBL	947.85	181	26508323397	3
UTS344303EPBN	861.70	181	26508323403	3
Y5703BL	23.65	502	34584032317	12
Y5703BN	19.70	502	34584032973	12
Y5703CH	16.80	502	34584033239	12
Y5708BL	32.50	502	34584032324	3
Y5708BN	27.10	502	34584032980	3
Y5708CH	23.10	502	34584033246	3
Y5718BL	51.70	502	34584032331	3
Y5718BN	41.00	502	34584032997	3
Y5718CH	36.75	502	34584033253	3
Y5724BL	56.10	502	34584032348	3
Y5724BN	45.10	502	34584033000	3
Y5724CH	39.90	502	34584033260	3
Y5786BL	28.70	502	34584032355	3
Y5786BN	24.60	502	34584033017	3
Y5786CH	21.00	502	34584033277	3
YB0201BL	81.95	223	34584028365	24
YB0201BN	74.50	223	34584028372	24
YB0201CH	69.05	223	34584028389	24

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB0203BL	62.25	223	34584028396	24
YB0203BN	56.70	223	34584028402	24
YB0203CH	52.90	223	34584028419	24
YB0208BL	115.45	223	34584028426	6
YB0208BN	104.95	223	34584028433	6
YB0208CH	97.35	223	34584028440	6
YB0218BL	132.90	223	34584028457	6
YB0218BN	120.85	223	34584028464	6
YB0218CH	111.85	223	34584028471	6
YB0224BL	137.90	223	34584028488	6
YB0224BN	125.30	223	34584028495	6
YB0224CH	115.90	223	34584028501	6
YB0275BL	82.80	223	34584028280	6
YB0275BL	82.80	223	34584028280	6
YB0275BN	74.85	223	34584028297	6
YB0275BN	74.85	223	34584028297	6
YB0275CH	68.05	223	34584028303	6
YB0275CH	68.05	223	34584028303	6
YB0286BL	92.75	223	34584028877	6
YB0286BN	84.30	223	34584028884	6
YB0286CH	78.15	223	34584028891	6
YB0301BG	122.80	173	34584031648	24
YB0301BN	102.30	173	34584031587	24
YB0301CH	78.70	173	34584031570	24
YB0301NL	112.50	173	34584031594	24
YB0303BG	94.15	173	34584031617	24
YB0303BN	78.45	173	34584031624	24
YB0303CH	60.30	173	34584031631	24
YB0303NL	86.25	173	34584031600	24
YB0305BG	24.75	173	34584031655	48
YB0305BG	24.75	173	34584031655	48
YB0305BN	20.65	173	34584031662	48
YB0305BN	20.65	173	34584031662	48
YB0305CH	15.85	173	34584031679	48
YB0305CH	15.85	173	34584031679	48
YB0305NL	17.45	173	34584031686	48
YB0307BG	49.65	173	34584031693	48
YB0307BG	49.65	173	34584031693	48
YB0307BN	41.35	173	34584031709	48
YB0307BN	41.35	173	34584031709	48
YB0307CH	31.80	173	34584031716	48
YB0307CH	31.80	173	34584031716	48
YB0307NL	45.50	173	34584031723	48
YB0307NL	45.50	173	34584031723	48
YB0308BG	173.15	173	34584031730	6
YB0308BN	144.25	173	34584031150	6
YB0308CH	111.00	173	34584031167	6
YB0308NL	158.70	173	34584031174	6
YB0318BG	199.20	173	34584031181	6
YB0318BN	165.95	173	34584031198	6
YB0318CH	127.70	173	34584031204	6
YB0318NL	182.55	173	34584031211	6
YB0322BG	193.20	173	34584031228	6
YB0322BN	160.95	173	34584031235	6
YB0322CH	123.85	173	34584031242	6
YB0322NL	177.10	173	34584031259	6
YB0324BG	206.15	173	34584031266	6
YB0324BN	171.80	173	34584031273	6
YB0324CH	132.15	173	34584031280	6
YB0324NL	188.95	173	34584031297	6
YB0361BG	315.40	175	34584031303	2
YB0361BN	262.85	175	34584031310	2
YB0361CH	202.20	175	34584031327	2
YB0361NL	289.10	175	34584031334	2
YB0362BG	441.30	175	34584031341	2
YB0362BN	367.75	175	34584031358	2
YB0362CH	282.90	175	34584031365	2
YB0362NL	404.55	175	34584031372	2
YB0363BG	548.05	175	34584030283	2
YB0363BN	456.70	175	34584030290	2
YB0363CH	351.35	175	34584030306	2
YB0363NL	502.35	175	34584030313	2
YB0364BG	685.00	175	34584030320	2
YB0364BN	570.90	175	34584030337	2
YB0364CH	439.15	175	34584030344	2
YB0364NL	627.95	175	34584030351	2
YB0369	34.85	175	34584030368	3
YB0386BG	139.20	173	34584030375	6
YB0386BN	115.95	173	34584030382	6
YB0386CH	89.20	173	34584030399	6
YB0386NL	127.60	173	34584030405	6
YB0390BG	191.25	173	34584030412	6
YB0390BN	159.40	173	34584030429	6
YB0390CH	122.65	173	34584030436	6
YB0390NL	175.30	173	34584030443	6
YB0392BG	434.70	173	34584030450	1
YB0392BN	362.25	173	34584030467	1
YB0392CH	301.90	173	34584030474	1
YB0392NL	398.50	173	34584030481	1
YB0402BL	71.15	233	34584026750	24
YB0402BN	64.80	233	34584022530	24
YB0402CH	56.95	233	34584022547	24
YB0403BG	41.60	233	34584028594	24
YB0403BL	38.05	233	34584026767	24
YB0403BN	34.65	233	34584022554	24
YB0403CH	31.45	233	34584022561	24
YB0408BG	92.15	233	34584028600	6
YB0408BL	69.90	233	34584026774	6
YB0408BN	63.55	233	34584022578	6
YB0408CH	57.45	233	34584022585	6
YB0409BL	59.15	233	34584026781	6
YB0409BN	53.80	233	34584022592	6
YB0409CH	48.90	233	34584022608	6
YB0418BG	102.70	233	34584028617	6
YB0418BL	80.65	233	34584026798	6
YB0418BN	73.35	233	34584022615	6
YB0418CH	66.70	233	34584022622	6
YB0424BG	106.25	233	34584028624	6
YB0424BL	83.55	233	34584026804	6
YB0424BN	75.95	233	34584022639	6
YB0424CH	68.80	233	34584022646	6
YB0486BG	74.20	233	34584028648	6
YB0486BL	56.35	233	34584026811	6
YB0486BN	51.20	233	34584022653	6
YB0486CH	46.80	233	34584022660	6
YB0501BG	112.95	187	34584032393	24
YB0501BL	107.65	187	34584032409	24
YB0501BN	97.85	187	34584032416	24
YB0501CH	75.30	187	34584032423	24
YB0503BG	86.55	187	34584032430	24
YB0503BL	82.55	187	34584032447	24
YB0503BN	75.00	187	34584032454	24
YB0503CH	57.70	187	34584032461	24
YB0505BG	22.80	187	34584032478	48
YB0505BL	21.75	187	34584032485	48
YB0505BN	19.75	187	34584032492	48
YB0505CH	15.15	187	34584032508	48
YB0507BG	45.70	187	34584032515	48
YB0507BL	43.50	187	34584032522	48
YB0507BN	39.60	187	34584032539	48
YB0507CH	30.45	187	34584032546	48
YB0508BG	159.25	187	34584032553	6
YB0508BL	151.85	187	34584032560	6
YB0508BN	138.00	187	34584032577	6
YB0508CH	106.15	187	34584032584	6
YB0518BG	183.15	187	34584032591	6
YB0518BL	174.60	187	34584032607	6
YB0518BN	158.75	187	34584032614	6
YB0518CH	122.10	187	34584032621	6
YB0524BG	189.65	187	34584032638	6
YB0524BL	180.75	187	34584032645	6
YB0524BN	164.35	187	34584032652	6
YB0524CH	126.40	187	34584032669	6
YB0561BG	290.10	188	34584032676	2
YB0561BL	276.55	188	34584032683	2
YB0561BN	251.40	188	34584032690	2
YB0561CH	193.40	188	34584032706	2
YB0562BG	406.00	188	34584032713	2
YB0562BL	387.00	188	34584032720	2
YB0562BN	351.80	188	34584032737	2
YB0562CH	270.65	188	34584032744	2
YB0563BG	504.10	188	34584032751	2
YB0563BL	480.55	188	34584032768	2

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB0563BN	436.85	188	34584032775	2
YB0563CH	336.05	188	34584032782	2
YB0564BG	630.10	188	34584032799	2
YB0564BL	600.65	188	34584032805	2
YB0564BN	546.05	188	34584032812	2
YB0564CH	420.05	188	34584032829	2
YB0569	34.85	188	34584032836	3
YB0586BG	128.00	187	34584032843	6
YB0586BL	122.00	187	34584032850	6
YB0586BN	110.95	187	34584032867	6
YB0586CH	85.30	187	34584032874	6
YB0801BL	118.05	160	34584029676	24
YB0801BN	118.40	160	34584021700	24
YB0801CH	97.50	160	34584021717	24
YB0803BL	113.45	160	34584029669	24
YB0803BN	102.75	160	34584021724	24
YB0803CH	93.60	160	34584021731	24
YB0808BL	161.40	160	34584029652	6
YB0808BN	146.60	160	34584021748	6
YB0808CH	133.25	160	34584021755	6
YB0818BL	186.80	160	34584029645	6
YB0818BN	169.60	160	34584021762	6
YB0818CH	154.25	160	34584021779	6
YB0824BL	201.65	160	34584029638	6
YB0824BN	183.40	160	34584021786	6
YB0824CH	166.45	160	34584021793	6
YB0886BL	130.45	160	34584029621	6
YB0886BN	118.30	160	34584021809	6
YB0886CH	107.75	160	34584021816	6
YB0892BL	325.30	160	34584029614	3
YB0892BN	306.90	160	34584021823	3
YB0892CH	268.60	160	34584021830	3
YB2101BL	38.35	307	34584033512	24
YB2101BN	34.85	307	34584024985	24
YB2101CH	22.75	307	34584024992	24
YB2101ORB	38.30	307	34584025005	24
YB2103BL	27.10	307	34584033529	24
YB2103BN	24.65	307	34584025012	24
YB2103CH	16.20	307	34584025029	24
YB2103ORB	27.10	307	34584025036	24
YB2108BL	48.80	307	34584033536	6
YB2108BN	44.40	307	34584025043	6
YB2108CH	28.90	307	34584025050	6
YB2108ORB	48.75	307	34584025067	6
YB2118BL	59.85	307	34584033543	6
YB2118BN	54.45	307	34584025074	6
YB2118CH	35.45	307	34584025098	6
YB2118ORB	59.85	307	34584025081	6
YB2124BL	62.90	307	34584033550	6
YB2124BN	57.25	307	34584025104	6
YB2124CH	37.40	307	34584025111	6
YB2124ORB	62.90	307	34584025128	6
YB2186BL	36.90	307	34584033567	6
YB2186BN	33.60	307	34584025135	6
YB2186CH	22.05	307	34584025142	6
YB2186ORB	37.05	307	34584025159	6
YB2201BN	34.85	326	34584008008	6
YB2201CH	22.75	326	34584008015	6
YB2201ORB	38.30	326	34584008022	6
YB2203BN	24.65	326	34584008039	24
YB2203CH	16.20	326	34584008046	24
YB2203ORB	27.10	326	34584008053	24
YB2208BN	44.40	326	34584008060	6
YB2208CH	28.90	326	34584008077	6
YB2208ORB	48.75	326	34584008084	6
YB2218BN	54.45	326	34584008091	6
YB2218CH	35.45	326	34584008107	6
YB2218ORB	59.85	326	34584008114	6
YB2224BN	57.25	326	34584008121	6
YB2224CH	37.40	326	34584008138	6
YB2224ORB	62.90	326	34584008145	6
YB2261BN	159.90	327	34584022226	2
YB2261BN	159.90	327	34584022226	2
YB2261CH	127.85	327	34584022233	2
YB2261ORB	159.90	327	34584022240	2
YB2262BN	223.85	327	34584022257	2
YB2262CH	179.05	327	34584022264	2
YB2262ORB	223.85	327	34584022271	2
YB2263BN	277.90	327	34584022288	2
YB2263CH	222.30	327	34584022295	2
YB2263ORB	277.90	327	34584022301	2
YB2264BN	355.80	327	34584022318	2
YB2264CH	284.70	327	34584022325	2
YB2264ORB	355.80	327	34584022332	2
YB2269	23.95	327	34584022349	3
YB2286BN	33.60	326	34584008152	6
YB2286CH	22.05	326	34584008169	6
YB2286ORB	37.05	326	34584008176	6
YB2303BL	28.55	313	34584033185	24
YB2303BN	25.95	313	34584024596	24
YB2303CH	17.05	313	34584024602	24
YB2308BL	48.85	313	34584033192	6
YB2308BN	44.40	313	34584024619	6
YB2308CH	28.90	313	34584024626	6
YB2318BL	59.85	313	34584033208	6
YB2318BN	54.45	313	34584024633	6
YB2318CH	35.45	313	34584024640	6
YB2324BL	63.00	313	34584033215	6
YB2324BN	57.25	313	34584024657	6
YB2324CH	37.40	313	34584024664	6
YB2386BL	36.95	313	34584033222	6
YB2386BN	33.60	313	34584024671	6
YB2386CH	22.05	313	34584024688	6
YB2801BN	34.85	336	34584005663	6
YB2801CH	22.75	336	34584005601	6
YB2801ORB	38.30	336	34584005724	6
YB2803BN	24.65	336	34584005618	24
YB2803CH	16.20	336	34584005557	24
YB2803ORB	27.10	336	34584005670	24
YB2808BN	44.40	336	34584005625	6
YB2808CH	28.90	336	34584005564	6
YB2808ORB	48.75	336	34584005687	6
YB2818BN	54.45	336	34584005632	6
YB2818CH	35.45	336	34584005571	6
YB2818ORB	59.85	336	34584005694	6
YB2824BN	57.25	336	34584005649	6
YB2824CH	37.40	336	34584005588	6
YB2824ORB	62.90	336	34584005700	6
YB2861BN	159.90	337	34584022356	2
YB2861BN	159.90	337	34584022356	2
YB2861CH	127.85	337	34584022363	2
YB2861ORB	159.90	337	34584022370	2
YB2862BN	223.85	337	34584022387	2
YB2862CH	179.05	337	34584022394	2
YB2862ORB	223.85	337	34584022400	2
YB2863BN	277.90	337	34584022417	2
YB2863CH	222.30	337	34584022424	2
YB2863ORB	277.90	337	34584022431	2
YB2864BN	355.80	337	34584022448	2
YB2864CH	284.70	337	34584022455	2
YB2864ORB	355.80	337	34584022462	2
YB2869	23.95	337	34584022479	3
YB2886BN	33.60	336	34584005656	6
YB2886CH	22.05	336	34584005595	6
YB2886ORB	37.05	336	34584005717	6
YB2894BN	198.20	336	34584015136	2
YB2894CH	180.70	336	34584015143	2
YB2894ORB	218.00	336	34584015150	2
YB4600BN	23.90	510	34584023711	50
YB4600CH	19.60	510	34584023704	50
YB4603BN	11.80	510	34584023735	50
YB4603CH	8.35	510	34584023728	50
YB4609BN	20.40	510	34584023759	50
YB4609CH	17.50	510	34584023742	50
YB4686BN	20.55	510	34584023773	50
YB4686CH	16.90	510	34584023766	50
YB4694BN	5.65	510	34584023797	50
YB4694CH	4.90	510	34584023780	50
YB4698BN	4.40	510	34584023810	50
YB4698CH	3.75	510	34584023803	50
YB5101BG	51.95	273	34584028631	24
YB5101BN	43.35	273	34584020611	24
YB5101CH	39.25	273	34584020628	24
YB5101NL	47.50	273	34584029607	24

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB5101ORB	47.60	273	34584020635	24
YB5103BG	39.90	273	34584028846	24
YB5103BN	33.25	273	34584020642	24
YB5103CH	30.20	273	34584020659	24
YB5103NL	36.55	273	34584029591	24
YB5103ORB	36.50	273	34584020666	24
YB5108BG	88.45	273	34584028839	6
YB5108BN	61.00	273	34584020673	6
YB5108CH	55.15	273	34584020680	6
YB5108NL	71.75	273	34584029584	6
YB5108ORB	67.15	273	34584020697	6
YB5118BG	98.55	273	34584028822	6
YB5118BN	70.40	273	34584020703	6
YB5118CH	64.00	273	34584020710	6
YB5118NL	77.55	273	34584029577	6
YB5118ORB	77.40	273	34584020727	6
YB5124BG	101.95	273	34584028815	6
YB5124BN	72.90	273	34584020734	6
YB5124CH	66.05	273	34584020741	6
YB5124NL	80.05	273	34584029683	6
YB5124ORB	80.25	273	34584020758	6
YB5161BG	230.85	275	34584028792	2
YB5161BN	192.35	275	34584023834	2
YB5161CH	153.85	275	34584023841	2
YB5161NL	192.45	275	34584029751	2
YB5161ORB	192.35	275	34584023858	2
YB5162BG	322.85	275	34584028778	2
YB5162BN	269.05	275	34584023865	2
YB5162CH	215.25	275	34584023872	2
YB5162NL	280.15	275	34584029768	2
YB5162ORB	269.05	275	34584023889	2
YB5163BG	401.05	275	34584028761	2
YB5163BN	334.15	275	34584023896	2
YB5163CH	267.35	275	34584023902	2
YB5163NL	361.25	275	34584029775	2
YB5163ORB	334.15	275	34584023919	2
YB5164BG	513.45	275	34584028754	2
YB5164BN	427.90	275	34584023926	2
YB5164CH	342.30	275	34584023933	2
YB5164NL	462.65	275	34584029782	2
YB5164ORB	427.90	275	34584023940	2
YB5169	28.20	275	34584023957	3
YB5170BN	46.10	273	34584020765	6
YB5170CH	42.90	273	34584020772	6
YB5170NL	52.05	273	34584029799	6
YB5170ORB	53.10	273	34584020789	6
YB5186BG	71.20	273	34584028747	6
YB5186BN	49.15	273	34584020796	6
YB5186CH	44.90	273	34584020802	6
YB5186NL	54.45	273	34584029744	6
YB5186ORB	54.10	273	34584020819	6
YB5201BN	45.15	246	34584023094	6
YB5201CH	40.90	246	34584023087	6
YB5201NL	49.60	246	34584023568	6
YB5201ORB	49.60	246	34584023575	6
YB5203BN	34.65	246	34584023117	24
YB5203CH	31.45	246	34584023100	24
YB5203NL	38.05	246	34584023582	24
YB5203ORB	38.05	246	34584023599	24
YB5208BN	63.55	246	34584023131	6
YB5208CH	57.45	246	34584023124	6
YB5208NL	69.95	246	34584023605	6
YB5208ORB	69.95	246	34584023612	6
YB5218BN	73.35	246	34584023155	6
YB5218CH	66.70	246	34584023148	6
YB5218NL	80.65	246	34584023629	6
YB5218ORB	80.65	246	34584023636	6
YB5222BN	96.30	246	34584023179	6
YB5222CH	89.30	246	34584023162	6
YB5222NL	105.95	246	34584023643	6
YB5222ORB	105.95	246	34584023650	6
YB5224BN	75.95	246	34584023193	6
YB5224CH	68.80	246	34584023186	6
YB5224NL	83.60	246	34584023667	6
YB5224ORB	83.60	246	34584023674	6
YB5275BN	162.85	246	34584023537	6
YB5275CH	142.35	246	34584023544	6
YB5275OWB	176.50	246	34584023551	6
YB5286BN	51.20	246	34584023216	6
YB5286CH	46.80	246	34584023209	6
YB5286NL	56.35	246	34584023681	6
YB5286ORB	56.35	246	34584023698	6
YB5401BN	47.10	291	34584006103	24
YB5401CH	42.65	291	34584006127	24
YB5401ORB	51.75	291	34584001184	24
YB5401WR	51.75	291	34584006134	24
YB5403BN	36.15	291	34584483003	24
YB5403CH	32.85	291	34584482761	24
YB5403ORB	39.70	291	34584000330	24
YB5403WR	39.70	291	34584483089	24
YB5405BN	12.70	291	34584018151	48
YB5405CH	10.20	291	34584018168	48
YB5405ORB	13.55	291	34584018502	48
YB5407BN	25.15	291	34584018175	48
YB5407CH	20.20	291	34584018182	48
YB5407ORB	27.35	291	34584018519	48
YB5408BN	66.35	291	34584483010	6
YB5408CH	60.00	291	34584482778	6
YB5408ORB	73.00	291	34584000347	6
YB5408WR	73.00	291	34584483096	6
YB5418BN	76.55	291	34584483027	6
YB5418CH	69.55	291	34584482785	6
YB5418ORB	84.15	291	34584000606	6
YB5418WR	84.15	291	34584483102	6
YB5422BN	100.50	291	34584015686	6
YB5422CH	93.20	291	34584015693	6
YB5422ORB	110.60	291	34584015709	6
YB5422WR	110.60	291	34584015716	6
YB5424BN	79.25	291	34584483034	6
YB5424CH	71.85	291	34584482792	6
YB5424ORB	87.25	291	34584000613	6
YB5424WR	87.25	291	34584483119	6
YB5486BN	53.45	291	34584483065	6
YB5486CH	48.85	291	34584482822	6
YB5486ORB	58.80	291	34584000644	6
YB5486WR	58.80	291	34584483140	6
YB5490BN	99.45	291	34584483072	3
YB5490CH	92.50	291	34584482839	3
YB5490ORB	109.50	291	34584000651	3
YB5490WR	109.50	291	34584483157	3
YB5494BN	257.05	291	34584015075	2
YB5494CH	233.15	291	34584015082	2
YB5494ORB	282.70	291	34584015099	2
YB6401BN	43.50	287	34584027030	24
YB6401CH	39.40	287	34584027047	24
YB6401NL	47.70	287	34584029737	24
YB6401ORB	47.80	287	34584027054	24
YB6403BN	33.35	287	34584027061	24
YB6403CH	30.30	287	34584027078	24
YB6403NL	36.75	287	34584029720	24
YB6403ORB	36.75	287	34584027085	24
YB6408BN	61.20	287	34584027092	6
YB6408CH	55.35	287	34584027108	6
YB6408NL	72.10	287	34584029713	6
YB6408ORB	67.40	287	34584027115	6
YB6418BN	70.65	287	34584027122	6
YB6418CH	64.30	287	34584027139	6
YB6418NL	77.80	287	34584029706	6
YB6418ORB	77.70	287	34584027146	6
YB6422BN	92.70	287	34584027153	6
YB6422CH	86.05	287	34584027160	6
YB6422NL	104.25	287	34584029218	6
YB6422ORB	102.05	287	34584027177	6
YB6424BN	73.20	287	34584027184	6
YB6424CH	66.30	287	34584027191	6
YB6424NL	80.30	287	34584029690	6
YB6424ORB	80.55	287	34584027207	6
YB6461BL	187.05	288	34584029317	1
YB6461BN	193.10	288	34584027214	1
YB6461CH	154.50	288	34584027344	1
YB6461NL	187.05	288	34584029324	1
YB6461ORB	193.10	288	34584027351	1
YB6462BL	261.75	288	34584029331	1
YB6462BN	270.10	288	34584027368	1

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB6462CH	216.15	288	34584027375	1
YB6462NL	261.75	288	34584029393	1
YB6462ORB	270.10	288	34584027382	1
YB6463BL	349.25	288	34584029386	1
YB6463BN	335.45	288	34584027399	1
YB6463CH	268.30	288	34584027443	1
YB6463NL	335.45	288	34584029379	1
YB6463ORB	335.45	288	34584027405	1
YB6464BL	446.10	288	34584029362	1
YB6464BN	429.60	288	34584027412	1
YB6464CH	343.65	288	34584027450	1
YB6464NL	446.10	288	34584029355	1
YB6464ORB	429.60	288	34584027429	1
YB6469	28.40	288	34584027436	3
YB6486BN	49.35	287	34584027221	6
YB6486CH	45.15	287	34584027238	6
YB6486NL	58.60	287	34584029348	6
YB6486ORB	54.30	287	34584027245	6
YB8000BC	6.65	360	34584002181	50
YB8000CH	5.20	360	34584001641	50
YB8000OWB	11.15	360	34584009234	50
YB8000SN	8.60	360	34584003478	50
YB8003BC	5.80	360	34584002174	50
YB8003CH	4.55	360	34584001634	50
YB8003OWB	6.80	360	34584009241	50
YB8003SN	5.95	360	34584003461	50
YB8086BC	11.35	360	34584002228	50
YB8086CH	8.60	360	34584001689	50
YB8086OWB	13.20	360	34584009289	50
YB8086SN	12.30	360	34584003515	50
YB8088CH	9.45	360	34584020963	25
YB8088SN	15.40	360	34584020970	25
YB8094BC	5.60	360	34584002211	50
YB8094CH	4.35	360	34584001672	50
YB8094OWB	8.80	360	34584009272	50
YB8094SN	7.15	360	34584003454	50
YB8098BC	4.75	360	34584002204	50
YB8098CH	3.75	360	34584001665	50
YB8098OWB	6.65	360	34584009265	50
YB8098SN	5.70	360	34584003492	50
YB8099BC	3.10	360	34584002198	50
YB8099CH	1.85	360	34584001658	50
YB8099OWB	2.35	360	34584009258	50
YB8099SN	2.75	360	34584003485	50
YB8401BG	151.00	148	34584028730	24
YB8401BL	138.15	148	34584029300	24
YB8401BN	125.80	148	34584017901	24
YB8401CH	110.45	148	34584017918	24
YB8401NL	138.35	148	34584020420	24
YB8401ORB	138.35	148	34584017925	24
YB8403BG	137.70	148	34584028723	24
YB8403BL	126.20	148	34584029225	24
YB8403BN	114.80	148	34584017932	24
YB8403CH	100.30	148	34584017949	24
YB8403NL	126.35	148	34584020437	24
YB8403ORB	126.35	148	34584017956	24
YB8405BG	25.15	148	34584028860	48
YB8405BL	23.05	148	34584029232	48
YB8405BN	21.00	148	34584021847	48
YB8405CH	18.55	148	34584021854	48
YB8405NL	23.05	148	34584021861	48
YB8405ORB	23.05	148	34584021878	48
YB8407BG	44.50	148	34584028853	48
YB8407BL	40.60	148	34584029249	48
YB8407BN	37.05	148	34584021885	48
YB8407CH	34.65	148	34584021892	48
YB8407NL	40.70	148	34584021908	48
YB8407ORB	40.70	148	34584021915	48
YB8408BG	190.50	148	34584028716	6
YB8408BL	174.30	148	34584029256	6
YB8408BN	158.70	148	34584017963	6
YB8408CH	144.85	148	34584017970	6
YB8408NL	174.60	148	34584020444	6
YB8408ORB	174.60	148	34584017987	6
YB8418BG	222.80	148	34584028808	6
YB8418BL	204.10	148	34584029263	6
YB8418BN	185.70	148	34584017994	6
YB8418CH	163.45	148	34584018007	6
YB8418NL	204.40	148	34584020451	6
YB8418ORB	204.40	148	34584018014	6
YB8424BG	240.20	148	34584028785	6
YB8424BL	219.85	148	34584029270	6
YB8424BN	200.30	148	34584018021	6
YB8424CH	176.35	148	34584018038	6
YB8424NL	220.20	148	34584020468	6
YB8424ORB	220.20	148	34584018045	6
YB8486BG	156.15	148	34584028709	6
YB8486BL	142.95	148	34584029287	6
YB8486BN	130.10	148	34584018052	6
YB8486CH	114.00	148	34584018069	6
YB8486NL	143.15	148	34584020475	6
YB8486ORB	143.15	148	34584018076	6
YB8801BN	77.90	201	34584016492	24
YB8801CH	72.20	201	34584014696	24
YB8803BN	59.85	201	34584016508	24
YB8803CH	55.30	201	34584014702	24
YB8805BN	16.85	201	34584018250	48
YB8805CH	14.60	201	34584018564	48
YB8807BN	31.55	201	34584018267	48
YB8807CH	29.20	201	34584018571	48
YB8808BN	109.80	201	34584016515	6
YB8818CH	117.05	201	34584014726	6
YB8824BN	131.05	201	34584016539	6
YB8824CH	121.30	201	34584014733	6
YB8861BN	231.65	202	34584023964	2
YB8861CH	185.40	202	34584023971	2
YB8862BN	324.30	202	34584023988	2
YB8862CH	259.40	202	34584023995	2
YB8863BN	402.90	202	34584024008	2
YB8863CH	322.15	202	34584024015	2
YB8864BN	515.70	202	34584024022	2
YB8864CH	412.60	202	34584024039	2
YB8869	34.05	202	34584024046	3
YB8886BN	88.25	201	34584016546	6
YB8886CH	81.75	201	34584014740	6
YB9861BN	244.45	523	34584015433	2
YB9861CH	195.60	523	34584015440	2
YB9861ORB	244.45	523	34584015457	2
YB9862BN	342.15	523	34584015464	2
YB9862CH	273.70	523	34584015471	2
YB9862ORB	342.15	523	34584015488	2
YB9863BN	425.10	523	34584015495	2
YB9863CH	339.90	523	34584015501	2
YB9863ORB	425.05	523	34584015518	2
YB9864BN	544.10	523	34584015525	2
YB9864CH	435.35	523	34584015532	2
YB9864ORB	544.10	523	34584015549	2
YB9869	34.40	523	34584016645	3
YG0312BG	284.55	174	34584030498	6
YG0312BN	237.10	174	34584030504	6
YG0312CH	182.40	174	34584030511	6
YG0312NL	260.80	174	34584030528	6
YG0318BG	297.30	174	34584030535	6
YG0318BN	247.75	174	34584030542	6
YG0318CH	190.60	174	34584030559	6
YG0318NL	272.55	174	34584030566	6
YG0324BG	310.60	174	34584030573	6
YG0324BN	258.80	174	34584030580	6
YG0324CH	199.15	174	34584030597	6
YG0324NL	284.75	174	34584030603	6
YG0336BG	353.65	174	34584030610	6
YG0336BN	294.70	174	34584030627	6
YG0336CH	226.70	174	34584030634	6
YG0336NL	324.15	174	34584030641	6
YG0342BG	520.40	174	34584031389	6
YG0342BN	433.65	174	34584031396	6
YG0342CH	333.60	174	34584031402	6
YG0342NL	477.00	174	34584031419	6
YG0412BN	135.20	233	34584024107	6
YG0412CH	111.80	233	34584024091	6
YG0418BG	170.05	233	34584028693	6
YG0418BN	141.70	233	34584024121	6
YG0418CH	116.85	233	34584024114	6
YG0424BG	183.45	233	34584028686	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YG0424BN	152.90	233	34584024145	6
YG0424CH	122.05	233	34584024138	6
YG0436BN	172.10	233	34584024169	6
YG0436CH	138.95	233	34584024152	6
YG0442BN	254.85	233	34584024183	6
YG0442CH	203.85	233	34584024176	6
YG0712BL	88.65	546	34584029294	6
YG0712BN	82.30	546	34584021922	6
YG0712CH	73.35	546	34584021939	6
YG0718BL	93.55	546	34584029560	6
YG0718BN	86.65	546	34584021946	6
YG0718CH	77.35	546	34584021953	6
YG0724BL	98.30	546	34584029553	6
YG0724BN	91.05	546	34584021960	6
YG0724CH	81.35	546	34584021977	6
YG0736BL	111.95	546	34584029546	6
YG0736BN	103.70	546	34584021984	6
YG0736CH	92.65	546	34584021991	6
YG0742BL	164.50	546	34584029539	6
YG0742BN	153.50	546	34584022752	6
YG0742CH	136.15	546	34584022769	6
YG0812BL	212.10	161	34584029522	6
YG0812BN	189.80	161	34584022035	6
YG0812CH	175.60	161	34584022042	6
YG0818BL	221.65	161	34584029515	6
YG0818BN	198.90	161	34584022059	6
YG0818CH	183.50	161	34584022066	6
YG0824BL	231.60	161	34584029508	6
YG0824BN	214.65	161	34584022073	6
YG0824CH	191.75	161	34584022080	6
YG0836BL	263.75	161	34584029492	6
YG0836BN	241.70	161	34584022097	6
YG0836CH	218.25	161	34584022103	6
YG0842BL	369.05	161	34584029485	6
YG0842BN	338.30	161	34584022776	6
YG0842CH	305.45	161	34584022783	6
YG2212BN	116.20	326	34584024206	6
YG2212CH	95.25	326	34584024190	6
YG2212ORB	127.00	326	34584024213	6
YG2218BN	122.05	326	34584024237	6
YG2218CH	100.65	326	34584024220	6
YG2218ORB	133.50	326	34584024244	6
YG2224BN	132.10	326	34584024268	6
YG2224CH	105.45	326	34584024251	6
YG2224ORB	147.35	326	34584024275	6
YG2812BN	116.20	336	34584024299	6
YG2812CH	95.25	336	34584024282	6
YG2812ORB	127.00	336	34584024305	6
YG2818BN	122.05	336	34584024329	6
YG2818CH	100.65	336	34584024312	6
YG2818ORB	133.50	336	34584024336	6
YG2824BN	132.10	336	34584024350	6
YG2824CH	105.45	336	34584024343	6
YG2824ORB	147.35	336	34584024367	6
YG5112BG	155.65	274	34584028679	6
YG5112BN	129.75	274	34584025241	6
YG5112CH	107.30	274	34584025166	6
YG5112NL	144.70	274	34584029478	6
YG5112ORB	142.65	274	34584025173	6
YG5118BG	163.20	274	34584028662	6
YG5118BN	136.00	274	34584025180	6
YG5118CH	112.15	274	34584025197	6
YG5118NL	156.80	274	34584029461	6
YG5118ORB	149.65	274	34584025203	6
YG5124BG	176.05	274	34584028655	6
YG5124BN	146.75	274	34584025210	6
YG5124CH	117.15	274	34584025227	6
YG5124NL	175.45	274	34584029454	6
YG5124ORB	161.50	274	34584025234	6
YG5412BN	141.10	292	34584483683	3
YG5412CH	116.70	292	34584482648	3
YG5412ORB	155.15	292	34584007476	3
YG5418BN	147.85	292	34584483690	3
YG5418CH	121.95	292	34584482655	3
YG5418ORB	162.80	292	34584007483	3
YG5424BN	159.60	292	34584483706	3
YG5424CH	127.35	292	34584482662	3
YG5424ORB	175.65	292	34584007490	3
YG5430BN	166.25	292	34584483713	3
YG5430CH	136.25	292	34584482679	3
YG5436BN	179.60	292	34584483720	3
YG5436CH	145.00	292	34584482686	3
YG5442BN	266.00	292	34584483737	3
YG5442CH	212.75	292	34584482693	3
YG6412BL	130.20	287	34584029942	6
YG6412BN	130.20	287	34584027252	6
YG6412CH	107.80	287	34584027269	6
YG6412NL	130.20	287	34584029447	6
YG6412ORB	143.30	287	34584027276	6
YG6418BL	136.05	287	34584029430	6
YG6418BN	136.55	287	34584027283	6
YG6418CH	112.60	287	34584027290	6
YG6418NL	136.05	287	34584029423	6
YG6418ORB	150.20	287	34584027306	6
YG6424BL	142.10	287	34584029416	6
YG6424BN	147.30	287	34584027313	6
YG6424CH	117.60	287	34584027320	6
YG6424NL	142.10	287	34584029409	6
YG6424ORB	162.10	287	34584027337	6
YG8812BN	180.75	201	34584022110	6
YG8812CH	167.25	201	34584022127	6
YG8818BN	189.45	201	34584022134	6
YG8818CH	174.75	201	34584022141	6
YG8824BN	204.45	201	34584022158	6
YG8824CH	182.60	201	34584022165	6
YG8836BN	230.20	201	34584022172	6
YG8836CH	207.85	201	34584022189	6
YG8842BN	338.20	201	34584022790	6
YG8842CH	305.90	201	34584022806	6

Bulk

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
64601	134.20	614	26508040751	12
64621	164.95	614	26508002896	12
64900	88.75	617	26508040775	12
64919	129.75	617	26508017265	12
64920	124.55	617	26508002889	12
64922	104.90	617	26508147955	12
64925	145.50	617	26508134542	12
66172	171.80	616	26508261194	6
66410	171.80	616	26508152485	6
66411	171.80	616	26508164051	6
66600	209.50	614	26508195420	6
66610	171.80	616	26508162064	6
66802	171.80	616	26508264379	6
67315C	273.05	79	26508069257	6
67315C	273.05	79	26508069257	6
67315SRS	386.10	79	26508242933	6
67315SRS	386.10	79	26508242933	6
67425	148.45	613	26508052983	6
67430	186.60	613	26508052884	6
67434	186.60	613	26508053041	6
67545C	363.85	612	26508209165	3
67840	228.85	612	26508138861	6
69000	127.25	617	26508045114	6
INCB20801	580.40	618	3760094160864	125
INCB20802	580.40	618	3760094160871	125
INCB20803	580.40	618	3760094160857	125
INCB20804	580.40	618	3760094160888	125
L64600	134.20	614	26508063705	12
L64601	134.20	614	26508063712	12
L64620	175.10	615	26508047309	12
L64621	164.95	615	26508047316	12
L64624	180.15	615	26508047347	12
L64625	166.65	615	26508047354	12
L64635	180.15	615	26508061534	12
T181	39.40	358	26508029565	12
T182	43.40	625	26508029589	12
T182EP	43.40	626	26508208786	12
T183	70.40	622	26508029602	12
T183EP	70.40	622	26508208809	12
T187	39.40	627	26508019832	12
T470	41.85	631	26508019825	12
T471	80.80	629	26508015742	12
T471EP	80.80	629	26508270813	12
T473	49.85	630	26508015728	12
T473EP	49.85	630	26508270967	12
T62131	50.75	627	26508152492	12
T62132	68.15	625	26508152508	12
T62132EP	68.15	334	26508208359	12
T62132EP	68.15	334	26508208359	12
T62132NH	64.70	334	26508208366	12
T62132NH	64.70	334	26508208366	12
T62133	102.65	622	26508152515	12
T62133EP	102.65	333	26508208373	12
T62133EP	102.65	333	26508208373	12
T62133NH	87.90	622	26508208380	12
T62133NH	87.90	622	26508208380	12
T62151	50.75	627	26508162026	12
T62152	68.15	624	26508162033	12
T62152EP	68.15	324	26508208397	12
T62152EP	68.15	324	26508208397	12
T62152NH	64.70	324	26508208403	12
T62152NH	64.70	324	26508208403	12
T62153	102.65	621	26508162040	12
T62153EP	102.65	323	26508208410	12
T62153EP	102.65	323	26508208410	12
T62153NH	87.90	323	26508208427	12
T62153NH	87.90	323	26508208427	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T62182	68.15	623	26508264577	12
T62183	102.65	621	26508264584	12
T62742	68.15	624	26508261354	12
T62743	102.65	621	26508261361	6
TL181	39.40	358	26508047620	12
TL182	43.40	357	26508047552	12
TL182BC	86.45	626	26508137130	12
TL182EP	43.40	357	26508208472	12
TL182EPBC	86.45	626	26508208489	12
TL182NH	41.10	626	26508208496	12
TL183	70.40	355	26508047590	12
TL183BC	115.65	623	26508137147	12
TL183EP	70.40	355	26508208519	12
TL183EPBC	115.65	355	26508208526	12
TL183NH	61.85	623	26508208533	12
TL470	41.85	631	26508047842	12
TL471	80.80	629	26508047828	12
TL471EP	80.80	629	26508271056	12
TL473	49.85	630	26508047774	12
TL473EP	49.85	630	26508271087	12
UTL170	179.65	620	26508321140	3
UTL171	185.00	619	26508321157	12
UTL171EP	185.00	619	26508321164	12
UTL172	222.35	619	26508321171	12
UTL172EP	222.35	619	26508321188	12

Smart Products from Moen®

The Moen® Network uses smart technology to help simplify everyday tasks in the Kitchen and Bath and to enhance home protection.

A smart system for whole-home water security.

Take control over your home's water with Flo by Moen™. This suite of smart water management and leak detection products provides homeowners with an innovative, smartphone-controlled security system against water damage and loss that can be controlled from just about anywhere at any time. Monitor water inside the plumbing system with the Smart Water Shutoff, then prevent water damage from environmental factors or fixture malfunctions with the Smart Water Detectors. Accessories like a battery backup, leak sensing extension cable and more, offer protection against the unexpected.

Flo by Moen™ Smart Water Detector | 920-004
Flo by Moen™ Smart Water Shutoff | 900-001

Take Control of Your Home

We're at the dawn of a new age in which we have more control over where, when and how we experience water in our homes each day. We are refining our industry with products that not only look beautiful, but respond more intuitively, are more personalized and enhance every interaction with water.



U BY MOEN
SMART FAUCET

A touchless, voice-activated Kitchen assistant to simplify everyday tasks at the sink.

flō BY MOEN
SMART WATER SHUTOFF

Remote water shutoff from your phone to protect your home, even when you're not there.

U BY MOEN
SMART SHOWER

Personalize your shower experience and control it remotely with the latest in smart home technology.

flō BY MOEN
SMART WATER DETECTOR

Identify leaks or water issues to prevent damage and protect your home.

U by Moen™ Smart Kitchen Faucets

U by Moen™
Touchless Smart Kitchen Faucets

This line of smart kitchen faucets provides the extra set of hands everyone needs in the kitchen. Offering useful benefits – like precise measurements, exact temperature and unlimited personalized presets – and voice-activation technology, you can use new ways to activate your faucet to simplify everyday tasks at the sink.

See pages 50-54 for specific product details.

JUST ASK alexa

works with Hey Google

Nio™
One-Handle Pulldown
U by Moen Smart Faucet

S75005EVC	933.85
S75005EVBL	947.60
S75005EVSRS●	961.30
S75005EVBLS●	988.80

POWERBOOST reflex
DURALOCK® DURALAST®

Weymouth®
One-Handle Pulldown
U by Moen Smart Faucet

S73004EVC	824.00
S73004EVNL	837.70
S73004EVSRS●	851.45
S73004EVBG	851.45
S73004EVORB	878.90
NEW! S73004EVBL	993.25

POWERBOOST reflex
DURALOCK® DURALAST®

STō®
One-Handle Pulldown
U by Moen Smart Faucet

S72308EVC	878.90
S72308EVBL	892.65
S72308EVSRS●	906.40
S72308EVBG	906.40

POWERBOOST reflex
DURALOCK® DURALAST®

Paterson™
One-Handle Pulldown
U by Moen Smart Faucet

S72003EVC	796.55
S72003EVBL	810.25
S72003EVSRS●	824.00

POWERBOOST reflex
DURALOCK® DURALAST®

Sinema™
One-Handle Pulldown
U by Moen Smart Faucet

S7235EVC	945.00
S7235EVNL	960.75
S7235EVBL	971.25
S7235EVSRS	976.50

POWERBOOST reflex
DURALOCK® DURALAST®

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connect System
DURALAST® Duralast® Cartridge

U by Moen™ Smart Kitchen Faucets

Align®

One-Handle Pulldown
U by Moen Smart Faucet

7565EVC	816.00
7565EVBL	831.70
7565EVSRS●	847.35
7565EVBG	847.35
7565EVBLS●	878.80

POWERBOOST reflex
DURALOCK® DURALAST®

NEW

KURV™

One-Handle Pulldown
U by Moen Smart Faucet

9126EVC	720.00
9126EVNL	865.25
9126EVSRS●	866.05
9126EVBL	936.00

POWERBOOST reflex
DURALOCK® DURALAST®

Brantford®

One-Handle Pulldown
U by Moen Smart Faucet

7185EVC	671.45
7185EVSRS●	702.70
7185EVORB	733.95

POWERBOOST reflex
DURALOCK® DURALAST®

Arbor®

One-Handle Pulldown
U by Moen Smart Faucet

7594EVC	678.10
7594EVBL	693.80
7594EVSRS●	709.60
7594EVORB	741.20

POWERBOOST reflex
DURALOCK® DURALAST®

Sleek™

One-Handle Pulldown
U by Moen Smart Faucet

7864EVC	678.10
7864EVBL	693.80
7864EVSRS●	709.60
7864EVBLS●	741.20

POWERBOOST reflex
DURALOCK® DURALAST®

NEW

Belfield™

One-Handle Pulldown
U by Moen Smart Faucet

7260EVC	661.55
7260EVBL	676.90
7260EVSRS●	692.30
7260EVORB	723.10

POWERBOOST reflex
DURALOCK® DURALAST®

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connect System
DURALAST® Duralast® Cartridge

JUST ASK alexa

works with Hey Google

U by Moen™ Smart Shower Options

U by Moen™
Smart Shower

The next-generation, Wi-Fi/cloud-based digital shower that offers mobile connectivity, unmatched personalization with up to 12 customized presets and the ability to control your shower with the in-shower controller, smartphone app or your voice via Amazon Alexa, Apple HomeKit/Siri and the Google Assistant.

See pages 264-266 for specific product details.

JUST ASK alexa

works with Hey Google

Works with Apple HomeKit

		MODEL	LIST	FINISH/ CONNECT	CASE QTY
U BY MOEN™	2- OR 4-OUTLET CONTROLLER				
	• description: Wi-Fi connected, app-driven shower controller • features: precise temperature control • U by Moen showering: compatible with Amazon Alexa, Apple HomeKit/Siri and Google Assistant • showerhead type: showerhead sold separately • smartphone app: available for Apple iOS and Android OS • features: precise temperature control • features: remote activation via smartphone app • features: warm-up and pause mode • features: optional shower timer • presets: two on controller, 12 in total with smartphone app • valve sold separately				
		PREMIUM			
		2-OUTLET CONTROLLERS			
		TS3302TB	496.80	Terra Beige	3
		TS3302BL	496.80	Matte Black	3
		4-OUTLET CONTROLLERS			
		TS3304TB	755.55	Terra Beige	3
		TS3304BL	755.55	Matte Black	3

U BY MOEN™	2- OR 4-OUTLET VALVE				
	• description: digital thermostatic shower valve • ports: two or four outlets • features: precise temperature control • two outlet connection size: 1/2" inlets & 1/2" outlets • four outlet connection size: 3/4" inlets & 1/2" outlets • installation: fits standard 2x4 wall • includes: 30-foot data cable				
		PREMIUM			
		2-OUTLET VALVE			
		S3102	755.55	1/2" CC	3
		4-OUTLET VALVE			
		S3104	1,614.60	3/4" CC	3
		BATTERY BACKUP SOLD SEPARATELY			
		179573	68.85	N/A	6

Valve	Flow Rate @ 20 PSI	Flow Rate @ 40 PSI	Flow Rate @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
U by Moen™ S3102	6.0	8.5	10.0	No	2 Components Any combination of Showerheads, Handshowers and Body Sprays (2 max)
U by Moen™ S3104	9.0	13.0	16.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)

Flo by Moen™
Whole-Home Water Security

The best way to avoid water damage is to prevent it. Backed by years of product development and industry-leading technology, the Smart Water Shutoff detects and stops leaks. From your toilet, shower or faucet, to the pipes in your foundation and behind your walls, the Smart Water Shutoff monitors all of them, so there's no surprises on your water bill or catastrophes when you come home from vacation.

works with Hey Google · JUST ASK alexa · Works with ring · Control4



flō BY MOEN

Smart Water Shutoff
Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline.

Microleak™ Technology
Advanced sensors detect leaks as small as one drop of water per minute.

Proactive Protection
Daily health tests help keep your home leak-free and alert you when there's an issue.

Smart Water Detector
Standalone sensors that can be placed anywhere in a home to alert users if, when and where it detects moisture, temperature and humidity.

Savings
Save water and money while protecting your home and possessions from water damage.

Support
On-call experts to help you identify and troubleshoot detected leaks.

Contact your Moen sales representative or visit **moen.com/flo** for additional information.

Flo by Moen™

The Smart Water Shutoff is a mainline water monitoring device for your home.

Flo by Moen Smart Water Shutoff includes built-in pressure, flow and temperature sensors and advanced cloud analytics. The Smart Water Shutoff learns a consumer's home; monitors water usage on a daily, weekly and monthly basis; identifies leaks or excess water usage; alerts the homeowner of any issues; and can automatically shut off the home's water to prevent water damage and protect the home.

The Smart Water Detector senses the presence of water, freezing temperatures or high humidity. It will notify the user through a push notification from the Flo by Moen App, and can pair to the Smart Water Shutoff to automatically shut the water off to the whole house.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
FLO BY MOEN™	**SMART WATER SHUTOFF**				
	• Wi-Fi connected • features: leak detection • features: automatic shutoff • features: water usage monitoring • smartphone app: available for Apple iOS and Android OS • installs on main water line • AC power required				
		PREMIUM			
		900-001*	767.70	0.75" Shutoff	2
		900-006*	846.10	1.00" Shutoff	2
		900-002**	1,230.75	1.25" Shutoff	2
FLO BY MOEN™	**SMART WATER SHUTOFF ACCESSORIES**				
		PREMIUM			
		920-001***	390.35	Battery Back-Up Kit	14
		920-003	18.75	25' DC Ext. Cable	10
FLO BY MOEN™	**SMART WATER SHUTOFF SPACER KITS**				
3/4" NPT · 1" NPT · 1" CC · 1-1/4" NPT					
		PREMIUM			
		930-001	62.40	0.75" NPT Spacer Kit	24
		930-002	62.40	0.75" CC Spacer Kit	24
		930-003	72.05	1" NPT Spacer Kit	24
		930-004	72.05	1" CC Spacer Kit	24
		930-005	104.85	1.25" NPT Spacer Kit	24
		930-006	104.85	1.25" CC Spacer Kit	24
FLO BY MOEN™	**SMART WATER DETECTOR**				
	• Wi-Fi connected • features: moisture, temperature and humidity sensing • features: audible, visual and app alerts • smartphone app available for Apple iOS and Android OS • install anywhere water might be an issue • battery powered • comes with 48" detector extension cable for hard to reach areas				
		PREMIUM			
		920-004	78.05	Smart Water Detector 1pk	25
		920-005	203.00	Smart Water Detector 3pk	12
		SMART WATER DETECTOR ACCESSORY			
		NEW! **920-006**	31.85	6' Leak Sensing Cable	36

*Can be installed on lines up to 1-1/4"
**Can be installed on lines up to 1-1/2"
***Applicable laws and regulations require that these materials be shipped via ground transportation rather than air.

Kitchen and Bar

Sinema™ Kitchen / S5235SRS

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

INNOVATION

“Ask Moen to fill my pitcher.”

Connect with your water in a new way with the U by Moen™ Smart Faucet. Compatible with Amazon Alexa and Google Assistant, U by Moen provides a touchless experience perfectly personalized to you. Whether you want to use your voice, the hands-free wave sensor, smartphone app or traditional handle to start the water flow, U by Moen will accurately dispense water at your desired temperature and volume, or personalize your preferences with presets for tasks you do all the time. Everyday tasks just got a whole lot easier.

Sinema™ U by Moen™ Smart Faucet in Chrome, featuring Matte Black accent handle | S7235EVC

Touchless Kitchen Faucets

U by Moen™
- Nio™
- STō®
- Weymouth®
- Paterson™
- Sinema™
- Align®
- KURV™
- Brantford®
- Arbor®
- Sleek™
- Belfield™

MotionSense™
- STō®
- Align®
- Brantford®
- Arbor®

MotionSense Wave™
- Align™
- KURV™
- Brantford®
- Arbor®
- Sleek™
- Belfield™

Touchless Kitchen Faucets

Everyday kitchen interactions are made more convenient with touchless faucet technologies from Moen®. U by Moen™ Smart Faucets use your existing smart home ecosystem to provide a completely touchless experience with voice-controlled technology. The faucets can also be operated by touchless sensor control, handle control, and through the corresponding smartphone app. U by Moen™ Smart Faucets are available in a wide array of styles and finishes, which is unprecedented in the smart faucet category. MotionSense™ faucets feature two unique sensors that intuitively understand what you're trying to do and act as another set of hands - turning water on and off exactly when you need it. *MotionSense Wave*™ single-sensor faucets allow you to easily turn water on and off with the wave of a hand.

NIO™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one hole
- overall height: 18.35"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary two-tone handle option included: Chrome faucet has Matte Black handle; Matte Black faucet has Brushed Gold handle; Spot Resist faucet has Matte Black handle; Black Stainless faucet has Spot Resist Stainless handle
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S75005EVC	933.85	Chrome	3
S75005EVBL	947.60	Matte Black	3
S75005EVSRS●	961.30	Spot Resist Stainless	3
S75005EVBLS●	988.80	Black Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa · works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

STō® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72308EVC	878.90	Chrome	3
S72308EVBL	892.65	Matte Black	3
S72308EVSRS●	906.40	Spot Resist Stainless	3
S72308EVBG	906.40	Brushed Gold	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

WEYMOUTH® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET



- metal spray wand
- application: one hole
- overall height: 16.73"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- includes: choice of matching finish or porcelain handle caps
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S73004EVC	824.00	Chrome	3
S73004EVNL	837.70	Polished Nickel	3
S73004EVBL	993.25	Matte Black	3
S73004EVSRS●	851.45	Spot Resist Stainless	3
S73004EVBG	851.45	Brushed Gold	3
S73004EVORB	878.90	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

PATERSON™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- metal spray wand
- application: one hole
- overall height: 16.98"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary wheel handle option included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72003EVC	796.55	Chrome	3
S72003EVBL	810.25	Matte Black	3
S72003EVSRS●	824.00	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa · works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

SINEMA™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- metal spray wand
- application: one hole
- overall height: 17.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- two-tone art deco-inspired etched handle installed on faucet; secondary matching finish handle option included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S7235EVC	945.00	Chrome	3
S7235EVNL	960.75	Polished Nickel	3
S7235EVBL	971.25	Matte Black	3
S7235EVSRS●	976.50	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EVC	816.00	Chrome	3
7565EVBL	831.70	Matte Black	3
7565EVSRS●	847.35	Spot Resist Stainless	3
7565EVBG	847.35	Brushed Gold	3
7565EVBLS●	878.80	Black Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

KURV™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

NEW! SHIPS Q2

- metal spray wand
- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
9126EVC	720.00	Chrome	3
9126EVNL	936.00	Polished Nickel	3
9126EVBL	936.00	Matte Black	3
9126EVSRS●	907.20	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

POWERBOOST reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

JUST ASK alexa · works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

KITCHEN

BRANTFORD® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7185EVC	671.45	Chrome	3
7185EVSRS●	702.70	Spot Resist Stainless	3
7185EVORB	733.95	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

ARBOR® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7594EVC	678.10	Chrome	3
7594EVBL	693.80	Matte Black	3
7594EVSRS●	709.60	Spot Resist Stainless	3
7594EVORB	741.20	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

SLEEK™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7864EVC	678.10	Chrome	3
7864EVBL	693.80	Matte Black	3
7864EVSRS●	709.60	Spot Resist Stainless	3
7864EVBLS●	741.20	Black Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

JUST ASK alexa · works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

BELFIELD™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

NEW! SHIPS Q2

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7260EVC	661.55	Chrome	3
7260EVBL	860.05	Matte Black	3
7260EVSRS●	833.55	Spot Resist Stainless	3
7260EVORB	886.50	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

STŌ® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one or three hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72308EC	1,070.30	Chrome	3
S72308ESRS●	1,180.55	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EC	855.10	Chrome	3
7565ESRS●	912.45	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002SRS●	58.25	Spot Resist Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

BRANTFORD® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; powerful cleaning rinse; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7185EC	774.80	Chrome	3
7185ESRS●	823.20	Spot Resist Stainless	3
7185EORB	853.45	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

JUST ASK alexa — works with Hey Google

● Spot Resist Stainless Finish
motionsense MotionSense™ Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

ARBOR® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: powerful cleaning rinse; aerated stream; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7594EC	756.70	Chrome	3
7594ESRS●	799.00	Spot Resist Stainless	3
7594EORB	837.75	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET - MOTIONSENSE WAVE™

- application: one or three hole
- overall height: 21.75"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
5923EWC	754.50	Chrome	3
5923EWBL	792.25	Matte Black	3
5923EWSRS●	904.20	Spot Resist Stainless	3
5923EWBG	904.20	Brushed Gold	3
5923EWBLS●	837.50	Black Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

motionsense WAVE POWERCLEAN DURALOCK® DURALAST®

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

NEW!

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EWC	737.30	Chrome	3
7565EWBL	728.20	Matte Black	3
7565EWSRS●	767.80	Spot Resist Stainless	3
7565EWBG	745.30	Brushed Gold	3
7565EWBLS●	810.50	Black Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
motionsense WAVE MotionSense™ Wave Hands-Free Kitchen Faucet
motionsense MotionSense™ Hands-Free Kitchen Faucet
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Touchless Kitchen Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL	LIST	FINISH/CONNECT	CASE QTY
KURV™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™				
NEW! • metal spray wand • application: one or three hole • overall height: 15.56" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • DC powered: 6 AA cell batteries included	**9126EWC**	680.85	Chrome	3
	9126EWNL	826.50	Polished Nickel	3
	9126EWBL	885.15	Matte Black	3
	9126EWSRS●	857.90	Spot Resist Stainless	3
	DECKPLATES SOLD SEPARATELY			
	141002	50.75	Chrome	6
	141002NL	58.25	Polished Nickel	6
	141002BL	58.25	Matte Black	6
	141002SRS●	58.25	Spot Resist Stainless	6
motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®				
BRANTFORD® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™				
• application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; powerful cleaning rinse; pause function • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deckplate: included • DC powered: 6 AA cell batteries included	**7185EWC**	562.10	Chrome	3
	7185EWSRS●	584.55	Spot Resist Stainless	3
	7185EW0RB	623.90	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	177566	43.15	N/A or Unfinished	6
motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®				
ARBOR® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™				
• application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; powerful cleaning rinse; pause function • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deckplate: included • DC powered: 6 AA cell batteries included	**7594EWC**	567.70	Chrome	3
	7594EWBL	579.05	Matte Black	3
	7594EWSRS●	590.35	Spot Resist Stainless	3
	7594EW0RB	630.10	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	177566	43.15	N/A or Unfinished	6
motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®				

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
motionsense WAVE MotionSense™ Wave Hands-Free Kitchen Faucet
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets with **MotionSense Wave™**

	MODEL	LIST	FINISH/CONNECT	CASE QTY
SLEEK™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™				
• application: one or three hole • overall height: 15.56" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deck plate included • DC powered: 6 AA cell batteries included	**7864EWC**	567.70	Chrome	3
	7864EWBL	579.05	Matte Black	3
	7864EWSRS●	590.35	Spot Resist Stainless	3
	7864EWBLS●	630.05	Black Stainless	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	177566	43.15	N/A or Unfinished	6
motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®				
BELFIELD™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™				
NEW! • application: one or three hole • overall height: 15.56" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deckplate: included • DC powered: 6 AA cell batteries included	**7260EWC**	553.80	Chrome	3
	7260EWBL	720.00	Matte Black	3
	7260EWSRS●	697.80	Spot Resist Stainless	3
	7260EW0RB	742.10	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	199785	52.55	N/A or Unfinished	6
motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®				

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
motionsense WAVE MotionSense™ Wave Hands-Free Kitchen Faucet
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

STYLE

Spring into style.

Industrial-inspired designs for today's modern homeowner. With a stylized, impactful silhouette and a flexible spring coil, Moen's selection of spring faucets are as aesthetically pleasing as they are practical, offering the look of a commercial kitchen with the performance required for daily life. Home chefs become masters of the kitchen with pulldown functionality that retracts with ease and a multi-function spray wand that's easy to maneuver. A vast variety of thoughtfully designed styles and finishes offer a look to suit any design preference.

Paterson Pre-Rinse Pulldown Kitchen Faucet in Chrome, with optional wheel handle | S72103

STYLE

Luxe design inspired by nature.

Fluid curves and sleek lines pair with high-style finishes to make the KURV™ kitchen collection. The dramatic receptor compliments a tapered handle and flared wand for an organic, natural elegance. With pulldown functionality, and available models featuring voice-activated touchless technology, KURV is the true accompaniment of form and function.

KURV™ Pulldown Kitchen Faucet in Spot Resist™ Stainless | 9126SRS

Waterhill®

Nio™

STō®

Weymouth®

Sinema™

Paterson™

Premium Kitchen Faucets

Bring elegance to your home with premium kitchen faucet selections from Moen®. From the sophistication of period traditional to the streamlined refinement of minimalist contemporary, you'll find a host of amazing ways to be expressive in the kitchen.

WATERHILL® — TWO-HANDLE KITCHEN BRIDGE FAUCET

- application: three or four hole
- overall height: 11.47"
- connection size: 1/2"
- connection type: IPS
- water usage: 1.5 gpm (5.7 L/min) max.
- side spray: included

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S713	1,189.80	Chrome	3
S713WR	1,487.25	Wrought Iron	3
S713SRS●	1,606.20	Spot Resist Stainless	3
S7130RB	1,766.80	Oil Rubbed Bronze	3

ONE-HANDLE KITCHEN FAUCET

- application: three hole
- overall height: 12.25"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- side spray: included

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S711	718.30	Chrome	3
S711SRS●	968.05	Spot Resist Stainless	3
S7110RB	1,065.00	Oil Rubbed Bronze	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

NIO™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one hole
- overall height: 18.35"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary two-tone handle option included: Chrome faucet has Matte Black handle; Matte Black faucet has Brushed Gold handle; Spot Resist faucet has Matte Black handle; Black Stainless faucet has Spot Resist Stainless handle
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S75005EVC	933.85	Chrome	3
S75005EVBL	947.60	Matte Black	3
S75005EVSRS●	961.30	Spot Resist Stainless	3
S75005EVBLS●	988.80	Black Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- application: one hole
- overall height: 18.21"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary two-tone handle option included: Chrome faucet has Matte Black handle; Matte Black faucet has Brushed Gold handle; Spot Resist faucet has Matte Black handle; Black Stainless faucet has Spot Resist Stainless handle

POWERBOOST reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S75005	671.80	Chrome	3
S75005BL	873.35	Matte Black	3
S75005SRS●	859.80	Spot Resist Stainless	3
S75005BLS●	946.25	Black Stainless	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa
works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

STŌ®

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72308EVC	878.90	Chrome	3
S72308EVBL	892.65	Matte Black	3
S72308EVSRS●	906.40	Spot Resist Stainless	3
S72308EVBG	906.40	Brushed Gold	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72308EC	1,070.30	Chrome	3
S72308ESRS●	1,180.55	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- application: one hole
- overall height: 17.30"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72308	670.85	Chrome	3
S72308BL	872.10	Matte Black	3
S72308SRS●	883.50	Spot Resist Stainless	3
S72308BG	939.20	Brushed Gold	3

POWERBOOST reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa works with Hey Google

● Spot Resist Stainless Finish
U by Moen®
motionsense MotionSense™ Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

All Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

WEYMOUTH®

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- metal spray wand
- application: one hole
- overall height: 16.73"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- includes: choice of matching finish or porcelain handle caps
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S73004EVC	824.00	Chrome	3
S73004EVNL	837.70	Polished Nickel	3
NEW! **S73004EVBL**	993.25	Matte Black	3
S73004EVSRS●	851.45	Spot Resist Stainless	3
S73004EVBG	851.45	Brushed Gold	3
S73004EVORB	878.90	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST reflex DURALOCK® DURALAST®

TWO-HANDLE PULLDOWN KITCHEN BRIDGE FAUCET

NEW!

- metal wand
- application two hole
- overall height: 16-3/4"
- connection size: 3/8"
- connection type: compression
- number of functions: four-functions
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min.) max.
- handle: two-handle
- spout: pulldown
- hose length: 68"
- secondary cross handle option included
- includes: choice of matching finish or porcelain handle caps

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S73204	827.00	Chrome	3
S73204NL	1075.10	Polished Nickel	3
S73204BL	1075.10	Matte Black	3
S73204SRS●	1042.00	Spot Resist Stainless	3
S73204BG	1157.80	Brushed Gold	3
S732040RB	1157.80	Oil Rubbed Bronze	3

POWERBOOST DURALOCK® DURALAST®

ONE-HANDLE KITCHEN FAUCET

- application: one or two holes
- overall height: 10.50"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- side spray: included
- side spray: can be installed with or without

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72101	876.90	Chrome	3
S72101NL	1140.00	Polished Nickel	3
NEW! **S72101BL**	1140.00	Matte Black	3
S72101SRS●	1157.40	Spot Resist Stainless	3
S72101BG	1227.65	Brushed Gold	3
S721010RB	1203.70	Oil Rubbed Bronze	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
1410020RB	64.20	Oil Rubbed Bronze	6

DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa works with Hey Google

● Spot Resist Stainless Finish
U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

All Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

WEYMOUTH® — ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 21.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- included: choice of matching finish or porcelain handle cap

POWERBOOST® DURALOCK® DURALAST®

MODEL		LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
S73104		703.25	Chrome	3
S73104NL		914.20	Polished Nickel	3
S73104BL	NEW!	837.20	Matte Black	3
S73104SRS	●	900.15	Spot Resist Stainless	3
S73104BG		984.55	Brushed Gold	3
S731040RB		990.15	Oil Rubbed Bronze	3

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 16.73"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- included: choice of matching finish or porcelain handle caps

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL		LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
S73004		573.85	Chrome	3
S73004NL		745.95	Polished Nickel	3
S73004BL	NEW!	746.00	Matte Black	3
S73004SRS	●	734.55	Spot Resist Stainless	3
S73004BG		803.35	Brushed Gold	3
S730040RB		808.05	Oil Rubbed Bronze	3

SINEMA™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- metal spray wand
- application: one hole
- overall height: 17.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- two-tone art deco-inspired etched handle installed on faucet; secondary matching finish handle option included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST® DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S7235EVC	945.00	Chrome	3
S7235EVNL	960.75	Polished Nickel	3
S7235EVSRS ●	971.25	Spot Resist Stainless	3
S7235EVBL	976.50	Matte Black	3

ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 23.5"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- two-tone art deco-inspired etched handle installed on faucet; secondary matching finish handle option included

POWERBOOST® DURALOCK® DURALAST®

MODEL		LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
S5235		716.65	Chrome	3
S5235NL		825.55	Polished Nickel	3
S5235BL		931.60	Matte Black	3
S5235SRS	●	917.30	Spot Resist Stainless	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

SINEMA™ — ONE-HANDLE PULLDOWN KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 17.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- two-tone art deco-inspired etched handle installed on faucet; secondary matching finish handle option included

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S7235	551.25	Chrome	3
S7235NL	716.65	Polished Nickel	3
S7235BL	716.65	Matte Black	3
S7235SRS ●	705.60	Spot Resist Stainless	3

PATERSON™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- metal spray wand
- application: one hole
- overall height: 16.98"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary wheel handle option included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72003EVC	796.55	Chrome	3
S72003EVBL	810.25	Matte Black	3
S72003EVSRS ●	824.00	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 22.38"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary wheel handle option included

POWERBOOST® DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72103	692.00	Chrome	3
S72103BL	899.60	Matte Black	3
S72103SRS ●	885.75	Spot Resist Stainless	3

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- metal spray wand
- application: one hole
- overall height: 16.98"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: boosted stream; powerful cleaning rinse; aerated stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary wheel handle option included

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S72003	556.95	Chrome	3
S72003BL	724.05	Matte Black	3
S72003SRS ●	712.95	Spot Resist Stainless	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
Ū U by Moen®
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

- **Align®**
- **KURV™**
- **Brantford®**
- **Genta™**
- **Arbor®**
- **Camerist®**
- **Sleek™**
- **Belfield™**
- **Integra®**
- **Method™**
- **Chateau®**
- **Torrance™**
- **Banbury®**

Kitchen Faucets

Moen® kitchen faucets combine meaningful innovations with an exceptional variety of attractive styles and dazzling finishes. With almost limitless design possibilities, kitchen faucets from Moen offer design, functionality and value.

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EVC	816.00	Chrome	3
7565EVBL	831.70	Matte Black	3
7565EVSRS●	847.35	Spot Resist Stainless	3
7565EVBG	847.35	Brushed Gold	3
7565EVBLS●	878.80	Black Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

POWERBOOST REFLEX DURALOCK® DURALAST®

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EC	855.10	Chrome	3
7565ESRS●	912.45	Spot Resist Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002SRS●	58.25	Spot Resist Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

motionSense POWERCLEAN REFLEX DURALOCK® DURALAST®

● Spot Resist Stainless Finish
Ü U by Moen®
motionSense MotionSense™ Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
REFLEX Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

JUST ASK alexa

works with Hey Google

Kitchen Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

KITCHEN

ALIGN® — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

NEW!

- application: one or three hole
- overall height: 15.70"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565EWC	737.30	Chrome	3
7565EWBL	728.20	Matte Black	3
7565EWSRS●	767.80	Spot Resist Stainless	3
7565EWBG	745.30	Brushed Gold	3
7565EWBLS●	810.50	Black Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

motionSense POWERCLEAN REFLEX DURALOCK® DURALAST®

TOUCHLESS ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET - MOTIONSENSE WAVE™

- application: one or three hole
- overall height: 21.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

NEW!

MODEL	LIST	FINISH/CONNECT	CASE QTY
5923EWC	754.50	Chrome	3
5923EWBL	792.25	Matte Black	3
5923EWSRS●	904.20	Spot Resist Stainless	3
5923EWBG	904.20	Brushed Gold	3
5923EWBLS●	837.50	Black Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

motionSense POWERCLEAN DURALOCK® DURALAST®

ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET

- application: one or three hole
- overall height: 21.75"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

NEW!

MODEL	LIST	FINISH/CONNECT	CASE QTY
5923	540.30	Chrome	3
5923BL	723.05	Matte Black	3
5923SRS●	691.60	Spot Resist Stainless	3
5923BG	778.65	Brushed Gold	3
5923BLS●	760.75	Black Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6

POWERBOOST DURALOCK® DURALAST®

● Spot Resist Stainless Finish
motionSense MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
REFLEX Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

Kitchen Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

ALIGN® — ONE-HANDLE PULLDOWN KITCHEN FAUCET

- application: one or three hole
- overall height: 15.63"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

POWERBOOST reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7565	471.80	Chrome	3
7565BL	631.40	Matte Black	3
7565SRS●	607.20	Spot Resist Stainless	3
7565BG	607.20	Brushed Gold	3
7565BLS●	747.65	Black Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6

ONE-HANDLE KITCHEN FAUCET

- application: two or four hole
- overall height: 15.31"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- side spray: included

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7165	437.65	Chrome	3
7165BL	585.65	Matte Black	3
7165SRS●	563.25	Spot Resist Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

ONE-HANDLE KITCHEN FAUCET

- application: one or three hole
- overall height: 15.31"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7365	385.10	Chrome	3
7365BL	515.35	Matte Black	3
7365SRS●	495.50	Spot Resist Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

KURV™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

NEW!

- metal spray wand
- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Google Assistant

U by Moen™ POWERBOOST reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9126EVC	720.00	Chrome	3
9126EVNL	936.00	Polished Nickel	3
9126EVBL	936.00	Matte Black	3
9126EVSRS●	907.20	Spot Resist Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

NEW!

- metal spray wand
- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- DC powered: 6 AA cell batteries included

motionSense™ Wave POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9126EWC	680.85	Chrome	3
9126EWNL	826.50	Polished Nickel	3
9126EWBL	885.15	Matte Black	3
9126EWSRS●	857.90	Spot Resist Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

- metal spray wand
- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

POWERBOOST reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9126	460.00	Chrome	3
9126NL	598.00	Polished Nickel	3
9126BL	631.00	Matte Black	3
9126SRS●	579.60	Spot Resist Stainless	3
OPTIONAL DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

Just Ask alexa

works with Hey Google

● Spot Resist Stainless Finish
Ü U by Moen®
motionSense MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

KITCHEN

	MODEL	LIST	FINISH/CONNECT	CASE QTY
BRANTFORD®	**TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET**			
	7185EVC	671.45	Chrome	3
	7185EVSRS●	702.70	Spot Resist Stainless	3
	7185EVORB	733.95	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	199785	52.55	N/A or Unfinished	6

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST reflex DURALOCK® DURALAST®

	TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™			
	7185EC	774.80	Chrome	3
	7185ESRS●	823.20	Spot Resist Stainless	3
	7185EORB	853.45	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; powerful cleaning rinse; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

	TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™			
	7185EWC	562.10	Chrome	3
	7185EWSRS●	584.55	Spot Resist Stainless	3
	7185EW0RB	623.90	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	177566	43.15	N/A or Unfinished	6

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; powerful cleaning rinse; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

	ONE-HANDLE PULLDOWN KITCHEN FAUCET			
	7185C	429.95	Chrome	3
	7185SRS●	550.60	Spot Resist Stainless	3
	71850RB	592.20	Oil Rubbed Bronze	3

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST reflex DURALOCK® DURALAST®

● Spot Resist Stainless Finish
Ů U by Moen®
motionsense MotionSense™ Hands-Free Kitchen Faucet
motionsense MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa
works with Hey Google

KITCHEN

	MODEL	LIST	FINISH/CONNECT	CASE QTY
BRANTFORD®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**			
	7295C	390.15	Chrome	3
	7295SRS●	522.40	Spot Resist Stainless	3
	72950RB	548.55	Oil Rubbed Bronze	3

- application: one or three hole
- overall height: 12.94"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- hose length: 68"
- deckplate: included

POWERCLEAN reflex DURALOCK® DURALAST®

GENTA™	**ONE-HANDLE PULLDOWN KITCHEN FAUCET**			
	7882	398.65	Chrome	3
	7882BL	525.75	Matte Black	3
	7882SRS●	505.80	Spot Resist Stainless	3

- application: one or three hole
- overall height: 16.00"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST reflex DURALOCK® DURALAST®

ARBOR®	**TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET**			
	7594EVC	678.10	Chrome	3
	7594EVBL	693.80	Matte Black	3
	7594EVSRS●	709.60	Spot Resist Stainless	3
	7594EVORB	741.20	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12
	OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
	199785	52.55	N/A or Unfinished	6

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST reflex DURALOCK® DURALAST®

	TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE™			
	7594EC	756.70	Chrome	3
	7594ESRS●	799.00	Spot Resist Stainless	3
	7594EORB	837.75	Oil Rubbed Bronze	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: powerful cleaning rinse; aerated stream; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

motionsense POWERCLEAN reflex DURALOCK® DURALAST®

● Spot Resist Stainless Finish
Ů U by Moen®
motionsense MotionSense™ Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa
works with Hey Google

ARBOR®

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: three-function
- spray type: aerated stream; powerful cleaning rinse; pause function
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

motionsense WAVE · POWERCLEAN · reflex · DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7594EWC	567.70	Chrome	3
7594EWBL	579.05	Matte Black	3
7594EWSRS●	590.35	Spot Resist Stainless	3
7594EW0RB	630.10	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST · reflex · DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7594C	410.30	Chrome	3
7594BL	546.40	Matte Black	3
7594SRS●	525.55	Spot Resist Stainless	3
7594ORB	549.90	Oil Rubbed Bronze	3

ONE-HANDLE KITCHEN FAUCET

- application: one to four hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- deckplate: included
- side spray: included
- side spray: can be installed with or without

DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7790	387.90	Chrome	3
7790SRS●	499.65	Spot Resist Stainless	3

CAMERIST®

ONE-HANDLE PULLOUT KITCHEN FAUCET

- application: one or three hole
- overall height: 12.00"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- hose length: 68"
- deckplate: included

POWERCLEAN · reflex · DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7545C◆	390.15	Chrome	3
7545SRS●	522.40	Spot Resist Stainless	3
7545ORB	548.55	Oil Rubbed Bronze	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

◆ Also available in bulk pack.
● Spot Resist Stainless Finish
motionsense MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

CAMERIST®

ONE-HANDLE KITCHEN FAUCET

- application: two or four hole
- overall height: 8.13"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- deckplate: included
- side spray: included

DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7840◆	239.25	Chrome	3
7840SRS●	350.90	Spot Resist Stainless	3

- application: one or three hole
- overall height: 8.13"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- deckplate: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7825	200.65	Chrome	3
7825SRS●	307.80	Spot Resist Stainless	3

SLEEK™

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate:included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST · reflex · DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7864EVC	678.10	Chrome	3
7864EVBL	693.80	Matte Black	3
7864EVSRS●	709.60	Spot Resist Stainless	3
7864EVBLS●	741.20	Black Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deck plate included
- DC powered: 6 AA cell batteries included

motionsense WAVE · POWERCLEAN · reflex · DURALOCK® · DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7864EWC	567.70	Chrome	3
7864EWBL	579.05	Matte Black	3
7864EWSRS●	590.35	Spot Resist Stainless	3
7864EWBLS●	630.05	Black Stainless	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
177566	43.15	N/A or Unfinished	6

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

JUST ASK alexa · works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
motionsense MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

SLEEK™ — ONE-HANDLE PULLDOWN SPRING KITCHEN FAUCET

- application: one or three hole
- overall height: 23.25"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST® DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
5925	446.55	Chrome	3
5925BL	594.65	Matte Black	3
5925SRS●	572.60	Spot Resist Stainless	3
5925BLS●	630.40	Black Stainless	3

ONE-HANDLE PULLDOWN KITCHEN FAUCET

- application: two hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream; boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7871	401.25	Chrome	3
7871BL	534.35	Matte Black	3
7871SRS●	513.65	Spot Resist Stainless	3

- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; powerful cleaning rinse; boosted stream, boosted rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7864	364.75	Chrome	3
7864BL	485.75	Matte Black	3
7864SRS●	466.90	Spot Resist Stainless	3
7864BLS●	513.45	Black Stainless	3
7864ORB	513.60	Oil Rubbed Bronze	3

ONE-HANDLE KITCHEN FAUCET

- application: two or four hole
- overall height: 16.01"
- connection size: 3/8"
- connection type: compression
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- side spray: included
- deckplate: included

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7870	346.70	Chrome	3
7870BL	461.70	Matte Black	3
7870SRS●	443.85	Spot Resist Stainless	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

BELFIELD™ — TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - U BY MOEN™ SMART FAUCET

NEW!

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 D cell batteries included
- voice activated kitchen: compatible with Amazon Just Ask Alexa and Works with Google Assistant

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7260EVC	661.55	Chrome	3
7260EVBL	860.05	Matte Black	3
7260EVSRS●	833.55	Spot Resist Stainless	3
7260EVORB	886.50	Oil Rubbed Bronze	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12
OPTIONAL WALL MOUNT & HOSE EXTENSION KIT SOLD SEPARATELY			
199785	52.55	N/A or Unfinished	6

TOUCHLESS ONE-HANDLE PULLDOWN KITCHEN FAUCET - MOTIONSENSE WAVE™

NEW!

- application: one or three hole
- overall height: 15.56"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included
- DC powered: 6 AA cell batteries included

motionsense WAVE POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7260EWC	553.80	Chrome	3
7260EWBL	720.00	Matte Black	3
7260EWSRS●	697.80	Spot Resist Stainless	3
7260EWORB	742.10	Oil Rubbed Bronze	3

ONE-HANDLE PULLDOWN KITCHEN FAUCET

NEW!

- application: one or three hole
- overall height: 15.50"
- connection size: 3/8"
- connection type: compression
- number of functions: four-function
- spray type: aerated stream; boosted rinse; boosted stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- deckplate: included

POWERBOOST® reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
7260	400.00	Chrome	3
7260BL	520.00	Matte Black	3
7260SRS●	504.00	Spot Resist Stainless	3
7260ORB	536.00	Oil Rubbed Bronze	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

JUST ASK alexa
works with Hey Google

● Spot Resist Stainless Finish
Ū U by Moen®
motionsense WAVE MotionSense™ Wave Hands-Free Kitchen Faucet
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BELFIELD™	**ONE-HANDLE KITCHEN FAUCET**				
	• application: two or four hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK® DURALAST®	**7245C**	347.30	Chrome	3
		NEW! **7245BL**	451.50	Matte Black	3
		7245SRS●	468.80	Spot Resist Stainless	3
		7245ORB	515.80	Oil Rubbed Bronze	3
	• application: one or three hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included DURALAST®	**7240C**	298.60	Chrome	3
		NEW! **7240BL**	388.20	Matte Black	3
		7240SRS●	403.30	Spot Resist Stainless	3
		7240ORB	443.65	Oil Rubbed Bronze	3
	TWO-HANDLE KITCHEN FAUCET				
	• application: four hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK® DURALAST®	**7255C**	328.30	Chrome	3
		NEW! **7255BL**	426.80	Matte Black	3
		7255SRS●	443.30	Spot Resist Stainless	3
		7255ORB	487.60	Oil Rubbed Bronze	3
	• application: three hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included DURALAST®	**7250C**	282.40	Chrome	3
		NEW! **7250BL**	367.15	Matte Black	3
		7250SRS●	381.25	Spot Resist Stainless	3
		7250ORB	419.50	Oil Rubbed Bronze	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
INTEGRA®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included POWERCLEAN® DURALOCK® DURALAST®	**67315C**◆	273.05	Chrome	6
		67315SRS●◆	386.10	Spot Resist Stainless	6
METHOD™	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one or three hole • overall height: 9.04" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included POWERCLEAN® DURALOCK® DURALAST®	**7585C**	224.75	Chrome	3
		7585SRS●	301.15	Spot Resist Stainless	3
CHATEAU®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7430**◆	190.60	Chrome	6
		7430SRS●	220.05	Spot Resist Stainless	6
	• application: two hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7437**	194.70	Chrome	6
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7434**◆	190.60	Chrome	6

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88

Deck Extension kits available on page 568

◆ Also available in bulk pack.
● Spot Resist Stainless Finish
POWERCLEAN® Power Clean™ Technology
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CHATEAU®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7425◆** **7425SRS●**	151.45 174.85	Chrome Spot Resist Stainless	6 6
	• application: one hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7423**	154.35	Chrome	6
	TWO-HANDLE KITCHEN FAUCET				
	• application: four hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK®	**7907**	180.90	Chrome	6
	• application: three hole • overall height: 6.50" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max.	**7906**	143.80	Chrome	6

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

◆ Also available in bulk pack. See page 609
● Spot Resist Stainless Finish
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

		MODEL	LIST	FINISH/CONNECT	CASE QTY
TORRANCE™	**ONE-HANDLE KITCHEN FAUCET**				
	• application: two or four hole • overall height: 9.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included • deckplate: included DURALOCK® DURALAST®	**7082** **7082SRS●**	183.60 238.35	Chrome Spot Resist Stainless	3 3
	• application: one or three hole • overall height: 9.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included DURALAST®	**7081** **7081SRS●**	145.90 189.45	Chrome Spot Resist Stainless	3 3
BANBURY®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: four hole • overall height: 7.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**7051** **7051SRS●**	124.55 145.85	Chrome Spot Resist Stainless	3 3
	• application: three hole • overall height: 7.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**7050** **7050SRS●**	113.80 138.45	Chrome Spot Resist Stainless	3 3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Bar/Prep faucets available. See Pages 84-88
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Kitchen Complements

Kitchen Complements is about creating a kitchen without compromise. Moen® offers exceptional products that deliver all the style and functionality required for a dream kitchen—now with the convenience of getting it all from one, trusted brand. That means guaranteed style compatibility, guaranteed quality and guaranteed satisfaction.

Bundling creates excellent opportunities to cross-sell coordinating products.

Lighting fixtures are available in nine of the most popular Moen® collections.

The Quick-Connect Wiring System from Moen easily and seamlessly coordinates stylish lighting from the 90°™ and Voss™ collections with our kitchen and bath collections. Additional Moen lighting collections include: Brantford®, Eva™, Iso™, Rothbury® and Waterhill®.

Customer Offerings

Our expanded line of kitchen sinks is complemented by cutting boards and other sink accessories.

Soap dispenser designs come in traditional, transitional and modern style options to coordinate with décor.

SIP™ Beverage Faucets provide clean, filtered water at the kitchen sink or a separate beverage sink while hiding the filter under the cabinet.

Moen® bar faucets, pot filler and filtering faucets are guaranteed to match our kitchen faucets and finishes, performance and quality.

Our towel bars, towel rings, hooks, knobs, pulls and other accessories create consistent style throughout the kitchen.

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

Modern

Traditional

Premium Pot Fillers

The pot filler is the ultimate epicurean luxury, with all the details needed to ensure convenient flow control over a cooktop. They are available in traditional and modern styles to coordinate with any décor preference.

KITCHEN

MODERN — TWO-HANDLE KITCHEN POT-FILLER FAUCET

- application: one hole
- spout reach: 24.00"
- connection size: 1/2"
- connection type: IPS
- spray type: aerated stream
- water usage: 5.5 gpm (21 L/min) max.

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S665	903.30	Chrome	3
S665BL	1,233.00	Matte Black	3
S665SRS●	1,241.30	Spot Resist Stainless	3
S665BG	1,327.85	Brushed Gold	3
S665BLS●	1,365.20	Black Stainless	3

TRADITIONAL — TWO-HANDLE KITCHEN POT-FILLER FAUCET

- application: one hole
- spout reach: 24.00"
- connection size: 1/2"
- connection type: IPS
- spray type: aerated stream
- water usage: 5.5 gpm (21 L/min) max.

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S664	903.30	Chrome	3
S664NL	1,233.00	Polished Nickel	3
S664BL	1,233.00	Matte Black	3
S664SRS●	1,241.30	Spot Resist Stainless	3
S664BG	1,327.85	Brushed Gold	3
S6640RB	1,365.30	Oil Rubbed Bronze	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Deck Extension kits available on page 568

● Spot Resist Stainless Finish

Premium Bar/Prep Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

Nio™

STō®

Weymouth®

Sinema™

Paterson™

Premium Bar/Prep Kitchen Faucets

Perfect for secondary sinks, bar/prep kitchen faucets combine design and functionality. Available in array of design options, Moen® bar/prep kitchen faucets match perfectly with almost any decorating style.

NIO™ — ONE-HANDLE BAR FAUCET

- application: one hole
- overall height: 13.96"
- connection size: 3/8"
- connection type: compression
- spray type: aerated stream
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- secondary two-tone handle option included: Chrome faucet has Matte Black handle; Matte Black faucet has Brushed Gold handle; Spot Resist faucet has Matte Black handle; Black Stainless faucet has Spot Resist Stainless handle

POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S55005	597.85	Chrome	3
S55005BL	777.25	Matte Black	3
S55005SRS●	765.30	Spot Resist Stainless	3
S55005BLS●	841.85	Black Stainless	3

STō® — ONE-HANDLE PULLDOWN BAR FAUCET

- application: one hole
- overall height: 14.63"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S62308	535.30	Chrome	3
S62308BL	695.90	Matte Black	3
S62308SRS●	704.80	Spot Resist Stainless	3
S62308BG	749.40	Brushed Gold	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Bar/Prep Faucets

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

WEYMOUTH® — ONE-HANDLE BAR FAUCET

- application: one hole
- overall height: 7.81"
- connection size: 3/8"
- connection type: compression
- spray type: aerated stream
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S62101	527.00	Chrome	3
S62101NL	685.10	Polished Nickel	3
NEW! **S62101BL**	685.10	Matte Black	3
S62101SRS●	827.45	Spot Resist Stainless	3
S62101BG	737.80	Brushed Gold	3
S621010RB	902.85	Oil Rubbed Bronze	3

ONE-HANDLE PULLDOWN BAR FAUCET

- metal spray wand
- application: one hole
- overall height: 14.66"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- included: choice of matching finish or porcelain handle caps

POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S53004	510.75	Chrome	3
S53004NL	664.00	Polished Nickel	3
NEW! **S53004BL**	664.00	Matte Black	3
S53004SRS●	653.75	Spot Resist Stainless	3
S53004BG	715.10	Brushed Gold	3
S530040RB	719.15	Oil Rubbed Bronze	3

SINEMA™ — ONE-HANDLE PULLDOWN BAR FAUCET

- metal spary wand
- application: one or three hole
- overall height: 15.00"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- art deco-inspired etched handle installed on faucet; secondary matching finish handle option included

POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S6235	496.15	Chrome	3
S6235NL	644.95	Polished Nickel	3
S6235BL	644.95	Matte Black	3
S6235SRS●	635.05	Spot Resist Stainless	3

PATERSON™ — ONE-HANDLE PULLDOWN BAR FAUCET

- metal spray wand
- application: one hole
- overall height: 14.30"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"
- secondary handle option included

POWERCLEAN reflex DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S52003	495.70	Chrome	3
S52003BL	644.40	Matte Black	3
S52003SRS●	634.45	Spot Resist Stainless	3

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Bar/Prep Faucets

All Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

Align®
KURV™
Brantford®
Arbor®
Belfield™
Sleek™
Camerist®
Chateau®

Bar/Prep Kitchen Faucets

Combining performance and reliability, Moen® bar/prep faucets are tailored to perfection. Available in your choice of unique design options, these functional collections are sure to create a truly polished look.

ALIGN® — ONE-HANDLE PULLDOWN BAR FAUCET

- application: one or three hole
- overall height: 13.75"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
5965	423.45	Chrome	3
5965BL	566.70	Matte Black	3
5965SRS●	544.95	Spot Resist Stainless	3
5965BG	544.95	Brushed Gold	3
5965BLS●	644.20	Black Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002BG	58.25	Brushed Gold	6
141002BLS●	64.10	Black Stainless	6

POWERCLEAN reflex DURALOCK® DURALAST®

KURV™ — TWO-HANDLE BAR FAUCET

- metal spray wand
- application: one or three hole
- overall height: 14.5"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
6126	414.00	Chrome	3
6126NL	538.20	Polished Nickel	3
6126BL	538.20	Matte Black	3
6126SRS●	521.65	Spot Resist Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002NL	55.25	Polished Nickel	
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6

POWERCLEAN reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Bar/Prep Faucets

KITCHEN

BRANTFORD® — ONE-HANDLE PULLDOWN BAR FAUCET

- application: one or three hole
- overall height: 14.38"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
5985	394.30	Chrome	3
5985SRS●	505.30	Spot Resist Stainless	3
5985ORB	544.05	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002SRS●	58.25	Spot Resist Stainless	6
141002ORB	64.20	Oil Rubbed Bronze	6

POWERCLEAN reflex DURALOCK® DURALAST®

ARBOR® — ONE-HANDLE PULLDOWN BAR FAUCET

- application: one or three hole
- overall height: 14.38"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
5995	368.35	Chrome	3
5995BL	490.50	Matte Black	3
5995SRS●	471.80	Spot Resist Stainless	3
5995ORB	493.50	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002ORB	64.20	Oil Rubbed Bronze	6

POWERCLEAN reflex DURALOCK® DURALAST®

BELFIELD™ — ONE-HANDLE BAR FAUCET

NEW!

- applications: one or three hole
- overall height: 14.46"
- connection size: 3.8"
- connection type: compression
- number of functions: 2 functions
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
6260	360.00	Chrome	3
6260BL	468.00	Spot Resist Stainless	3
6260SRS●	453.60	Spot Resist Stainless	3
62600RB	482.40	Oil Rubbed Bronze	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002ORB	64.20	Oil Rubbed Bronze	6

POWERCLEAN reflex DURALOCK® DURALAST®

SLEEK™ — ONE-HANDLE PULLDOWN BAR FAUCET

- application: one or three hole
- overall height: 14.46"
- connection size: 3/8"
- connection type: compression
- number of functions: two-function
- spray type: aerated stream; powerful cleaning rinse
- water usage: 1.5 gpm (5.7 L/min) max.
- handle mounting: right only
- hose length: 68"

MODEL	LIST	FINISH/CONNECT	CASE QTY
7664	328.30	Chrome	3
7664BL	437.20	Matte Black	3
7664SRS●	420.20	Spot Resist Stainless	3
76640RB	462.20	Oil Rubbed Bronze	3
7664BLS●	462.20	Black Stainless	3
DECKPLATES SOLD SEPARATELY			
141002	50.75	Chrome	6
141002BL	58.25	Matte Black	6
141002SRS●	58.25	Spot Resist Stainless	6
141002ORB	64.20	Oil Rubbed Bronze	6
141002BLS●	64.10	Black Stainless	6

POWERCLEAN reflex DURALOCK® DURALAST®

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95

Deck Extension kits available on page 568

● Spot Resist Stainless Finish
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Bar/Prep Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CAMERIST®	**ONE-HANDLE BAR FAUCET**				
	• application: two hole • overall height: 11.00" • connection size: 3/8" • connection type: compression • spray type: aerated stream • water usage: 1.5 gpm (5.7 L/min) max. DURALOCK® DURALAST®	**4905**	235.15	Chrome	3
		4905SRS●	316.30	Spot Resist Stainless	3
		4905ORB	339.00	Oil Rubbed Bronze	3
CHATEAU®	**TWO-HANDLE BAR FAUCET**				
	• application: two hole • overall height: 10.50" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: 1.5 gpm (5.7 L/min) max.	**4903**	111.95	Chrome	12

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Deck Extension kits available on page 568

Laundry Faucets

Integra®

Chateau®

Laundry Faucets

Moen® laundry faucets bring performance, versatility and reliability to work areas with a simple, understated appeal. They are available in traditional and modern styles to coordinate with any décor preference.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
INTEGRA®	**ONE-HANDLE PULLOUT LAUNDRY FAUCET**				
	• application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included POWERCLEAN® DURALOCK® DURALAST®	**67315C**◆	273.05	Chrome	6
		67315SRS●◆	386.10	Spot Resist Stainless	6
CHATEAU®	**TWO-HANDLE LAUNDRY FAUCET**				
	• application: two hole • overall height: 6.63" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: unrestricted	**4975**	114.10	Chrome	12
	• application: two hole • overall height: 6.63" • connection size: 1/2" • connection type: IPS • spray type: aerated stream • water usage: unrestricted	**74998**	85.75	Chrome	12

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE PAGES 90-95
Deck Extension kits available on page 568

◆ Also available in bulk pack. See page 517
● Spot Resist Stainless Finish
POWERCLEAN® Power Clean™ Technology
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Premium Beverage and Filtering Faucets

All Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

Nio™

Modern

Paterson™

Traditional

KURV™

Sinema™

Transitional

Premium Beverage and Filtering Kitchen Faucets

Having a cold water tap at your kitchen sink is easy and stylish with SIP™ beverage faucets. SIP™ styles feature a high arc rotating spout that provides more convenience at the sink. They are available in coordinating styles for every decorating taste: traditional, transitional or modern.

SIP™ NIO™ ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5550	355.25	Chrome	3
S5550BL	461.85	Matte Black	3
S5550SRS●	497.35	Spot Resist Stainless	3
S5550BLS●	546.45	Black Stainless	3

SIP™ MODERN ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5530	355.25	Chrome	3
S5530BL	461.85	Matte Black	3
S5530SRS●	497.35	Spot Resist Stainless	3
S5530BG	497.35	Brushed Gold	3
S5530BLS●	546.45	Black Stainless	3

SIP™ PATERSON™ ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5540	355.25	Chrome	3
S5540BL	461.85	Matte Black	3
S5540SRS●	497.35	Spot Resist Stainless	3

Bar/Prep faucets available. See Pages 84-88
For Replacement Filters see page 92

● Spot Resist Stainless Finish
DURALAST® Duralast® Cartridge

Premium Beverage and Filtering Faucets

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

SIP™ TRADITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5510	355.25	Chrome	3
S5510NL	461.85	Polished Nickel	3
S5510BL	461.85	Matte Black	3
S5510SRS●	497.35	Spot Resist Stainless	3
S5510BG	497.35	Brushed Gold	3
S5510ORB	546.45	Oil Rubbed Bronze	3

SIP™ KURV™ ONE-HANDLE BEVERAGE/FILTRATION FAUCET

NEW!

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5560	338.35	Chrome	3
S5560NL	439.90	Polished Nickel	3
S5560BL	439.90	Matte Black	3
S5560SRS●	426.35	Spot Resist Stainless	3

SIP™ SINEMA™ ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5535	331.50	Chrome	3
S5535NL	430.95	Polished Nickel	3
S5535BL	430.95	Matte Black	3
S5535SRS●	464.05	Spot Resist Stainless	3

SIP™ TRANSITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET

- overall height: 10.88"
- water usage: 1.5 gpm (5.7 L/min) max.
- S5500: filtration sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5520	355.25	Chrome	3
S5520BL	461.85	Matte Black	3
S5520SRS●	497.35	Spot Resist Stainless	3
S5520BG	497.35	Brushed Gold	3
S5520BLS●	546.45	Black Stainless	3
S5520ORB	546.45	Oil Rubbed Bronze	3

Bar/Prep faucets available. See Pages 84-88
For Replacement Filters see page 92

● Spot Resist Stainless Finish
DURALAST® Duralast® Cartridge

Premium Beverage and Filtering Faucets

		MODEL	LIST	FINISH/CONNECT	CASE QTY
FILTRATION SYSTEM					
	• water usage: 0.7 gpm (2.7 L/min) max. • filter: included • application: undercounter • system: dry change • battery: included • use with: S5510, S5520, S5530, S5535, S5540, S5550, and S5560 series	PREMIUM			
		S5500	307.35	N/A or Unfinished	6
AQUASUITE®					
	• use with: 77100 series	**9001**	99.35	N/A or Unfinished	6
FILTRATION SYSTEM					
	• includes: replacement battery • use with: F7400, 77200, S5510, S5520, S5530, S5535, S5540, S5550 and S5560 series	**9601**	56.20	N/A or Unfinished	18
	• use with: PureTouch® classic series	**601**	38.70	N/A or Unfinished	12

Premium Soap/Lotion Dispensers

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

Modern

Paterson™

Traditional

Transitional

Premium Soap/Lotion Dispensers

Accessorize your kitchen with stylish soap/lotion dispensers from Moen®. They are available in coordinating styles for every decorating taste: traditional, transitional or modern. All come with tops that lift off for easy refill.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
MODERN SOAP/LOTION DISPENSER					
	• overall height: 5.00" • spout reach: 3.50" • max deck thickness: 3-1/2" • bottle size: 18 ounce refillable bottle • hole diameter: 1-1/8" hole	PREMIUM			
		S3947C	170.75	Chrome	6
		S3947BL	221.95	Matte Black	6
		S3947SRS●	205.00	Spot Resist Stainless	6
		S3947BG	239.00	Brushed Gold	6
		S3947BLS●	227.55	Black Stainless	6
PATERSON™ SOAP/LOTION DISPENSER					
	• overall height: 5.00" • spout reach: 3.50" • max deck thickness: 3-1/2" • bottle size: 18 ounce refillable bottle • hole diameter: 1-1/8" hole	PREMIUM			
		S3955C	170.75	Chrome	6
		S3955BL	221.95	Matte Black	6
		S3955SRS●	205.00	Spot Resist Stainless	6
TRADITIONAL SOAP/LOTION DISPENSER					
	• overall height: 5.00" • spout reach: 3.50" • max deck thickness: 3-1/2" • bottle size: 18 ounce refillable bottle • hole diameter: 1-1/8" hole	PREMIUM			
		S3945C	170.75	Chrome	6
		S3945NL	221.95	Polished Nickel	6
		S3945BL	221.95	Matte Black	6
		S3945SRS●	205.00	Spot Resist Stainless	6
		S3945BG	239.00	Brushed Gold	6
		S3945ORB	213.35	Oil Rubbed Bronze	6

WANT TO ADD WATER FILTRATION IN THE KITCHEN? SEE PAGES 90-92

● Spot Resist Stainless Finish

Premium Soap/Lotion Dispensers

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

TRANSITIONAL SOAP/LOTION DISPENSER

- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3946C	170.75	Chrome	6
S3946NL	221.95	Polished Nickel	6
S3946BL	213.40	Matte Black	6
S3946SRS●	205.00	Spot Resist Stainless	6
S3946BG	239.00	Brushed Gold	6
S3946ORB	213.35	Oil Rubbed Bronze	6
S3946BLS●	227.55	Black Stainless	6

TRANSITIONAL SOAP/LOTION DISPENSER

- overall height: 5.00"
- spout reach: 3.50"
- max deck thickness: 3-1/2"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3948C	170.75	Chrome	6
S3948BL	221.95	Matte Black	6
S3948SRS●	205.00	Spot Resist Stainless	6
S3948ORB	213.35	Oil Rubbed Bronze	6

SOAP/LOTION DISPENSER

- overall height: 3.13"
- spout reach: 2.75"
- max deck thickness: 2-1/4"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL	LIST	FINISH/CONNECT	CASE QTY
3942	54.00	Chrome	6
3942BL	67.55	Matte Black	6
3942SRS●	72.75	Spot Resist Stainless	6

- overall height: 2.56"
- spout reach: 3.63"
- max deck thickness: 2-1/4"
- bottle size: 18 ounce refillable bottle
- hole diameter: 1-1/8" hole

MODEL	LIST	FINISH/CONNECT	CASE QTY
3944	52.95	Chrome	6
3944BL	70.50	Matte Black	6
3944SRS●	72.75	Spot Resist Stainless	6
3944ORB	80.55	Oil Rubbed Bronze	6

WANT TO ADD WATER FILTRATION IN THE KITCHEN? SEE PAGES 90-92

● Spot Resist Stainless Finish

Premium Soap/Lotion Dispensers

All Polished Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

MOEN® AIR GAP

- application: one hole
- hole diameter: 1-3/8"

MODEL	LIST	FINISH/CONNECT	CASE QTY
105895	26.65	Chrome	6
105895NL	35.50	Polished Nickel	6
105895BL	35.50	Matte Black	6
105895SRS●	35.80	Spot Resist Stainless	6
105895BG	35.95	Brushed Gold	6
1058950RB	37.40	Oil Rubbed Bronze	6
105895BLS●	37.50	Black Stainless	6

MOEN® PULLOUT/PULLDOWN HOSE MANAGEMENT SYSTEM

- system: helps prevent hose/weight getting caught under sink
- size: can be cut to accommodate different cabinet sizes
- compatible with: Moen kitchen pulldowns and pullout single mount skus (excluding Aberdeen™

MODEL	LIST	FINISH/CONNECT	CASE QTY
159060	19.90	N/A or Unfinished	6

TOUCHLESS U BY MOEN™ CONTROL BOX WALL MOUNT KIT & AC ADAPTER



- contains: pulldown connection hose bracket, house guide nut, hose, mounting brakcet and screws

MODEL	LIST	FINISH/CONNECT	CASE QTY
199785	52.55	N/A or Unfinished	6

- contains: AC adapter, power splitter, hook & loop fasteners and mouting screw

MODEL	LIST	FINISH/CONNECT	CASE QTY
169031	140.30	N/A or Unfinished	12



- contains: pulldown connection hose bracket, house guide nut, hose, mounting brakcet and screws

MODEL	LIST	FINISH/CONNECT	CASE QTY
177566	43.15	N/A or Unfinished	6

WANT TO ADD WATER FILTRATION IN THE KITCHEN? SEE PAGES 90-92

● Spot Resist Stainless Finish

NOTES

Kitchen Sinks

1800™ Series 30" x 21" Stainless Steel Double Bowl Sink / G18220
Weymouth® One-Handle Kitchen Faucet / S72101

Please see **moen.com/consumer-support/warranty**
for complete product warranty information.

Moen® Kitchen Sinks

Fireclay
Moen Fireclay Sinks bring definitive aesthetic and superior performance to any kitchen. 100% eco-friendly and lead-free fireclay composes the durable sinks to create a chip-, heat- and stain-resistant surface that stands up to abrasive cleaners. A deep bowl accommodates many dishes and even large pots and pans, while minimizing sound during use. The Moen Fireclay Series is the culmination of style and functionality.

Granite Sinks
Moen Granite Sinks come in a range of colorful options, featuring smooth and durable surfaces for your kitchen.

1600™ Professional Series
Constructed from premium, durable 16-gauge stainless steel, each sink in the 1600™ Professional Series is built to withstand your toughest chores, creative cooking whims and heaviest pots and pans. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

1800™ Professional and Conventional Series
High-quality construction and extensive selection come together in our 1800™ Series. Strong 18-gauge stainless steel serves as a solid base for a wide array of design options. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

2000™ Series
The 2000™ Series delivers design and functionality at a value. A variety of configurations and mounting options in quality 20-gauge stainless steel give you choices that fit almost any countertop material – backed by a limited lifetime warranty.

2200™ Series
The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations – backed by a limited lifetime warranty.

SoundSHIELD™
All Moen stainless steel sinks feature SoundSHIELD, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

QuickMount™
Select Moen sinks include improved installation hardware, making it easier and faster than ever for the professional or the DIYer to get the job done.

GUIDELINES FOR ORDERING

The following guidelines will assist you when ordering sinks.

Series	Description	Gauge	Undermount Options	Drop-In Options	Bar/Prep Options	Bowl Depth	SoundSHIELD™	Warranty†
Fireclay	Luxury and Design	N/A	Yes/ Apron Front			10"		Limited Lifetime
Granite	Alternative Colors	N/A	✓	✓	✓	Up to 10"		Limited Lifetime
1600™ Professional Series	Professional	16	✓		✓	10"	✓	Limited Lifetime
1800™ Series	High Quality, Extensive Selection	18	✓	✓	✓	Up to 10"	✓	Limited Lifetime
2000™ Series	Design + Functionality	20	✓	✓	✓	Up to 8"	✓	Limited Lifetime
2200™ Series	Sturdy Value	22		✓	✓	Up to 8"	✓	Limited Lifetime

SKU Number Key

G	G	R	A	1	8	2	3	3	4	2	B	Q
Sink	Material	Granite Finish	Accessory	Gauge		# Bowls	Random Number		# Holes	Drain Size and Placement Combination		
	FC Fireclay	**B** Black	**A** Accessory	**16** 16 Gauge		**1** Single			**0** None	- 3.5" Drain Size		
	S Stainless	**W** White		**18** 18 Gauge		**2** Double			**1** 1 Hole	**2** 2" Drain Size		
	G Granite	**R** Gray		**20** 20 Gauge		**4** Bar/Prep			**2** 2 Holes	- Center Drain Position		
		M Mocha		**22** 22 Gauge					**3** 3 Holes	**B** Rear Drain Position		
									4 4 Holes	**L** Left Rear Drain Position		
										R Right Rear Drain Position		
										Q QuickMount Installation Hardware		

† For complete product warranty information see moen.com/consumer-support/warranty

Fireclay Series

Moen Fireclay Sinks

Moen® Fireclay sinks add a definitive aesthetic touch to any kitchen along with superior performance.

- Apron-front sink bowls
- Low maintenance white glazed finish
- Sound minimizing during use
- Holds large pots and pans and baking sheets
- Professional installation is recommended

		MODEL	DESCRIPTION	FINISH	LIST
FIRECLAY SINGLE BOWL APRON FRONT UNDERMOUNT SINK					
NEW!	• drain opening size: 3-1/2" • depth size: 10" • minimum cabinet size: 36" • drain location: center • weight: 91 • includes: stainless steel bottom grid • includes:stainless steel strainer	**FC331910**	single bowl sink	White	899.00
NEW!	• drain opening size: 3-1/2" • depth size: 10" • minimum cabinet size: 36" • drain location: center • weight: 103 • includes: stainless steel bottom grid • includes: stainless steel strainer	**FC301810**	single bowl sink	White	829.00

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

SINKS

Moen Granite Sinks

Moen Granite Sinks come in a range of durable, colorful options for your kitchen.

- Smooth surface finish
- Multiple sizes and bowl types

GRANITE DOUBLE OFFSET BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 58



MODEL	DESCRIPTION	FINISH	LIST
GGB4014B	double bowl sink	Black	652.65
GGR4014B	double bowl sink	Gray	652.65
GGM4014B	double bowl sink	Mocha	652.65
GGW4014B	double bowl sink	White	652.65
	ACCESSORIES		
GA760	center drain grid		179.05

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 60



MODEL	DESCRIPTION	FINISH	LIST
GGB3024B	double bowl sink	Black	813.10
GGR3024B	double bowl sink	Gray	813.10
GGM3024B	double bowl sink	Mocha	813.10
GGW3024B	double bowl sink	White	813.10
	ACCESSORIES		
GGA58B	bottom grid - left bowl		142.45
GGA55B	bottom grid - right bowl		141.75

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 62



MODEL	DESCRIPTION	FINISH	LIST
GGB3029B	double bowl sink	Black	656.65
GGR3029B	double bowl sink	Gray	656.65
GGM3029B	double bowl sink	Mocha	656.65
GGW3029B	double bowl sink	White	656.65
	ACCESSORIES		
GGA56B	bottom grid - left bowl		156.50
GGA57B	bottom grid - right bowl		134.85

GRANITE DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 58



MODEL	DESCRIPTION	FINISH	LIST
GGB4012B	double bowl sink	Black	597.45
GGR4012B	double bowl sink	Gray	597.45
GGM4012B	double bowl sink	Mocha	597.45
GGW4012B	double bowl sink	White	597.45

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

GRANITE LOW MIDDLE DIVIDE DOUBLE EQUAL BOWL DUAL MOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- low divide
- minimum cabinet size: 36"
- drain location: rear center
- weight: 56



MODEL	DESCRIPTION	FINISH	LIST
GGB3027B	double bowl sink	Black	723.35
GGR3027B	double bowl sink	Gray	723.35
GGM3027B	double bowl sink	Mocha	723.35
GGW3027B	double bowl sink	White	723.35
	ACCESSORIES		
GGA53B	bottom grid - left bowl		147.65
GGA54B	bottom grid - right bowl		147.65

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 62



MODEL	DESCRIPTION	FINISH	LIST
GGB3028B	double bowl sink	Black	593.60
GGR3028B	double bowl sink	Gray	593.60
GGM3028B	double bowl sink	Mocha	593.60
GGW3028B	double bowl sink	White	593.60
	ACCESSORIES		
GGA55B	bottom grid		141.75

GRANITE SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 55



MODEL	DESCRIPTION	FINISH	LIST
GGB4010B	single bowl sink	Black	613.35
GGR4010B	single bowl sink	Gray	613.35
GGM4010B	single bowl sink	Mocha	613.35
GGW4010B	single bowl sink	White	613.35

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 57



MODEL	DESCRIPTION	FINISH	LIST
GGB3026B	single bowl sink	Black	651.40
GGR3026B	single bowl sink	Gray	651.40
GGM3026B	single bowl sink	Mocha	651.40
GGW3026B	single bowl sink	White	651.40
	ACCESSORIES		
GGA52B	bottom grid		178.90

- drain opening size: 3-5/8"
- depth size: 9 1/2"
- minimum cabinet size: 30"
- drain location: rear center
- weight: 43



MODEL	DESCRIPTION	FINISH	LIST
GGB3019B	single bowl sink	Black	483.05
GGR3019B	single bowl sink	Gray	483.05
GGM3019B	single bowl sink	Mocha	483.05
GGW3019B	single bowl sink	White	483.05
	ACCESSORIES		
GGA51B	bottom grid		164.55

GRANITE SINGLE BOWL DUAL MOUNT BAR/PREP SINK

- drain opening size: 3-5/8"
- depth size: 7 3/4"
- minimum cabinet size: 21"
- drain location: rear center
- weight: 18



MODEL	DESCRIPTION	FINISH	LIST
GGB3018B	single bowl sink	Black	354.30
GGR3018B	single bowl sink	Gray	354.30
GGM3018B	single bowl sink	Mocha	354.30
GGW3018B	single bowl sink	White	354.30
	ACCESSORIES		
GGA50B	bottom grid		129.45

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

SINKS

SoundSHIELD™

All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

1600™ Professional Series Sinks

Constructed from premium, durable 16-gauge stainless steel, the 1600™ Professional Series is built to withstand your toughest chores.

- 16 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable

1600 SERIES PROFESSIONAL STYLE DOUBLE OFFSET BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 39"
- reversible bowl: Yes
- drain location: center
- weight: 44.55



MODEL	DESCRIPTION	LIST
G16221	double bowl sink	799.00
	ACCESSORIES	
22538	cut out template	17.25
GA768	center drain grid	156.20

1600 SERIES PROFESSIONAL STYLE DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 43.25



MODEL	DESCRIPTION	LIST
G16200	double bowl sink	759.00
	ACCESSORIES	
22537	cut out template	16.40
GA763	center drain grid	132.35

1600 SERIES PROFESSIONAL STYLE SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 38.10



MODEL	DESCRIPTION	LIST
G16100	single bowl sink	779.00
	ACCESSORIES	
22539	cut out template	17.25
GA760	center drain grid	179.05

1600 SERIES PROFESSIONAL STYLE BAR/PREP SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 24"
- drain location: center
- weight: 23.50



MODEL	DESCRIPTION	LIST
G16430	single bowl sink	479.00
	ACCESSORIES	
22540	cut out template	17.25
GA763	center drain grid	132.35

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

SoundSHIELD™

All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

1800™ Professional and Conventional Series Sinks

Constructed with strong, high-quality 18-gauge steel, the 1800™ Series provides a solid base for a wide array of design options.

- 18 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable

1800 SERIES PROFESSIONAL STYLE DOUBLE OFFSET BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 8-1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 30.51



MODEL	DESCRIPTION	LIST
G18287	double bowl sink	529.15
	ACCESSORIES	
22517	cut out template	16.20
GA782B	bottom grid - right bowl	132.35
GA785B	bottom grid - left bowl	144.40
GA922	cutting board	117.50

1800 SERIES PROFESSIONAL STYLE DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 8-1/2"
- minimum cabinet size: 33"
- drain location: rear center
- weight: 28.20



MODEL	DESCRIPTION	LIST
G18288	double bowl sink	599.00
	ACCESSORIES	
22518	cut out template	16.75
GA782B	bottom grid - rear drain	132.35
GA922	cutting board	117.50

1800 SERIES PROFESSIONAL STYLE SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 8-1/2"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 27.35



MODEL	DESCRIPTION	LIST
G18180	single bowl sink	529.15
	ACCESSORIES	
GA780B	bottom grid - rear drain	174.95
GA922	cutting board	117.50

- drain opening size: 3-5/8"
- depth size: 8-1/2"
- minimum cabinet size: 27"
- drain location: rear center
- weight: 21.00



MODEL	DESCRIPTION	LIST
G18185	single bowl sink	410.00
	ACCESSORIES	
22516	cut out template	16.20
GA781B	bottom grid - rear drain	156.20
GA922	cutting board	117.50

1800 SERIES APRON FRONT DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 30"
- drain location: rear center
- weight: 42.20



MODEL	DESCRIPTION	LIST
G18220	double bowl sink	959.45
	ACCESSORIES	
22512	cut out template	17.95
GA772	bottom grid	131.85
GA922	cutting board	117.50

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

SINKS

1800 SERIES APRON FRONT SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 30"
- drain location: rear center
- weight: 38.25



MODEL	DESCRIPTION	LIST
G18121	single bowl sink	819.00
	ACCESSORIES	
22512	cut out template	17.95
GA771	bottom grid	172.05
GA922	cutting board	117.50

1800 SERIES LOW MIDDLE DIVIDE DOUBLE OFFSET BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 20.30



MODEL	DESCRIPTION	LIST
G18253	double bowl sink	989.20
	ACCESSORIES	
22527	cut out template	17.40
GA841	bottom grid	131.85

1800 SERIES LOW MIDDLE DIVIDE DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 19.40



MODEL	DESCRIPTION	LIST
G18252	double bowl sink	936.45
	ACCESSORIES	
22526	cut out template	17.40
GA726	bottom grid	74.45
GA922	cutting board	117.50

1800 SERIES D SHAPE DOUBLE OFFSET BOWL UNDERMOUNT SINK

- bowl type: D shape
- drain opening size: 3-5/8"
- depth size: 8", 10"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 18.75



MODEL	DESCRIPTION	LIST
GS18246B	double bowl sink	1,011.95
	ACCESSORIES	
GSA404B	bottom grid - right bowl	144.40
GSA406B	bottom grid - left bowl	136.30
GA944	cutting board	117.50

- bowl type: D shape
- drain opening size: 3-5/8"
- depth size: 10", 8"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 19.00



MODEL	DESCRIPTION	LIST
GS18264B	double bowl sink	1,011.95
	ACCESSORIES	
GSA406B	bottom grid - right bowl	136.30
GSA404B	bottom grid - left bowl	144.40
GA944	cutting board	117.50

1800 SERIES SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: rear center
- weight: 15.00



MODEL	DESCRIPTION	LIST
GS18165B	single bowl sink	978.45
	ACCESSORIES	
GSA403B	bottom grid - rear drain	172.05

- drain opening size: 3-5/8"
- depth size: 7"
- minimum cabinet size: 36"
- drain location: rear center
- FHA compliant: yes
- weight: 16.00



MODEL	DESCRIPTION	LIST
GS18163B	single bowl sink	754.30
	ACCESSORIES	
GSA403B	bottom grid - rear drain	172.05

FHA Compliant*

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***FHA** Compliant: Sink compliant to FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

1800 SERIES SINGLE BOWL UNDERMOUNT SINK (CONTINUED)

- drain opening size: 3-5/8"
- depth size: 6"
- minimum cabinet size: 36"
- drain location: rear center
- ADA/FHA compliant: yes
- weight: 16.00



MODEL	DESCRIPTION	LIST
GS18161	single bowl sink	709.05
	ACCESSORIES	
GSA403B	bottom grid - rear drain	172.05

ADA/FHA Compliant*

1800 SERIES D SHAPE SINGLE BOWL UNDERMOUNT SINK

- bowl type: D shape
- drain opening size: 3-5/8"
- depth size: 8"
- minimum cabinet size: 27"
- drain location: rear center
- weight: 12.00



MODEL	DESCRIPTION	LIST
GS18160	single bowl sink	660.60
	ACCESSORIES	
GSA413B	bottom grid - rear drain	162.45

1800 SERIES DOUBLE OFFSET BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10", 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 18.00



MODEL	DESCRIPTION	LIST
GS18231	double bowl sink	864.10
	ACCESSORIES	
GSA405	bottom grid - left bowl	138.90
GSA401	bottom grid - right bowl	74.45

1800 SERIES DOUBLE EQUAL BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10", 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 17.00



MODEL	DESCRIPTION	LIST
GS18242	double bowl sink	869.75
	ACCESSORIES	
GSA405	bottom grid - left bowl	138.90
GSA401	bottom grid - right bowl	74.45

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 17.00



MODEL	DESCRIPTION	LIST
GS18212	double bowl sink	850.50
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 25.25



MODEL	DESCRIPTION	LIST
GS18211	double bowl sink	586.55
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- depth size: 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 17.00



MODEL	DESCRIPTION	LIST
GS18210	double bowl sink	557.15
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- depth size: 5-1/2"
- minimum cabinet size: 36"
- drain location: rear center
- ADA/FHA compliant: yes
- weight: 17.00



MODEL	DESCRIPTION	LIST
GS18215B	double bowl sink	320.25
	ACCESSORIES	
GSA401B	bottom grid - rear drain	131.85

ADA/FHA Compliant*

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***ADA/FHA** Compliant: Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

1800 SERIES SINGLE BOWL UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 36"
- drain location: center
- weight: 15.00



MODEL	DESCRIPTION	LIST
GS18110	single bowl sink	921.00
	ACCESSORIES	
GSA403	bottom grid	130.10

- drain opening size: 3-5/8"
- depth size: 9"
- minimum cabinet size: 27"
- drain location: center
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS18190	single bowl sink	455.70
	ACCESSORIES	
GSA402	bottom grid	145.60

- drain opening size: 3-5/8"
- depth size: 8"
- minimum cabinet size: 27"
- drain location: center
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS18191	single bowl sink	369.50
	ACCESSORIES	
GSA402	bottom grid	145.60

- drain opening size: 3-5/8"
- depth size: 7"
- minimum cabinet size: 27"
- GS18192 drain location: center
- GS18192B drain location: rear center
- GS18192L drain location: rear left
- FHA compliant: GS18192B and GS18192L
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS18192	single bowl sink	346.70
GS18192B	single bowl sink	346.70
GS18192L	single bowl sink	346.70
	ACCESSORIES	
GSA402	bottom grid - center drain	145.60
GSA402B	bottom grid - center rear drain	156.20
GSA402L	bottom grid - left rear drain	166.15
FHA Compliant**		

- drain opening size: 3-5/8"
- depth size: 5-1/2"
- minimum cabinet size: 27"
- GS18195B drain location: rear center
- GS18195L drain location: rear left
- ADA/FHA compliant: yes
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS18195B	single bowl sink	323.80
GS18195L	single bowl sink	323.80
	ACCESSORIES	
GSA402B	bottom grid - center rear drain	156.20
GSA402L	bottom grid - left rear drain	166.15
ADA/FHA Compliant*		

1800 SERIES SINGLE BOWL BAR/PREP UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 21"
- drain location: center
- weight: 7.50



MODEL	DESCRIPTION	LIST
GS18442	single bowl sink	442.30
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- depth size: 8"
- minimum cabinet size: 21"
- drain location: center
- weight: 13.00



MODEL	DESCRIPTION	LIST
GS18440	single bowl sink	358.15
	ACCESSORIES	
GSA405	bottom grid	138.90

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***ADA/FHA** Compliant: Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

****FHA** Compliant: Sink compliant to FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

1800 SERIES SINGLE BOWL BAR/PREP UNDERMOUNT SINK (CONTINUED)

- drain opening size: 3-5/8"
- depth size: 8"
- minimum cabinet size: 21"
- drain location: center
- weight: 7.50



MODEL	DESCRIPTION	LIST
GS18443	single bowl sink	349.65
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- depth size: 6"
- minimum cabinet size: 18"
- drain location: center
- weight: 6.00



MODEL	DESCRIPTION	LIST
GS18450	single bowl sink	261.55

1800 SERIES DOUBLE EQUAL BOWL DROP-IN SINK

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 9"
- minimum cabinet size: 36"
- drain location: center
- weight: 25.25



MODEL	DESCRIPTION	LIST
GS182114Q	double bowl four hole sink	519.65
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 25.25



MODEL	DESCRIPTION	LIST
GS182133Q	double bowl three hole sink	413.35
GS182134Q	double bowl four hole sink	413.35
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 25.25



MODEL	DESCRIPTION	LIST
GS182154Q	double bowl four hole sink	394.45
	ACCESSORIES	
GSA405	bottom grid - left bowl	138.90
GSA401	bottom grid - right bowl	74.45

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

Drains and accessories sold separately. See pages 112-117

SINKS

1800™ Series

1800 SERIES SINGLE BOWL DROP-IN SINK

		MODEL	DESCRIPTION	LIST
	• drain opening size: 3-5/8" • drop-in with: u channel • QuickMount™ installation hardware: included • depth size: 9" • minimum cabinet size: 27" • drain location: center • weight: 18.55		**GS181953Q** **GS181954Q**	single bowl three hole sink single bowl four hole sink	607.95 607.95
			ACCESSORIES		
			GSA402	bottom grid	145.60
			GSA30	cutting board	107.40
	• drain opening size: 3-5/8" • drop-in with: u channel • QuickMount™ installation hardware: included • depth size: 7" • minimum cabinet size: 36" • drain location: rear center • FHA compliant: yes • weight: 18.50		**GS181631BQ**	single bowl one hole sink	549.50
			ACCESSORIES		
			GSA403B	bottom grid - rear drain	172.05
			GSA30	cutting board	107.40
			FHA Compliant*		
	• drain opening size: 3-5/8" • depth size: 5-1/2" • minimum cabinet size: 18" • drain location: center • weight: 9.50		**GS181873**	single bowl three hole sink	310.20

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***FHA** Compliant: Sink compliant to FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

2000™ Series

SoundSHIELD™

All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2000™ Series Sinks

A variety of configurations and mounting options give you choices that fit almost any countertop material.

- 20 gauge
- includes mounting brackets
- includes cut-out template where applicable

2000 SERIES DOUBLE EQUAL BOWL UNDERMOUNT SINK

			MODEL	DESCRIPTION	LIST
	• drain opening size: 3-5/8" • depth size: 7-1/2" • minimum cabinet size: 36" • GS20210 drain location: center • GS20210B drain location: rear center • weight: 17.00		**GS20210** **GS20210B**	double bowl sink double bowl sink	314.65 314.65
			ACCESSORIES		
			GSA401	bottom grid	74.45
			GSA401B	bottom grid - rear drain	131.85
	• drain opening size: 3-5/8" • depth size: 6" • minimum cabinet size: 36" • GS20214 drain location: center • GS20214B drain location: rear center • ADA/FHA compliant: G20214B • weight: 17.00		**GS20214** **GS20214B**	double bowl sink double bowl sink	283.05 283.05
			ACCESSORIES		
			GSA401	bottom grid	74.45
			GSA401B	bottom grid - rear drain	131.85
			ADA/FHA Compliant*		

2000 SERIES SINGLE BOWL UNDERMOUNT SINK

			MODEL	DESCRIPTION	LIST
	• drain opening size: 3-5/8" • depth size: 7-1/2" • minimum cabinet size: 27" • drain location: center • weight: 10.00		**GS20192**	single bowl sink	240.95
			ACCESSORIES		
			GSA402	bottom grid	145.60
	• drain opening size: 3-5/8" • depth size: 6-1/2" • minimum cabinet size: 27" • GS20193 drain location: center • GS20193B drain location: rear center • ADA/FHA compliant: GS21093B • weight: 10.00		**GS20193** **GS20193B**	single bowl sink single bowl sink	230.45 230.45
			ACCESSORIES		
			GSA402	bottom grid	145.60
			GSA402B	bottom grid - rear drain	156.20
			ADA/FHA Compliant*		
	• drain opening size: 3-5/8" • depth size: 5-1/2" • minimum cabinet size: 27" • drain location: rear center • ADA/FHA compliant: yes • weight: 10.00		**GS20194B**	single bowl sink	209.40
			ACCESSORIES		
			GSA402B	bottom grid - rear drain	156.20
			ADA/FHA Compliant*		

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***ADA/FHA** Compliant: Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

SINKS

2000 SERIES SINGLE BOWL BAR/PREP UNDERMOUNT SINK

- drain opening size: 3-5/8"
- depth size: 5-1/2"
- minimum cabinet size: 15"
- drain location: center
- weight: 6.00



MODEL	DESCRIPTION	LIST
GS204502	single bowl sink	177.85

2000 SERIES DOUBLE OFFSET BOWL DROP-IN SINK

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 9", 7"
- minimum cabinet size: 36"
- drain location: center
- weight: 16.90



MODEL	DESCRIPTION	LIST
GS202334Q	double bowl four hole sink	314.65
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 5-1/2", 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 16.45



MODEL	DESCRIPTION	LIST
GS202861Q	double bowl one hole sink	251.50
GS202864Q	double bowl four hole sink	251.50
	ACCESSORIES	
GSA402	bottom grid - right bowl	145.60

2000 SERIES DOUBLE EQUAL BOWL DROP-IN SINK

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 8"
- minimum cabinet size: 36"
- drain location: center
- weight: 15.95



MODEL	DESCRIPTION	LIST
GS202131Q	double bowl one hole sink	251.50
GS202133Q	double bowl three hole sink	251.50
GS202134Q	double bowl four hole sink	251.50
	ACCESSORIES	
GSA401	bottom grid	74.45

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 7"
- minimum cabinet size: 36"
- drain location: rear center
- FHA compliant: yes
- weight: 15.30



MODEL	DESCRIPTION	LIST
GS202153BQ	double bowl three hole sink	230.45
GS202154BQ	double bowl four hole sink	230.45
	ACCESSORIES	
GSA401B	bottom grid - rear drain	131.85

FHA Compliant**

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 5-1/2"
- minimum cabinet size: 36"
- drain location: rear center
- ADA/FHA compliant: yes
- weight: 14.00



MODEL	DESCRIPTION	LIST
GS202173BQ	double bowl three hole sink	209.40
GS202174BQ	double bowl four hole sink	209.40
	ACCESSORIES	
GSA401B	bottom grid - rear drain	131.85

ADA/FHA Compliant*

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***ADA/FHA** Compliant: Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

****FHA** Compliant: Sink compliant to FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

2000 SERIES SINGLE BOWL DROP-IN SINK

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 7"
- minimum cabinet size: 30"
- GS201964Q drain location: center
- GS201961BQ, GS201962BQ, GS201963BQ, and GS601964BQ drain location: rear center
- FHA compliant: GS201961BQ, GS201962BQ, GS201963BQ, and GS201964BQ
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS201961BQ	single bowl one hole sink	167.30
GS201962BQ	single bowl two hole sink	167.30
GS201963BQ	single bowl three hole sink	167.30
GS201963Q	single bowl three hole sink	167.30
GS201964BQ	single bowl four hole sink	167.30
GS201964Q	single bowl four hole sink	167.30
	ACCESSORIES	
GSA402B	bottom grid - rear drain	156.20
GSA30	cutting board	107.40

FHA Compliant**

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 5-1/2"
- minimum cabinet size: 30"
- GS201974BQ drain location: rear center
- GS201974LQ drain location: rear left
- G201974RQ drain location: rear right
- ADA/FHA compliant: yes
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS201974BQ	single bowl four hole sink	146.25
GS201974LQ	single bowl four hole sink	146.25
GS201974RQ	single bowl four hole sink	146.25
	ACCESSORIES	
GSA402B	bottom grid - rear drain	131.85
GSA402L	bottom grid - left rear drain	166.15
GSA402R	bottom grid - right rear drain	166.15
GSA30	cutting board	107.40

ADA/FHA Compliant*

2000 SERIES SINGLE BOWL BAR/PREP DROP-IN SINK

- drain opening size: 3-5/8"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- depth size: 6-1/2"
- minimum cabinet size: 21"
- drain location: rear center
- ADA/FHA compliant: yes
- weight: 9.50



MODEL	DESCRIPTION	LIST
GS204571BQ	single bowl one hole sink	230.45
GS204573BQ	single bowl three hole sink	230.45
	ACCESSORIES	
GSA409B	bottom grid - rear drain	140.05

ADA/FHA Compliant*

- drain opening size: 2"
- drop-in with: u channel
- QuickMount™ installation hardware: included
- integrated drain: sealtite
- depth size: 5-1/2"
- minimum cabinet size: 18"
- drain location: rear center
- ADA/FHA compliant: yes
- weight: 6.50



MODEL	DESCRIPTION	LIST
KGS2045622BQ	single bowl two hole sink	125.20
	ACCESSORIES	
GSA31	cutting board	113.80

ADA/FHA Compliant*

2000 SERIES LAUNDRY DROP-IN SINK

- drain opening size: 3-5/8"
- depth size: 10"
- minimum cabinet size: 24"
- drain location: center
- weight: 10.00



MODEL	DESCRIPTION	LIST
GS201673	single bowl three hole sink	340.20

Dimensions noted are nominal. Use template provided with sink for cut-out dimensions.

Full scale DXF files can be downloaded for computer-controlled cutting equipment by visiting MoenPro.com.

Sinks sold in single quantity pack except where noted.

***ADA/FHA** Compliant: Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

****FHA** Compliant: Sink compliant to FHA accessibility specifications when installed to these required standards. See specific product specification sheet for details.

Drains and accessories sold separately. See pages 112-117

Custom Sink Accessories

Custom Sink Accessories

Tasks in and around the sink are easier with Moen® custom sink accessories. Available in a variety of sizes for the perfect fit, these accessories protect the sink from tough tasks and are a great complement to Moen® stainless steel sinks.

		MODEL	LIST	DESCRIPTION	CASE QTY.
CENTER DRAIN GRID ACCESSORY					
	• features: stainless steel construction • fits bowl size: 30" x 18" professional center drain	**GA760**	179.05	stainless bottom grid	3
	• features: stainless steel construction • fits bowl size: 18" x 18" center drain	**GA768**	156.20	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 21" x 15.75" professional center drain	**GSA402**	145.60	stainless bottom grid	11
	• features: stainless steel construction • fits bowl size: 13" x 18" professional center drain	**GA763**	132.35	stainless bottom grid	12
	• features: stainless steel construction • fits bowl size: 28" x 15.75" professional center drain	**GSA403**	130.10	stainless bottom grid	11
	• features: stainless steel construction • fits bowl size: 14" x 16" center drain	**GA726**	74.45	stainless bottom grid	15
	• features: stainless steel construction • fits bowl size: 14" x 15.75" professional center drain	**GSA401**	74.45	stainless bottom grid	22

Stainless steel construction for all grids.

Custom Sink Accessories

		MODEL	LIST	DESCRIPTION	CASE QTY.
REAR DRAIN GRID ACCESSORY					
	• features: stainless steel construction • fits bowl size: 30.25" x 16.25" professional rear drain • for use with Moen Granite Sinks	**GGA52B**	178.90	stainless bottom grid	9
	• features: stainless steel construction • fits bowl size: 29" x 16" professional rear drain	**GA780B**	174.95	stainless bottom grid	6
	• features: stainless steel construction • fits bowl size: 28" x 16" rear drain	**GA771**	172.05	stainless bottom grid	6
	• features: stainless steel construction • fits bowl size: 28" x 15.75" professional rear drain	**GSA403B**	172.05	stainless bottom grid	11
	• features: stainless steel construction • fits bowl size: 22.5" x 16.5" professional rear drain • for use with Moen Granite Sinks	**GGA51B**	164.55	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 21" x 18.5" professional rear drain	**GSA413B**	162.45	stainless bottom grid	11
	• features: stainless steel construction • fits bowl size: 15.25" x 19" professional rear drain • for use with Moen Granite Sinks	**GGA56B**	156.50	stainless bottom grid	9
	• features: stainless steel construction • fits bowl size: 20" x 16" professional rear drain	**GA781B**	156.20	stainless bottom grid	8
	• features: stainless steel construction • fits bowl size: 21" x 15.75" professional rear drain	**GSA402B**	156.20	stainless bottom grid	11

Stainless steel construction for all grids.

SINKS

Custom Sink Accessories

REAR DRAIN GRID ACCESSORY (CONTINUED)

		MODEL	LIST	DESCRIPTION	CASE QTY.
	• features: stainless steel construction • fits bowl size: 15.25" x 17.75" professional rear drain • for use with Moen Granite Sinks	**GGA53B**	147.65	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 15.25" x 17.75" professional rear drain • for use with Moen Granite Sinks	**GGA54B**	147.65	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 16" x 16" professional rear drain	**GA785B**	144.40	stainless bottom grid	12
	• features: stainless steel construction • fits bowl size: 16" x 17.5" professional rear drain	**GSA404B**	144.40	stainless bottom grid	11
	• features: stainless steel construction • fits bowl size: 15" x 18" professional rear drain • for use with Moen Granite Sinks	**GGA58B**	142.45	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 15.125" x 16.25" professional rear drain • for use with Moen Granite Sinks	**GGA55B**	141.75	stainless bottom grid	10
	• features: stainless steel construction • fits bowl size: 14" x 16" professional rear drain	**GSA409B**	140.05	stainless bottom grid	22
	• features: stainless steel construction • fits bowl size: 11.5" x15" professional rear drain	**GSA406B**	136.30	stainless bottom grid	9

Stainless steel construction for all grids.

Custom Sink Accessories

REAR DRAIN GRID ACCESSORY (CONTINUED)

		MODEL	LIST	DESCRIPTION	CASE QTY.
	• features: stainless steel construction • fits bowl size: 13.5 " x 18" professional rear drain	**GSA405B**	135.80	stainless bottom grid	22
	• features: stainless steel construction • fits bowl size: 13" x 16.5" professional rear drain • for use with Moen Granite Sinks	**GGA57B**	134.85	stainless bottom grid	9
	• features: stainless steel construction • fits bowl size: 12.5" x 16" professional rear drain	**GA782B**	132.35	stainless bottom grid	15
	• features: stainless steel construction • fits bowl size: 13.6" x 16.6" rear drain	**GA772**	131.85	stainless bottom grid	12
	• features: stainless steel construction • fits bowl size: 14" x 15.75" professional rear drain	**GSA401B**	131.85	stainless bottom grid	22
	• features: stainless steel construction • fits bowl size: 13.125" x 13.125" professional rear drain • for use with Moen Granite Sinks	**GGA50B**	129.45	stainless bottom grid	9

Stainless steel construction for all grids.

Custom Sink Accessories

		MODEL	LIST	DESCRIPTION	CASE QTY.
D-SHAPED CUTTING BOARD					
	• fits bowl size: 13" x 16 1/2"	**GA944**	171.75	D-shaped natural wood cutting board	5
CUTTING BOARD					
	• fits bowl size: 16" front-to-back bowl	**GA922**	117.50	natural wood cutting board	5
	• fits bowl size: 12" x 9.25"; 12" x 10"; 12" x 12"	**GSA31**	113.80	natural wood cutting board	1
	• fits bowl size: 14" x 15.75"; 19" x 15.75"	**GSA30**	107.40	natural wood cutting board	1
DRAIN ASSEMBLY					
	• drop-in basket strainer with drain assembly • fits sinks with standard 3-5/8" outlet • includes: lock nut	**22036**	20.35	strainer	24
	• drop-in basket strainer with drain assembly • fits sinks with standard 3-5/8" outlet • includes: lock nut	**22037**	17.80	strainer	40
	• basket strainer with drain assembly • fits sinks with standard 2" outlet • includes: lock nut	**22174**	9.20	strainer	30
DRAIN ASSEMBLY					
	• drop-in basket strainer with drain assembly • fits sinks with standard 3-5/8" outlet • includes: basket, strainer, and stopper • for use with granite sinks • color match: coordinate drain to match color of Moen granite sinks	**GGA60B** **GGA60R** **GGA60M** **GGA60W**	78.75 78.75 78.75 78.75	granite sink drain - black granite sink drain - grey grainite sink drain - mocha granite sink drain - white	56 56 56 56

Stainless steel construction for all grids.

Custom Sink Accessories

		MODEL	LIST	DESCRIPTION	CASE QTY.
SEALTITE DRAIN ASSEMBLY					
	• sealtite drain assembly • fits sinks with standard 2" outlet	**22201**	15.25	sealtite drain assembly	142
BASKET STRAINER					
	• drop-in basket strainer • fits sinks with standard 3-1/2" outlet	**22194**	6.40	basket strainer	1
DISPOSER FLANGE AND BASKET STRAINER					
	• disposer flange with removable basket strainer and rubber stopper • color match: coordinate your drain to match the color of Moen granite sinks • disposer ready: designed for garbage disposals that accommodate 4-1/2" flange	**GGA61B** **GGA61R** **GGA61M** **GGA61W**	91.05 91.05 91.05 91.05	granite disposer flange - black granite disposer flange - grey granite disposer flange - mocha granite disposer flange - white	72 72 72 72
INSTALLATION CLAMP					
	• quickMount™ installation hardware: 10 pieces • accommodates counter depths up to 1 5/8" • u-channel drop-in installation hardware	**181250**	69.50	installation clamp	12
	• u-channel clamp: 8 pieces • u-channel clamp: 10 pieces • u-channel clamp: 12 pieces	**22684** **22681** **22682**	4.00 4.85 5.75	installation clamp installation clamp installation clamp	1 1 1
INSTALLATION BRACKET					
	• undermount bracket pack: 10 pieces	**22650**	12.80	installation bracket	1
INSTALLATION SCREW					
	• u-channel 3" extension screw: 1 piece	**22175**	4.45	installation screw	1000
HOLE COVER					
	• hole cover: 1-1/2" • finish: stainless	**22897**	1.10	sink deck hole cover	1

Stainless steel construction for all grids.

NOTES

Garbage Disposals

Featuring Lite, Prep, Host and Chef Series

GT Series 1/2 HP Garbage Disposal / GT50C

Please see **moen.com/consumer-support/warranty**
for complete product warranty information.
Learn more at moen.com/disposalinstall

EXL & GX SERIES Garbage Disposals

		MODEL	LIST	CASE QTY
EXL SERIES				
	• Motion sensing technoligy activeates lights when under cabinet door is open with positionable sensor • front facing battery compartment • 1 horse power, 2800 RPM, continuous feed • dishwasher connection with 1-1/2" drain outlet • 13.33 lbs., 16" height • grinder component material: stainless steel • turntable material: stainless steel • includes light, hardware capable cord, snap ring tool, dishwasher plug, flange, drain elbow and mounting assembly, splash guard, reset button, and drain stopper • 10 year limited warranty with in-home service	**EXL100C**	475.00	2
GX SERIES				
	• 1 horsepower 2800 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 13.00 lbs., 16" height • grind component material: stainless steel • turntable material: stainless steel • includes pre-installed power cord, removable splash uard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 10 year limited warranty with in-home service	**GX100C**	388.75	1
	• 3/4 horsepower 2700 RPM batch feed • dishwasher connection with 1-1/2" drain outlet • 11.00 lbs., 15-5/8 height • grind component material: galvanized steel • turntable material: stainless steel • includes pre-installed power cord, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 10 year limited warranty with in-home service	**GXB75C**	334.15	2
	• 3/4 horsepower 2700 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 10.25 lbs., 13-3/8" height • grind component material: galvanized steel • turntable material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 10 year limited warranty with in-home service	**GXS75C**	249.45	2
	• 1/2 horsepower 2600 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 9.25 lbs., 13-3/8" height • grind component material: stainless steel • turntable material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GX50C**	179.75	2

Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies

High-speed VORTEX™ motor provides fast, powerful grinding

Continuous feed grinds as long as power is on

Batch Feed Stopper activates disposal for safer operation. No wall switch required

Permanent magnet motor designed to help reduce jamming

SoundSHIELD™ designed to provide sound deadening insulation

Pre-installed power cord is a savings over other models where cord must be purchased separately

360 Clean Rinse design eliminates odors

Learn more at moen.com/disposalinstall

GT SERIES Garbage Disposals

		MODEL	LIST	CASE QTY
GT SERIES				
	• 1/2 horsepower 2600 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 8.50 lbs., 13-3/8" height • grind component material: galvanized steel • turntable material: stainless steel • includes simple snap tool, easy open dishwasher inlet, unjamming wrench, pre-installed power cord, removable splash guard, stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GT50C**	149.05	2
	• 1/3 horsepower 1900 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 7.75 lbs., 13-3/8" height • grind component material: galvanized steel • turntable material: stainless steel • includes simple snap install tool, easy open dishwasher inlet, unjamming wrench, pre-installed power cord, removable splash guard, stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GT33C**	125.35	2

New Installation Innovation-Fast Track™ enhanced features for faster installation.
Features:
- Simple Snap Tool quickly secures mounting assembly
- Easy Open Dishwasher Inlet. No additional tools required
- Pre-installed power cord is a savings over models where cord must be purchased separately. Cord easily removes for optional hardwiring.

Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies

High-speed VORTEX™ motor provides fast, powerful grinding

Continuous feed grinds as long as power is on

Batch Feed Stopper activates disposal for safer operation. No wall switch required

Permanent magnet motor designed to help reduce jamming

SoundSHIELD™ designed to provide sound deadening insulation

Pre-installed power cord is a savings over other models where cord must be purchased separately

360 Clean Rinse design eliminates odors

Learn more at moen.com/disposalinstall

GX PRO SERIES Garbage Disposals

		MODEL	LIST	CASE QTY
GX PRO SERIES				
	• 1/2 horsepower 2600 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 10.25 lbs., 13-3/8" height • grind component material: galvanized steel • turntable material: stainless steel • includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GXP50C**	139.25	2
	• 1/3 horsepower 1900 RPM continuous feed • dishwasher connection with 1-1/2" drain outlet • 8.50 lbs., 13-3/8" height • grind component material: galvanized steel • turntable material: stainless steel • includes pre-installed power cord, removable splash guard, stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year limited warranty with in-home service	**GXP33C**	118.35	2

Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies

High-speed VORTEX™ motor provides fast, powerful grinding

Continuous feed grinds as long as power is on

Batch Feed Stopper activates disposal for safer operation. No wall switch required

Permanent magnet motor designed to help reduce jamming

SoundSHIELD™ designed to provide sound deadening insulation

Pre-installed power cord is a savings over other models where cord must be purchased separately

360 Clean Rinse design eliminates odors

Learn more at moen.com/disposalinstall

ACCESSORIES Garbage Disposals

		MODEL	LIST	CASE QTY
CONTROLLER BASE UNIT WITH CHROME & SATIN NICKEL SWITCH				
	• included interchangeable chrome and satin nickel button finishes • air tubing size: 1/8" • mounting hole size: 1-3/8" • air tube length: 10" • compatible with all disposals • 1 year limited warranty • ideal application for island countertop where electrical switch is unavailable	**ARC-4200-CH/SN**	80.00	6
DISPOSAL AIR SWITCH CONTROLLER				
	• air tubing size: 1/8" • mounting hole size: 1-3/8" • air tube length: 10' • compatible with all disposals • 1 year limited warranty • ideal application for island countertops or where electrical switch is unavailable	**ARC-4200**	62.50	60
AIR SWITCH				
	• requires disposal air switch controller ARC-4200 to be purchased separately • assortment of finishes available to coordinate with faucets and sinks • compatible with all disposals • 1 year limited warranty	**AS-4201-CH**	21.00	100
		AS-4201-BL	26.25	100
		AS-4201-BLS●	31.75	100
		AS-4201-BRB	31.75	100
		AS-4201-NL	37.30	100
		AS-4201-BG	42.00	100
		AS-4201-SN	42.00	100
POLISHED STAINLESS DRAIN STOPPER				
	• compatible with all Moen disposals & most other 3-bolt mounting systems • 1 year limited warranty	**1011**	15.70	6
PLASTIC DRAIN STOPPER				
	• compatible with all Moen disposals & other 3-bolt mounting systems • 1 year limited warranty	**186589**	9.30	6
REMOVABLE SPLASH GUARD				
	• prevents splash back while disposal is in use • no tools needed for installation • compatible with all Moen disposals & other 3-bolt mounting systems • 1 year limited warranty	**1016**	8.15	12

● Spot Resist Stainless Finish

ACCESSORIES Garbage Disposals

		MODEL	LIST	CASE QTY
DISHWASHER CONNECTOR KIT				
	• connects 1-1/4", 1", and 3/4" outside diameter dishwasher drain hoses to the 1-1/2" garbage disposal dishwasher inlet • compatible with all disposals • 1 year limited warranty	**1023**	8.40	24
DRAIN ELBOW & GASKET				
	• compatible with all Moen disposals • 1 year limited warranty	**1026**	9.40	6
POLISHED SINK FLANGE				
	• for sinks 3/4 in. thick or less • compatible with all Moen & most other 3-bolt mount systems • 1 year limited warranty	**1017**	16.75	50
UNIVERSAL XPRESS MOUNT ASSEMBLY				
	• compatible with all Moen & most other 3-bolt mount systems • polished stainless steel construction for additional durability • 1 year limited warranty	**1824**	19.95	10
DISPOSAL UNJAMMING WRENCH				
	• allows user to clear jam from above the sink • compatible with all Moen disposals • 1 year limited warranty	**1037**	9.00	10
DISPOSAL POWER CORD KIT				
	• compatible with all Moen disposals • 1 year limited warranty	**1024**	10.25	24
BATCH FEED STOPPER				
	• activates disposal for safe and quiet operation	**186568**	26.65	50

Bath and Shower

Colinet™ Two-Handle Widespread Faucet / TS44103BG

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

A touchless experience in the bath.

Innovation meets elegance in the Cia™ bathroom faucet with MotionSense Wave™ touchless technology. Combining a streamlined style with hands-free convenience, Cia's single-sensor touchless activation allows users to turn water on and off with the simple pass of a hand. Experience the best of modern style and technology in one strikingly stunning faucet.

Cia™ One-Handle Bathroom Faucet with MotionSense Wave™
(This page) Brushed Gold | 6221EWBG (Opposite) Matte Black | 6221EWBL

NEW! Ships Q3 **CIA™ TOUCHLESS** Bath Faucets

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL	LIST	FINISH/CONNECT	CASE QTY
TOUCHLESS ONE-HANDLE BATHROOM FAUCET - MOTIONSENSE WAVE™				
• application: one to three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: pop up • red/blue markings: included • matte black faucet comes with optional brushed gold escutcheon • DC powered: 6 AA batteries included	**6221EW**	583.90	Chrome	3
	6221EWBN	869.60	Brushed Nickel	3
	6221EWBG	869.60	Brushed Gold	3
	6221EWBL	956.60	Matte Black	3
	OPTIONAL AC ADAPTERS SOLD SEPARATELY			
	169031	140.30	N/A or Unfinished	12

motionsense Wave® DURALAST®

Touchless Bath Faucets

Make everyday interactions in the bath more convenient with touchless faucet technology from Moen®. The Cia™ one handle bathroom faucet can be operated with touchless sensor control as well as handle control. This single-sensor faucet is equipped with *MotionSense Wave™* technology that turns water on and off exactly when you need it with the wave of a hand. This innovation conveniently eliminates the need to touch the bathroom faucet when washing hands, reducing the spread of germs.

Cia™ Collection / 6221EW / UT2262EPBL / UT4620BL /3887EPBL

motionsense DURALAST® WaterSense Certified
MotionSense™ Wave Hands-Free Faucet
Duralast® Cartridge

WaterSense Meets EPA Criteria
Certified by IAPMO R&T





Distinctive details for contemporary designs.

The Cia™ bathroom faucet artfully pairs both cylindrical and rectangular elements with a thin, high-arc spout for an elegant and refined feel. The Matte Black finish combined with optional Brushed Gold escutcheon creates a mixed-metals look that is on-trend, but never trendy, for a contemporary design that stands the test of time.

Cia™ Widespread Faucet in Matte Black, featuring optional Brushed Gold accents | T6222BL

Easily Change Your Style

The Moen® M•PACT® Common Valve System lets you upgrade the style of your faucet or shower as easily as changing a light bulb, saving you time, money and effort.

Little Effort, Big Difference

With an M•PACT compatible fixture, you can upgrade your bath or shower faucets at any time and never touch the plumbing. All changes can be made above the deck or in front of the wall.

- Untwist your current fixture from the top to remove
- Choose any M•PACT style fixture you like
- Lock right into place

Upgrade Anytime

The system is available in a variety of attractive styles and elegant finishes. Change fixtures at any point while decorating, during construction or years down the road.



The M•PACT Common Valve System is available in the following applications:

- Widespread lav faucets
- Roman tub faucets
- Wallmount lav faucets
- Tub/shower trim

What Sets Moen Apart?

Our M•PACT Common Valve System allows the homeowner to completely upgrade the style of their lavatory or shower faucet without replacing any of the faucet plumbing.

M•PACT® Common Valve System

The M•PACT Common Valve System is compatible with Moen bath and shower faucets featuring this logo.

Save Time With The Pro-Fit® Installation System

The Moen three-step Pro-Fit Installation System is the most innovative, simple way to mount bath accessories. Installation is as easy as 1-2-3.

1. DRILL IT! Use the installation mounting template with built-in level.

2. SCREW IT! Screw in the screw in fastener.

3. CLICK IT! Press on the post until it locks into place.

The Pro-Fit System eliminates set screws for faster, more durable mounting. There's even a template with a built-in level.



YB8081
Pro-Fit Installation Template

It really is that simple! Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer call backs. And of course, there's the extra assurance of quality that comes with the Moen brand. *Available on select collections.*

DRILL IT! The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.

SCREW IT! The single-screw mounting system creates a fast and solid installation.

CLICK IT! Locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

Roman Tub Valves. Versatile. Durable. Built To Perform.

Moen roman tub valve improvements are designed for faster, more secure mounting on a wider variety of tub decks. Plus, an expanded portfolio of connection options makes installation even easier for installers of all skill levels.

Key Features and Improvements

MORE!
Supply Connection Options
Moen also recognizes the increased use of PEX, cold expansion PEX and CPVC supply lines. Plumbers can now order valves designed to work directly with all types of piping — including copper. No other manufacturer offers more options.

NEW!
Dura-Grip® Mounting System
This robust engineered system, where the mounting hardware components work together to prevent the valves and spout from moving after installation, also provides features that work with all types of surfaces (on both fixed and adjustable valves).

IMPROVED!
Standardized Drill Holes
Only one drill bit (1¼") is needed for all spout and handle holes to further speed and simplify installation.

TEST PLUG
All models include a test plug for high-pressure testing after rough-in.

Fixed Roman Tub Valve



1. **Robust, Pre-Soldered Design**
   Set to standard 10" centers.
2. **Dura-Grip Mounting Hardware**
   Improved design works with all deck materials including wood, fiberglass, tile and stone.
3. **Versatile**
   Fits finished tub decks from 1/8" to 1 3/16" thick.
4. **M•PACT® Common Valve System Compatible**
   Accepts all Moen roman tub trim kits.

Adjustable Roman Tub Valve



1. **No-Cut Adjustable Spout Shank**
   Loosen an expansion nut, extend and lock in place using the supplied metal tool.
2. **Quick-Connect Flexible Hose**
   Braided PVC tube for easy connections.
3. **3⅜" Rough-In Deck Thickness**
   Adapts to decks from ⅛" to 2¾"thick — with an additional 1¼" of available adjustability to accommodate finish materials.
4. **Dura-Grip Mounting System**
   Anti-rotation bracket and spout shank assembly provide secure installation to a variety of surfaces both above and below the deck.
5. **M•PACT Common Valve System Compatible**
   Accepts all Moen roman tub trim kits.

MOEN Limited LIFETIME WARRANTY

All Moen products are backed by a Limited Lifetime Warranty.
See moen.com/consumer-support/warranty for complete product warranty information.

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: spring loaded pop-up
- drain assembly type: spring loaded pop-up

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S42107	641.90	Chrome	3
S42107BN	987.40	Brushed Nickel	3
S42107BG	987.40	Brushed Gold	3
S42107NL	987.40	Polished Nickel	3
S42107ORB	1065.30	Oil Rubbed Bronze	3
S42107BL	1065.30	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS42108	681.45	Chrome	3
TS42108BN	1034.00	Brushed Nickel	3
TS42108BG	1034.00	Brushed Gold	3
TS42108NL	1034.00	Polished Nickel	3
TS42108ORB	1115.65	Oil Rubbed Bronze	3
TS42108BL	1115.65	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS42114	681.45	Chrome	3
TS42114BN	1034.00	Brushed Nickel	3
TS42114BG	1034.00	Brushed Gold	3
TS42114NL	1034.00	Polished Nickel	3
TS42114ORB	1115.65	Oil Rubbed Bronze	3
TS42114BL	1115.65	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS42106	697.30	Chrome	3
TS42106BN	979.60	Brushed Nickel	3
TS42106BG	979.60	Brushed Gold	3
TS42106NL	979.60	Polished Nickel	3
TS42106ORB	1056.90	Oil Rubbed Bronze	3
TS42106BL	1056.90	Matte Black	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS42112	697.30	Chrome	3
TS42112BN	979.60	Brushed Nickel	3
TS42112BG	979.60	Brushed Gold	3
TS42112NL	979.60	Polished Nickel	3
TS42112ORB	1056.90	Oil Rubbed Bronze	3
TS42112BL	1056.90	Matte Black	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

9700	202.80	1/2" CC	3

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	96.00	Brushed Gold	12
140780NL	96.00	Polished Nickel	12
140780ORB	108.45	Oil Rubbed Bronze	12
140780BL	108.45	Matte Black	12

WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALAST® Duralast® Cartridge

WEYMOUTH®

WEYMOUTH® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING OR WALLMOUNT TUB FILLER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spout reach: 9.00" • mounting kit: sold separately DURALAST®	PREMIUM			
	S22105	1910.75	Chrome	1
	S22105BN	2770.65	Brushed Nickel	1
	S22105ORB	3047.75	Oil Rubbed Bronze	1
• application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spout reach: 9.00" • mounting kit: sold separately DURALAST®	PREMIUM			
	S22110	1910.75	Chrome	1
	S22110BN	2770.65	Brushed Nickel	1
	S22110ORB	3047.75	Oil Rubbed Bronze	1
• description: floor mount tub filler risers • application: two hole • connection size: 3/4" • connection type: male • requires: floor mounting kit • fits: S22105 and S22100	PREMIUM			
	TS25105	797.20	Chrome	3
	TS25105BN	1155.85	Brushed Nickel	3
	TS25105ORB	1271.45	Oil Rubbed Bronze	3
• description: double riser floor joist mounting kit • application: two hole • center dimensions: 8" center • quarter turn stops: included	**TS50200**	494.90	1/2" CC, NPT	2
• description: double riser concrete mounting kit • application: one hole • quarter turn stops: included	**TS50210**	402.30	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + RISER PART NO. + MOUNT PART NO. = COMPLETE FAUCET

FREESTANDING OR WALLMOUNT TUB FILLER OPTIONS

OPTION	• description: finish diverter handle cap kit	**221772**	15.50	Chrome	12
		221772BN	20.60	Brushed Nickel	12
		221772ORB	22.65	Oil Rubbed Bronze	12
		221772BL	21.90	Matte Black	12
OPTION	• description: finished handle cap kit • language: English version only	**221672**	24.15	Chrome	12
		221672BN	32.10	Brushed Nickel	12
		221672ORB	35.50	Oil Rubbed Bronze	12
		221672BL	35.50	Matte Black	12

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: three hole • spout reach: 8.10" • valve: sold separately	PREMIUM			
	TS22101	938.65	Chrome	3
	TS22101BN	1328.50	Brushed Nickel	3
	TS22101BG	1328.50	Brushed Gold	3
	TS22101NL	1328.50	Polished Nickel	3
	TS22101ORB	1433.30	Oil Rubbed Bronze	3
	TS22101BL	1433.30	Matte Black	3
• application: three hole • spout reach: 8.10" • valve: sold separately	PREMIUM			
	TS22103	938.65	Chrome	3
	TS22103BN	1328.50	Brushed Nickel	3
	TS22103BG	1328.50	Brushed Gold	3
	TS22103NL	1328.50	Polished Nickel	3
	TS22103ORB	1433.30	Oil Rubbed Bronze	3
	TS22103BL	1433.30	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

WEYMOUTH®

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.10"
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS21102	1431.05	Chrome	3
	TS21102BN	2491.00	Brushed Nickel	3
	TS21102BG	2491.00	Brushed Gold	3
	TS21102NL	2491.00	Polished Nickel	3
	TS21102ORB	2687.55	Oil Rubbed Bronze	3
	TS21102BL	2687.55	Matte Black	3

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.10"
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS21104	1431.05	Chrome	3
	TS21104BN	2491.00	Brushed Nickel	3
	TS21104BG	2491.00	Brushed Gold	3
	TS21104NL	2491.00	Polished Nickel	3
	TS21104ORB	2687.55	Oil Rubbed Bronze	3
	TS21104BL	2687.55	Matte Black	3

VALVE: PAGE 475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

MODEL	LIST	FINISH/CONNECT	CASE QTY
221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS32110	400.10	Chrome	3
	TS32110BN	588.90	Brushed Nickel	3
	TS32110BG	588.90	Brushed Gold	3
	TS32110NL	588.90	Polished Nickel	3
	TS32110ORB	635.25	Oil Rubbed Bronze	3
	TS32110BL	635.25	Matte Black	3

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS52104	207.70	Chrome	6
	TS52104BN	286.95	Brushed Nickel	6
	TS52104BG	286.95	Brushed Gold	6
	TS52104NL	286.95	Polished Nickel	6
	TS52104ORB	309.40	Oil Rubbed Bronze	6
	TS52104BL	309.40	Matte Black	6

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

MODEL	LIST	FINISH/CONNECT	CASE QTY
221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33103	869.75	Chrome	3
UTS33103BN	1192.90	Brushed Nickel	3
UTS33103BG	1192.90	Brushed Gold	3
UTS33103NL	1192.90	Polished Nickel	3
UTS331030RB	1313.90	Oil Rubbed Bronze	3
UTS33103BL	1313.90	Matte Black	3

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33103EP	869.75	Chrome	3
UTS33103EPBN	1192.90	Brushed Nickel	3
UTS33103EPBG	1192.90	Brushed Gold	3
UTS33103EPNL	1192.90	Polished Nickel	3
UTS33103EPORB	1313.90	Oil Rubbed Bronze	3
UTS33103EPBL	1313.90	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33102	758.80	Chrome	3
UTS33102BN	1053.90	Brushed Nickel	3
UTS33102BG	1053.90	Brushed Gold	3
UTS33102NL	1053.90	Polished Nickel	3
UTS33102ORB	1159.15	Oil Rubbed Bronze	3
UTS33102BL	1159.15	Matte Black	3

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33102EP	758.80	Chrome	3
UTS33102EPBN	1053.90	Brushed Nickel	3
UTS33102EPBG	1053.90	Brushed Gold	3
UTS33102EPNL	1053.90	Polished Nickel	3
UTS33102EPORB	1159.15	Oil Rubbed Bronze	3
UTS33102EPBL	1159.15	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION® Immersion® Rainshower

Certified by IAPMO R&T

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33101	506.65	Chrome	3
UTS33101BN	650.35	Brushed Nickel	3
UTS33101BG	650.35	Brushed Gold	3
UTS33101NL	650.35	Polished Nickel	3
UTS331010RB	689.90	Oil Rubbed Bronze	3
UTS33101BL	689.90	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT®** Common Valve System

WEYMOUTH®

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS4311	607.80	Chrome	4
UTS4311BN	881.30	Brushed Nickel	4
UTS4311BG	881.30	Brushed Gold	4
UTS4311NL	881.30	Polished Nickel	4
UTS43110RB	969.40	Oil Rubbed Bronze	4
UTS4311BL	969.40	Matte Black	4

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS32205	378.45	Chrome	12
UTS32205BN	432.45	Brushed Nickel	12
UTS32205BG	432.45	Brushed Gold	12
UTS32205NL	432.45	Polished Nickel	12
UTS322050RB	460.35	Oil Rubbed Bronze	12
UTS32205BL	460.35	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS232104EP	862.15	Chrome	3
UTS232104EPBN	1172.20	Brushed Nickel	3
UTS232104EPBG	1172.20	Brushed Gold	3
UTS232104EPNL	1172.20	Polished Nickel	3
UTS232104EP0RB	1257.45	Oil Rubbed Bronze	3
UTS232104EPBL	1257.45	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS232102EP	723.75	Chrome	3
UTS232102EPBN	1013.80	Brushed Nickel	3
UTS232102EPBG	1013.80	Brushed Gold	3
UTS232102EPNL	1013.80	Polished Nickel	3
UTS232102EP0RB	1086.30	Oil Rubbed Bronze	3
UTS232102EPBL	1086.30	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WEYMOUTH®

Moen® **M•PACT®** Common Valve System

WaterSense Certified
Moen® **M•PACT®** Common Valve System
Immersion® Rainshower

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS23210	423.60	Chrome	3
	UTS23210BN	560.75	Brushed Nickel	3
	UTS23210BG	560.75	Brushed Gold	3
	UTS23210NL	560.75	Polished Nickel	3
	UTS232100RB	597.75	Oil Rubbed Bronze	3
	UTS23210BL	597.75	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT®** Common Valve System

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS32104	769.40	Chrome	3
	TS32104BN	1079.45	Brushed Nickel	3
	TS32104BG	1079.45	Brushed Gold	3
	TS32104NL	1079.45	Polished Nickel	3
	TS32104ORB	1164.65	Oil Rubbed Bronze	3
	TS32104BL	1164.65	Matte Black	3

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS32104EP	769.40	Chrome	3
	TS32104EPBN	1079.45	Brushed Nickel	3
	TS32104EPBG	1079.45	Brushed Gold	3
	TS32104EPNL	1079.45	Polished Nickel	3
	TS32104EPORB	1164.65	Oil Rubbed Bronze	3
	TS32104EPBL	1164.65	Matte Black	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS32102	631.00	Chrome	3
	TS32102BN	921.00	Brushed Nickel	3
	TS32102BG	921.00	Brushed Gold	3
	TS32102NL	921.00	Polished Nickel	3
	TS32102ORB	993.50	Oil Rubbed Bronze	3
	TS32102BL	993.50	Matte Black	3

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS32102EP	631.00	Chrome	3
	TS32102EPBN	921.00	Brushed Nickel	3
	TS32102EPBG	921.00	Brushed Gold	3
	TS32102EPNL	921.00	Polished Nickel	3
	TS32102EPORB	993.50	Oil Rubbed Bronze	3
	TS32102EPBL	993.50	Matte Black	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

MODEL	LIST	FINISH/CONNECT	CASE QTY
221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

OPTION

- description: finished arrow cap kit

MODEL	LIST	FINISH/CONNECT	CASE QTY
221673	16.35	Chrome	12
221673BN	21.85	Brushed Nickel	12
221673BG	21.85	Brushed Gold	12
221673NL	21.85	Polished Nickel	12
221673ORB	24.10	Oil Rubbed Bronze	12
221673BL	24.10	Matte Black	12

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION® Immersion® Rainshower

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS3210	330.85	Chrome	3
	TS3210BN	468.00	Brushed Nickel	3
	TS3210BG	468.00	Brushed Gold	3
	TS3210NL	468.00	Polished Nickel	3
	TS3210ORB	505.00	Oil Rubbed Bronze	3
	TS3210BL	505.00	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

WEYMOUTH® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

PREMIUM				
	TS32100	709.35	Chrome	4
	TS32100BN	1003.15	Brushed Nickel	4
	TS32100BG	1003.15	Brushed Gold	4
	TS32100NL	1003.15	Polished Nickel	4
	TS321000RB	1082.55	Oil Rubbed Bronze	4
	TS32100BL	1082.55	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM OPTIONS

OPTION

- description: finished handle cap kit
- language: English version only

221672	24.15	Chrome	12
221672BN	32.10	Brushed Nickel	12
221672BG	32.10	Brushed Gold	12
221672NL	32.10	Polished Nickel	12
221672ORB	35.50	Oil Rubbed Bronze	12
221672BL	35.50	Matte Black	12

OPTION

- description: finished arrow cap kit

221673	16.35	Chrome	12
221673BN	21.85	Brushed Nickel	12
221673BG	21.85	Brushed Gold	12
221673NL	21.85	Polished Nickel	12
221673ORB	24.10	Oil Rubbed Bronze	12
221673BL	24.10	Matte Black	12

WEYMOUTH®

WEYMOUTH® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen faucet parts on a Purchase Order.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
	PREMIUM			
	Chrome (CH)			
	YB8401CH	110.45	Tank Lever	24
	YB8403CH	100.30	Double Robe Hook	24
	YB8405CH	18.55	Drawer Knob	48
	YB8407CH	34.65	Drawer Pull	48
P	**YB8408CH**	144.85	Pivoting Paper Holder	6
	YB8418CH	163.45	18" Towel Bar	6
	YB8424CH	176.35	24" Towel Bar	6
	YB8486CH	114.00	Towel Ring	6
	Brushed Nickel (BN)			
	YB8401BN	125.80	Tank Lever	24
	YB8403BN	114.80	Double Robe Hook	24
	YB8405BN	21.00	Drawer Knob	48
	YB8407BN	37.05	Drawer Pull	48
P	**YB8408BN**	158.70	Pivoting Paper Holder	6
	YB8418BN	185.70	18" Towel Bar	6
	YB8424BN	200.30	24" Towel Bar	6
	YB8486BN	130.10	Towel Ring	6
	Brushed Gold (BG)			
	YB8401BG	151.00	Tank Lever	24
	YB8403BG	137.70	Double Robe Hook	24
	YB8405BG	25.15	Drawer Knob	48
	YB8407BG	44.50	Drawer Pull	48
P	**YB8408BG**	190.50	Pivoting Paper Holder	6
	YB8418BG	222.80	18" Towel Bar	6
	YB8424BG	240.20	24" Towel Bar	6
	YB8486BG	156.15	Towel Ring	6
	Polished Nickel (NL)			
	YB8401NL	138.35	Tank Lever	24
	YB8403NL	126.35	Double Robe Hook	24
	YB8405NL	23.05	Drawer Knob	48
	YB8407NL	40.70	Drawer Pull	48
P	**YB8408NL**	174.60	Pivoting Paper Holder	6
	YB8418NL	204.40	18" Towel Bar	6
	YB8424NL	220.20	24" Towel Bar	6
	YB8486NL	143.15	Towel Bar	6
	Oil Rubbed Bronze (ORB)			
	YB8401ORB	138.35	Tank Lever	24
	YB8403ORB	126.35	Double Robe Hook	24
	YB8405ORB	23.05	Drawer Knob	48
	YB8407ORB	40.70	Drawer Pull	48
P	**YB8408ORB**	174.60	Pivoting Paper Holder	6
	YB8418ORB	204.40	18" Towel Bar	6
	YB8424ORB	220.20	24" Towel Bar	6
	YB8486ORB	143.15	Towel Ring	6
	Matte Black (BL)			
	YB8401BL	138.15	Tank Lever	24
	YB8403BL	126.20	Double Robe Hook	24
	YB8405BL	23.05	Drawer Knob	48
	YB8407BL	40.60	Drawer Pull	48
P	**YB8408BL**	174.30	Pivoting Paper Holder	6
	YB8418BL	204.10	18" Towel Bar	6
	YB8424BL	219.85	24" Towel Bar	6
	YB8486BL	142.95	Towel Ring	6

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

P Denotes pivoting paper holder

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Weymouth® bath accessories perfectly match the style and finish of our Weymouth® faucets. Total coordination of the bath has never been easier.

For more information on ordering Weymouth® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

YB8401
Tank Lever

YB8403
Double Robe Hook

YB8405
Drawer Knob

YB8407
Drawer Pull

YB8408 P
Pivoting Paper Holder

YB8424
YB8418
Towel Bar

YB8486
Towel Ring

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: spring loaded pop-up
- drain assembly type: spring loaded pop-up

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S43001	585.95	Chrome	3
S43001BN	854.20	Brushed Nickel	3
S43001BL	939.60	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS43002	634.40	Chrome	3
TS43002BN	981.25	Brushed Nickel	3
TS43002BL	1079.40	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS43003	649.30	Chrome	3
TS43003BN	978.80	Brushed Nickel	3
TS43003BL	1076.65	Matte Black	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9700	202.80	1/2" CC	3

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM OPTIONS

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL	LIST	FINISH/CONNECT	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	108.45	Brushed Gold	12

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

WaterSense Meets EPA Criteria
Certified by IAPMO R&T

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 11.00"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S93005	1848.50	Chrome	1
S93005BN	2495.45	Brushed Nickel	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser floor joist mounting kit
- application: one hole
- connection size: 1/2"

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.08"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS93003	826.30	Chrome	3
TS93003BN	1195.05	Brushed Nickel	3
TS93003BL	1314.50	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.08"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS93004	1261.65	Chrome	3
TS93004BN	2250.15	Brushed Nickel	3
TS93004BL	2475.05	Matte Black	3

VALVE: PAGE 475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS33002	328.95	Chrome	3
	TS33002BN	493.50	Brushed Nickel	3
	TS33002BL	542.85	Matte Black	3

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS33003	187.95	Chrome	6
	TS33003BN	274.15	Brushed Nickel	6
	TS33003BL	301.65	Matte Black	6

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead function: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS32003	828.00	Chrome	3
	UTS32003BN	1161.65	Brushed Nickel	3
	UTS32003BL	1297.95	Matte Black	3

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS32003EP	828.00	Chrome	3
	UTS32003EPBN	1161.65	Brushed Nickel	3
	UTS32003EPBL	1297.95	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead function: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS32002	731.20	Chrome	3
	UTS32002BN	1013.95	Brushed Nickel	3
	UTS32002BL	1132.25	Matte Black	3

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS32002EP	731.20	Chrome	3
	UTS32002EPBN	1013.95	Brushed Nickel	3
	UTS32002EPBL	1132.25	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

ARRIS®

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS32001	467.05	Chrome	3
UTS32001BN	619.45	Brushed Nickel	3
UTS32001BL	665.80	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

WaterSense Certified
Moen® **M•PACT**® Common Valve System
Immersion® Rainshower

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3311	413.95	Chrome	4
UTS3311BN	819.05	Brushed Nickel	4
UTS3311BL	900.95	Matte Black	4

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS23005	357.25	Chrome	12
UTS23005BN	424.20	Brushed Nickel	12
UTS23005BL	458.90	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

Moen® **M•PACT**® Common Valve System

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS22003EP	810.20	Chrome	3
	UTS22003EPBN	1133.40	Brushed Nickel	3
	UTS22003EPBL	1237.55	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS22002EP	692.00	Chrome	3
	UTS22002EPBN	967.90	Brushed Nickel	3
	UTS22002EPBL	1055.45	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS22001	400.25	Chrome	3
	UTS22001BN	550.05	Brushed Nickel	3
	UTS22001BL	595.75	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

ARRIS®

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION Immersion® Rainshower

WaterSense Water Efficiency EPA Criteria
Certified by IAPMO R&T

Moen® **M•PACT**® Common Valve System

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22003	717.40	Chrome	3
	TS22003BN	1040.65	Brushed Nickel	3
	TS22003BL	1144.75	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22003EP	717.40	Chrome	3
	TS22003EPBN	1040.65	Brushed Nickel	3
	TS22003EPBL	1144.75	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22002	599.25	Chrome	3
	TS22002BN	875.10	Brushed Nickel	3
	TS22002BL	962.70	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22002EP	599.25	Chrome	3
	TS22002EPBN	875.10	Brushed Nickel	3
	TS22002EPBL	962.70	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION Immersion® Rainshower

Certified by IAPMO R&T

ARRIS® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22001	307.50	Chrome	3
	TS22001BN	457.30	Brushed Nickel	3
	TS22001BL	503.00	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS22000	659.35	Chrome	4
	TS22000BN	980.50	Brushed Nickel	4
	TS22000BL	1078.40	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT**® Common Valve System

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Arris® bath accessories perfectly match the style and finish of our faucets. Total coordination of the bath has never been easier.

For more information on ordering Arris® bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
	PREMIUM			
	Chrome (CH)			
	YB0801CH	97.50	Tank Lever	24
	YB0803CH	93.60	Double Robe Hook	24
(P)	**YB0808CH**	133.25	Pivoting Paper Holder	6
	YB0818CH	154.25	18" Towel Bar	6
	YB0824CH	166.45	24" Towel Bar	6
	YB0886CH	107.75	Towel Ring	6
	YB0892CH	268.60	5X Magnifying Mirror	3
	Brushed Nickel (BN)			
	YB0801BN	118.40	Tank Lever	24
	YB0803BN	102.75	Double Robe Hook	24
(P)	**YB0808BN**	146.60	Pivoting Paper Holder	6
	YB0818BN	169.60	18" Towel Bar	6
	YB0824BN	183.40	24" Towel Bar	6
	YB0886BN	118.30	Towel Ring	6
	YB0892BN	306.90	5X Magnifying Mirror	3
	Matte Black (BL)			
	YB0801BL	118.05	Tank Lever	24
	YB0803BL	113.45	Double Robe Hook	24
(P)	**YB0808BL**	161.40	Pivoting Paper Holder	6
	YB0818BL	186.80	18" Towel Bar	6
	YB0824BL	201.65	24" Towel Bar	6
	YB0886BL	130.45	Towel Ring	6
	YB0892BL	325.30	5X Magnifying Mirror	3

YB0801
Tank Lever

YB0803
Double Robe Hook

YB0808 (P)
Pivoting Paper Holder

YB0818
18" Towel Bar

YB0824
24" Towel Bar

YB0886
Towel Ring

YB0892
5X Magnifying Mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

(P) Denotes pivoting paper holder

GRAB BARS

PERFECTLY MATCHED to Moen® Arris® faucets and bath accessories. ADA-compliant.

- SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
- Tested to withstand 500lbs.
- To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG0812CH	175.60	12" Designer Grab Bar	6
YG0818CH	183.50	18" Designer Grab Bar	6
YG0824CH	191.75	24" Designer Grab Bar	6
YG0836CH	218.25	36" Designer Grab Bar	6
YG0842CH	305.45	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0812BN	189.80	12" Designer Grab Bar	6
YG0818BN	198.90	18" Designer Grab Bar	6
YG0824BN	214.65	24" Designer Grab Bar	6
YG0836BN	241.70	36" Designer Grab Bar	6
YG0842BN	338.30	42" Designer Grab Bar	6
1-1/4" • Matte Black (BL)			
YG0812BL	212.10	12" Designer Grab Bar	6
YG0818BL	221.65	18" Designer Grab Bar	6
YG0824BL	231.60	24" Designer Grab Bar	6
YG0836BL	263.75	36" Designer Grab Bar	6
YG0842BL	369.05	42" Designer Grab Bar	6

YG0818
18" Designer Grab Bar

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ARRIS®

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one to three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: metal
- drain assembly type: spring loaded pop-up

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S6981	529.10	Chrome	3
S6981BN	740.70	Brushed Nickel	3
S6981BG	740.70	Brushed Gold	3
S6981NL	740.70	Polished Nickel	3
DECKPLATES SOLD SEPARATELY			
161919	23.65	Chrome	20
161919BN	33.50	Brushed Nickel	20
161919BG	33.50	Brushed Gold	20
161919NL	33.50	Polished Nickel	20

- application: one to three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: 140780 sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S6982	634.95	Chrome	3
S6982BN	888.90	Brushed Nickel	3
S6982BG	888.90	Brushed Gold	3
S6982NL	888.90	Polished Nickel	3
DECKPLATES SOLD SEPARATELY			
161919	23.65	Chrome	20
161919BN	33.50	Brushed Nickel	20
161919BG	33.50	Brushed Gold	20
161919NL	33.50	Polished Nickel	20

ONE-HANDLE BATHROOM FAUCET OPTIONS

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL	LIST	FINISH/CONNECT	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	96.00	Brushed Gold	12
140780NL	96.00	Polished Nickel	12

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS6984	504.95	Chrome	3
TS6984BN	706.90	Brushed Nickel	3
TS6984BG	706.90	Brushed Gold	3
TS6984NL	706.90	Polished Nickel	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS6985	526.90	Chrome	3
TS6985BN	737.70	Brushed Nickel	3
TS6985BG	737.70	Brushed Gold	3
TS6985NL	737.70	Polished Nickel	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT®** Common Valve System
DURALAST® Duralast® Cartridge
DURALOCK® Duralock® Cartridge

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 10.71"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S931	1803.40	Chrome	1
S931BN	2434.55	Brushed Nickel	1
S931BG	2434.55	Brushed Gold	1
S931NL	2434.55	Polished Nickel	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.12"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS926	851.60	Chrome	3
TS926BN	1234.80	Brushed Nickel	3
TS926BG	1234.80	Brushed Gold	3
TS926NL	1234.80	Polished Nickel	3

- application: three hole
- spout reach: 8.12"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS927	873.55	Chrome	3
TS927BN	1256.75	Brushed Nickel	3
TS927BG	1256.75	Brushed Gold	3
TS927NL	1256.75	Polished Nickel	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

Moen® **M•PACT®** Common Valve System

FLARA®

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.12"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS928	1123.00	Chrome	3
TS928BN	1628.30	Brushed Nickel	3
TS928BG	1628.30	Brushed Gold	3
TS928NL	1628.30	Polished Nickel	3

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.12"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS929	1144.90	Chrome	3
TS929BN	1650.25	Brushed Nickel	3
TS929BG	1650.25	Brushed Gold	3
TS929NL	1650.25	Polished Nickel	3

VALVE: PAGE 475

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS4201	330.75	Chrome	3
TS4201BN	496.15	Brushed Nickel	3
TS4201BG	496.15	Brushed Gold	3
TS4201NL	496.15	Polished Nickel	3

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS4202	152.65	Chrome	6
TS4202BN	229.05	Brushed Nickel	6
TS4202BG	229.05	Brushed Gold	6
TS4202NL	229.05	Polished Nickel	6

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3913	636.00	Chrome	4
UTS3913BN	902.25	Brushed Nickel	4
UTS3913BG	902.25	Brushed Gold	4
UTS3913NL	902.25	Polished Nickel	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3913EP	636.00	Chrome	4
UTS3913EPBN	902.25	Brushed Nickel	4
UTS3913EPBG	902.25	Brushed Gold	4
UTS3913EPNL	902.25	Polished Nickel	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3912	533.60	Chrome	4
UTS3912BN	738.20	Brushed Nickel	4
UTS3912BG	738.20	Brushed Gold	4
UTS3912NL	738.20	Polished Nickel	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3912EP	533.60	Chrome	4
UTS3912EPBN	738.20	Brushed Nickel	4
UTS3912EPBG	738.20	Brushed Gold	4
UTS3912EPNL	738.20	Polished Nickel	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION Immersion® Rainshower

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3911	448.60	Chrome	3
UTS3911BN	594.95	Brushed Nickel	3
UTS3911BG	594.95	Brushed Gold	3
UTS3911NL	594.95	Polished Nickel	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT®** Common Valve System

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2411	418.50	Chrome	4
	UTS2411BN	606.80	Brushed Nickel	4
	UTS2411BG	606.80	Brushed Gold	4
	UTS2411NL	606.80	Polished Nickel	4

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS4911	272.10	Chrome	12
	UTS4911BN	369.50	Brushed Nickel	12
	UTS4911BG	369.50	Brushed Gold	12
	UTS4911NL	369.50	Polished Nickel	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2913EP	578.50	Chrome	4
	UTS2913EPBN	805.60	Brushed Nickel	4
	UTS2913EPBG	805.60	Brushed Gold	4
	UTS2913EPNL	805.60	Polished Nickel	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2912EP	481.50	Chrome	4
	UTS2912EPBN	660.10	Brushed Nickel	4
	UTS2912EPBG	660.10	Brushed Gold	4
	UTS2912EPNL	660.10	Polished Nickel	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2911	360.25	Chrome	3
	UTS2911BN	478.30	Brushed Nickel	3
	UTS2911BG	478.30	Brushed Gold	3
	UTS2911NL	478.30	Polished Nickel	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT**® Common Valve System

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2913	454.25	Chrome	4
	TS2913BN	681.35	Brushed Nickel	4
	TS2913BG	681.35	Brushed Gold	4
	TS2913NL	681.35	Polished Nickel	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2913EP	454.25	Chrome	4
	TS2913EPBN	681.35	Brushed Nickel	4
	TS2913EPBG	681.35	Brushed Gold	4
	TS2913EPNL	681.35	Polished Nickel	4

- showerhead type: showerhead sold separately
- spout length: 8 1/8"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2913NH	305.70	Chrome	4
	TS2913NHBN	458.60	Brushed Nickel	4
	TS2913NHBG	458.60	Brushed Gold	4
	TS2913NHNL	458.60	Polished Nickel	4

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2912	357.20	Chrome	4
	TS2912BN	535.80	Brushed Nickel	4
	TS2912BG	535.80	Brushed Gold	4
	TS2912NL	535.80	Polished Nickel	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2912EP	357.20	Chrome	4
	TS2912EPBN	535.80	Brushed Nickel	4
	TS2912EPBG	535.80	Brushed Gold	4
	TS2912EPNL	535.80	Polished Nickel	4

- showerhead type: showerhead sold separately
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2912NH	283.95	Chrome	4
	TS2912NHBN	426.00	Brushed Nickel	4
	TS2912NHBG	426.00	Brushed Gold	4
	TS2912NHNL	426.00	Polished Nickel	4

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION® Immersion® Rainshower

FLARA® Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2911	236.00	Chrome	3
TS2911BN	354.00	Brushed Nickel	3
TS2911BG	354.00	Brushed Gold	3
TS2911NL	354.00	Polished Nickel	3

VALVE: PAGES 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

Moen® **M•PACT®** Common Valve System

FLARA® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Flara® bath accessories perfectly match the style and finish of our faucets. Total coordination of the bath has never been easier.

For more information on ordering Flara bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0301CH	78.70	Tank Lever	24
YB0303CH	60.30	Double Robe Hook	24
YB0305CH	15.85	Drawer Knob	48
YB0307CH	31.80	Drawer Pull	48
(P) **YB0308CH**	111.00	Pivoting Paper Holder	6
YB0318CH	127.70	18" Towel Bar	6
YB0322CH	123.85	24" Double Towel Bar	6
YB0324CH	132.15	24" Towel Bar	6
YB0386CH	89.20	Hand Towel Bar	6
YB0390CH	122.65	Vanity Shelf	6
YB0392CH	301.90	Mirror	1
Brushed Nickel (BN)			
YB0301BN	102.30	Tank Lever	24
YB0303BN	78.45	Double Robe Hook	24
YB0305BN	20.65	Drawer Knob	48
YB0307BN	41.35	Drawer Pull	48
(P) **YB0308BN**	144.25	Pivoting Paper Holder	6
YB0318BN	165.95	18" Towel Bar	6
YB0322BN	160.95	24" Double Towel Bar	6
YB0324BN	171.80	24" Towel Bar	6
YB0386BN	115.95	Hand Towel Bar	6
YB0390BN	159.40	Vanity Shelf	6
YB0392BN	362.25	Mirror	1
Brushed Gold (BG)			
YB0301BG	122.80	Tank Lever	24
YB0303BG	94.15	Double Robe Hook	24
YB0305BG	24.75	Drawer Knob	48
YB0307BG	49.65	Drawer Pull	48
(P) **YB0308BG**	173.15	Pivoting Paper Holder	6
YB0318BG	199.20	18" Towel Bar	6
YB0322BG	193.20	24" Double Towel Bar	6
YB0324BG	206.15	24" Towel Bar	6
YB0386BG	139.20	Hand Towel Bar	6
YB0390BG	191.25	Vanity Shelf	6
YB0392BG	434.70	Mirror	1
Polished Nickel (NL)			
YB0301NL	112.50	Tank Lever	24
YB0303NL	86.25	Double Robe Hook	24
YB0305NL	17.45	Drawer Knob	48
YB0307NL	45.50	Drawer Pull	48
(P) **YB0308NL**	158.70	Pivoting Paper Holder	6
YB0318NL	182.55	18" Towel Bar	6
YB0322NL	177.10	24" Double Towel Bar	6
YB0324NL	188.95	24" Towel Bar	6
YB0386NL	127.60	Hand Towel Bar	6
YB0390NL	175.30	Vanity Shelf	6
YB0392NL	398.50	Mirror	1

YB0301
Tank Lever

YB0303
Double Robe Hook

YB0305
Drawer Knob

YB0307
Drawer Pull

YB0308 (P)
Pivoting Paper Holder

YB0318
18" Towel Bar

YB0324
24" Towel Bar

YB0322
24" Double Towel Bar

YB0386
Hand Towel Bar

YB0390
Vanity Shelf

YB0392
Mirror

(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.
Product can be ordered by case quantity or individually.

FLARA®

FLARA® Perfectly Matched Bath Accessories

GRAB BARS

PERFECTLY MATCHED to Moen® Flara® faucets and bath accessories. ADA-compliant.

- SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
- Tested to withstand 500lbs.
- To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG0312CH	182.40	12" Designer Grab Bar	6
YG0318CH	190.60	18" Designer Grab Bar	6
YG0324CH	199.15	24" Designer Grab Bar	6
YG0336CH	226.70	36" Designer Grab Bar	6
YG0342CH	333.60	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0312BN	237.10	12" Designer Grab Bar	6
YG0318BN	247.75	18" Designer Grab Bar	6
YG0324BN	258.80	24" Designer Grab Bar	6
YG0336BN	294.70	36" Designer Grab Bar	6
YG0342BN	433.65	42" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG0312BG	284.55	12" Designer Grab Bar	6
YG0318BG	297.30	18" Designer Grab Bar	6
YG0324BG	310.60	24" Designer Grab Bar	6
YG0336BG	353.65	36" Designer Grab Bar	6
YG0342BG	520.40	42" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG0312NL	260.80	12" Designer Grab Bar	6
YG0318NL	272.55	18" Designer Grab Bar	6
YG0324NL	284.75	24" Designer Grab Bar	6
YG0336NL	324.15	36" Designer Grab Bar	6
YG0342NL	477.00	42" Designer Grab Bar	6

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.
Product can be ordered by case quantity or individually.

YG0324
24" Designer Grab Bar

FLARA® Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0361CH	202.20	One Globe Bath Light	2
YB0362CH	282.90	Two Globe Bath Light	2
YB0363CH	351.35	Three Globe Bath Light	2
YB0364CH	439.15	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB0361BN	262.85	One Globe Bath Light	2
YB0362BN	367.75	Two Globe Bath Light	2
YB0363BN	456.70	Three Globe Bath Light	2
YB0364BN	570.90	Four Globe Bath Light	2
Brushed Gold (BG)			
YB0361BG	315.40	One Globe Bath Light	2
YB0362BG	441.30	Two Globe Bath Light	2
YB0363BG	548.05	Three Globe Bath Light	2
YB0364BG	685.00	Four Globe Bath Light	2
Polished Nickel (NL)			
YB0361NL	289.10	One Globe Bath Light	2
YB0362NL	404.55	Two Globe Bath Light	2
YB0363NL	502.35	Three Globe Bath Light	2
YB0364NL	627.95	Four Globe Bath Light	2
Replacement Globe			
YB0369	34.85	Replacement Globe	3

YB0361
One Globe Bath Light

YB0362
Two Globe Bath Light

YB0369
Replacement globe

YB0363
Three Globe Bath Light

YB0364
Four Globe Bath Light

c UL us LISTED

Bulbs not included.

All Flara® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

FLARA®

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: metal
- drain assembly type: spring loaded pop-up

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S44101	491.10	Chrome	3
S44101BN	687.55	Brushed Nickel	3
S44101BG	687.55	Brushed Gold	3
S44101BL	756.30	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44102	439.65	Chrome	3
TS44102BN	615.50	Brushed Nickel	3
TS44102BG	615.50	Brushed Gold	3
TS44102BL	677.05	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44103	460.65	Chrome	3
TS44103BN	636.50	Brushed Nickel	3
TS44103BG	636.50	Brushed Gold	3
TS44103BL	698.05	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44104	461.65	Chrome	3
TS44104BN	646.25	Brushed Nickel	3
TS44104BG	646.25	Brushed Gold	3
TS44104BL	710.90	Matte Black	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44105	482.65	Chrome	3
TS44105BN	667.25	Brushed Nickel	3
TS44105BG	667.25	Brushed Gold	3
TS44105BL	731.90	Matte Black	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9700	202.80	1/2" CC	3

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM OPTIONS

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL	LIST	FINISH/CONNECT	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	96.00	Brushed Gold	12
140780BL	108.45	Matte Black	12

WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALAST® Duralast® Cartridge

COLINET™

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 11.10"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S44507	1803.40	Chrome	1
S44507BN	2434.55	Brushed Nickel	1
S44507BG	2434.55	Brushed Gold	1
S44507BL	2678.05	Matte Black	1



- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2



- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44503	814.60	Chrome	3
TS44503BN	1181.15	Brushed Nickel	3
TS44503BG	1181.15	Brushed Gold	3
TS44503BL	1299.25	Matte Black	3

- application: three hole
- spout reach: 8.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44505	835.60	Chrome	3
TS44505BN	1202.15	Brushed Nickel	3
TS44505BG	1202.15	Brushed Gold	3
TS44505BL	1320.25	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44504	986.15	Chrome	3
TS44504BN	1429.95	Brushed Nickel	3
TS44504BG	1429.95	Brushed Gold	3
TS44504BL	1572.95	Matte Black	3

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44506	1007.15	Chrome	3
TS44506BN	1450.95	Brushed Nickel	3
TS44506BG	1450.95	Brushed Gold	3
TS44506BL	1593.95	Matte Black	3

VALVE: PAGE 475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS44401	316.35	Chrome	3
	TS44401BN	474.55	Brushed Nickel	3
	TS44401BG	474.55	Brushed Gold	3
	TS44401BL	522.00	Matte Black	3

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS44402	146.05	Chrome	6
	TS44402BN	219.10	Brushed Nickel	6
	TS44402BG	219.10	Brushed Gold	6
	TS44402BL	241.00	Matte Black	6

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 9"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS344303	607.35	Chrome	3
	UTS344303BN	861.70	Brushed Nickel	3
	UTS344303BG	861.70	Brushed Gold	3
	UTS344303BL	947.85	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 9"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS344303EP	607.35	Chrome	3
	UTS344303EPBN	861.70	Brushed Nickel	3
	UTS344303EPBG	861.70	Brushed Gold	3
	UTS344303EPBL	947.85	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS344302	509.60	Chrome	3
	UTS344302BN	704.95	Brushed Nickel	3
	UTS344302BG	704.95	Brushed Gold	3
	UTS344302BL	775.50	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS344302EP	509.60	Chrome	3
	UTS344302EPBN	704.95	Brushed Nickel	3
	UTS344302EPBG	704.95	Brushed Gold	3
	UTS344302EPBL	775.50	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

COLINET™

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS344301	428.40	Chrome	3
	UTS344301BN	568.15	Brushed Nickel	3
	UTS344301BG	568.15	Brushed Gold	3
	UTS344301BL	624.95	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS9211	399.65	Chrome	4
	UTS9211BN	579.50	Brushed Nickel	4
	UTS9211BG	579.50	Brushed Gold	4
	UTS9211BL	637.45	Matte Black	4

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS9381	259.90	Chrome	12
	UTS9381BN	352.85	Brushed Nickel	12
	UTS9381BG	352.85	Brushed Gold	12
	UTS9381BL	388.15	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 9"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS244203EP	558.75	Chrome	3
	UTS244203EPBN	776.00	Brushed Nickel	3
	UTS244203EPBG	776.00	Brushed Gold	3
	UTS244203EPBL	841.15	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS244202EP	465.95	Chrome	3
	UTS244202EPBN	636.75	Brushed Nickel	3
	UTS244202EPBG	636.75	Brushed Gold	3
	UTS244202EPBL	688.00	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS244201	350.00	Chrome	3
	UTS244201BN	462.90	Brushed Nickel	3
	UTS244201BG	462.90	Brushed Gold	3
	UTS244201BL	496.75	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

COLINET™

COLINET™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44201	225.75	Chrome	3
TS44201BN	338.65	Brushed Nickel	3
TS44201BG	338.65	Brushed Gold	3
TS44201BL	372.50	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

Moen® **M•PACT**® Common Valve System

COLINET™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Colinet™ bath accessories perfectly match the style and finish of our Colinet™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Colinet™ bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0501CH	75.30	Tank Lever	24
YB0503CH	57.70	Double Robe Hook	24
YB0505CH	15.15	Drawer Knob	48
YB0507CH	30.45	Drawer Pull	48
(P) **YB0508CH**	106.15	Pivoting Paper Holder	6
YB0518CH	122.10	18" Towel Bar	6
YB0524CH	126.40	24" Towel Bar	6
YB0586CH	85.30	Towel Ring	6
Brushed Nickel (BN)			
YB0501BN	97.85	Tank Lever	24
YB0503BN	75.00	Double Robe Hook	24
YB0505BN	19.75	Drawer Knob	48
YB0507BN	39.60	Drawer Pull	48
(P) **YB0508BN**	138.00	Pivoting Paper Holder	6
YB0518BN	158.75	18" Towel Bar	6
YB0524BN	164.35	24" Towel Bar	6
YB0586BN	110.95	Towel Ring	6
Brushed Gold (BG)			
YB0501BG	112.95	Tank Lever	24
YB0503BG	86.55	Double Robe Hook	24
YB0505BG	22.80	Drawer Knob	48
YB0507BG	45.70	Drawer Pull	48
(P) **YB0508BG**	159.25	Pivoting Paper Holder	6
YB0518BG	183.15	18" Towel Bar	6
YB0524BG	189.65	24" Towel Bar	6
YB0586BG	128.00	Towel Ring	6
Matte Black (BL)			
YB0501BL	107.65	Tank Lever	24
YB0503BL	82.55	Double Robe Hook	24
YB0505BL	21.75	Drawer Knob	48
YB0507BL	43.50	Drawer Pull	48
(P) **YB0508BL**	151.85	Pivoting Paper Holder	6
YB0518BL	174.60	18" Towel Bar	6
YB0524BL	180.75	24" Towel Bar	6
YB0586BL	122.00	Towel Ring	6

YB0501
Tank Lever

YB0503
Double Robe Hook

YB0505
Drawer Knob

YB0507
Drawer Pull

YB0508 (P)
Pivoting Paper Holder

YB0518
YB0524
Towel Bar

YB0586
Towel Ring

(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COLINET™

COLINET™ Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0561CH	193.40	One Globe Bath Light	2
YB0562CH	270.65	Two Globe Bath Light	2
YB0563CH	336.05	Three Globe Bath Light	2
YB0564CH	420.05	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB0561BN	251.40	One Globe Bath Light	2
YB0562BN	351.80	Two Globe Bath Light	2
YB0563BN	436.85	Three Globe Bath Light	2
YB0564BN	546.05	Four Globe Bath Light	2
Brushed Gold (BG)			
YB0561BG	290.10	One Globe Bath Light	2
YB0562BG	406.00	Two Globe Bath Light	2
YB0563BG	504.10	Three Globe Bath Light	2
YB0564BG	630.10	Four Globe Bath Light	2
Matte Black (BL)			
YB0561BL	276.55	One Globe Bath Light	2
YB0562BL	387.00	Two Globe Bath Light	2
YB0563BL	480.55	Three Globe Bath Light	2
YB0564BL	600.65	Four Globe Bath Light	2
Replacement Globe			
YB0569	34.85	Replacement Globe	3

YB0561
One Globe Bath Light

YB0562
Two Globe Bath Light

YB0563
Three Globe Bath Light

YB0564
Four Globe Bath Light

YB0569
Replacement globe

c UL us LISTED

Bulbs not included.

All Colinet™ lighting fixtures can be mounted facing either upward or downward.
Colinet™ 2 globe light can be mounted horizontally or vertically.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE BATHROOM FAUCET			
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: metal • drain assembly type: lift rod DURALAST®			
PREMIUM			
S6700	497.15	Chrome	3
S6700BN	820.75	Brushed Nickel	3
DECKPLATES SOLD SEPARATELY			
147204	27.30	Chrome	12
147204BN	66.15	Brushed Nickel	12
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: metal • drain assembly type: lift rod DURALAST®			
PREMIUM			
S6705	621.45	Chrome	3
S6705BN	1025.90	Brushed Nickel	3
DECKPLATES SOLD SEPARATELY			
147204	27.30	Chrome	12
147204BN	66.15	Brushed Nickel	12
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: metal • drain assembly type: lift rod DURALAST®			
PREMIUM			
S6710	497.15	Chrome	3
S6710BN	820.75	Brushed Nickel	3
DECKPLATES SOLD SEPARATELY			
147204	27.30	Chrome	12
147204BN	66.15	Brushed Nickel	12
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: 140780 sold separately DURALAST®			
PREMIUM			
S6711	695.85	Chrome	3
S6711BN	1049.20	Brushed Nickel	3
DECKPLATES SOLD SEPARATELY			
147204	27.30	Chrome	12
147204BN	66.15	Brushed Nickel	12
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: 140780 sold separately DURALAST®			
PREMIUM			
S6712	695.85	Chrome	3
S6712BN	1049.20	Brushed Nickel	3
DECKPLATES SOLD SEPARATELY			
147204	27.30	Chrome	12
147204BN	66.15	Brushed Nickel	12
ONE-HANDLE BATHROOM FAUCET OPTIONS			
OPTION • description: vessel extension kit • included: parts to convert to grid drain • included: two extensions • fits: S6700, S6705, and S6710			
147556	143.65	Chrome	6
147556BN	210.65	Brushed Nickel	6
OPTION • drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow			
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12

DURALAST® WaterSense Certified Duralast® Cartridge

WaterSense Meets EPA Criteria Certified by IAPMO R&T

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included • valve: sold separately	**PREMIUM**			
	TS6720	445.05	Chrome	3
	TS6720BN	762.55	Brushed Nickel	3
• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included • valve: sold separately	**PREMIUM**			
	TS6721	445.05	Chrome	3
	TS6721BN	762.55	Brushed Nickel	3
• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • DURALOCK® DURALAST®	**9000◆**	143.40	1/2" IPS	6

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve: sold separately	**PREMIUM**			
	TS6730	516.20	Chrome	3
	TS6730BN	861.10	Brushed Nickel	3
• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • valve: sold separately	**PREMIUM**			
	TS6731	516.20	Chrome	3
	TS6731BN	861.10	Brushed Nickel	3
• application: three hole • center dimensions: 8" center • drain assembly: 140780 sold separately • includes: mounting brackets • DURALAST®	**9700**	202.80	1/2" CC	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM OPTIONS

	MODEL	LIST	FINISH/CONNECT	CASE QTY
OPTION • drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	68.90	Chrome	12
	140780BN	96.00	Brushed Nickel	12

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

Certified by IAPMO R&T

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: one hole • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spout reach: 11.00" • mounting kit: sold separately	**PREMIUM**			
	S905	1848.50	Chrome	1
	S905BN	2495.45	Brushed Nickel	1
• description: single riser floor joist mounting kit • application: one hole • quarter turn stops: included	**TS50100**	329.85	1/2" CC, NPT	2
• description: single riser concrete mounting kit • application: one hole • quarter turn stops: included	**TS50110**	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: three hole • spout reach: 7.63" • valve: sold separately	**PREMIUM**			
	TS903	610.45	Chrome	3
	TS903BN	869.30	Brushed Nickel	3
• application: three hole • spout reach: 8.20" • valve: sold separately	**PREMIUM**			
	TS913	610.45	Chrome	3
	TS913BN	869.30	Brushed Nickel	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

Moen® **M•PACT®** Common Valve System

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 7.63"
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS904	950.75	Chrome	3
	TS904BN	1595.20	Brushed Nickel	3

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.20"
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS914	950.75	Chrome	3
	TS914BN	1595.20	Brushed Nickel	3

VALVE: PAGE 475 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS3100	327.65	Chrome	3
	TS3100BN	495.65	Brushed Nickel	3

VALVE: PAGE 476 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS3300	151.25	Chrome	6
	TS3300BN	201.70	Brushed Nickel	6

VALVE: PAGE 476 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separatly

IMMERSION™

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3713	527.75	Chrome	3
	UTS3713BN	1011.50	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3713EP	527.75	Chrome	3
	UTS3713EPBN	1011.50	Brushed Nickel	3

VALVE: PAGE477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3715	427.95	Chrome	3
	UTS3715BN	824.45	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3715EP	427.95	Chrome	3
	UTS3715EPBN	824.45	Brushed Nickel	3

VALVE: PAGE477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System
Immersion® Rainshower

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3711	358.05	Chrome	3
	UTS3711BN	670.00	Brushed Nickel	3

VALVE: PAGE477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT®** Common Valve System

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS9011	345.90	Chrome	3
UTS9011BN	500.85	Brushed Nickel	3

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS4172	244.80	Chrome	12
UTS4172BN	304.75	Brushed Nickel	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

Moen® **M•PACT®** Common Valve System

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS2713EP	448.05	Chrome	4
UTS2713EPBN	729.15	Brushed Nickel	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS2712EP	377.70	Chrome	4
UTS2712EPBN	598.75	Brushed Nickel	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION Immersion® Rainshower

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS2711	312.80	Chrome	3
UTS2711BN	478.40	Brushed Nickel	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Moen® **M•PACT**® Common Valve System

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2713	329.70	Chrome	3
TS2713BN	610.80	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2713EP	329.70	Chrome	3
TS2713EPBN	610.80	Brushed Nickel	3

- showerhead type: showerhead sold separately
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2713NH	222.00	Chrome	3
TS2713NHBN	442.55	Brushed Nickel	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2712	259.35	Chrome	3
TS2712BN	480.40	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2712EP	259.35	Chrome	3
TS2712EPBN	480.40	Brushed Nickel	3

- showerhead type: showerhead sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS2712NH	206.10	Chrome	3
TS2712NHBN	381.75	Brushed Nickel	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION® Immersion® Rainshower

90°™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2711	194.45	Chrome	3
	TS2711BN	360.05	Brushed Nickel	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2710	400.00	Chrome	4
	TS2710BN	740.60	Brushed Nickel	4

VALVE: PAGE 486 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT**® Common Valve System

90°™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our 90°™ bath accessories perfectly match the style and finish of our 90°™ faucets. Total coordination of the bath has never been easier.

For more information on ordering 90°™ bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8801CH	72.20	Tank Lever	24
YB8803CH	55.30	Single Robe Hook	24
YB8805CH	14.60	Drawer Knob	48
YB8807CH	29.20	Drawer Pull	48
(P) **YB8808CH**	101.75	Pivoting Paper Holder	6
YB8818CH	117.05	18" Towel Bar	6
YB8824CH	121.30	24" Towel Bar	6
YB8886CH	81.75	Hand Towel Bar	6
Brushed Nickel (BN)			
YB8801BN	77.90	Tank Lever	24
YB8803BN	59.85	Single Robe Hook	24
YB8805BN	16.85	Drawer Knob	48
YB8807BN	31.55	Drawer Pull	48
(P) **YB8808BN**	109.80	Pivoting Paper Holder	6
YB8818BN	126.40	18" Towel Bar	6
YB8824BN	131.05	24" Towel Bar	6
YB8886BN	88.25	Hand Towel Bar	6

(P) Denotes pivoting paper holder

YB8801
Tank Lever

YB8803
Single Robe Hook

YB8805
Drawer Knob

YB8807CH
Drawer Pull

YB8808CH (P)
Pivoting Paper Holder

GRAB BARS

PERFECTLY MATCHED to Moen® 90°™ faucets and bath accessories. ADA-compliant.

- SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
- Tested to withstand 500lbs.
- To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG8812CH	167.25	12" Designer Grab Bar	6
YG8818CH	174.75	18" Designer Grab Bar	6
YG8824CH	182.60	24" Designer Grab Bar	6
YG8836CH	207.85	36" Designer Grab Bar	6
YG8842CH	305.90	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG8812BN	180.75	12" Designer Grab Bar	6
YG8818BN	189.45	18" Designer Grab Bar	6
YG8824BN	204.45	24" Designer Grab Bar	6
YG8836BN	230.20	36" Designer Grab Bar	6
YG8842BN	338.20	42" Designer Grab Bar	6

YB8824
24" Towel Bar

YB8818
18" Towel Bar

YB8886
Hand Towel Bar

YG8824
24" Designer Grab bar

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted).
Product can be ordered by case quantity or individually.

90°™ Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8861CH	185.40	One Globe Bath Light	2
YB8862CH	259.40	Two Globe Bath Light	2
YB8863CH	322.15	Three Globe Bath Light	2
YB8864CH	412.60	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB8861BN	231.65	One Globe Bath Light	2
YB8862BN	324.30	Two Globe Bath Light	2
YB8863BN	402.90	Three Globe Bath Light	2
YB8864BN	515.70	Four Globe Bath Light	2
Replacement Globe			
YB8869	34.05	Replacement Globe	3

YB8861
One Globe Bath Light

YB8862
Two Globe Bath Light

YB8863
Three Globe Bath Light

YB8864
Four Globe Bath Light

YB8869
Replacement Globe

cULus LISTED

Bulbs not included.

All 90°™ lighting fixtures can be mounted facing either upward or downward.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

VIA® Collection

ONE-HANDLE BATHROOM FAUCET

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S8000	417.20	Chrome	3

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S8001	404.20	Chrome	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8002	446.10	Chrome	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

VALVE: PAGE474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.14"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS955	614.90	Chrome	3

VALVE: PAGE474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

WaterSense Meets EPA Criteria
Certified by IAPMO R&T

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS9711	345.00	Chrome	3

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS9712	159.25	Chrome	6

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3773	559.75	Chrome	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3773EP	559.75	Chrome	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3772	452.55	Chrome	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3772EP	452.55	Chrome	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS3771	377.15	Chrome	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2811	345.85	Chrome	4

VALVE: PAGE 478

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2171	248.70	Chrome	12

VALVE: PAGE 478

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS28713EP	454.70	Chrome	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS28712EP	384.10	Chrome	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS28711	319.15	Chrome	

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System
Immersion® Rainshower

Certified by IAPMO R&T

Moen® **M•PACT**® Common Valve System

VIA®

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8713	330.45	Chrome	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8713EP	330.45	Chrome	3

VALVE: PAGES 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- red/blue markings: included
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8712	259.80	Chrome	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8712EP	259.80	Chrome	3

VALVE: PAGES 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

VIA®

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION Immersion® Rainshower

POSI-TEMP® VALVE ONLY TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8711	194.90	Chrome	3

VALVE: PAGES 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS8710	400.85	Chrome	4

VALVE: PAGE 486

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

VIA®

Moen® **M•PACT**® Common Valve System

90°™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our 90°™ bath accessories match the style and finish of our Via® faucets. Total coordination of the bath has never been easier.

For more information on ordering 90°™ bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8801CH	72.20	Tank Lever	24
YB8803CH	55.30	Single Robe Hook	24
YB8805CH	14.60	Drawer Knob	48
YB8807CH	29.20	Drawer Pull	48
(P) **YB8808CH**	101.75	Pivoting Paper Holder	6
YB8818CH	117.05	18" Towel Bar	6
YB8824CH	121.30	24" Towel Bar	6
YB8886CH	81.75	Hand Towel Bar	6

(P) Denotes pivoting paper holder

YB8801
Tank Lever

YB8805
Drawer Knob

YB8808CH (P)
Pivoting Paper Holder

YB8824
24" Towel Bar


YG8824
24" Designer Grab bar

YB8803
Single Robe Hook

YB8807CH
Drawer Pull

YB8818
18" Towel Bar

YB8886
Hand Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® 90°™ faucets and bath accessories. ADA-compliant.

- SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
- Tested to withstand 500lbs.
- To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG8812CH	167.25	12" Designer Grab Bar	6
YG8818CH	174.75	18" Designer Grab Bar	6
YG8824CH	182.60	24" Designer Grab Bar	6
YG8836CH	207.85	36" Designer Grab Bar	6
YG8842CH	305.90	42" Designer Grab Bar	6

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted).

Product can be ordered by case quantity or individually.

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one to three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S6910	378.85	Chrome	3
S6910BN	530.40	Brushed Nickel	3
S6910BL	583.50	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS6925	337.05	Chrome	3
TS6925BN	471.85	Brushed Nickel	3
TS6925BL	519.00	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 11.00"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3105	1848.50	Chrome	1
S3105BN	2495.45	Brushed Nickel	1
S3105BL	2745.05	Matte Black	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.40"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS983	415.85	Chrome	3
TS983BN	582.15	Brushed Nickel	3
TS983BL	640.35	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.40"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS984	647.75	Chrome	3
TS984BN	906.90	Brushed Nickel	3
TS984BL	997.60	Matte Black	3

VALVE: PAGE 475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3101	346.75	Chrome	3
TS3101BN	502.80	Brushed Nickel	3
TS3101BL	553.05	Matte Black	3

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3102	160.05	Chrome	6
TS3102BN	232.10	Brushed Nickel	6
TS3102BL	255.30	Matte Black	6

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

Moen® M•PACT® Common Valve System

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3203	531.40	Chrome	4
UTS3203BN	731.35	Brushed Nickel	4
UTS3203BL	824.55	Matte Black	4

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3203EP	531.40	Chrome	4
UTS3203EPBN	731.35	Brushed Nickel	4
UTS3203EPBL	824.55	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3202	447.90	Chrome	4
UTS3202BN	597.60	Brushed Nickel	4
UTS3202BL	674.30	Matte Black	4

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3202EP	447.90	Chrome	4
UTS3202EPBN	597.60	Brushed Nickel	4
UTS3202EPBL	674.30	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3201	371.50	Chrome	3
UTS3201BN	468.45	Brushed Nickel	3
UTS3201BL	499.70	Matte Black	3

- red/blue markings: included
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

DOUX™

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION™ Immersion® Rainshower

Certified by IAPMO R&T

Moen® **M•PACT®** Common Valve System

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2611	365.50	Chrome	4
	UTS2611BN	530.00	Brushed Nickel	4
	UTS2611BL	583.00	Matte Black	4

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS9204	258.45	Chrome	12
	UTS9204BN	339.95	Brushed Nickel	12
	UTS9204BL	366.25	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2203EP	473.25	Chrome	4
	UTS2203EPBN	630.25	Brushed Nickel	4
	UTS2203EPBL	680.75	Matte Black	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2202EP	398.75	Chrome	4
	UTS2202EPBN	522.15	Brushed Nickel	4
	UTS2202EPBL	562.00	Matte Black	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Moen® **M•PACT**® Common Valve System

WaterSense Certified
Moen® **M•PACT**® Common Valve System
Immersion® Rainshower

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- red/blue markings: included
- includes: pressure balanced cartridge temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	UTS2201	330.10	Chrome	3
	UTS2201BN	422.80	Brushed Nickel	3
	UTS2201BL	452.60	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT**® Common Valve System

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2203	348.95	Chrome	4
	TS2203BN	506.00	Brushed Nickel	4
	TS2203BL	556.50	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2203EP	348.95	Chrome	4
	TS2203EPBN	506.00	Brushed Nickel	4
	TS2203EPBL	556.50	Matte Black	4

- showerhead type: showerhead sold separately
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2203NH	234.90	Chrome	4
	TS2203NHBN	340.55	Brushed Nickel	4
	TS2203NHBL	374.65	Matte Black	4

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2202	274.45	Chrome	4
	TS2202BN	397.90	Brushed Nickel	4
	TS2202BL	437.75	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2202EP	274.45	Chrome	4
	TS2202EPBN	397.90	Brushed Nickel	4
	TS2202EPBL	437.75	Matte Black	4

- showerhead type: showerhead sold separately
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2202NH	219.55	Chrome	4
	TS2202NHBN	318.35	Brushed Nickel	4
	TS2202NHBL	350.25	Matte Black	4

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

DOUX™

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION® Immersion® Rainshower

WaterSense Meets EPA Criteria Certified by IAPMO R&T

DOUX™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2201	205.85	Chrome	3
	TS2201BN	298.50	Brushed Nickel	3
	TS2201BL	328.35	Matte Black	3

VALVE: PAGES 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3
Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS2200	430.35	Chrome	4
	TS2200BN	624.05	Brushed Nickel	4
	TS2200BL	686.45	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT®** Common Valve System

DOUX™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Doux™ bath accessories perfectly match the style and finish of our Doux™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Doux bath accessories or other matching Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
PREMIUM				
	Chrome (CH)			
	YB0201CH	69.05	Tank Lever	24
	YB0203CH	52.90	Single Robe Hook	24
P	**YB0208CH**	97.35	Pivoting Paper Holder	6
	YB0218CH	111.85	18" Towel Bar	6
	YB0224CH	115.90	24" Towel Bar	6
	YB0275CH	68.05	Corner Shower Basket	6
	YB0286CH	78.15	Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB0201BN	74.50	Tank Lever	24
	YB0203BN	56.70	Single Robe Hook	24
P	**YB0208BN**	104.95	Pivoting Paper Holder	6
	YB0218BN	120.85	18" Towel Bar	6
	YB0224BN	125.30	24" Towel Bar	6
	YB0275BN	74.85	Corner Shower Basket	6
	YB0286BN	84.30	Hand Towel Bar	6
	Matte Black (BL)			
	YB0201BL	81.95	Tank Lever	24
	YB0203BL	62.25	Single Robe Hook	24
P	**YB0208BL**	115.45	Pivoting Paper Holder	6
	YB0218BL	132.90	18" Towel Bar	6
	YB0224BL	137.90	24" Towel Bar	6
	YB0275BL	82.80	Corner Shower Basket	6
	YB0286BL	92.75	Hand Towel Bar	6

YB0201
Tank Lever

YB0203
Single Robe Hook

YB0208 (P)
Pivoting Paper Holder

YB0218
18" Towel Bar

YB0224
24" Towel Bar

YB0275
Corner Shower Basket

YB0286
Hand Towel Bar

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

(P) Denotes pivoting paper holder

CIA™ Collection NEW! Ships Q3

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

TOUCHLESS ONE-HANDLE BATHROOM FAUCET - MOTIONSENSE WAVE™

- application: one to three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: pop up
- red/blue markings: included
- Matte Black faucet comes with optional Brushed Gold escutcheon
- DC powered: 6 AA batteries included

motionsense Wave DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6221EW	583.90	Chrome	3
6221EWBN	869.60	Brushed Nickel	3
6221EWBG	869.60	Brushed Gold	3
6221EWBL	956.60	Matte Black	3
OPTIONAL AC ADAPTERS SOLD SEPARATELY			
169031	140.30	N/A or Unfinished	12

ONE-HANDLE BATHROOM FAUCET

- application: one to three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included
- Matte Black faucet comes with optional Brushed Gold escutcheon and lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6221	291.95	Chrome	3
6221BN	434.80	Brushed Nickel	3
6221BG	434.80	Brushed Gold	3
6221BL	478.30	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately
- Matte Black faucet comes with optional Brushed Gold escutcheon and lift rod

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6222	303.15	Chrome	3
T6222BN	509.50	Brushed Nickel	3
T6222BG	509.50	Brushed Gold	3
T6222BL	560.35	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

VALVE: PAGE 474 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
MotionSense™ Wave Hands-Free Faucet
Duralast® Cartridge

Ships Q3 NEW! CIA™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 8.77"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
615	1466.05	Chrome	1
615BN	1979.20	Brushed Nickel	1
615BG	1979.20	Brushed Gold	1
615BL	2177.05	Matte Black	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser floor joist mounting kit
- application: one hole
- connection size: 1/2"

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.00"
- valve: sold separately
- Matte Black faucet comes with optional Brushed Gold escutcheons

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6223	429.05	Chrome	3
T6223BN	599.50	Brushed Nickel	3
T6223BG	599.50	Brushed Gold	3
T6223BL	659.45	Matte Black	3

VALVE: PAGE 474 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

Moen® **M•PACT**® Common Valve System

CIA™

CIA™ Collection NEW! Ships Q3

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4621	248.60	Chrome	3
T4621BN	375.45	Brushed Nickel	3
T4621BG	375.45	Brushed Gold	3
T4621BL	404.00	Matte Black	3

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4622	126.55	Chrome	6
T4622BN	190.75	Brushed Nickel	6
T4622BG	190.75	Brushed Gold	6
T4622BL	205.70	Matte Black	6

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

Ships Q3 NEW! CIA™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3363	416.35	Chrome	3
UT3363BN	693.80	Brushed Nickel	3
UT3363BG	693.80	Brushed Gold	3
UT3363BL	763.20	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3363EP	416.35	Chrome	3
UT3363EPBN	693.80	Brushed Nickel	3
UT3363EPBG	693.80	Brushed Gold	3
UT3363EPBL	763.20	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3362	339.20	Chrome	3
UT3362BN	570.05	Brushed Nickel	3
UT3362BG	570.05	Brushed Gold	3
UT3362BL	627.05	Matte Black	3

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3362EP	339.20	Chrome	3
UT3362EPBN	570.05	Brushed Nickel	3
UT3362EPBG	570.05	Brushed Gold	3
UT3362EPBL	627.05	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

CIA™ Collection NEW! Ships Q3

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3S 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3361	285.05	Chrome	3
UT3361BN	467.90	Brushed Nickel	3
UT3361BG	467.90	Brushed Gold	3
UT3361BL	514.70	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
(For product details and images please reference page 477 in valve section)

Ships Q3 NEW! CIA™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3331	269.40	Chrome	4
UT3331BN	333.95	Brushed Nickel	4
UT3331BG	333.95	Brushed Gold	4
UT3331BL	367.35	Matte Black	4

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT4620	186.45	Chrome	12
UT4620BN	229.55	Brushed Nickel	12
UT4620BG	229.55	Brushed Gold	12
UT4620BL	246.35	Matte Black	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

CIA™

CIA™ Collection NEW! Ships Q3

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7-1/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2263EP	335.10	Chrome	4
UT2263EPBN	524.45	Brushed Nickel	4
UT2263EPBG	524.45	Brushed Gold	4
UT2263EPBL	566.55	Matte Black	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2262EP	285.45	Chrome	4
UT2262EPBN	434.65	Brushed Nickel	4
UT2262EPBG	434.65	Brushed Gold	4
UT2262EPBL	467.80	Matte Black	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
Immersion® Rainshower

WaterSense · Meets EPA Criteria · Certified by IAPMO R&T

Ships Q3 NEW! CIA™ Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2261	240.00	Chrome	3
UT2261BN	351.50	Brushed Nickel	3
UT2261BG	351.50	Brushed Gold	3
UT2261BL	376.40	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT**® Common Valve System

CIA™ Collection NEW! Ships Q3

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- type of function: one function
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7-1/4"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2263EP	231.80	Chrome	4
T2263EPBN	421.15	Brushed Nickel	4
T2263EPBG	421.15	Brushed Gold	4
T2263EPBL	463.25	Matte Black	4

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2262EP	182.15	Chrome	4
T2262EPBN	331.35	Brushed Nickel	4
T2262EPBG	331.35	Brushed Gold	4
T2262EPBL	364.50	Matte Black	4

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® VALVE ONLY TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2261	136.70	Chrome	3
T2261BN	248.20	Brushed Nickel	3
T2261BG	248.20	Brushed Gold	3
T2261BL	273.10	Matte Black	3

VALVE: PAGES 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System
Immersion® Rainshower

WaterSense Meets EPA Criteria — Certified by IAPMO R&T

CIA™

ALIGN® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Align® bath accessories perfectly match the style and finish of our Cia™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Align bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB0402CH	56.95	Swiveling Double Robe Hook	24
YB0403CH	31.45	Single Robe Hook	24
(P) **YB0408CH**	57.45	Pivoting Paper Holder	6
YB0409CH	48.90	Single-Post Paper Holder	6
YB0418CH	66.70	18" Towel Bar	6
YB0424CH	68.80	24" Towel Bar	6
YB0486CH	46.80	Hand Towel Bar	6
Brushed Nickel (BN)			
YB0402BN	64.80	Swiveling Double Robe Hook	24
YB0403BN	34.65	Single Robe Hook	24
(P) **YB0408BN**	63.55	Pivoting Paper Holder	6
YB0409BN	53.80	Single-Post Paper Holder	6
YB0418BN	73.35	18" Towel Bar	6
YB0424BN	75.95	24" Towel Bar	6
YB0486BN	51.20	Hand Towel Bar	6
Brushed Gold (BG)			
YB0403BG	41.60	Single Robe Hook	24
(P) **YB0408BG**	92.15	Pivoting Paper Holder	6
YB0418BG	102.70	18" Towel Bar	6
YB0424BG	106.25	24" Towel Bar	6
YB0486BG	74.20	Hand Towel Bar	6
Matte Black (BL)			
YB0402BL	71.15	Swiveling Double Robe Hook	24
YB0403BL	38.05	Single Robe Hook	24
(P) **YB0408BL**	69.90	Pivoting Paper Holder	6
YB0409BL	59.15	Single-Post Paper Holder	6
YB0418BL	80.65	18" Towel Bar	6
YB0424BL	83.55	24" Towel Bar	6
YB0486BL	56.35	Hand Towel Bar	6

YB0402
Swiveling Double Robe Hook

YB0403
Single Robe Hook

YB0408 (P)
Pivoting Paper Holder

YB0409
Single-Post Paper Holder

YB0418
18" Towel Bar

YB0424
24" Towel Bar

YB0486
Hand Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® Align® faucets and bath accessories.
ADA-compliant.

SecureMount™

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0412CH	111.80	12" Designer Grab Bar	6
YG0418CH	116.85	18" Designer Grab Bar	6
YG0424CH	122.05	24" Designer Grab Bar	6
YG0436CH	138.95	36" Designer Grab Bar	6
YG0442CH	203.85	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0412BN	135.20	12" Designer Grab Bar	6
YG0418BN	141.70	18" Designer Grab Bar	6
YG0424BN	152.90	24" Designer Grab Bar	6
YG0436BN	172.10	36" Designer Grab Bar	6
YG0442BN	254.85	42" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG0418BG	170.05	18" Designer Grab Bar	6
YG0424BG	183.45	24" Designer Grab Bar	6

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

YG0424
24" Designer Grab Bar

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

(P) Denotes pivoting paper holder

CIA™

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
4500	304.20	Chrome	3
4500BN	453.05	Brushed Nickel	3
4500NL	453.05	Polished Nickel	3
4500ORB	498.40	Oil Rubbed Bronze	3

- application: one hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- drain assembly: 140780 sold separately

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
4507	450.35	Chrome	3
4507BN	658.35	Brushed Nickel	3
4507ORB	724.05	Oil Rubbed Bronze	3

ONE-HANDLE BATHROOM FAUCET OPTIONS

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL	LIST	FINISH/CONNECT	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780NL	96.00	Polished Nickel	12
140780ORB	108.45	Oil Rubbed Bronze	12

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

MODEL	LIST	FINISH/CONNECT	CASE QTY
4505	302.40	Chrome	3
4505BN	450.35	Brushed Nickel	3
4505NL	450.35	Polished Nickel	3
4505ORB	495.35	Oil Rubbed Bronze	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4520	315.90	Chrome	3
T4520BN	530.90	Brushed Nickel	3
T4520NL	530.90	Polished Nickel	3
T4520ORB	583.90	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4524	322.15	Chrome	3
T4524BN	541.50	Brushed Nickel	3
T4524NL	541.50	Polished Nickel	3
T4524ORB	595.65	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

WaterSense Labeled EPA Certified — Certified by IAPMO R&T

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 9.75"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
655	1600.15	Chrome	1
655BN	2160.20	Brushed Nickel	1
655NL	2160.20	Polished Nickel	1
655ORB	2376.25	Oil Rubbed Bronze	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.50"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T653	447.05	Chrome	3
T653BN	624.70	Brushed Nickel	3
T653NL	624.70	Polished Nickel	3
T653ORB	687.10	Oil Rubbed Bronze	3

- application: three hole
- spout reach: 7.50"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T657	455.95	Chrome	3
T657BN	637.20	Brushed Nickel	3
T657NL	637.20	Polished Nickel	3
T657ORB	700.80	Oil Rubbed Bronze	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

Moen® **M•PACT**® Common Valve System

WYNFORD®

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: four hole • showerhead type: handshower • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve: sold separately	**T654**	696.30	Chrome	3
	T654BN	1146.25	Brushed Nickel	3
	T654NL	1146.25	Polished Nickel	3
	T6540RB	1260.85	Oil Rubbed Bronze	3
• application: four hole • showerhead type: handshower • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve: sold separately	**T658**	710.35	Chrome	3
	T658BN	1169.20	Brushed Nickel	3
	T6580RB	1286.10	Oil Rubbed Bronze	3

VALVE: PAGE 475 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T6601**	259.70	Chrome	3
	T6601BN	391.20	Brushed Nickel	3
	T6601NL	391.20	Polished Nickel	3
	T66010RB	422.00	Oil Rubbed Bronze	3

VALVE: PAGE 476 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• valve: sold separately	**T6602**	131.85	Chrome	6
	T6602BN	198.75	Brushed Nickel	6
	T6602NL	198.75	Polished Nickel	6
	T66020RB	214.35	Oil Rubbed Bronze	6

VALVE: PAGE 476 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35503**	433.85	Chrome	4
	UT35503BN	722.95	Brushed Nickel	4
	UT35503NL	722.95	Polished Nickel	4
	UT35503ORB	782.35	Oil Rubbed Bronze	4
• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35503EP**	433.85	Chrome	4
	UT35503EPBN	722.95	Brushed Nickel	4
	UT35503EPNL	722.95	Polished Nickel	4
	UT35503EPORB	782.35	Oil Rubbed Bronze	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35502**	353.45	Chrome	4
	UT35502BN	594.00	Brushed Nickel	4
	UT35502NL	594.00	Polished Nickel	4
	UT35502ORB	640.55	Oil Rubbed Bronze	4
• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35502EP**	353.45	Chrome	4
	UT35502EPBN	594.00	Brushed Nickel	4
	UT35502EPNL	594.00	Polished Nickel	4
	UT35502EPORB	640.55	Oil Rubbed Bronze	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35501**	297.00	Chrome	3
	UT35501BN	487.55	Brushed Nickel	3
	UT35501NL	487.55	Polished Nickel	3
	UT35501ORB	523.60	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

WYNFORD®

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT5500	273.85	Chrome	4
UT5500BN	348.00	Brushed Nickel	4
UT5500NL	348.00	Polished Nickel	4
UT5500ORB	374.35	Oil Rubbed Bronze	4

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT4511	194.30	Chrome	12
UT4511BN	239.20	Brushed Nickel	12
UT4511NL	239.20	Polished Nickel	12
UT4511ORB	256.70	Oil Rubbed Bronze	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT24503EP	349.15	Chrome	3
UT24503EPBN	546.50	Brushed Nickel	3
UT24503EPNL	546.50	Polished Nickel	3
UT24503EPORB	590.60	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT24502EP	297.45	Chrome	12
UT24502EPBN	452.90	Brushed Nickel	12
UT24502EPNL	452.90	Polished Nickel	12
UT24502EPORB	487.35	Oil Rubbed Bronze	12

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WYNFORD®

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT24501	250.10	Chrome	3
UT24501BN	366.25	Brushed Nickel	3
UT24501NL	366.25	Polished Nickel	3
UT24501ORB	392.20	Oil Rubbed Bronze	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT**® Common Valve System

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4503	241.55	Chrome	3
T4503BN	438.85	Brushed Nickel	3
T4503NL	438.85	Polished Nickel	3
T4503ORB	482.95	Oil Rubbed Bronze	3

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4503EP	241.55	Chrome	3
T4503EPBN	438.85	Brushed Nickel	3
T4503EPORB	482.95	Oil Rubbed Bronze	3

- showerhead type: showerhead sold separately
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4503NH	162.65	Chrome	3
T4503NHBN	318.00	Brushed Nickel	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4502	189.80	Chrome	3
T4502BN	345.25	Brushed Nickel	3
T4502NL	345.25	Polished Nickel	3
T4502ORB	379.70	Oil Rubbed Bronze	3

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 5-7/8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4502EP	189.80	Chrome	3
T4502EPBN	345.25	Brushed Nickel	3
T4502EPORB	379.70	Oil Rubbed Bronze	3

- showerhead type: showerhead sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4502NH	151.00	Chrome	3
T4502NHBN	274.25	Brushed Nickel	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4501	142.45	Chrome	3
T4501BN	258.60	Brushed Nickel	3
T4501NL	258.60	Polished Nickel	3
T45010RB	284.55	Oil Rubbed Bronze	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4500	257.15	Chrome	4
T4500BN	466.90	Brushed Nickel	4
T4500NL	466.90	Polished Nickel	4
T45000RB	513.65	Oil Rubbed Bronze	4

VALVE: PAGE 486

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

WYNFORD® Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE BIDET FAUCET TRIM

- center dimensions: 8" - 16" center
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T5245	492.35	Chrome	3
T5245BN	674.25	Brushed Nickel	3
T52450RB	741.65	Oil Rubbed Bronze	3

- description: two handle bidet valve
- application: three hole
- center dimensions: 8" - 16" center

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9265	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WYNFORD®

WYNFORD® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Wynford® bath accessories perfectly match the style and finish of our Wynford® faucets. Total coordination of the bath has never been easier.

For more information on ordering Wynford® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB5201CH	40.90	Tank Lever	6
	YB5203CH	31.45	Double Robe Hook	24
(P)	**YB5208CH**	57.45	Pivoting Paper Holder	6
	YB5218CH	66.70	18" Towel Bar	6
	YB5222CH	89.30	24" Double Towel Bar	6
	YB5224CH	68.80	24" Towel Bar	6
	YB5275CH	142.35	Shower Basket	6
	YB5286CH	46.80	Towel Ring	6
	Brushed Nickel (BN)			
	YB5201BN	45.15	Tank Lever	6
	YB5203BN	34.65	Double Robe Hook	24
(P)	**YB5208BN**	63.55	Pivoting Paper Holder	6
	YB5218BN	73.35	18" Towel Bar	6
	YB5222BN	96.30	24" Double Towel Bar	6
	YB5224BN	75.95	24" Towel Bar	6
	YB5275BN	162.85	Shower Basket	6
	YB5286BN	51.20	Towel Ring	6
	Polished Nickel (NL)			
	YB5201NL	49.60	Tank Lever	6
	YB5203NL	38.05	Double Robe Hook	24
(P)	**YB5208NL**	69.95	Pivoting Paper Holder	6
	YB5218NL	80.65	18" Towel Bar	6
	YB5222NL	105.95	24" Double Towel Bar	6
	YB5224NL	83.60	24" Towel Bar	6
	YB5286NL	56.35	Towel Ring	6
	Oil Rubbed Bronze (ORB)			
	YB5201ORB	49.60	Tank Lever	6
	YB5203ORB	38.05	Double Robe Hook	24
(P)	**YB5208ORB**	69.95	Pivoting Paper Holder	6
	YB5218ORB	80.65	18" Towel Bar	6
	YB5222ORB	105.95	24" Double Towel Bar	6
	YB5224ORB	83.60	24" Towel Bar	6
	YB5286ORB	56.35	Towel Ring	6
	Old World Bronze (OWB)			
	YB52750WB	176.50	Shower Basket	6

YB5201
Tank Lever

YB5203
Double Robe Hook

YB5208 (P)
Pivoting Paper Holder

YB5218
18" Towel Bar

YB5222
24" Double Towel Bar

YB5224
24" Towel Bar

YB5286
Towel Ring



YB5275
Corner Shower Basket
(Available in CH, BN and OWB)

(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included DURALAST®	**6190**	304.20	Chrome	3
	6190BN	453.05	Brushed Nickel	3
	6190BG	453.05	Brushed Gold	3
	6190BL	498.40	Matte Black	3
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included DURALAST®	**6191**	296.05	Chrome	3
	6191BN	445.00	Brushed Nickel	3
	6191BG	445.00	Brushed Gold	3
	6191BL	489.50	Matte Black	3
	DECKPLATE SOLD SEPARATELY			
	172666	17.15	Chrome	20
	172666BN	21.25	Brushed Nickel	20
	172666BG	21.25	Brushed Gold	20
	172666BL	29.90	Matte Black	20
• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: sold separately • drain assembly: 140780 sold separately • red/blue markings: included DURALAST®	**6192**	450.35	Chrome	3
	6192BN	658.35	Brushed Nickel	3
	6192BG	658.35	Brushed Gold	3
	DECKPLATE SOLD SEPARATELY			
	172666	17.15	Chrome	20
	172666BN	21.25	Brushed Nickel	20
	172666BG	21.25	Brushed Gold	20
ONE-HANDLE BATHROOM FAUCET OPTIONS				
OPTION • drain assembly: metal • drain assembly type: spring loaded pop-up • drain assembly size: 1-1/4" • drain assembly: 1-1/4" non-overflow	**140780**	68.90	Chrome	12
	140780BN	96.00	Brushed Nickel	12
	140780BG	96.00	Brushed Gold	12
TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM				
• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve: sold separately	**T6193**	315.90	Chrome	3
	T6193BN	530.90	Brushed Nickel	3
	T6193BG	530.90	Brushed Gold	3
	T6193BL	583.90	Matte Black	3
• application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**9000◆**	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: one hole • showerhead type: handshower • handshower functions: one-function • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spout reach: 9.75" • mounting kit: sold separately	**395**	1466.05	Chrome	1
	395BN	1979.20	Brushed Nickel	1
	395BG	1979.20	Brushed Gold	1
	395BL	2177.05	Matte Black	1
• description: single riser floor joist mounting kit • application: one hole • quarter turn stops: included	**TS50100**	329.85	1/2" CC, NPT	2
• description: single riser concrete mounting kit • application: one hole • quarter turn stops: included	**TS50110**	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: three hole • spout reach: 7.90" • valve: sold separately	**T393**	447.05	Chrome	3
	T393BN	624.70	Brushed Nickel	3
	T393BG	624.70	Brushed Gold	3
	T393BL	662.00	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• application: four hole • showerhead type: handshower • handshower flow rate: 1.75 gpm (6.65 L/min) max. • spray functions: one-function • spout reach: 7.90" • valve: sold separately	**T394**	696.30	Chrome	3
	T394BN	1146.25	Brushed Nickel	3
	T394BG	1146.25	Brushed Gold	3

VALVE: PAGE 475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

ALIGN®

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4291	259.05	Chrome	3
T4291BN	391.20	Brushed Nickel	3
T4291BG	391.20	Brushed Gold	3
T4291BL	420.95	Matte Black	3

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4292	131.85	Chrome	6
T4292BN	198.75	Brushed Nickel	6
T4292BG	198.75	Brushed Gold	6
T4292BL	214.35	Matte Black	6

VALVE: PAGE 476 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 3/8"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3293	433.85	Chrome	4
UT3293BN	722.95	Brushed Nickel	4
UT3293BG	722.95	Brushed Gold	4
UT3293BL	795.25	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/8"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3293EP	433.85	Chrome	4
UT3293EPBN	722.95	Brushed Nickel	4
UT3293EPBG	722.95	Brushed Gold	4
UT3293EPBL	795.25	Matte Black	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3292	353.45	Chrome	4
UT3292BN	594.00	Brushed Nickel	4
UT3292BG	594.00	Brushed Gold	4
UT3292BL	653.40	Matte Black	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3292EP	353.45	Chrome	4
UT3292EPBN	594.00	Brushed Nickel	4
UT3292EPBG	594.00	Brushed Gold	4
UT3292EPBL	653.40	Matte Black	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

ALIGN®

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3291	297.00	Chrome	3
UT3291BN	487.55	Brushed Nickel	3
UT3291BG	487.55	Brushed Gold	3
UT3291BL	536.30	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately
- includes: pressure balanced cartridge with volume and temperature control

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3290	280.70	Chrome	4
UT3290BN	348.00	Brushed Nickel	4
UT3290BG	348.00	Brushed Gold	4
UT3290BL	382.80	Matte Black	4

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 486 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 486 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT4191	194.30	Chrome	12
UT4191BN	239.20	Brushed Nickel	12
UT4191BG	239.20	Brushed Gold	12
UT4191BL	256.70	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 486 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 486 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW! • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2193EP**	349.15	Chrome	4
	UT2193EPBN	546.50	Brushed Nickel	4
	UT2193EPBG	546.50	Brushed Gold	4
	UT2193EPBL	590.35	Matte Black	4
NEW! • showerhead type: showerhead sold separately • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2193NH**	270.30	Chrome	3
	UT2193NHBN	425.65	Brushed Nickel	3
	UT2193NHBG	425.65	Brushed Gold	3
	UT2193NHBL	457.50	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW! • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2192EP**	297.45	Chrome	4
	UT2192EPBN	452.90	Brushed Nickel	4
	UT2192EPBG	452.90	Brushed Gold	4
	UT2192EPBL	487.45	Matte Black	4
NEW! • showerhead functions: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2192NH**	258.60	Chrome	3
	UT2192NHBN	381.90	Brushed Nickel	3
	UT2192NHBG	381.90	Brushed Gold	3
	UT2192NHBL	409.35	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW! • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2191**	250.10	Chrome	3
	UT2191BN	366.25	Brushed Nickel	3
	UT2191BG	366.25	Brushed Gold	3
	UT2191BL	392.20	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT**® Common Valve System

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2193**	241.55	Chrome	3
	T2193BN	438.85	Brushed Nickel	3
	T2193BG	438.85	Brushed Gold	3
	T2193BL	482.70	Matte Black	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2193EP**	241.55	Chrome	3
	T2193EPBN	438.85	Brushed Nickel	3
	T2193EPBG	438.85	Brushed Gold	3
	T2193EPBL	482.70	Matte Black	3
• showerhead type: showerhead sold separately • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2193NH**	162.65	Chrome	3
	T2193NHBN	318.00	Brushed Nickel	3
	T2193NHBG	318.00	Brushed Gold	3
	T2193NHBL	349.85	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**T2192**	189.80	Chrome	3
	T2192BN	345.25	Brushed Nickel	3
	T2192BG	345.25	Brushed Gold	3
	T2192BL	379.80	Matte Black	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2192EP**	189.80	Chrome	3
	T2192EPBN	345.25	Brushed Nickel	3
	T2192EPBG	345.25	Brushed Gold	3
	T2192EPBL	379.80	Matte Black	3
• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2192NH**	151.00	Chrome	3
	T2192NHBN	274.25	Brushed Nickel	3
	T2192NHBG	274.25	Brushed Gold	3
	T2192NHBL	301.70	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• red/blue markings: included • valve: sold separately	**T2191**	142.45	Chrome	3
	T2191BN	258.60	Brushed Nickel	3
	T2191BG	258.60	Brushed Gold	3
	T2191BL	284.55	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3
Shower Only Application	**MODEL**	**LIST**	**CONNECTION**	**CASE QTY**
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• red/blue markings: included • valve: sold separately	**T2190**	257.15	Chrome	4
	T2190BN	466.90	Brushed Nickel	4
	T2190BG	466.90	Brushed Gold	4
	T2190BL	513.65	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT®** Common Valve System

ALIGN® Collection

All Brushed Nickel and Brushed Gold faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE BIDET FAUCET TRIM					
	• center dimensions: 8" - 16" center • valve: sold separately	**T5191**	492.35	Chrome	3
		T5191BN	674.25	Brushed Nickel	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

ALIGN® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Align® bath accessories perfectly match the style and finish of our Align® faucets. Total coordination of the bath has never been easier.

For more information on ordering Align® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB0402CH	56.95	Swiveling Double Robe Hook	24
	YB0403CH	31.45	Single Robe Hook	24
P	**YB0408CH**	57.45	Pivoting Paper Holder	6
	YB0409CH	48.90	Single-Post Paper Holder	6
	YB0418CH	66.70	18" Towel Bar	6
	YB0424CH	68.80	24" Towel Bar	6
	YB0486CH	46.80	Hand Towel Bar	6
	Brushed Nickel (BN)			
	YB0402BN	64.80	Swiveling Double Robe Hook	24
	YB0403BN	34.65	Single Robe Hook	24
P	**YB0408BN**	63.55	Pivoting Paper Holder	6
	YB0409BN	53.80	Single-Post Paper Holder	6
	YB0418BN	73.35	18" Towel Bar	6
	YB0424BN	75.95	24" Towel Bar	6
	YB0486BN	51.20	Hand Towel Bar	6
	Brushed Gold (BG)			
	YB0403BG	41.60	Single Robe Hook	24
P	**YB0408BG**	92.15	Pivoting Paper Holder	6
	YB0418BG	102.70	18" Towel Bar	6
	YB0424BG	106.25	24" Towel Bar	6
	YB0486BG	74.20	Hand Towel Bar	6
	Matte Black (BL)			
	YB0402BL	71.15	Swiveling Double Robe Hook	24
	YB0403BL	38.05	Single Robe Hook	24
P	**YB0408BL**	69.90	Pivoting Paper Holder	6
	YB0409BL	59.15	Single-Post Paper Holder	6
	YB0418BL	80.65	18" Towel Bar	6
	YB0424BL	83.55	24" Towel Bar	6
	YB0486BL	56.35	Hand Towel Bar	6

YB0402
Swiveling Double Robe Hook

YB0403
Single Robe Hook

YB0408 (P)
Pivoting Paper Holder

YB0409
Single-Post Paper Holder

YB0418
18" Towel Bar

YB0424
24" Towel Bar

YB0486
Hand Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® Align® faucets and bath accessories.
ADA-compliant.

SecureMount™ SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.
To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

YG0424
24" Designer Grab Bar

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0412CH	111.80	12" Designer Grab Bar	6
YG0418CH	116.85	18" Designer Grab Bar	6
YG0424CH	122.05	24" Designer Grab Bar	6
YG0436CH	138.95	36" Designer Grab Bar	6
YG0442CH	203.85	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0412BN	135.20	12" Designer Grab Bar	6
YG0418BN	141.70	18" Designer Grab Bar	6
YG0424BN	152.90	24" Designer Grab Bar	6
YG0436BN	172.10	36" Designer Grab Bar	6
YG0442BN	254.85	42" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG0418BG	170.05	18" Designer Grab Bar	6
YG0424BG	183.45	24" Designer Grab Bar	6

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

(P) Denotes pivoting paper holder

ALIGN®

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6903	291.95	Chrome	3
6903BN	434.80	Brushed Nickel	3
6903BG	434.80	Brushed Gold	3
6903NL	434.80	Polished Nickel	3
6903ORB	478.30	Oil Rubbed Bronze	3

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6901	290.20	Chrome	3
6901BN	432.20	Brushed Nickel	3
6901BG	432.20	Brushed Gold	3
6901NL	432.20	Polished Nickel	3
6901ORB	475.40	Oil Rubbed Bronze	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6905	303.15	Chrome	3
T6905BN	509.50	Brushed Nickel	3
T6905BG	509.50	Brushed Gold	3
T6905NL	509.50	Polished Nickel	3
T6905ORB	560.35	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6906	345.60	Chrome	3
T6906BN	562.80	Brushed Nickel	3
T6906BG	562.80	Brushed Gold	3
T6906NL	562.80	Polished Nickel	3
T6906ORB	619.25	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9700	202.80	1/2" CC	3

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE WALLMOUNT BATHROOM FAUCET TRIM OPTIONS

OPTION

- drain assembly: metal
- drain assembly type: spring loaded pop-up
- drain assembly size: 1-1/4"
- drain assembly: 1-1/4" non-overflow

MODEL	LIST	FINISH/CONNECT	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	96.00	Brushed Gold	12
140780NL	96.00	Polished Nickel	12
140780ORB	108.45	Oil Rubbed Bronze	12

WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALAST® Duralast® Cartridge

VOSS™

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 9.75"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
695	1600.15	Chrome	1
695BN	2160.20	Brushed Nickel	1
695BG	2160.20	Brushed Gold	1
695NL	2160.20	Polished Nickel	1
6950RB	2376.25	Oil Rubbed Bronze	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	CONNECTION	CASE QTY
TS50100	329.85	1/2" CC, NPT	2

- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

MODEL	LIST	CONNECTION	CASE QTY
TS50110	268.20	1/2" CC, NPT	2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 8.25"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T693	429.05	Chrome	3
T693BN	599.50	Brushed Nickel	3
T693BG	599.50	Brushed Gold	3
T693NL	599.50	Polished Nickel	3
T6930RB	659.40	Oil Rubbed Bronze	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.25"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T694	668.25	Chrome	3
T694BN	1100.05	Brushed Nickel	3
T694BG	1100.05	Brushed Gold	3
T694NL	1100.05	Polished Nickel	3
T6940RB	1210.05	Oil Rubbed Bronze	3

VALVE: PAGE475 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

VOSS™

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4691	249.25	Chrome	3
T4691BN	375.45	Brushed Nickel	3
T4691BG	375.45	Brushed Gold	3
T4691NL	375.45	Polished Nickel	3
T4691ORB	405.00	Oil Rubbed Bronze	3

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4692	126.55	Chrome	6
T4692BN	190.75	Brushed Nickel	6
T4692BG	190.75	Brushed Gold	6
T4692NL	190.75	Polished Nickel	6
T4692ORB	205.70	Oil Rubbed Bronze	6

VALVE: PAGE476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3693	416.35	Chrome	4
UT3693BN	693.80	Brushed Nickel	4
UT3693BG	693.80	Brushed Gold	4
UT3693NL	693.80	Polished Nickel	4
UT3693ORB	750.80	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3693EP	416.35	Chrome	4
UT3693EPBN	693.80	Brushed Nickel	4
UT3693EPBG	693.80	Brushed Gold	4
UT3693EPNL	693.80	Polished Nickel	4
UT3693EPORB	750.80	Oil Rubbed Bronze	4

VALVE: PAGE477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3692	339.20	Chrome	4
UT3692BN	570.05	Brushed Nickel	4
UT3692BG	570.05	Brushed Gold	4
UT3692NL	570.05	Polished Nickel	4
UT3692ORB	614.75	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3692EP	339.20	Chrome	4
UT3692EPBN	570.05	Brushed Nickel	4
UT3692EPBG	570.05	Brushed Gold	4
UT3692EPNL	570.05	Polished Nickel	4
UT3692EPORB	614.75	Oil Rubbed Bronze	4

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3691	285.05	Chrome	3
UT3691BN	467.90	Brushed Nickel	3
UT3691BG	467.90	Brushed Gold	3
UT3691NL	467.90	Polished Nickel	3
UT36910RB	502.50	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3611	269.35	Chrome	4
UT3611BN	333.95	Brushed Nickel	4
UT3611BG	333.95	Brushed Gold	4
UT3611NL	333.95	Polished Nickel	4
UT36110RB	359.25	Oil Rubbed Bronze	4

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT4611	186.45	Chrome	12
UT4611BN	229.55	Brushed Nickel	12
UT4611BG	229.55	Brushed Gold	12
UT4611NL	229.55	Polished Nickel	12
UT46110RB	246.35	Oil Rubbed Bronze	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 4-1/16" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 15/16"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2693EP	335.10	Chrome	3
UT2693EPBN	524.45	Brushed Nickel	3
UT2693EPBG	524.45	Brushed Gold	3
UT2693EPNL	524.45	Polished Nickel	3
UT2693EP0RB	566.80	Oil Rubbed Bronze	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 4-1/16" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2692EP	285.45	Chrome	12
UT2692EPBN	434.65	Brushed Nickel	12
UT2692EPBG	434.65	Brushed Gold	12
UT2692EPNL	434.65	Polished Nickel	12
UT2692EP0RB	467.70	Oil Rubbed Bronze	12

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2691	240.00	Chrome	3
UT2691BN	351.50	Brushed Nickel	3
UT2691BG	351.50	Brushed Gold	
UT2691NL	351.50	Polished Nickel	3
UT2691ORB	376.40	Oil Rubbed Bronze	

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT**® Common Valve System

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2693**	231.80	Chrome	3
	T2693BN	421.15	Brushed Nickel	3
	T2693BG	421.15	Brushed Gold	3
	T2693NL	421.15	Polished Nickel	3
	T2693ORB	463.50	Oil Rubbed Bronze	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2693EP**	231.80	Chrome	3
	T2693EPBN	421.15	Brushed Nickel	3
	T2693EPBG	421.15	Brushed Gold	3
	T2693EPNL	421.15	Polished Nickel	3
	T2693EPORB	463.50	Oil Rubbed Bronze	3
• showerhead type: showerhead sold separately • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2693NH**	156.10	Chrome	3
	T2693NHBN	305.20	Brushed Nickel	3
	T2693NHBG	305.20	Brushed Gold	3
	T2693NHNL	305.20	Polished Nickel	3
	T2693NHORB	335.75	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2692**	182.15	Chrome	3
	T2692BN	331.35	Brushed Nickel	3
	T2692BG	331.35	Brushed Gold	3
	T2692NL	331.35	Polished Nickel	3
	T2692ORB	364.40	Oil Rubbed Bronze	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2692EP**	182.15	Chrome	3
	T2692EPBN	331.35	Brushed Nickel	3
	T2692EPBG	331.35	Brushed Gold	3
	T2692EPNL	331.35	Polished Nickel	3
	T2692EPORB	364.40	Oil Rubbed Bronze	3
• showerhead type: showerhead sold separately • valve: sold separately	**T2692NH**	144.90	Chrome	3
	T2692NHBN	263.20	Brushed Nickel	3
	T2692NHBG	263.20	Brushed Gold	3
	T2692NHNL	263.20	Polished Nickel	3
	T2692NHORB	289.55	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• valve: sold separately	**T2691**	136.70	Chrome	3
	T2691BN	248.20	Brushed Nickel	3
	T2691BG	248.20	Brushed Gold	3
	T2691NL	248.20	Polished Nickel	3
	T2691ORB	273.10	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 486 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 486 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• valve: sold separately	**T2690**	246.80	Chrome	4
	T2690BN	448.10	Brushed Nickel	4
	T2690BG	448.10	Brushed Gold	4
	T2690NL	448.10	Polished Nickel	4
	T2690ORB	492.95	Oil Rubbed Bronze	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 486 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 486 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

VOSS™

VOSS™ Collection

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
TWO-HANDLE BIDET FAUCET TRIM					
	• center dimensions: 8" - 16" center • valve: sold separately	**T5269**	473.45	Chrome	3
		T5269BN	648.35	Brushed Nickel	3
		T52690RB	713.15	Oil Rubbed Bronze	3
	• description: two handle bidet valve • application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

VOSS™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Voss™ bath accessories perfectly match the style and finish of our Voss™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Voss™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

	MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
	Chrome (CH)			
	YB5101CH	39.25	Tank Lever	24
	YB5103CH	30.20	Double Robe Hook	24
P	**YB5108CH**	55.15	Pivoting Paper Holder	6
	YB5118CH	64.00	18" Towel Bar	6
	YB5124CH	66.05	24" Towel Bar	6
	YB5170CH	42.90	Hair Dryer Holder	6
	YB5186CH	44.90	Towel Ring	6
	Brushed Nickel (BN)			
	YB5101BN	43.35	Tank Lever	24
	YB5103BN	33.25	Double Robe Hook	24
P	**YB5108BN**	61.00	Pivoting Paper Holder	6
	YB5118BN	70.40	18" Towel Bar	6
	YB5124BN	72.90	24" Towel Bar	6
	YB5170BN	46.10	Hair Dryer Holder	6
	YB5186BN	49.15	Towel Ring	6
	Brushed Gold (BG)			
	YB5101BG	51.95	Tank Lever	24
	YB5103BG	39.90	Double Robe Hook	24
P	**YB5108BG**	88.45	Pivoting Paper Holder	6
	YB5118BG	98.55	18" Towel Bar	6
	YB5124BG	101.95	24" Towel Bar	6
	YB5186BG	71.20	Towel Ring	6
	Polished Nickel (NL)			
	YB5101NL	47.50	Tank Lever	24
	YB5103NL	36.55	Double Robe Hook	24
P	**YB5108NL**	71.75	Pivoting Paper Holder	6
	YB5118NL	77.55	18" Towel Bar	6
	YB5124NL	80.05	24" Towel Bar	6
	YB5170NL	52.05	Hair Dryer Holder	6
	YB5186NL	54.45	Towel Ring	6
	Oil Rubbed Bronze (ORB)			
	YB5101ORB	47.60	Tank Lever	24
	YB5103ORB	36.50	Double Robe Hook	24
P	**YB5108ORB**	67.15	Pivoting Paper Holder	6
	YB5118ORB	77.40	18" Towel Bar	6
	YB5124ORB	80.25	24" Towel Bar	6
	YB5170ORB	53.10	Hair Dryer Holder	6
	YB5186ORB	54.10	Towel Ring	6

YB5101
Tank Lever

YB5103
Double Robe Hook

YB5108 (P)
Pivoting Paper Holder

YB5118
18" Towel Bar

YB5124
24" Towel Bar

YB5170
Hairdryer
Holder

YB5186
Towel Ring

P Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

VOSS™

GRAB BARS

PERFECTLY MATCHED to Moen® Voss™ faucets and bath accessories. ADA-compliant.

SecureMount™

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5112CH	107.30	12" Designer Grab Bar	6
YG5118CH	112.15	18" Designer Grab Bar	6
YG5124CH	117.15	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG5112BN	129.75	12" Designer Grab Bar	6
YG5118BN	136.00	18" Designer Grab Bar	6
YG5124BN	146.75	24" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG5112BG	155.65	12" Designer Grab Bar	6
YG5118BG	163.20	18" Designer Grab Bar	6
YG5124BG	176.05	24" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG5112NL	144.70	12" Designer Grab Bar	6
YG5118NL	156.80	18" Designer Grab Bar	6
YG5124NL	175.45	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5112ORB	142.65	12" Designer Grab Bar	6
YG5118ORB	149.65	18" Designer Grab Bar	6
YG5124ORB	161.50	24" Designer Grab Bar	6

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

YG5112
12" Designer Grab Bar

YG5118
18" Designer Grab Bar

YG5124
24" Designer Grab Bar

VOSS™ Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5161CH	153.85	One Globe Bath Light	2
YB5162CH	215.25	Two Globe Bath Light	2
YB5163CH	267.35	Three Globe Bath Light	2
YB5164CH	342.30	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB5161BN	192.35	One Globe Bath Light	2
YB5162BN	269.05	Two Globe Bath Light	2
YB5163BN	334.15	Three Globe Bath Light	2
YB5164BN	427.90	Four Globe Bath Light	2
Brushed Gold (BG)			
YB5161BG	230.85	One Globe Bath Light	2
YB5162BG	322.85	Two Globe Bath Light	2
YB5163BG	401.05	Three Globe Bath Light	2
YB5164BG	513.45	Four Globe Bath Light	2
Polished Nickel (NL)			
YB5161NL	192.45	One Globe Bath Light	2
YB5162NL	280.15	Two Globe Bath Light	2
YB5163NL	361.25	Three Globe Bath Light	2
YB5164NL	462.65	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB5161ORB	192.35	One Globe Bath Light	2
YB5162ORB	269.05	Two Globe Bath Light	2
YB5163ORB	334.15	Three Globe Bath Light	2
YB5164ORB	427.90	Four Globe Bath Light	2
Replacement Globe			
YB5169	28.20	Replacement Globe	3

All Voss™ lighting fixtures can be mounted facing either upward or downward.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

YB5161
One Globe Light

YB5162
Two Globe Light

YB5163
Three Globe Light

YB5164
Four Globe Light

YB5169
Replacement Globe

c UL us LISTED

Bulbs not included.

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6402	299.75	Chrome	3
6402BN	419.95	Brushed Nickel	3
6402NL	419.95	Polished Nickel	3
6402ORB	449.80	Oil Rubbed Bronze	3

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6401	310.95	Chrome	3
6401BN	435.25	Brushed Nickel	3
6401NL	435.25	Polished Nickel	3
6401ORB	466.35	Oil Rubbed Bronze	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6405	326.05	Chrome	3
T6405BN	508.25	Brushed Nickel	3
T6405NL	508.25	Polished Nickel	3
T6405ORB	553.80	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

FREESTANDING TUB FILLER

- application: one hole
- showerhead type: handshower
- handshower functions: one-function
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spout reach: 9.75"
- mounting kit: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
9025	1600.15	Chrome	1
9025BN	2160.20	Brushed Nickel	1
9025NL	2160.20	Polished Nickel	1
9025ORB	2376.25	Oil Rubbed Bronze	1

- description: single riser floor joist mounting kit
- application: one hole
- quarter turn stops: included

TS50100 329.85 1/2" CC, NPT 2

- description: single riser concrete mounting kit
- application: one hole
- quarter turn stops: included

TS50110 268.20 1/2" CC, NPT 2

HOW TO ORDER TRIM PART NO. + MOUNT PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.50"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T9023	402.70	Chrome	3
T9023BN	565.85	Brushed Nickel	3
T9023NL	565.90	Polished Nickel	3
T9023ORB	614.50	Oil Rubbed Bronze	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

Moen® **M•PACT**® Common Valve System

BELFIELD™

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 7.50"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T9024	547.30	Chrome	3
T9024BN	770.70	Brushed Nickel	3
T9024NL	770.70	Polished Nickel	3
T9024ORB	826.55	Oil Rubbed Bronze	3

VALVE: PAGE 475

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4411	259.70	Chrome	3
T4411BN	391.20	Brushed Nickel	3
T4411NL	391.20	Polished Nickel	3
T4411ORB	422.00	Oil Rubbed Bronze	3

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® MIXING VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Thermostatic	**S3371**	601.50	3/4" IPS	6

For product details and images please reference page 476 in valve section

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4412	131.85	Chrome	6
T4412BN	198.75	Brushed Nickel	6
T4412NL	198.75	Polished Nickel	6
T4412ORB	214.35	Oil Rubbed Bronze	6

VALVE: PAGE 476

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

EXACTTEMP® VOLUME CONTROL VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Volume control	**S3600**	152.95	3/4" IPS	6

For product details and images please reference page 476 in valve section

BELFIELD™

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3313	410.75	Chrome	4
UT3313BN	693.40	Brushed Nickel	4
UT3313NL	693.40	Polished Nickel	4
UT3313ORB	785.20	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3313EP	410.75	Chrome	4
UT3313EPBN	693.40	Brushed Nickel	4
UT3313EPNL	693.40	Polished Nickel	4
UT3313EPORB	785.20	Oil Rubbed Bronze	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3312	332.70	Chrome	4
UT3312BN	549.70	Brushed Nickel	4
UT3312NL	549.70	Polished Nickel	4
UT3312ORB	623.80	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION™

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3312EP	332.70	Chrome	4
UT3312EPBN	549.70	Brushed Nickel	4
UT3312EPNL	549.70	Polished Nickel	4
UT3312EPORB	623.80	Oil Rubbed Bronze	4

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System
IMMERSION™ Immersion® Rainshower

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3311	273.70	Chrome	3
UT3311BN	467.50	Brushed Nickel	3
UT3311NL	467.50	Polished Nickel	3
UT3311ORB	501.35	Oil Rubbed Bronze	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT®** Common Valve System

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3322	280.70	Chrome	4
UT3322BN	348.00	Brushed Nickel	4
UT3322NL	348.00	Polished Nickel	4
UT3322ORB	374.35	Oil Rubbed Bronze	4

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ WITH INTEGRATED TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two OR three Function; four port; adj. temp. limit stops; quarter turn stops	**U232CIS**	234.70	1/2" CC/IPS	6
	U232CXS	234.70	1/2" Cold Expansion PEX	6
	U232XS	234.70	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three OR six Function; four port; adj. temp. limit stops; quarter turn stops	**U362CIS**	234.70	1/2" CC/IPS	6
	U362CXS	234.70	1/2" Cold Expansion PEX	6
	U362XS	234.70	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ TRANSFER VALVE TRIM



- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT4301	189.45	Chrome	12
UT4301BN	232.75	Brushed Nickel	12
UT4301NL	232.75	Polished Nickel	12
UT4301ORB	249.60	Oil Rubbed Bronze	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

Moen® **M•PACT**® Common Valve System

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2313EP	340.20	Chrome	4
UT2313EPBN	530.45	Brushed Nickel	4
UT2313EPNL	530.45	Polished Nickel	4
UT2313EPORB	572.95	Oil Rubbed Bronze	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2312EP	290.55	Chrome	4
UT2312EPBN	440.30	Brushed Nickel	4
UT2312EPNL	440.30	Polished Nickel	4
UT2312EPORB	473.45	Oil Rubbed Bronze	4

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION Immersion® Rainshower

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2311	244.90	Chrome	3
UT2311BN	356.85	Brushed Nickel	3
UT2311NL	356.85	Polished Nickel	3
UT2311ORB	381.80	Oil Rubbed Bronze	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2313	232.55	Chrome	4
T2313BN	422.80	Brushed Nickel	4
T2313NL	422.80	Polished Nickel	4
T2313ORB	465.30	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2313EP	232.55	Chrome	4
T2313EPBN	422.80	Brushed Nickel	4
T2313EPNL	422.80	Polished Nickel	4
T2313EPORB	465.30	Oil Rubbed Bronze	4



- showerhead type: showerhead sold separately
- spout length: 7 3/4"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2313NH	156.60	Chrome	3
T2313NHBN	306.40	Brushed Nickel	3
T2313NHNL	306.40	Polished Nickel	3
T2313NHORB	337.05	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2312	182.90	Chrome	4
T2312BN	332.65	Brushed Nickel	4
T2312NL	332.65	Polished Nickel	4
T2312ORB	365.80	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2312EP	182.90	Chrome	4
T2312EPBN	332.65	Brushed Nickel	4
T2312EPNL	332.65	Polished Nickel	4
T2312EPORB	365.80	Oil Rubbed Bronze	4

- showerhead type: showerhead sold separately
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2312NH	145.45	Chrome	3
T2312NHBN	264.20	Brushed Nickel	3
T2312NHNL	264.20	Polished Nickel	3
T2312NHORB	290.05	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

BELFIELD™

BELFIELD™ Collection

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2311	137.30	Chrome	3
T2311BN	249.20	Brushed Nickel	3
T2311NL	249.20	Polished Nickel	3
T2311ORB	274.15	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2310	247.80	Chrome	4
T2310BN	449.90	Brushed Nickel	4
T2310NL	449.90	Polished Nickel	4
T2310ORB	494.95	Oil Rubbed Bronze	4

VALVE: PAGE 486 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT®** Common Valve System

BELFIELD™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Belfield™ bath accessories perfectly match the style and finish of our Belfield™ faucets. Total coordination of the bath has never been easier.

YB6401
Tank Lever

YB6403
Double Robe Hook

YB6408 (P)
Pivoting Paper Holder

YB6418
18" Towel Bar
YB6424
24" Towel Bar

YB6422
24" Double Towel Bar

YB6486
Hand Towel Bar

GRAB BARS

PERFECTLY MATCHED to Moen® BELFIELD™ faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors.
Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG6412CH	107.80	12" Designer Grab Bar	6
YG6418CH	112.60	18" Designer Grab Bar	6
YG6424CH	117.60	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG6412BN	130.20	12" Designer Grab Bar	6
YG6418BN	136.55	18" Designer Grab Bar	6
YG6424BN	147.30	24" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG6412NL	130.20	12" Designer Grab Bar	6
YG6418NL	136.05	18" Designer Grab Bar	6
YG6424NL	142.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG6412ORB	143.30	12" Designer Grab Bar	6
YG6418ORB	150.20	18" Designer Grab Bar	6
YG64240RB	162.10	24" Designer Grab Bar	6
1-1/4" • Matte Black (BL)			
YG6412BL	130.20	12" Designer Grab Bar	6
YG6418BL	136.05	18" Designer Grab Bar	6
YG6424BL	142.10	24" Designer Grab Bar	6

For more information on ordering Belfield™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB6401CH	39.40	Tank Lever	24
YB6403CH	30.30	Double Robe Hook	24
(P) **YB6408CH**	55.35	Pivoting Paper Holder	6
YB6418CH	64.30	18" Towel Bar	6
YB6422CH	86.05	24" Double Towel Bar	6
YB6424CH	66.30	24" Towel Bar	6
YB6486CH	45.15	Hand Towel Bar	6
Brushed Nickel (BN)			
YB6401BN	43.50	Tank Lever	24
YB6403BN	33.35	Double Robe Hook	24
(P) **YB6408BN**	61.20	Pivoting Paper Holder	6
YB6418BN	70.65	18" Towel Bar	6
YB6422BN	92.70	24" Double Towel Bar	6
YB6424BN	73.20	24" Towel Bar	6
YB6486BN	49.35	Hand Towel Bar	6
Polished Nickel (NL)			
YB6401NL	47.70	Tank Lever	24
YB6403NL	36.75	Double Robe Hook	24
(P) **YB6408NL**	72.10	Pivoting Paper Holder	6
YB6418NL	77.80	18" Towel Bar	6
YB6422NL	104.25	24" Double Towel Bar	6
YB6424NL	80.30	24" Towel Bar	6
YB6486NL	58.60	Hand Towel Bar	6
Oil Rubbed Bronze (ORB)			
YB6401ORB	47.80	Tank Lever	24
YB6403ORB	36.75	Double Robe Hook	24
(P) **YB6408ORB**	67.40	Pivoting Paper Holder	6
YB6418ORB	77.70	18" Towel Bar	6
YB6422ORB	102.05	24" Double Towel Bar	6
YB6424ORB	80.55	24" Towel Bar	6
YB6486ORB	54.30	Hand Towel Bar	6

(P) Denotes pivoting paper holder

YG6424
24" Designer Grab Bar

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

BELFIELD™

BELFIELD™ Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB6461CH	154.50	One Globe Bath Light	1
YB6462CH	216.15	Two Globe Bath Light	1
YB6463CH	268.30	Three Globe Bath Light	1
YB6464CH	343.65	Four Globe Bath Light	1
Brushed Nickel (BN)			
YB6461BN	193.10	One Globe Bath Light	1
YB6462BN	270.10	Two Globe Bath Light	1
YB6463BN	335.45	Three Globe Bath Light	1
YB6464BN	429.60	Four Globe Bath Light	1
Polished Nickel (NL)			
YB6461NL	187.05	One Globe Bath Light	1
YB6462NL	261.75	Two Globe Bath Light	1
YB6463NL	335.45	Three Globe Bath Light	1
YB6464NL	446.10	Four Globe Bath Light	1
Oil Rubbed Bronze (ORB)			
YB6461ORB	193.10	One Globe Bath Light	1
YB6462ORB	270.10	Two Globe Bath Light	1
YB6463ORB	335.45	Three Globe Bath Light	1
YB6464ORB	429.60	Four Globe Bath Light	1
Matte Black (BL)			
YB6461BL	187.05	One Globe Bath Light	1
YB6462BL	261.75	Two Globe Bath Light	1
YB6463BL	349.25	Three Globe Bath Light	1
YB6464BL	446.10	Four Globe Bath Light	1
Replacement Globe			
YB6469	28.40	Replacement Globe	3

YB6461
One Globe Light

YB6462
Two Globe Light

YB6463
Three Globe Light

YB6464
Four Globe Light

YB6469
Replacement Globe

Bulbs not included.

All Belfield™ lighting fixtures can be mounted facing either upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KINGSLEY® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

MODEL	LIST	FINISH/CONNECT	CASE QTY
6121	362.85	Chrome	3
6121BN	540.40	Brushed Nickel	3
6121ORB	594.55	Oil Rubbed Bronze	3
6121WR	594.55	Wrought Iron/Matte Black*	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6125	379.10	Chrome	3
T6125BN	637.05	Brushed Nickel	3
T6125ORB	700.85	Oil Rubbed Bronze	3
T6125WR	700.85	Wrought Iron/Matte Black*	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 9.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T920	536.50	Chrome	3
T920BN	749.65	Brushed Nickel	3
T920ORB	824.55	Oil Rubbed Bronze	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

*Wrought Iron and Matte Black are the same finish and interchangeable

KINGSLEY® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 4-3/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2113	252.05	Chrome	3
T2113BN	458.00	Brushed Nickel	3
T2113ORB	504.05	Oil Rubbed Bronze	3
T2113WR	504.05	Wrought Iron/Matte Black*	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 4-3/8" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2112	198.10	Chrome	3
T2112BN	360.35	Brushed Nickel	3
T2112ORB	396.30	Oil Rubbed Bronze	3
T2112WR	396.30	Wrought Iron/Matte Black*	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2111	148.70	Chrome	3
T2111BN	269.90	Brushed Nickel	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

*Wrought Iron and Matte Black are the same finish and interchangeable

Moen® **M•PACT®** Common Valve System

KINGSLEY® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Kingsley® bath accessories perfectly match the style and finish of our Kingsley® faucets. Total coordination of the bath has never been easier.

For more information on ordering Kingsley® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5401CH	42.65	Tank Lever	24
YB5403CH	32.85	Double Robe Hook	24
YB5405CH	10.20	Drawer Knob	48
YB5407CH	20.20	Drawer Pull	48
(P) **YB5408CH**	60.00	Pivoting Paper Holder	6
YB5418CH	69.55	18" Towel Bar	6
YB5422CH	93.20	24" Double Towel Bar	6
YB5424CH	71.85	24" Towel Bar	6
YB5486CH	48.85	Towel Ring	6
YB5490CH	92.50	Vanity Shelf	3
YB5494CH	233.15	Towel Shelf	2
Brushed Nickel (BN)			
YB5401BN	47.10	Tank Lever	24
YB5403BN	36.15	Double Robe Hook	24
YB5405BN	12.70	Drawer Knob	48
YB5407BN	25.15	Drawer Pull	48
(P) **YB5408BN**	66.35	Pivoting Paper Holder	6
YB5418BN	76.55	18" Towel Bar	6
YB5422BN	100.50	24" Double Towel Bar	6
YB5424BN	79.25	24" Towel Bar	6
YB5486BN	53.45	Towel Ring	6
YB5490BN	99.45	Vanity Shelf	3
YB5494BN	257.05	Towel Shelf	2
Oil Rubbed Bronze (ORB)			
YB5401ORB	51.75	Tank Lever	24
YB5403ORB	39.70	Double Robe Hook	24
YB5405ORB	13.55	Drawer Knob	48
YB5407ORB	27.35	Drawer Pull	48
(P) **YB5408ORB**	73.00	Pivoting Paper Holder	6
YB5418ORB	84.15	18" Towel Bar	6
YB5422ORB	110.60	24" Double Towel Bar	6
YB5424ORB	87.25	24" Towel Bar	6
YB5486ORB	58.80	Towel Ring	6
YB5490ORB	109.50	Vanity Shelf	3
YB5494ORB	282.70	Towel Shelf	2
Wrought Iron/Matte Black* (WR)			
YB5401WR	51.75	Tank Lever	24
YB5403WR	39.70	Double Robe Hook	24
(P) **YB5408WR**	73.00	Pivoting Paper Holder	6
YB5418WR	84.15	18" Towel Bar	6
YB5422WR	110.60	24" Double Towel Bar	6
YB5424WR	87.25	24" Towel Bar	6
YB5486WR	58.80	Towel Ring	6
YB5490WR	109.50	Vanity Shelf	3

(P) Denotes pivoting paper holder

PRODUCT DETAILS
5/8" Round Bar
30" towel bar options also available in select finishes. See page 425 for details.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

*Wrought Iron and Matte Black are the same finish and interchangeable

KINGSLEY®

KINGSLEY® Perfectly Matched Bath Accessories

YB5401
Tank Lever

YB5403
Double Robe Hook

YB5405
Drawer Knob
(Available in BN, CH and ORB only)

YB5407
Drawer Pull
(Available in BN, CH and ORB only)

YB5408 (P)
Pivoting Paper Holder

YB5418
18" Towel Bar

YB5422
24" Double Towel Bar

YB5424
24" Towel Bar

YB5486
Towel Ring

YB5490
Vanity Shelf

YB5494
Towel Shelf
(Available in BN, CH and ORB only)

GRAB BARS

PERFECTLY MATCHED to Moen® Kingsley® faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5412CH	116.70	12" Designer Grab Bar	3
YG5418CH	121.95	18" Designer Grab Bar	3
YG5424CH	127.35	24" Designer Grab Bar	3
YG5430CH	136.25	30" Designer Grab Bar	3
YG5436CH	145.00	36" Designer Grab Bar	3
YG5442CH	212.75	42" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
YG5412BN	141.10	12" Designer Grab Bar	3
YG5418BN	147.85	18" Designer Grab Bar	3
YG5424BN	159.60	24" Designer Grab Bar	3
YG5430BN	166.25	30" Designer Grab Bar	3
YG5436BN	179.60	36" Designer Grab Bar	3
YG5442BN	266.00	42" Designer Grab Bar	3
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5412ORB	155.15	12" Designer Grab Bar	3
YG5418ORB	162.80	18" Designer Grab Bar	3
YG5424ORB	175.65	24" Designer Grab Bar	3

YG5424
24" Designer Grab Bar

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

(P) Denotes pivoting paper holder

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6900	304.20	Chrome	3
6900BN	453.05	Brushed Nickel	3
6900BL	498.40	Matte Black	3
		DECKPLATES SOLD SEPARATELY	
165006	25.00	Chrome	20
165006BN	46.95	Brushed Nickel	20
165006BL	51.95	Matte Black	20

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6920	315.90	Chrome	3
T6920BN	530.90	Brushed Nickel	3
T6920BL	584.05	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.68"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T935	447.05	Chrome	3
T935BN	624.70	Brushed Nickel	3
T935BL	687.15	Matte Black	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 7.68"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T936	696.30	Chrome	3

VALVE: PAGE 475

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

M-CORE™ 3-SERIES TUB/SHOWER TRIM

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3813EP	433.85	Chrome	4
UT3813EPBN	722.95	Brushed Nickel	4
UT3813EPBL	782.35	Matte Black	4

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3812EP	353.45	Chrome	4
UT3812EPBN	594.00	Brushed Nickel	4
UT3812EPBL	640.55	Matte Black	4

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

RIZON®

WaterSense Certified
Moen® **M•PACT**® Common Valve System
IMMERSION Immersion® Rainshower

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3811	297.00	Chrome	3
UT3811BN	487.55	Brushed Nickel	3
UT3811BL	523.60	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

RIZON®

Moen® **M•PACT**® Common Valve System

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2081	194.30	Chrome	12
UT2081BN	239.20	Brushed Nickel	12
UT2081BL	256.75	Matte Black	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2813EP	349.15	Chrome	12
UT2813EPBN	546.50	Brushed Nickel	12
UT2813EPBL	590.35	Matte Black	12

NEW!

- showerhead type: showerhead sold separately
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2813NH	270.30	Chrome	3
UT2813NHBN	425.65	Brushed Nickel	3
UT2813NHBL	457.45	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2812EP	297.45	Chrome	12
UT2812EPBN	452.90	Brushed Nickel	
UT2812EPBL	487.40	Matte Black	12

NEW!

- showerhead type: showerhead sold separately
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2812NH	258.60	Chrome	3
UT2812NHBN	381.90	Brushed Nickel	3
UT2812NHBL	409.35	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

RIZON®

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW! • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2811**	250.10	Chrome	4
	UT2811BN	366.25	Brushed Nickel	3
	UT2811BL	392.15	Matte Black	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

RIZON®

Moen® **M•PACT**® Common Valve System

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2813**	241.55	Chrome	3
	T2813BN	438.85	Brushed Nickel	3
	T2813BL	482.70	Matte Black	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2813EP**	241.55	Chrome	3
	T2813EPBN	438.85	Brushed Nickel	3
	T2813EPBL	482.70	Matte Black	3
• showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2813NH**	162.65	Chrome	3
	T2813NHBN	318.00	Brushed Nickel	3
	T2813NHBL	349.80	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**T2812**	189.80	Chrome	3
	T2812BN	345.25	Brushed Nickel	3
	T2812BL	379.75	Matte Black	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2812EP**	189.80	Chrome	3
	T2812EPBN	345.25	Brushed Nickel	3
	T2812EPBL	379.75	Matte Black	3
• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2812NH**	151.00	Chrome	3
	T2812NHBN	274.25	Brushed Nickel	3
	T2812NHBL	301.70	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

RIZON®

WaterSense Certified
Moen® **M•PACT**® Common Valve System

RIZON® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2811	142.45	Chrome	3
T2811BN	258.60	Brushed Nickel	3
T2811BL	284.50	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2810	257.15	Chrome	4
T2810BN	466.90	Brushed Nickel	4
T2810BL	513.65	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT®** Common Valve System

GENTA™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Genta™ bath accessories match the style and finish of our Rizon® faucets. Total coordination of the bath has never been easier.

For more information on ordering Genta™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BH3803CH	25.35	Single Robe Hook▲	12
(P) **BH3808CH**	45.65	Pivoting Paper Holder▲	3
BH3818CH	46.00	18" Towel Bar▲	3
BH3824CH	47.60	24" Towel Bar▲	3
BH3886CH	34.90	Hand Towel Bar▲	3
Brushed Nickel (BN)			
BH3803BN	27.85	Single Robe Hook	24
(P) **BH3808BN**	50.25	Pivoting Paper Holder	6
BH3818BN	50.60	18" Towel Bar	6
BH3824BN	52.35	24" Towel Bar	6
BH3886BN	38.40	Hand Towel Bar	6
Matte Black (BL)			
BH3803BL	30.70	Single Robe Hook	24
(P) **BH3808BL**	55.25	Pivoting Paper Holder	6
BH3818BL	55.65	18" Towel Bar	6
BH3824BL	57.55	24" Towel Bar	6
BH3886BL	42.20	Hand Towel Bar	6

BH3803
Single Robe Hook

(P) BH3808
Pivoting Paper Holder

BH3818
BH3824
Towel Bar

BH3886
Hand Towel Bar

GRAB BARS

Coordinating to Moen® Rizon® faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
MBHG3818CH	132.65	18" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
MBHG3818BN	138.05	18" Designer Grab Bar	3

MBHG3818
18" Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

▲ Retail Packaging

List price is per each (unless otherwise noted).
Product can be ordered by case quantity or individually.

RIZON®

DARTMOOR™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	6802	190.55	Chrome	3
	6802BN	258.85	Brushed Nickel	3
	6802ORB	284.70	Oil Rubbed Bronze	3
NEW!	**6802BL**	284.70	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	T6805	188.30	Chrome	3
	T6805BN	282.20	Brushed Nickel	3
	T6805ORB	310.35	Oil Rubbed Bronze	3
NEW!	**T6805BL**	310.40	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.64"
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	T683	307.25	Chrome	3
	T683BN	459.70	Brushed Nickel	3
	T683ORB	505.75	Oil Rubbed Bronze	3
NEW!	**T683BL**	505.75	Matte Black	3

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

DARTMOOR™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	UT2031	166.05	Chrome	12
	UT2031BN	201.65	Brushed Nickel	12
	UT2031ORB	215.55	Oil Rubbed Bronze	12
NEW!	**UT2031BL**	215.55	Matte Black	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	**UT2283EP**	270.30	Chrome	4
NEW!	**UT2283EPBN**	381.50	Brushed Nickel	4
NEW!	**UT2283EPORB**	404.35	Oil Rubbed Bronze	4
NEW!	**UT2283EPBL**	404.35	Matte Black	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 4" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	**UT2183EP**	198.75	Chrome	12
NEW!	**UT2183EPBN**	339.00	Brushed Nickel	12
NEW!	**UT2183EPORB**	362.35	Oil Rubbed Bronze	12
NEW!	**UT2183EPBL**	362.35	Matte Black	12

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

DARTMOOR™

DARTMOOR™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2282EP**	233.70	Chrome	4
		UT2282EPBN	326.30	Brushed Nickel	4
		UT2282EPORB	343.50	Oil Rubbed Bronze	4
		UT2282EPBL	343.50	Matte Black	4
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2182EP**	164.25	Chrome	12
		UT2182EPBN	282.60	Brushed Nickel	12
		UT2182EPORB	300.25	Oil Rubbed Bronze	12
		UT2182EPBL	300.25	Matte Black	12

VALVE: PAGE 477 — **HOW TO ORDER** TRIM PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES VALVE ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2181**	156.50	Chrome	3
		UT2181BN	248.90	Brushed Nickel	3
		UT2181ORB	263.10	Oil Rubbed Bronze	3
		UT2181BL	263.10	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** TRIM PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System

DARTMOOR™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2283EP**	164.50	Chrome	4
		T2283EPBN	275.70	Brushed Nickel	4
		T2283EPORB	298.55	Oil Rubbed Bronze	4
		NEW! **T2283EPBL**	298.55	Matte Black	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2183**	119.60	Chrome	3
		T2183BN	233.20	Brushed Nickel	3
		T2183ORB	256.55	Oil Rubbed Bronze	3
		NEW! **T2183BL**	256.55	Matte Black	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2183EP**	102.65	Chrome	3
		T2183EPBN	233.20	Brushed Nickel	3
		T2183EPORB	256.55	Oil Rubbed Bronze	3
		NEW! **T2183EPBL**	256.55	Matte Black	3

VALVE: PAGE 479-485 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

DARTMOOR™

DARTMOOR™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2282EP**	127.90	Chrome	4
	T2282EPBN	220.50	Brushed Nickel	4
	T2282EPORB	237.70	Oil Rubbed Bronze	4
	NEW! **T2282EPBL**	237.70	Matte Black	4
• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2182◆**	82.20	Chrome	3
	T2182BN	176.85	Brushed Nickel	3
	T2182ORB	194.45	Oil Rubbed Bronze	3
	NEW! **T2182BL**	194.45	Matte Black	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2182EP**	68.15	Chrome	3
	T2182EPBN	176.85	Brushed Nickel	3
	T2182EPORB	194.45	Oil Rubbed Bronze	3
	NEW! **T2182EPBL**	194.45	Matte Black	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• valve: sold separately	**T2181**	50.75	Chrome	3
	T2181BN	143.10	Brushed Nickel	3
	T2181ORB	157.35	Oil Rubbed Bronze	3
	NEW! **T2181BL**	157.35	Matte Black	3

VALVE: PAGE 479 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT®** Common Valve System

DARTMOOR™ Perfectly Matched Bath Accessories

PRO•FIT® INSTALLATION SYSTEM
See page 494 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Dartmoor™ bath accessories perfectly match the style and finish of our Dartmoor™ faucets. Total coordination of the bath has never been easier.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2101CH	22.75	Tank Lever	24
YB2103CH	16.20	Double Robe Hook	24
YB2108CH	28.90	Paper Holder	6
YB2118CH	35.45	18" Towel Bar	6
YB2124CH	37.40	24" Towel Bar	6
YB2186CH	22.05	Towel Ring	6
Brushed Nickel (BN)			
YB2101BN	34.85	Tank Lever	24
YB2103BN	24.65	Double Robe Hook	24
YB2108BN	44.40	Paper Holder	6
YB2118BN	54.45	18" Towel Bar	6
YB2124BN	57.25	24" Towel Bar	6
YB2186BN	33.60	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB2101ORB	38.30	Tank Lever	24
YB2103ORB	27.10	Double Robe Hook	24
YB2108ORB	48.75	Paper Holder	6
YB2118ORB	59.85	18" Towel Bar	6
YB2124ORB	62.90	24" Towel Bar	6
YB2186ORB	37.05	Towel Ring	6
Matte Black (BL)			
YB2101BL	38.35	Tank Lever	24
YB2103BL	27.10	Double Robe Hook	24
YB2108BL	48.80	Paper Holder	6
YB2118BL	59.85	18" Towel Bar	6
YB2124BL	62.90	24" Towel Bar	6
YB2186BL	36.90	Towel Ring	6

For more information on ordering Dartmoor™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

YB2101
Tank Lever

YB2103
Double Robe Hook

YB2108
Paper Holder

YB2118
18" Towel Bar

YB2124
24" Towel Bar

YB2186
Towel Ring

YB8081
Pro-Fit® Installation Mounting Template (YB8081)
(See page 494 for more information about the Pro-Fit® Installation System.)

PRODUCT DETAILS
5/8" Round Bar
30" towel bar options also available in select finishes. See page 517 for details.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

DARTMOOR™

GLYDE™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6172	190.55	Chrome	3
6172BN	258.85	Brushed Nickel	3
6172BL	284.70	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6173	188.30	Chrome	3
T6173BN	282.20	Brushed Nickel	3
T6173BL	310.35	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.65"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T373	307.25	Chrome	3
T373BN	459.70	Brushed Nickel	3
T373BL	505.75	Matte Black	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

GLYDE™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	UT2721	166.05	Chrome	12
	UT2721BN	201.65	Brushed Nickel	12
NEW!	**UT2721BL**	215.55	Matte Black	12

VALVE: PAGE 478

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	UT2843EP	270.30	Chrome	4
	UT2843EPBN	381.50	Brushed Nickel	4
	UT2843EPBL	404.35	Matte Black	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-3/4" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
	UT2743EP	198.75	Chrome	3
	UT2743EPBN	339.00	Brushed Nickel	3
	UT2743EPBL	362.30	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GLYDE™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2842EP**	233.70	Chrome	4
		UT2842EPBN	326.30	Brushed Nickel	4
		UT2842EPBL	343.50	Matte Black	4
	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2742EP**	164.25	Chrome	12
		UT2742EPBN	282.60	Brushed Nickel	12
		UT2742EPBL	300.25	Matte Black	12

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES VALVE ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2741**	156.50	Chrome	3
		UT2741BN	248.90	Brushed Nickel	3
		UT2741BL	263.10	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GLYDE™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2843EP**	164.50	Chrome	4
		T2843EPBN	275.70	Brushed Nickel	4
		T2843EPBL	298.55	Matte Black	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2743◆**	119.60	Chrome	3
		T2743BN	233.20	Brushed Nickel	3
		T2743BL	256.55	Matte Black	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2743EP**	102.65	Chrome	3
		T2743EPBN	233.20	Brushed Nickel	3
		T2743EPBL	256.55	Matte Black	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2842EP**	127.90	Chrome	4
		T2842EPBN	220.50	Brushed Nickel	4
		T2842EPBL	237.70	Matte Black	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2742◆**	82.20	Chrome	3
		T2742BN	176.85	Brushed Nickel	3
		T2742BL	194.45	Matte Black	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2742EP**	68.15	Chrome	3
		T2742EPBN	176.85	Brushed Nickel	3
		T2742EPBL	194.45	Matte Black	3

VALVE: PAGE 479-485 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

GLYDE™

GLYDE™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2741	50.75	Chrome	3
T2741BN	143.10	Brushed Nickel	3
T2741BL	157.35	Matte Black	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

Moen® **M•PACT**® Common Valve System

GLYDE™ Perfectly Matched Bath Accessories

PRO•FIT® INSTALLATION SYSTEM

See page 494 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Glyde™ bath accessories perfectly match the style and finish of our Glyde™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Glyde™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2303CH	17.05	Double Robe Hook	24
YB2308CH	28.90	Paper Holder	6
YB2318CH	35.45	18" Towel Bar	6
YB2324CH	37.40	24" Towel Bar	6
YB2386CH	22.05	Towel Ring	6
Brushed Nickel (BN)			
YB2303BN	25.95	Double Robe Hook	24
YB2308BN	44.40	Paper Holder	6
YB2318BN	54.45	18" Towel Bar	6
YB2324BN	57.25	24" Towel Bar	6
YB2386BN	33.60	Towel Ring	6
Matte Black (BL)			
YB2303BL	28.55	Double Robe Hook	24
YB2308BL	48.85	Paper Holder	6
YB2318BL	59.85	18" Towel Bar	6
YB2324BL	63.00	24" Towel Bar	6
YB2386BL	36.95	Towel Ring	6

YB2303
Double Robe Hook

YB2308
Paper Holder

YB2386
Towel Ring

YB2318
18" Towel Bar

YB2324
24" Towel Bar

YB8081
Pro-Fit® Installation Mounting Template (YB8081)
(See page 494 for more information about the Pro-Fit® Installation System.)

PRODUCT DETAILS
5/8" Round Bar
30" towel bar options also available in select finishes. See page 517 for details.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

GLYDE™

ONE-HANDLE BATHROOM FAUCET

- application: one hole
- center dimensions: 4" center
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: sold separately
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6710	241.70	Chrome	3
	DECKPLATES SOLD SEPARATELY		
172666	17.15	Chrome	20

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

UT2663EP 206.25 Chrome 12

NEW!

- showerhead type: showerhead sold separately
- spout length: 6"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

UT2663NH 191.80 Chrome 3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

UT2662EP 172.50 Chrome 12

NEW!

- showerhead type: showerhead sold separately
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

UT2662NH 169.20 Chrome 3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

VICHY™

WaterSense Certified
Moen® **M•PACT®** Common Valve System
DURALAST® Duralast® Cartridge

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2661	167.15	Chrome	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

Moen® **M•PACT®** Common Valve System

VICHY™

VICHY™ Collection

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2663EP	100.45	Chrome	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.75" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2662EP	66.70	Chrome	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

WaterSense Certified
Moen® **M•PACT®** Common Valve System

GENTA™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Genta™ bath accessories match the style and finish of our Vichy™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Genta™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BH3803CH ▲	25.35	Single Robe Hook	12
(P) **BH3808CH** ▲	45.65	Pivoting Paper Holder	3
BH3818CH ▲	46.00	18" Towel Bar	3
BH3824CH ▲	47.60	24" Towel Bar	3
BH3886CH ▲	34.90	Hand Towel Bar	3

BH3803
Single Robe Hook

(P) BH3808
Pivoting Paper Holder

BH3818
BH3824
Towel Bar

BH3886
Hand Towel Bar

GRAB BARS

Coordinating to Moen® Genta™ faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
MBHG3818CH	132.65	18" Designer Grab Bar	3

MBHG3818
18" Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

▲ Retail Packaging

List price is per each (unless otherwise noted).
Product can be ordered by case quantity or individually.

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6600◆	264.70	Chrome	3
6600BN	346.25	Brushed Nickel	3
6600ORB	381.00	Oil Rubbed Bronze	3

ONE-HANDLE BATHROOM FAUCET OPTIONS

OPTION

- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two 2.5" extensions

MODEL	LIST	FINISH/CONNECT	CASE QTY
A1717	157.30	Chrome	6
A1717BN	225.40	Brushed Nickel	6
A1717ORB	244.95	Oil Rubbed Bronze	6

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6610	190.55	Chrome	6
6610BN	258.85	Brushed Nickel	6
6610ORB	284.70	Oil Rubbed Bronze	6

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6620	188.30	Chrome	3
T6620BN	282.20	Brushed Nickel	3
T6620ORB	310.35	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM

- for garden tub application
- application: three hole
- spout reach: 6.50"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T4943	231.90	Chrome	3
T4943BN	302.70	Brushed Nickel	3
T4943ORB	332.85	Oil Rubbed Bronze	3

- application: three hole
- spout reach: 8.13"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T933	307.25	Chrome	3
T933BN	459.70	Brushed Nickel	3
T933ORB	505.75	Oil Rubbed Bronze	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 8.13"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T924	482.45	Chrome	3
T924BN	611.15	Brushed Nickel	3
T924ORB	672.35	Oil Rubbed Bronze	3

VALVE: PAGE 475

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

Moen® **M•PACT**® Common Valve System

BRANTFORD®

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2021	166.05	Chrome	12
UT2021BN	201.65	Brushed Nickel	12
UT20210RB	215.55	Oil Rubbed Bronze	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2253EP	270.30	Chrome	4
UT2253EPBN	381.50	Brushed Nickel	4
UT2253EP0RB	404.35	Oil Rubbed Bronze	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2153EP	198.75	Chrome	12
UT2153EPBN	339.00	Brushed Nickel	12
UT2153EP0RB	362.35	Oil Rubbed Bronze	12

NEW!

- showerhead type: showerhead sold separately
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2153NH	193.70	Chrome	3
UT2153NHBN	274.75	Brushed Nickel	3
UT2153NH0RB	296.95	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2252EP	233.70	Chrome	4
UT2252EPBN	326.30	Brushed Nickel	4
UT2252EP0RB	343.50	Oil Rubbed Bronze	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2152EP	164.25	Chrome	12
UT2152EPBN	282.60	Brushed Nickel	12
UT2152EP0RB	300.25	Oil Rubbed Bronze	12

NEW!

- showerhead type: showerhead sold separately
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2152NH	160.80	Chrome	3
UT2152NHBN	257.45	Brushed Nickel	3
UT2152NH0RB	272.55	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW! • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2151**	146.85	Chrome	3
	UT2151BN	248.90	Brushed Nickel	3
	UT21510RB	263.10	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2253EP◆**	164.50	Chrome	4
	T2253EPBN	275.70	Brushed Nickel	4
	T2253EP0RB	298.55	Oil Rubbed Bronze	4
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T2153◆**	119.60	Chrome	3
	T2153BN	233.20	Brushed Nickel	3
	T21530RB	256.55	Oil Rubbed Bronze	3
• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • used to replace: 2 or 3 hole shower valve • valve: sold separately	**T2157EP**	146.75	Chrome	3
	T2157EPBN	269.80	Brushed Nickel	3
	T2157EP0RB	298.55	Oil Rubbed Bronze	3
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T62153EP◆◆**	102.65	Chrome	12
	T2153EPBN	233.20	Brushed Nickel	3
	T2153EP0RB	256.55	Oil Rubbed Bronze	3
• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve: sold separately	**T62153NH◆◆**	87.90	Chrome	12
	T2153NHBN	178.65	Brushed Nickel	3
	T2153NH0RB	191.20	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
◆◆ Available in bulk pack only. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

Moen® **M•PACT**® Common Valve System

BRANTFORD®

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2252EP**	127.90	Chrome	4
		T2252EPBN	220.50	Brushed Nickel	4
		T2252EP0RB	237.70	Oil Rubbed Bronze	4
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2152◆**	82.20	Chrome	3
		T2152BN	176.85	Brushed Nickel	3
		T2152ORB	194.45	Oil Rubbed Bronze	3
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve: sold separately	**T62152EP◆◆**	68.15	Chrome	12
		T2152EPBN	176.85	Brushed Nickel	3
		T2152EP0RB	194.45	Oil Rubbed Bronze	3
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve: sold separately	**T62152NH◆◆**	64.70	Chrome	12
		T2152NHBN	151.65	Brushed Nickel	3
		T2152NH0RB	166.75	Oil Rubbed Bronze	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® VALVE ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• valve: sold separately	**T2151◆**	62.65	Chrome	3
		T2151BN	143.10	Brushed Nickel	3
		T2151ORB	157.35	Oil Rubbed Bronze	3

VALVE: PAGE 479-485

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

◆ Also available in bulk pack. See page 609
◆◆ Available in bulk pack only. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

BRANTFORD® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE BIDET FAUCET TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• center dimensions: 8" - 16" center • valve: sold separately	**T5225**	432.60	Chrome	3
		T5225BN	522.35	Brushed Nickel	3
		T5225ORB	574.55	Oil Rubbed Bronze	3
	• description: two handle bidet valve • application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

BRANTFORD®

BRANTFORD® Perfectly Matched Bath Accessories

PRO-FIT® INSTALLATION SYSTEM

See page 494 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Brantford® bath accessories perfectly match the style and finish of our Brantford® faucets. Total coordination of the bath has never been easier.

For more information on ordering Brantford® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2201CH	22.75	Tank Lever	6
YB2203CH	16.20	Double Robe Hook	24
YB2208CH	28.90	Paper Holder	6
YB2218CH	35.45	18" Towel Bar	6
YB2224CH	37.40	24" Towel Bar	6
YB2286CH	22.05	Towel Ring	6
Brushed Nickel (BN)			
YB2201BN	34.85	Tank Lever	6
YB2203BN	24.65	Double Robe Hook	24
YB2208BN	44.40	Paper Holder	6
YB2218BN	54.45	18" Towel Bar	6
YB2224BN	57.25	24" Towel Bar	6
YB2286BN	33.60	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB2201ORB	38.30	Tank Lever	6
YB2203ORB	27.10	Double Robe Hook	24
YB2208ORB	48.75	Paper Holder	6
YB2218ORB	59.85	18" Towel Bar	6
YB2224ORB	62.90	24" Towel Bar	6
YB2286ORB	37.05	Towel Ring	6

YB2201
Tank Lever

YB2203
Double Robe Hook

YB2208
Paper Holder

YB2218
18" Towel Bar

YB2224
24" Towel Bar

YB2286
Towel Ring

GRAB BARS

Coordinating to Moen® Brantford® faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2212CH	95.25	12" Designer Grab Bar	6
YG2218CH	100.65	18" Designer Grab Bar	6
YG2224CH	105.45	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2212BN	116.20	12" Designer Grab Bar	6
YG2218BN	122.05	18" Designer Grab Bar	6
YG2224BN	132.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2212ORB	127.00	12" Designer Grab Bar	6
YG2218ORB	133.50	18" Designer Grab Bar	6
YG2224ORB	147.35	24" Designer Grab Bar	6

YG2224
24" Designer Grab Bar

YB8081
Pro-Fit® Installation Mounting Template (See page 494 for more information about the Pro-Fit® Installation System.)

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

PRODUCT DETAILS
5/8" Round Bar
30" towel bar options also available in select finishes. See page 517 for details.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

BRANTFORD® Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2261CH	127.85	One Globe Bath Light	2
YB2262CH	179.05	Two Globe Bath Light	2
YB2263CH	222.30	Three Globe Bath Light	2
YB2264CH	284.70	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2261BN	159.90	One Globe Bath Light	2
YB2262BN	223.85	Two Globe Bath Light	2
YB2263BN	277.90	Three Globe Bath Light	2
YB2264BN	355.80	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2261ORB	159.90	One Globe Bath Light	2
YB2262ORB	223.85	Two Globe Bath Light	2
YB2263ORB	277.90	Three Globe Bath Light	2
YB2264ORB	355.80	Four Globe Bath Light	2
Replacement Globe			
YB2269	23.95	Replacement Globe	3

YB2261
One Globe Light

YB2262
Two Globe Light

YB2263
Three Globe Light

YB2264
Four Globe Light

YB2269
Replacement Globe

Bulbs not included.

All Brantford® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

BRANTFORD®

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6400	264.70	Chrome	3
6400BN	346.25	Brushed Nickel	3
6400ORB	381.00	Oil Rubbed Bronze	3

ONE-HANDLE BATHROOM FAUCET OPTIONS

OPTION

- description: vessel extension kit
- includes: parts to convert to grid drain
- includes: two 2.5" extensions

MODEL	LIST	FINISH/CONNECT	CASE QTY
A1717	157.30	Chrome	6
A1717BN	225.40	Brushed Nickel	6
A1717ORB	244.95	Oil Rubbed Bronze	6

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- center dimensions: 4" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6410◆	190.55	Chrome	6
6410BN	258.85	Brushed Nickel	6
6410ORB	284.70	Oil Rubbed Bronze	6

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6420	188.30	Chrome	3
T6420BN	282.20	Brushed Nickel	3
T6420ORB	310.35	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.67"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T943	307.25	Chrome	3
T943BN	459.70	Brushed Nickel	3
T943ORB	505.75	Oil Rubbed Bronze	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

TWO-HANDLE ROMAN TUB TRIM WITH HANDSHOWER

- application: four hole
- showerhead type: handshower
- handshower flow rate: 1.75 gpm (6.65 L/min) max.
- spray functions: one-function
- spout reach: 7.67"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T944	482.45	Chrome	3
T944BN	611.15	Brushed Nickel	3
T944ORB	672.35	Oil Rubbed Bronze	3

VALVE: PAGE 475

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB WITH HANDSHOWER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Non-Adjustable spout shank; adjustable center dimensions	**9792**	375.70	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**9793**	384.50	1/2" CPVC, Crimp Ring PEX	6

For product details and images please reference page 475 in valve section

Moen® **M•PACT**® Common Valve System

EVA®

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2011	166.05	Chrome	12
UT2011BN	201.65	Brushed Nickel	12
UT2011ORB	215.55	Oil Rubbed Bronze	12

VALVE: PAGE 478 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2233EP	270.30	Chrome	4
UT2233EPBN	381.50	Brushed Nickel	4
UT2233EPORB	404.35	Oil Rubbed Bronze	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2133EP	198.75	Chrome	4
UT2133EPBN	339.00	Brushed Nickel	4
UT2133EPORB	362.35	Oil Rubbed Bronze	4

NEW!

- showerhead type: showerhead sold separately
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2133NH	184.00	Chrome	3
UT2133NHBN	284.40	Brushed Nickel	3
UT2133NHORB	296.95	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2232EP	233.70	Chrome	4
UT2232EPBN	326.30	Brushed Nickel	4
UT2232EPORB	343.50	Oil Rubbed Bronze	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2132EP	164.25	Chrome	12
UT2132EPBN	282.60	Brushed Nickel	12
UT2132EPORB	300.25	Oil Rubbed Bronze	12

NEW!

- showerhead type: showerhead sold separately
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2132NH	160.80	Chrome	3
UT2132NHBN	257.45	Brushed Nickel	3
UT2132NHORB	272.55	Oil Rubbed Bronze	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2131	146.85	Chrome	3
UT2131BN	248.90	Brushed Nickel	3
UT21310RB	263.10	Oil Rubbed Bronze	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2233EP	164.50	Chrome	4
T2233EPBN	275.70	Brushed Nickel	4
T2233EPORB	298.55	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2133◆	119.60	Chrome	3
T2133BN	233.20	Brushed Nickel	3
T21330RB	256.55	Oil Rubbed Bronze	3

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- used to replace: 2 or 3 hole shower valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2137EP	146.75	Chrome	3
T2137EPBN	269.80	Brushed Nickel	3
T2137EPORB	298.55	Oil Rubbed Bronze	3

- showerhead functions: five-function
- showerhead type: standard
- showerhead size: 4" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- used to replace: 2 or 3 hole shower valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2139	164.50	Chrome	3
T2139BN	275.70	Brushed Nickel	3

- showerhead functions: five-function
- showerhead type: eco-performance showerhead
- showerhead size: 4" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- used to replace: 2 or 3 hole shower valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2139EP	164.50	Chrome	3
T2139EPBN	275.70	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- chrome sold in case qty only: no single pack
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T62133EP◆◆	102.65	Chrome	12
T2133EPBN	233.20	Brushed Nickel	3
T2133EPORB	256.55	Oil Rubbed Bronze	3

EVA®

Moen® **M•PACT**® Common Valve System

◆ Also available in bulk pack. See page 609
◆◆ Available in bulk pack only. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM (CONTINUED)

- showerhead type: showerhead sold separately
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- chrome sold in case qty only: no single pack
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T62133NH◆◆	87.90	Chrome	12
T2133NHBN	178.65	Brushed Nickel	3
T2133NH0RB	191.20	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 8" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2232EP	127.90	Chrome	4
T2232EPBN	220.50	Brushed Nickel	4
T2232EP0RB	237.70	Oil Rubbed Bronze	4

- showerhead functions: one-function
- showerhead type: standard
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2132◆	82.20	Chrome	3
T2132BN	176.85	Brushed Nickel	3
T2132ORB	194.45	Oil Rubbed Bronze	3

- showerhead functions: five-function
- showerhead type: standard
- showerhead size: 4" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- used to replace: 2 or 3 hole shower valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2138	127.90	Chrome	3
T2138BN	220.50	Brushed Nickel	3

- showerhead functions: five-function
- showerhead type: eco-performance showerhead
- showerhead size: 4" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- used to replace: 2 or 3 hole shower valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2138EP	127.90	Chrome	3
T2138EPBN	220.50	Brushed Nickel	3

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- chrome sold in case qty only: no single pack
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T62132EP◆◆	68.15	Chrome	12
T2132EPBN	176.85	Brushed Nickel	3
T2132EP0RB	194.45	Oil Rubbed Bronze	3

- showerhead type: showerhead sold separately
- chrome sold in case qty only: no single pack
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T62132NH◆◆	64.70	Chrome	12
T2132NHBN	151.65	Brushed Nickel	3
T2132NH0RB	166.75	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
◆◆ Available in bulk pack only. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

EVA® Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2131◆	62.65	Chrome	3
T2131BN	143.10	Brushed Nickel	3
T2131ORB	157.35	Oil Rubbed Bronze	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3
Shower Only Application	**MODEL**	**LIST**	**CONNECTION**	**CASE QTY**
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

TWO-HANDLE BIDET FAUCET TRIM

- center dimensions: 8" - 16" center
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T5220	432.60	Chrome	3
T5220BN	522.35	Brushed Nickel	3
T52200RB	574.55	Oil Rubbed Bronze	3

- application: three hole
- center dimensions: 8" - 16" center

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9265	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

◆ Also available in bulk pack. See page 609
Moen® **M•PACT**® Common Valve System
DURALAST® Duralast® Cartridge
DURALOCK® Duralock® Cartridge

EVA®

EVA® Perfectly Matched Bath Accessories

PRO+FIT INSTALLATION SYSTEM

See page 494 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Eva® bath accessories perfectly match the style and finish of our Eva® faucets. Total coordination of the bath has never been easier.

For more information on ordering Eva® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2801CH	22.75	Tank Lever	6
YB2803CH	16.20	Single Robe Hook	24
YB2808CH	28.90	Paper Holder	6
YB2818CH	35.45	18" Towel Bar	6
YB2824CH	37.40	24" Towel Bar	6
YB2886CH	22.05	Towel Ring	6
YB2894CH	180.70	Towel Shelf	2
Brushed Nickel (BN)			
YB2801BN	34.85	Tank Lever	6
YB2803BN	24.65	Single Robe Hook	24
YB2808BN	44.40	Paper Holder	6
YB2818BN	54.45	18" Towel Bar	6
YB2824BN	57.25	24" Towel Bar	6
YB2886BN	33.60	Towel Ring	6
YB2894BN	198.20	Towel Shelf	2
Oil Rubbed Bronze (ORB)			
YB2801ORB	38.30	Tank Lever	6
YB2803ORB	27.10	Single Robe Hook	24
YB2808ORB	48.75	Paper Holder	6
YB2818ORB	59.85	18" Towel Bar	6
YB2824ORB	62.90	24" Towel Bar	6
YB2886ORB	37.05	Towel Ring	6
YB2894ORB	218.00	Towel Shelf	2

YB2801
Tank Lever

YB2803
Single Robe Hook

YB2808
Paper Holder

YB2824
24" Towel Bar

YB2886
Towel Ring

YB2818
18" Towel Bar

YB2894
Towel Shelf
(Does not work with Pro-Fit® Installation)

GRAB BARS

Coordinating to Moen® Eva® faucets and bath accessories. ADA-compliant.

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2812CH	95.25	12" Designer Grab Bar	6
YG2818CH	100.65	18" Designer Grab Bar	6
YG2824CH	105.45	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2812BN	116.20	12" Designer Grab Bar	6
YG2818BN	122.05	18" Designer Grab Bar	6
YG2824BN	132.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2812ORB	127.00	12" Designer Grab Bar	6
YG2818ORB	133.50	18" Designer Grab Bar	6
YG2824ORB	147.35	24" Designer Grab Bar	6

YG2824
24" Designer Grab Bar

YB8081
Pro-Fit® Installation Mounting Template (See page 494 for more information about the Pro-Fit® Installation System.)

Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EVA® Perfectly Matched Bath Accessories

LIGHTING

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2861CH	127.85	One Globe Bath Light	2
YB2862CH	179.05	Two Globe Bath Light	2
YB2863CH	222.30	Three Globe Bath Light	2
YB2864CH	284.70	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2861BN	159.90	One Globe Bath Light	2
YB2862BN	223.85	Two Globe Bath Light	2
YB2863BN	277.90	Three Globe Bath Light	2
YB2864BN	355.80	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2861ORB	159.90	One Globe Bath Light	2
YB2862ORB	223.85	Two Globe Bath Light	2
YB2863ORB	277.90	Three Globe Bath Light	2
YB2864ORB	355.80	Four Globe Bath Light	2
Replacement Globe			
YB2869	23.95	Replacement Globe	3

YB2861
One Globe Light

YB2862
Two Globe Light

YB2863
Three Globe Light

YB2864
Four Globe Light

YB2869
Replacement Globe

cULus LISTED

Bulbs not included.

All Eva™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EVA®

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6145	199.75	Chrome	3
6145BN	282.70	Brushed Nickel	3
6145BL	310.95	Matte Black	3

TWO-HANDLE CENTERSET BATHROOM FAUCET

- application: three hole
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6150	168.15	Chrome	3
6150BN	234.55	Brushed Nickel	3
6150BL	258.00	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6142	184.25	Chrome	3
T6142BN	293.70	Brushed Nickel	3
T6142BL	323.00	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

VALVE: PAGE 474 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 7.63"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T961	300.75	Chrome	3
T961BN	437.20	Brushed Nickel	3
T961BL	480.90	Matte Black	3

VALVE: PAGE 474 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2921	166.05	Chrome	12
UT2921BN	201.95	Brushed Nickel	12
UT2921BL	215.95	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 8" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT3003EP	253.75	Chrome	4
UT3003EPBN	384.55	Brushed Nickel	4
UT3003EPBL	412.45	Matte Black	4

NEW!

- showerhead function: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 3.6" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2903EP	206.25	Chrome	12
UT2903EPBN	295.05	Brushed Nickel	12
UT2903EPBL	314.00	Matte Black	12

NEW!

- showerhead type: showerhead sold separately
- spout length: 6-1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2903NH	191.80	Chrome	3
UT2903NHBN	277.40	Brushed Nickel	3
UT2903NHBL	294.55	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** — TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GIBSON™

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT3002EP**	219.95	Chrome	4
		UT3002EPBN	308.65	Brushed Nickel	4
		UT3002EPBL	328.90	Matte Black	4
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2902EP**	172.50	Chrome	12
		UT2902EPBN	242.90	Brushed Nickel	12
		UT2902EPBL	256.60	Matte Black	12
NEW!	• showerhead type: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2902NH**	169.20	Chrome	3
		UT2902NHBN	236.20	Brushed Nickel	3
		UT2902NHBL	249.25	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES VALVE ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2901**	167.15	Chrome	3
		UT2901BN	231.90	Brushed Nickel	3
		UT2901BL	244.50	Matte Black	3

VALVE: PAGE 477

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

GIBSON™

WaterSense Certified
Moen® **M•PACT**® Common Valve System

Certified by IAPMO R&T

Moen® **M•PACT**® Common Valve System

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® SHOWER ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T3002EP**	114.20	Chrome	4
	T3002EPBN	202.85	Brushed Nickel	4
	T3002EPBL	223.15	Matte Black	4
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2902EP**	66.70	Chrome	3
	T2902EPBN	137.10	Brushed Nickel	3
	T2902EPBL	150.85	Matte Black	3
• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2902NH**	63.45	Chrome	3
	T2902NHBN	130.40	Brushed Nickel	3
	T2902NHBL	143.45	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® TUB/SHOWER TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T3003EP**	147.95	Chrome	4
	T3003EPBN	278.80	Brushed Nickel	4
	T3003EPBL	306.70	Matte Black	4
• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2903EP**	100.45	Chrome	3
	T2903EPBN	189.30	Brushed Nickel	3
	T2903EPBL	208.25	Matte Black	3
• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**T2903NH**	86.00	Chrome	3
	T2903NHBN	171.60	Brushed Nickel	3
	T2903NHBL	188.75	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

GIBSON™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• red/blue markings: included • valve: sold separately	**T2901**	61.40	Chrome	3
	T2901BN	126.10	Brushed Nickel	3
	T2901BL	138.70	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• red/blue markings: included • valve: sold separately	**T2900**	91.15	Chrome	4
	T2900BN	132.15	Brushed Nickel	4
	T2900BL	145.40	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

Moen® **M•PACT®** Common Valve System

GIBSON™

ISO™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Iso™ bath accessories match with the style and finish of our Gibson™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Iso® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0703CH ▲	22.05	Single Robe Hook	12
DN0705CH ▲	9.50	Drawer Knob	48
DN0707CH ▲	19.00	Drawer Pull	48
(P) **DN0708CH ▲**	46.90	Pivoting Paper Holder	3
DN0709CH ▲	39.90	Single-Post Paper Holder	3
DN0718CH ▲	43.15	18" Towel Bar	3
DN0722CH ▲	70.35	24" Double Towel Bar	3
DN0724CH ▲	46.90	24" Towel Bar	3
DN0786CH ▲	30.45	Towel Ring	3
DN0790CH ▲	78.75	Vanity Shelf	3
(P) **DN0792CH ▲**	113.80	Round Mirror	3
DN0794CH	184.35	Towel Shelf	2
Brushed Nickel (BN)			
DN0703BN ▲	24.80	Single Robe Hook	24
DN0705BN ▲	11.10	Drawer Knob	48
DN0707BN ▲	20.45	Drawer Pull	48
(P) **DN0708BN ▲**	52.80	Pivoting Paper Holder	3
DN0709BN ▲	44.65	Single-Post Paper Holder	3
DN0718BN ▲	48.50	18" Towel Bar	3
DN0722BN ▲	78.95	24" Double Towel Bar	3
DN0724BN ▲	52.80	24" Towel Bar	3
DN0786BN ▲	34.25	Towel Ring	3
DN0790BN ▲	88.65	Vanity Shelf	3
(P) **DN0792BN ▲**	128.05	Round Mirror	3
DN0794BN	199.30	Towel Shelf	2
Brushed Gold (BG)			
DN0705BG	13.30	Drawer Knob	48
DN0707BG	24.50	Drawer Pull	48
Matte Black (BL)			
DN0705BL ▲	11.55	Drawer Knob	48
DN0707BL ▲	22.95	Drawer Pull	48

DN0703
Single Robe Hook

DN0705
Drawer Knob

DN0707
Drawer Pull

(P) DN0708
Pivoting Paper Holder

DN0709
Single-Post Paper Holder

DN0718
DN0724
Towel Bar

DN0722
24" Double Towel Bar

DN0786
Towel Ring

DN0790
Vanity Shelf

DN0792 (P)
Mirror with Pivoting Decorative Hardware

DN0794
Towel Shelf

Product Details

1/2" Round Bar

▲ Retail Packaging

(P) Denotes pivoting paper holder/mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

GENTA™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

ONE-HANDLE BATHROOM FAUCET

- application: one or three hole
- supply line length: flexible
- connection size: 3/8"
- connection type: compression
- deckplate: included
- drain assembly: metal
- drain assembly type: lift rod
- red/blue markings: included

DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
6702	191.40	Chrome	3
6702BN	250.35	Brushed Nickel	3
6702BL	275.35	Matte Black	3

TWO-HANDLE WIDESPREAD BATHROOM FAUCET TRIM

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T6708	155.10	Chrome	3
T6708BN	217.15	Brushed Nickel	3
T6708BL	239.10	Matte Black	3

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	FINISH/CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- handshower flow rate: unrestricted
- spout reach: 7.94"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T908	307.30	Chrome	3
T908BN	459.70	Brushed Nickel	3
T908BL	505.70	Matte Black	3

VALVE: PAGE 474

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

◆ Also available in bulk pack. See page 609

WaterSense Certified

Moen® M•PACT® Common Valve System

DURALOCK® Duralock® Cartridge

DURALAST® Duralast® Cartridge

GENTA™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ TRANSFER VALVE TRIM

- valve: sold separately
- use with M-CORE™ transfer valve

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2401	161.75	Chrome	12
UT2401BN	201.65	Brushed Nickel	12
UT2401BL	215.55	Matte Black	12

VALVE: PAGE 478 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ TRANSFER VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function OR Three independent function - see page 488 for plumbing configurations				
Two or three function; four port	**U231CI**	132.40	1/2" CC/IPS	6
	U231CX	132.40	1/2" Cold Expansion PEX	6
	U231X	132.40	1/2" Crimp Ring PEX	6
Three function (2 independent / 1 shared) OR Six function (3 independent / 3 shared) - see page 488 for plumbing configurations				
Three or six function; four port	**U361CI**	132.40	1/2" CC/IPS	6
	U361CX	132.40	1/2" Cold Expansion PEX	6
	U361X	132.40	1/2" Crimp Ring PEX	6

For product details and images please reference page 478 in valve section

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead function: three-function
- showerhead type: eco-performance showerhead
- showerhead size: 4.5" diameter showerhead
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2473EP	202.05	Chrome	12
UT2473EPBN	290.85	Brushed Nickel	12
UT2473EPBL	309.35	Matte Black	12

NEW!

- showerhead type: showerhead sold separately
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2473NH	188.25	Chrome	3
UT2473NHBN	269.90	Brushed Nickel	3
UT2473NHBL	286.30	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GENTA™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

M-CORE™ 2-SERIES SHOWER ONLY TRIM

NEW!

- showerhead function: three-function
- showerhead type: eco-performance showerhead
- showerhead size: 4.5" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2472EP	169.75	Chrome	12
UT2472EPBN	236.85	Brushed Nickel	12
UT2472EPBL	249.95	Matte Black	12

NEW!

- showerhead type: showerhead sold separately
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2472NH	166.55	Chrome	3
UT2472NHBN	230.40	Brushed Nickel	3
UT2472NHBL	242.85	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ 2-SERIES VALVE ONLY TRIM

NEW!

- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UT2471	164.55	Chrome	3
UT2471BN	226.30	Brushed Nickel	3
UT2471BL	238.40	Matte Black	3

VALVE: PAGE 477 — **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application

	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GENTA™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® TUB/SHOWER TRIM

- showerhead functions: three-function
- showerhead type: eco-performance showerhead
- showerhead size: 4.5" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2473EP	96.25	Chrome	3
T2473EPBN	185.10	Brushed Nickel	3
T2473EPBL	203.55	Matte Black	3

- showerhead type: showerhead sold separately
- spout length: 7"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2473NH	82.50	Chrome	3
T2473NHBN	164.10	Brushed Nickel	3
T2473NHBL	180.55	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® SHOWER ONLY TRIM

- showerhead functions: three-function
- showerhead type: eco-performance showerhead
- showerhead size: 3-3/4" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2472EP	63.95	Chrome	3
T2472EPBN	131.05	Brushed Nickel	3
T2472EPBL	144.20	Matte Black	3



- showerhead type: showerhead sold separately
- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2472NH	60.75	Chrome	3
T2472NHBN	124.60	Brushed Nickel	3
T2472NHBL	137.05	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

GENTA™ Collection

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

POSI-TEMP® VALVE ONLY TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2471	58.80	Chrome	3
T2471BN	120.50	Brushed Nickel	3
T2471BL	132.60	Matte Black	3

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM

- red/blue markings: included
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T2470	87.30	Chrome	4
T2470BN	126.55	Brushed Nickel	4
T2470BL	136.35	Matte Black	4

VALVE: PAGE 486 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® WITH INTEGRATED TRANSFER ROUGH-IN VALVES

	MODEL	LIST	CONNECTION	CASE QTY
Two independent function - see page 488 for plumbing configurations				
Two functions; four port; adj. temp. limit stops	**2521**	249.20	1/2" IPS	6
Two functions; four port; adj. temp. limit stops; stops included	**2571**	280.70	1/2" IPS	6
Three function (2 independent / 1 shared)- see page 488 for plumbing configurations				
Three function; four port; adj. temp. limit stops	**2551**	249.20	1/2" IPS	6
Three function; four port; adj. temp. limit stops; stops included	**2581**	280.70	1/2" IPS	6

For product details and images please reference page 486 in valve section

GENTA™

Moen® **M•PACT**® Common Valve System

GENTA™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Genta™ bath accessories perfectly match the style and finish of our Genta™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Genta™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BH3803CH ▲	25.35	Single Robe Hook	12
(P) **BH3808CH** ▲	45.65	Pivoting Paper Holder	3
BH3818CH ▲	46.00	18" Towel Bar	3
BH3824CH ▲	47.60	24" Towel Bar	3
BH3886CH ▲	34.90	Hand Towel Bar	3
Brushed Nickel (BN)			
BH3803BN	27.85	Single Robe Hook	24
(P) **BH3808BN**	50.25	Pivoting Paper Holder	6
BH3818BN	50.60	18" Towel Bar	6
BH3824BN	52.35	24" Towel Bar	6
BH3886BN	38.40	Hand Towel Bar	6
Matte Black (BL)			
BH3803BL	30.70	Single Robe Hook	24
(P) **BH3808BL**	55.25	Pivoting Paper Holder	6
BH3818BL	55.65	18" Towel Bar	6
BH3824BL	57.55	24" Towel Bar	6
BH3886BL	42.20	Hand Towel Bar	6

BH3803
Single Robe Hook

(P) BH3808
Pivoting Paper Holder

BH3818
BH3824
Towel Bar

BH3886
Hand Towel Bar

GRAB BARS

Coordinating to Moen® Genta™ faucets and bath accessories. ADA-compliant.

SecureMount™

SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
MBHG3818CH	132.65	18" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
MBHG3818BN	138.05	18" Designer Grab Bar	3

MBHG3818
18" Designer Grab Bar

(P) Denotes pivoting paper holder

Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted).
Product can be ordered by case quantity or individually.

▲ Retail Packaging

CHATEAU® Collection

	MODEL	LIST	FINISH/CONNECT	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included DURALAST®	**L4601**◆	152.30	Chrome	12
• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included • red/blue markings: included DURALAST®	**L4605**	152.30	Chrome	12
• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod DURALAST®	**L4621**◆ **L4621BC**	188.15 225.80	Chrome Brushed Chrome	12 12
• application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod DURALAST®	**L4625** **L4631BC**	188.15 225.80	Chrome Brushed Chrome	12 12
• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod • red/blue markings: included DURALAST®	**L4635**◆	188.15	Chrome	12
TWO-HANDLE CENTERSET BATHROOM FAUCET				
• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod DURALAST®	**4925**◆ **4925BC**	173.10 221.20	Chrome Brushed Chrome	12 12

◆ Also available in bulk pack. See page 609
WaterSense Certified
DURALAST® Duralast® Cartridge

TWO-HANDLE WIDESPREAD BATHROOM FAUCET

- application: three hole
- center dimensions: 8" - 16" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod
- includes: 9000 valve

DURALOCK®

MODEL	LIST	FINISH/CONNECT	CASE QTY
4945	303.15	Chrome	6

- application: three hole
- center dimensions: 8" - 16" center
- connection size: 1/2"
- connection type: IPS
- drain assembly: metal
- drain assembly type: lift rod
- includes: 9000 valve

DURALOCK®

MODEL	LIST	FINISH/CONNECT	CASE QTY
4962	280.35	Chrome	6

TWO-HANDLE ROMAN TUB

- for garden tub application
- application: three hole
- connection size: 1/2"
- connection type: IPS
- spout reach: 7.00"
- includes: valve
- center dimensions: 8" - 16" center

MODEL	LIST	FINISH/CONNECT	CASE QTY
4902	211.95	Chrome	6

TWO-HANDLE ROMAN TUB TRIM

- application: three hole
- spout reach: 9.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T990	294.15	Chrome	6

- application: three hole
- spout reach: 9.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T999	229.15	Chrome	6

- for garden tub application
- application: three hole
- spout reach: 7.00"
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
T994	181.40	Chrome	6

VALVE: PAGE 474 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

TWO-HANDLE ROMAN TUB VALVE

	MODEL	LIST	CONNECTION	CASE QTY
Adjustable spout shank; adjustable center dimensions	**4792**	166.75	1/2" CC	6
Adjustable spout shank; 10" - 24" center dimensions	**4793**	188.85	1/2" CPVC, Crimp Ring PEX	6
	4794	180.05	1/2" Crimp Rin PEX, Cold Expansion PEX	6
Non-adjustable spout shank; 10" center dimensions	**4796**	157.10	1/2" CC	6
	4797	160.15	1/2" CPVC, Crimp Ring PEX	6
	4798	160.15	1/2" Crimp Rin PEX, Cold Expansion PEX	6

For product details and images please reference page 474 in valve section

WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge

M-CORE™ 2-SERIES TUB/SHOWER TRIM

NEW!

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 2-1/2" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UTL183EP	166.50	Chrome	12
UTL183EPBC	211.75	Brushed Chrome	12

NEW!

- showerhead type: showerhead sold separately
- spout length: 5 1/2"
- spout connection type: slip fit
- tub spout type: diverter
- red/blue markings: included
- includes: pressure balanced cartridge with temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
UTL183NH	157.95	Chrome	12

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

M-CORE™ 2-SERIES SHOWER ONLY TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
NEW!	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • red/blue markings: included • valve: sold separately	**UTL182EP**	139.50	Chrome	12
		UTL182EPBC	177.40	Brushed Chrome	12
NEW!	• showerhead type: showerhead sold separately • includes: pressure balanced cartridge with temperature control • red/blue markings: included • valve: sold separately	**UTL182NH**	137.20	Chrome	12
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UTL181**	135.55	Chrome	3
		UTL181BC	170.40	Brushed Chrome	3

VALVE: PAGE 477 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ MIXING VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port	**U140CI**	63.00	1/2" CC/IPS	6
	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CX	63.00	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	**U140CIS**	90.60	1/2" CC/IPS	6
	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
	U140CXS	90.60	1/2" Cold. Expansion Pex with CC/IPS Tub	6
	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port pre-fab	**U140X-PF**	71.10	1/2" Crimp Ring PEX	6
	U140CX-PF	71.10	1/2" Cold Expansion PEX	6
Four port pre-fab with quarter turn stops	**U140XS-PF**	98.75	1/2" Crimp Ring PEX	6
	U140CXS-PF	98.75	1/2" Cold Expansion PEX	6

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port	**U130CI**	63.00	1/2" CC/IPS	6
	U130X	63.00	1/2" Crimp Ring PEX	6
	U130CX	63.00	1/2" Cold. Expansion Pex	6
Three port with quarter turn stops	**U130CIS**	90.60	1/2" CC/IPS	6
	U130XS	90.60	1/2" Crimp Ring PEX	6
	U130CXS	90.60	1/2" Cold. Expansion Pex	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 477 in valve section

CHATEAU®

WaterSense Certified
Moen® **M•PACT**® Common Valve System

POSI-TEMP® TUB/SHOWER TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**TL183◆**	70.40	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**TL183EP◆**	70.40	Chrome	12
		TL183EPBC◆	115.65	Brushed Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • used to replace: 2 or 3 hole shower valve • valve: sold separately	**TL2369EP**	111.20	Chrome	6

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

CHATEAU®

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

		MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**2352**	174.45	Chrome	12
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**L2352**	174.45	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • adjustable temp limit stop: included	**L2352EP**	174.45	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2362**	202.75	Chrome	6
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included • used to replace: 2 or 3 hole shower valve	**L2368EP**	252.20	Chrome	3

CHATEAU®

WaterSense Certified
Moen® **M•PACT**® Common Valve System

		MODEL	LIST	FINISH/CONNECT	CASE QTY
POSI-TEMP® SHOWER ONLY					
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**TL182◆**	43.40	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**TL182EP◆** **TL182EPBC◆**	43.40 86.45	Chrome Brushed Chrome	12 12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • used to replace: 2 or 3 hole shower valve • valve: sold separately	**TL2368EP**	91.40	Chrome	6

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

CHATEAU®

◆ Also available in bulk pack. See page 609
WaterSense Certified
Moen® **M•PACT**® Common Valve System

POSI-TEMP® VALVE ONLY

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• ports: four • connection size: 1/2" • connection type: CC • showerhead type: showerhead sold separately • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2361**	189.95	Chrome	6
	• red/blue markings: included • valve: sold separately	**T181◆**	39.40	Chrome	12
	• red/blue markings: included • valve: sold separately	**TL181◆**	39.40	Chrome	12

VALVE: PAGE 479-485 **HOW TO ORDER** TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

POSI-TEMP® MIXING SHOWERING ROUGH-IN VALVES

Tub/Shower or Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Four port; adj. temp. limit stops	**2520**	138.05	1/2" CC	6
	2510	138.05	1/2" IPS	6
Four port; adj. temp. limit stops; quarter turn stops included	**2570**	167.60	1/2" CC	6
	2590	167.60	1/2" IPS	6
	2580	138.05	1/2" Crimp ring PEX	6
Four port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	2385PF	184.30	1/2" Cold Expansion PEX	3

Shower Only Application	MODEL	LIST	CONNECTION	CASE QTY
Three port; adj. temp. limit stops; quarter turn stops included - pre-fab	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	2328PF	177.95	1/2" Cold Expansion PEX	6

NOTE: Four port valves are suitable for Tub/Shower or Showering Only applications. Three port valves are suitable for Shower Only applications.
For product details and images please reference page 479 in valve section

◆ Also available in bulk pack. See page 609
Moen® **M•PACT**® Common Valve System

THREE-HANDLE NON-PRESSURE BALANCED TUB/SHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• ports: four • connection size: 1/2" • connection type: IPS; CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: IPS • tub spout type: non diverter	**2995EP**	228.75	Chrome	6

TWO-HANDLE NON-PRESSURE BALANCED TUB/SHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter	**2919EP**	195.60	Chrome	6
	• ports: four • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: IPS • tub spout type: diverter	**2982EP**	195.60	Chrome	6

TWO-HANDLE BIDET FAUCET TRIM

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• center dimensions: 8" - 16" center • valve: sold separately	**TL5265**	258.10	Chrome	3
	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	295.35	1/2" IPS	6

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

CHATEAU®

MASON® Coordinating Bath Accessories

PRO+FIT® INSTALLATION SYSTEM

See page 494 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Mason® bath accessories match the style and finish of our Chateau® faucets. Total coordination of the bath has never been easier.

For more information on ordering Mason® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8000CH	5.20	Mounting Posts (Pair)	50
YB8003CH	4.55	Double Robe Hook	50
YB8086CH	8.60	Towel Ring	50
YB8088CH	9.45	Double Paper Holder (Roller not included)	25
YB8094CH	4.35	24" Towel Bar (Bar Only)	50
YB8098CH	3.75	18" Towel Bar (Bar Only)	50
YB8099CH	1.85	Paper Holder (Roller Only)	50
Brushed Chrome (BC)			
YB8000BC	6.65	Mounting Posts (Pair)	50
YB8003BC	5.80	Double Robe Hook	50
YB8086BC	11.35	Towel Ring	50
YB8094BC	5.60	24" Towel Bar (Bar Only)	50
YB8098BC	4.75	18" Towel Bar (Bar Only)	50
YB8099BC	3.10	Paper Holder (Roller Only)	50
Satin Nickel (SN)			
YB8000SN	8.60	Mounting Posts (Pair)	50
YB8003SN	5.95	Double Robe Hook	50
YB8086SN	12.30	Towel Ring	50
YB8088SN	15.40	Double Paper Holder (Roller not included)	25
YB8094SN	7.15	24" Towel Bar (Bar Only)	50
YB8098SN	5.70	18" Towel Bar (Bar Only)	50
YB8099SN	2.75	Paper Holder (Roller Only)	50
Old World Bronze (OWB)			
YB8000OWB	11.15	Mounting Posts (Pair)	50
YB8003OWB	6.80	Double Robe Hook	50
YB8086OWB	13.20	Towel Ring	50
YB8094OWB	8.80	24" Towel Bar (Bar Only)	50
YB8098OWB	6.65	18" Towel Bar (Bar Only)	50
YB8099OWB	2.35	Paper Holder (Roller Only)	50

YB8003
Double Robe Hook

YB8099
Paper Holder (Roller only)
+
YB8000
Mounting Posts (Pair)

YB8098
18" Towel Bar (Bar only)
YB8094
24" Towel Bar (Bar only)

YB8000
Mounting Posts (Pair)

YB8086
Towel Ring

YB8088
Double Paper Holder
(3 Mounting Posts, rollers not included)
(Available in CH and SN only)

YB8081
Pro-Fit® Installation Mounting Template (See page 494 for more information about the Pro-Fit® Installation System.)

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Custom Showering Options

How-To-Order Spa Shower and Showering Components

Nebia by Moen™ Shower Rail Combo featured in Matte Black

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

INNOVATION

One shower, endless possibilities.

A universal valve for a universally exceptional shower experience. The M-CORE™ universal valve system means more freedom when selecting showering functionality and style options for new construction or remodel projects. With the freedom to choose or change the trim or valve functionality after the valve has been installed, the simplified installation means time and money savings for pros, and a perfectly designed shower for homeowners.

Gibson™ 2-Series Valve Only Trim in Matte Black | UT2901BL

U by Moen™ Smart Shower Options

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the SKU numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below each illustrate one potential layout with option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

U BY MOEN™ SHOWER SPA WITH SHOWERHEAD, HANDSHOWER & FLUSHMOUNT BODY SPRAYS

U by Moen™ four-outlet system.

U by Moen™ four-outlet controller	U by Moen™ four-outlet valve	Rainshower	Shower arm & flange	Multi-function body spray* & quantity	Body spray rough-in & quantity	Four-function handheld shower with slide bar	Drop ell
TS3304TB or TS3304BL	S3104	S6310	S122	TS1422 **x 4**	S1300 **x 4**	3667EP	A725

* Option: Round single function body spray TS1322

Optional	Product
Battery backup (black)	179573

U BY MOEN™ SHOWER SPA WITH SHOWERHEAD, HANDSHOWER & EXPOSED BODY SPRAYS

U by Moen™ four outlet-system.

U by Moen™ four-outlet controller	U by Moen™ four-outlet valve	Rainshower	Shower arm & flange	Single function body spray & quantity	Four-function handheld shower with slide bar	Drop ell
TS3304TB or TS3304BL	S3104	S6310	S122	A501 **x 4**	3667EP	A725

Optional	Product
Battery backup (black)	179573

U by Moen™ Shower Configurations

U BY MOEN™ SHOWER SPA WITH SHOWERHEAD & FLUSHMOUNT BODY SPRAYS

U by Moen™ two-outlet system.

U by Moen™ two outlet controller	U by Moen™ two outlet valve	Rainshower	Shower arm & flange	Multi-function body spray* & quantity	Body spray rough-in & quantity
TS3302TB or TS3302BL	S3102	S6310	S122	TS1422 **x 3**	S1300 **x 3**

* Option: Round single function body spray TS1322

Optional	Product
Battery backup (black)	179573

U BY MOEN™ SHOWER SPA WITH SHOWERHEAD & HANDSHOWER

U by Moen™ two-outlet system.

U by Moen™ two-outlet controller	U by Moen™ two-outlet valve	Rainshower	Shower arm & flange	Handshower	Drop ell
TS3302TB or TS3302BL	S3102	S6310	S122	3667EP	A725

Valve	Flow Rate @ 20 PSI	Flow Rate @ 40 PSI	Flow Rate @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
U by Moen™ S3104	9.0	13.0	16.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)
U by Moen™ S3102	6.0	8.5	10.0	No	Showerhead, Handshower or Showerhead, 2 Body Sprays

U by Moen™ Shower Configurations

Must order Rough-In-Valve and Trim Pack separately.

U BY MOEN™ — U BY MOEN™ 4 OUTLET CONTROLLER

- description: wifi connected, app driven shower controller
- features: precise temperature control
- U by Moen showering: compatible with Amazon Alexa, Apple Homekit/Siri and Google Assistant
- showerhead type: showerhead sold separately
- smartphone app: available for Apple iOS and Android OS
- features: remote activation via smart phone app
- features: warm-up and pause mode
- features: optional shower timer
- presets: two on controller, 12 in total with smart phone app
- valve sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS3304TB	755.55	Terra Beige	3
	TS3304BL	755.55	Matte Black	3

U BY MOEN™ — 4 OUTLET VALVE

- description: digital thermostatic shower valve
- ports: four outlets
- features: precise temperature control
- connection size: 3/4" inlets & 1/2" outlets
- includes: 30 foot data cable

PREMIUM				
	S3104	1,614.60	3/4" CC	3
	BATTERY BACKUP SOLD SEPARATELY			
	179573	68.85	N/A	6

U BY MOEN™ — U BY MOEN™ 2 OUTLET CONTROLLER

- description: wifi connected, app driven shower controller
- features: precise temperature control
- U by Moen showering: compatible with Amazon Alexa, Apple Homekit/Siri and Google Assistant
- showerhead type: showerhead sold separately
- smartphone app: available for Apple iOS and Android OS
- features: remote activation via smart phone app
- features: warm-up and pause mode
- features: optional shower timer
- presets: two on controller, 12 in total with smart phone app
- valve sold separately

	MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM				
	TS3302TB	496.80	Terra Beige	3
	TS3302BL	496.80	Matte Black	3

U BY MOEN™ — 2 OUTLET VALVE

- description: digital thermostatic shower valve
- ports: two outlets
- features: precise temperature control
- connection size: 1/2" inlets & 1/2" outlets
- includes: 30 foot data cable

PREMIUM				
	S3102	755.55	1/2" CC	3
	BATTERY BACKUP SOLD SEPARATELY			
	179573	68.85	N/A	6

Valve	Flow Rate @ 20 PSI	Flow Rate @ 40 PSI	Flow Rate @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
U by Moen™ S3104	9.0	13.0	16.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)
U by Moen™ S3102	6.0	8.5	10.0	No	Showerhead, Handshower or Showerhead, 2 Body Sprays

3/4" THERMOSTATIC SHOWERING

ExactTemp® 3/4" Thermostatic Valve and Showering

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.



EXACTTEMP® SHOWER SPA WITH SHOWERHEAD, HANDSHOWER & FLUSHMOUNT BODY SPRAYS

Weymouth® suite shown.

Suite	ExactTemp® Valve Only Trim	ExactTemp® Valve	Volume control trim & quantity	Volume control valve & quantity	Showerhead	Shower arm & flange	Multi-function Body Spray* & quantity	Body spray rough-in	Handheld shower with slide bar	Drop ell
Weymouth®	TS32110	S3371	TS52104 **x 3**	S3600 **x 3**	S1311	S113	TS1422 **x 4**	S1300 **x 4**	S12107EP	A725
Arris®	TS33002	S3371	TS33003 **x 3**	S3600 **x 3**	S112	S110	TS1422 **x 4**	S1300 **x 4**	3887EP	A725
Flara®	TS4201	S3371	TS4202 **x 3**	S3600 **x 3**	S6365	123815 137488	TS1422 **x 4**	S1300 **x 4**	S3880EP	A725
Colinet™	TS44401	S3371	TS44402 **x 3**	S3600 **x 3**	S112	151390 AT2199	TS1422 **x 4**	S1300 **x 4**	3887EP	A725
90°™	TS3100	S3371	TS3300 **x 3**	S3600 **x 3**	S6340	S122	TS1420 **x 4**	S1300 **x 4**	S3880EP	A721
Via®	TS9711	S3371	TS9712 **x 3**	S3600 **x 3**	S6365	161951	TS1422 **x 4**	S1300 **x 4**	3988EP	A721
Doux™	TS3101	S3371	TS3102 **x 3**	S3600 **x 3**	S176	S122	TS1422 **x 4**	S1300 **x 4**	3887EP	A725
Cia™	T4621	S3371	T4622 **x 3**	S3600 **x 3**	S112	S122	TS1422 **x 4**	S1300 **x 4**	3887EP	A725
Wynford®	T6601	S3371	T6602 **x 3**	S3600 **x 3**	S6310	S122	TS1422 **x 4**	S1300 **x 4**	3667EP	A725
Align®	T4291	S3371	T4292 **x 3**	S3600 **x 3**	S176	S122	TS1422 **x 4**	S1300 **x 4**	3887EP	A725
Voss™	T4691	S3371	T4692 **x 3**	S3600 **x 3**	S6365	161951	TS1420 **x 4**	S1300 **x 4**	3988EP	A721
Belfield™	T4411	S3371	T4412 **x 3**	S3600 **x 3**	S6310	S122	TS1422 **x 4**	S1300 **x 4**	3667EP	A725
Moen®	TS3411	S3371	TS3600 **x 3**	S3600 **x 3**	S6310	S122	TS1422 **x 4**	S1300 **x 4**	3667EP	A725

* Option: Round single function body spray TS1322
* Option: Square single function body spray TS1320

Diverter tub spout options on page 465-468.
Showering extension kits available on page 568.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

EXACTTEMP® SHOWER SPA WITH SHOWERHEAD, HANDSHOWER & EXPOSED MOUNT BODY SPRAYS

Weymouth® suite shown.

Suite	ExactTemp® Valve Only Trim	ExactTemp® Valve	Volume Control Trim and Quantity	Volume Control Valve and Quantity	Showerhead	Shower Arm and Flange	Single Function Body Spray and Quantity	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32110	S3371	TS52104 **x 3**	S3600 **x 3**	S1311	S113	A501 **x 4**	S12107EP	A725
Arris®	TS33002	S3371	TS33003 **x 3**	S3600 **x 3**	S112	S110	A501 **x 4**	3887EP	A725
Flara®	TS4201	S3371	TS4202 **x 3**	S3600 **x 3**	S6365	123815 137488	A501 **x 4**	S3880EP	A725
Colinet™	TS44401	S3371	TS44402 **x 3**	S3600 **x 3**	S112	151390 AT2199	A501 **x 4**	3887EP	A725
90°™	TS3100	S3371	TS3300 **x 3**	S3600 **x 3**	S6340	S122	A501 **x 4**	S3880EP	A721
Via®	TS9711	S3371	TS9712 **x 3**	S3600 **x 3**	S6365	161951	A501 **x 4**	3988EP	A721
Doux™	TS3101	S3371	TS3102 **x 3**	S3600 **x 3**	S176	S122	A501 **x 4**	3887EP	A725
Cia™	T4621	S3371	T4622 **x 3**	S3600 **x 3**	S112	S122	A501 **x 4**	3887EP	A725
Wynford®	T6601	S3371	T6602 **x 3**	S3600 **x 3**	S6310	S122	A501 **x 4**	3667EP	A725
Align®	T4291	S3371	T4292 **x 3**	S3600 **x 3**	S176	S122	A501 **x 4**	3887EP	A725
Voss™	T4691	S3371	T4692 **x 3**	S3600 **x 3**	S6365	161951	A501 **x 4**	3988EP	A721
Belfield™	T4411	S3371	T4412 **x 3**	S3600 **x 3**	S6310	S122	A501 **x 4**	3667EP	A725
Moen®	TS3411	S3371	TS3600 **x 3**	S3600 **x 3**	S6310	S122	A501 **x 4**	3667EP	A725

Diverter tub spout options on page 465-468.
Showering extension kits available on page 568.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

EXACTTEMP® SHOWER SPA WITH SHOWERHEAD & HANDSHOWER

Flara® suite shown.

Suite	ExactTemp® Valve Only Trim	ExactTemp® Valve	Volume Control Trim and Quantity	Volume Control Valve and Quantity	Showerhead	Shower Arm and Flange	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32110	S3371	TS52104 **x 2**	S3600 **x 2**	S1311	S113	S12107EP	A725
Arris®	TS33002	S3371	TS33003 **x 2**	S3600 **x 2**	S112	S110	3887EP	A725
Flara®	TS4201	S3371	TS4202 **x 2**	S3600 **x 2**	S6365	123815 137488	S3880EP	A725
Colinet™	TS44401	S3371	TS44402 **x 2**	S3600 **x 2**	S112	151390 AT2199	3887EP	A725
90°™	TS3100	S3371	TS3300 **x 2**	S3600 **x 2**	S6340	S122	S3880EP	A721
Via®	TS9711	S3371	TS9712 **x 2**	S3600 **x 2**	S6365	161951	3988EP	A721
Doux™	TS3101	S3371	TS3102 **x 2**	S3600 **x 2**	S176	S122	3887EP	A725
Cia™	T4621	S3371	T4622 **x 2**	S3600 **x 2**	S112	S122	3887EP	A725
Wynford®	T6601	S3371	T6602 **x 2**	S3600 **x 2**	S6310	S122	3667EP	A725
Align®	T4291	S3371	T4292 **x 2**	S3600 **x 2**	S176	S122	3887EP	A725
Voss™	T4691	S3371	T4692 **x 2**	S3600 **x 2**	S6365	161951	3988EP	A721
Belfield™	T4411	S3371	T4412 **x 2**	S3600 **x 2**	S6310	S122	3667EP	A725
Moen®	TS3411	S3371	TS3600 **x 2**	S3600 **x 2**	S6310	S122	3667EP	A725

Diverter tub spout options on page 465-468.
Showering extension kits available on page 568.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Body Sprays (4 Max)

ExactTemp® 3/4" Thermostatic Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

MOEN®

EXACTTEMP® SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- requires: separate volume control valve
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3400	535.20	Chrome	3
TS3400BN	909.45	Brushed Nickel	3
TS3400ORB	954.80	Oil Rubbed Bronze	3

WEYMOUTH®

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS32110	400.10	Chrome	3
TS32110BN	588.90	Brushed Nickel	3
TS32110BG	588.90	Brushed Gold	3
TS32110NL	588.90	Polished Nickel	3
TS32110ORB	635.25	Oil Rubbed Bronze	3
TS32110BL	635.25	Matte Black	3

WEYMOUTH®

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS52104	207.70	Chrome	6
TS52104BN	286.95	Brushed Nickel	6
TS52104BG	286.95	Brushed Gold	6
TS52104NL	286.95	Polished Nickel	6
TS52104ORB	309.40	Oil Rubbed Bronze	6
TS52104BL	309.40	Matte Black	6

ARRIS®

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS33002	328.95	Chrome	3
TS33002BN	493.50	Brushed Nickel	3
TS33002BL	542.85	Matte Black	3

ARRIS®

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS33003	187.95	Chrome	6
TS33003BN	274.15	Brushed Nickel	6
TS33003BL	301.65	Matte Black	6

FLARA®

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS4201	330.75	Chrome	3
TS4201BN	496.15	Brushed Nickel	3
TS4201BG	496.15	Brushed Gold	3
TS4201NL	496.15	Polished Nickel	3

FLARA®

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS4202	152.65	Chrome	6
TS4202BN	229.05	Brushed Nickel	6
TS4202BG	229.05	Brushed Gold	6
TS4202NL	229.05	Polished Nickel	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



Moen® **M•PACT®** Common Valve System
IMMERSION® Immersion® Rainshower

ExactTemp® 3/4" Thermostatic Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

COLINET™

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44401	316.35	Chrome	3
TS44401BN	474.55	Brushed Nickel	3
TS44401BG	474.55	Brushed Gold	3
TS44401BL	522.00	Matte Black	3

COLINET™

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS44402	146.05	Chrome	6
TS44402BN	219.10	Brushed Nickel	6
TS44402BG	219.10	Brushed Gold	6
TS44402BL	241.00	Matte Black	6

90°™

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3100	327.65	Chrome	3
TS3100BN	495.65	Brushed Nickel	3

90°™

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3300	151.25	Chrome	6
TS3300BN	201.70	Brushed Nickel	6

VIA®

EXACTTEMP® VALVE ONLY TRIM

- description: temperature control valve trim
- requires: separate volume control valve
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS9711	345.00	Chrome	3

VIA®

EXACTTEMP® VOLUME CONTROL VALVE TRIM

- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS9712	159.25	Chrome	6

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

ExactTemp® 3/4" Thermostatic Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DOUX™	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	PREMIUM			
		TS3101	346.75	Chrome	3
		TS3101BN	502.80	Brushed Nickel	3
		TS3101BL	553.05	Matte Black	3
DOUX™	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	PREMIUM			
		TS3102	160.05	Chrome	6
		TS3102BN	232.10	Brushed Nickel	6
		TS3102BL	255.30	Matte Black	6
CIA™	**EXACTTEMP® VALVE ONLY TRIM**				
NEW!	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T4621**	248.60	Chrome	3
		T4621BN	375.45	Brushed Nickel	3
		T4621BG	375.45	Brushed Gold	3
		T4621BL	404.00	Matte Black	3
CIA™	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
NEW!	• valve: sold separately	**T4622**	126.55	Chrome	6
		T4622BN	190.75	Brushed Nickel	6
		T4622BG	190.75	Brushed Gold	6
		T4622BL	205.70	Matte Black	6
WYNFORD®	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T6601**	259.70	Chrome	3
		T6601BN	391.20	Brushed Nickel	3
		T6601NL	391.20	Polished Nickel	3
		T66010RB	422.00	Oil Rubbed Bronze	3
WYNFORD®	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	**T6602**	131.85	Chrome	6
		T6602BN	198.75	Brushed Nickel	6
		T6602NL	198.75	Polished Nickel	6
		T6602ORB	214.35	Oil Rubbed Bronze	6
ALIGN®	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T4291**	259.05	Chrome	3
		T4291BN	391.20	Brushed Nickel	3
		T4291BG	391.20	Brushed Gold	3
		T4291BL	420.95	Matte Black	3
ALIGN®	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	**T4292**	131.85	Chrome	6
		T4292BN	198.75	Brushed Nickel	6
		T4292BG	198.75	Brushed Gold	6
		T4292BL	214.35	Matte Black	6

HOW TO ORDER A COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System

ExactTemp® 3/4" Thermostatic Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
VOSS™	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T4691**	249.25	Chrome	3
		T4691BN	375.45	Brushed Nickel	3
		T4691BG	375.45	Brushed Gold	3
		T4691NL	375.45	Polished Nickel	3
		T46910RB	405.00	Oil Rubbed Bronze	3
VOSS™	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	**T4692**	126.55	Chrome	6
		T4692BN	190.75	Brushed Nickel	6
		T4692BG	190.75	Brushed Gold	6
		T4692NL	190.75	Polished Nickel	6
		T46920RB	205.70	Oil Rubbed Bronze	6
BELFIELD™	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	**T4411**	259.70	Chrome	3
		T4411BN	391.20	Brushed Nickel	3
		T4411NL	391.20	Polished Nickel	3
		T44110RB	422.00	Oil Rubbed Bronze	3
BELFIELD™	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	**T4412**	131.85	Chrome	6
		T4412BN	198.75	Brushed Nickel	6
		T4412NL	198.75	Polished Nickel	6
		T44120RB	214.35	Oil Rubbed Bronze	6
MOEN®	**EXACTTEMP® VALVE ONLY TRIM**				
	• description: temperature control valve trim • requires: separate volume control valve • valve: sold separately	PREMIUM			
		TS3411	257.40	Chrome	3
		TS3411BN	404.35	Brushed Nickel	3
		TS34110RB	424.75	Oil Rubbed Bronze	3
MOEN®	**EXACTTEMP® VOLUME CONTROL VALVE TRIM**				
	• valve: sold separately	PREMIUM			
		TS3600	132.90	Chrome	6
		TS3600BN	236.45	Brushed Nickel	6
		TS36000RB	248.45	Oil Rubbed Bronze	6

HOW TO ORDER A COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System

M-CORE™ 3-Series
With Integrated Transfer Valve Shower Spa Options

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

M-CORE™ 3-SERIES SHOWERHEAD, BODY SPRAYS & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Doux™ suite shown.

Suite	M-CORE™ 3-Series with Integrated Transfer Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Multi-Function Bodyspray and Quantity	Bodyspray Rough-In	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	UTS4311	S1311	S113		TS1422 **x 2**	S1300 **x 2**	S12107EP	A725
Arris®	UTS3311	S112	S110		TS1422 **x 2**	S1300 **x 2**	3887EP	A725
Flara®	UTS2411	S6365	123815	137488	TS1422 **x 2**	S1300 **x 2**	S3880EP	A725
Colinet™	UTS9211	S112	151390	AT2199	TS1422 **x 2**	S1300 **x 2**	3887EP	A725
90°™	UTS9011	S6340	123815	147572	TS1422 **x 2**	S1300 **x 2**	S3880EP	A721
Via®	UTS2811	S6365	123815	179834	TS1422 **x 2**	S1300 **x 2**	3988EP	A721
Doux™	UTS2611	S176	123815	137488	TS1422 **x 2**	S1300 **x 2**	3887EP	A725
Cia™	UT3331	S112	123815	137488	TS422 **x 2**	S1300 **x 2**	3887EP	A725
Wynford®	UT5500	S6310	123815	AT2199	TS1422 **x 2**	S1300 **x 2**	3667EP	A725
Align®	UT3290	S176	123815	137488	TS1422 **x 2**	S1300 **x 2**	3887EP	A725
Voss™	UT3611	S6365	123815	AT2199	TS1422 **x 2**	S1300 **x 2**	3988EP	A721
Belfield™	UT3322	S6310	123815	AT2199	TS1422 **x 2**	S1300 **x 2**	3667EP	A725

Use M-CORE™ U362 or U232 valves
Reference valve section for details

Diverter tub spout options on page 465-468.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ 3 Function 6 Function (U362) or M-CORE™ 2 Function 3 Function (U232)	3.0	4.5	5.6

M-CORE™ transfer valve flow is the total flow when used in the shared mode.
When plumbing the U362 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

M-CORE™ 3-Series Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES CEILING SHOWERHEAD, SHOWERHEAD & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Doux™ suite shown.

Suite	M-CORE™ 3-Series with Integrated Transfer Valve Trim	Ceiling Mount Showerhead	Ceiling Mount Shower Arm	Ceiling Mount Shower Arm Flange	Showerhead	Shower Arm	Shower Arm Flange	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	UTS4311	S1311	226651	AT2199	S1311	S113		S12107EP	A725
Arris®	UTS3311	S112	226651	137488	S112	S110		3887EP	A725
Flara®	UTS2411	S6365	226651	137488	S6365	123815	137488	S3880EP	A725
Colinet™	UTS9211	S112	226651	AT2199	S112	151390	AT2199	3887EP	A725
90°™	UTS9011	S6340	226651	147572	S6340	123815	147572	S3880EP	A721
Via®	UTS2811	S6365	226651	179834	S6365	123815	179834	3988EP	A721
Doux™	UTS2611	S176	226651	137488	S176	123815	137488	3887EP	A725
Cia™	UT3331	S112	226651	137488	S112	123815	137488	3887EP	A725
Wynford®	UT5500	S6310	226651	AT2199	S6310	123815	AT2199	3667EP	A725
Align®	UT3290	S176	226651	137488	S176	123815	137488	3887EP	A725
Voss™	UT3611	S6365	226651	AT2199	S6365	123815	AT2199	3988EP	A721
Belfield™	UT3322	S6310	226651	AT2199	S6310	123815	AT2199	3667EP	A725

Use M-CORE™ U362 or U232 valves
Reference valve section for details

Diverter tub spout options on page 465-468.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ 3 Function 6 Function (U362) or M-CORE™ 2 Function 3 Function (U232)	3.0	4.5	5.6

M-CORE™ transfer valve flow is the total flow when used in the shared mode

M-CORE™ 3-Series Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES SHOWERHEAD & HANDSHOWER

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function)
as determined by valve selection

Colinet™ suite shown.

Suite	M-CORE™ 3-Series with Integrated Transfer Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	UTS4311	S1311	S113		S12107EP	A725
Arris®	UTS3311	S112	S110		3887EP	A725
Flara®	UTS2411	S6365	123815	137488	S3880EP	A725
Colinet™	UTS9211	S112	151390	AT2199	3887EP	A725
90°™	UTS9011	S6340	123815	147572	S3880EP	A721
Via®	UTS2811	S6365	123815	179834	3988EP	A721
Doux™	UTS2611	S176	123815	137488	3887EP	A725
Cia™	UT3331	S112	123815	137488	3887EP	A725
Wynford®	UT5500	S6310	123815	AT2199	3667EP	A725
Align®	UT3290	S176	123815	137488	3887EP	A725
Voss™	UT3611	S6365	123815	AT2199	3988EP	A721
Belfield™	UT3322	S6310	123815	AT2199	3667EP	A725

Use with M-CORE™ U362 or U232 valves
Reference valve section for details

Diverter tub spout options on page 465-468.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ 3 Function 6 Function (U362) or M-CORE™ 2 Function 3 Function (U232)	3.0	4.5	5.6

M-CORE™ transfer valve flow is the total flow when used in the shared mode

M-CORE™ 3-Series Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES SHOWERHEAD & BODY SPRAYS

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function)
as determined by valve selection

Colinet™ suite shown.

Suite	M-CORE™ 3-Series with Integrated Transfer Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Bodyspray and Quantity	Body Spray Rough-In
Weymouth®	UTS4311	S1311	S113		TS1322 **x 2**	S1300 **x 2**
Arris®	UTS3311	S112	S110		TS1322 **x 2**	S1300 **x 2**
Flara®	UTS2411	S6365	123815	137488	TS1322 **x 2**	S1300 **x 2**
Colinet™	UTS9211	S112	151390	AT2199	TS1322 **x 2**	S1300 **x 2**
90°™	UTS9011	S6340	123815	147572	TS1322 **x 2**	S1300 **x 2**
Via®	UTS2811	S6365	123815	179834	TS1322 **x 2**	S1300 **x 2**
Doux™	UTS2611	S176	123815	137488	TS1322 **x 2**	S1300 **x 2**
Cia™	UT3331	S112	123815	137488	TS1322 **x 2**	S1300 **x 2**
Wynford®	UT5500	S6310	123815	AT2199	TS1322 **x 2**	S1300 **x 2**
Align®	UT3290	S176	123815	137488	TS1322 **x 2**	S1300 **x 2**
Voss™	UT3611	S6365	123815	AT2199	TS1322 **x 2**	S1300 **x 2**
Belfield™	UT3322	S6310	123815	AT2199	TS1322 **x 2**	S1300 **x 2**

Use with M-CORE™ U362 or U232 valves
Reference valve section for details

Diverter tub spout options on page 465-468.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ 3 Function 6 Function (U362) or M-CORE™ 2 Function 3 Function (U232)	3.0	4.5	5.6

M-CORE™ transfer valve flow is the total flow when used in the shared mode.
When plumbing the U362 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

M-CORE™ 3-Series Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES SHOWERHEAD & NON-DIVERTING TUB SPOUT

2 Showering Devices:

(2 Independent Functions using U232 valve set for Independent functionality)

Colinet™ suite shown.

Suite	M-CORE™ 3-Series with Integrated Transfer Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Non-Diverting Tub Spout
Weymouth®	UTS4311	S1311	S113		S12105
Arris®	UTS3311	S112	S110		S16900
Flara®	UTS2411	S6365	123815	137488	S990
Colinet™	UTS9211	S112	151390	AT2199	S5001
90°™	UTS9011	S6340	123815	147572	S3898
Via®	UTS2811	S6365	123815	179834	S3901
Doux™	UTS2611	S176	123815	137488	S3869
Cia™	UT3331	S112	123815	137488	3347
Wynford®	UT5500	S6310	123815	AT2199	195386
Align®	UT3290	S176	123815	137488	3892
Voss™	UT3611	S6365	123815	AT2199	191956
Belfield™	UT3322	S6310	123815	AT2199	3858

Use with M-CORE™ U232 valves
Reference valve section for details

Diverter tub spout options on page 465-468.
Matching tub and shower drains available. See page 471-472.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ 2 Function 3 Function (U232)	3.0	4.5	5.6

M-CORE™ transfer valve flow is the total flow when used in the shared mode

M-CORE™ 3-Series Multi-Function Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS4311	607.80	Chrome	4
		UTS4311BN	881.30	Brushed Nickel	4
		UTS4311BG	881.30	Brushed Gold	4
		UTS4311NL	881.30	Polished Nickel	4
		UTS4311ORB	969.40	Oil Rubbed Bronze	4
		UTS4311BL	969.40	Matte Black	4
ARRIS®	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS3311	413.95	Chrome	4
		UTS3311BN	819.05	Brushed Nickel	4
		UTS3311BL	900.95	Matte Black	4
FLARA®	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS2411	418.50	Chrome	4
		UTS2411BN	606.80	Brushed Nickel	4
		UTS2411BG	606.80	Brushed Gold	4
		UTS2411NL	606.80	Polished Nickel	4
COLINET™	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS9211	399.65	Chrome	4
		UTS9211BN	579.50	Brushed Nickel	4
		UTS9211BG	579.50	Brushed Gold	4
		UTS9211BL	637.45	Matte Black	4
90°™	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS9011	345.90	Chrome	3
		UTS9011BN	500.85	Brushed Nickel	3
VIA®	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS2811	345.85	Chrome	4
DOUX™	M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS2611	365.50	Chrome	4
		UTS2611BN	530.00	Brushed Nickel	4
		UTS2611BL	583.00	Matte Black	4

HOW TO ORDER M-CORE™ WITH INTEGRATED TRANSFER VALVE

Valve Part No. + Trim Part No. = Complete Faucet

Moen® **M•PACT®** Common Valve System

M-CORE™ 3-Series Multi-Function Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CIA™	**M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM**				
NEW! Ships Q3	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3331**	269.40	Chrome	4
		UT3331BN	333.95	Brushed Nickel	4
		UT3331BG	333.95	Brushed Gold	4
		UT3331BL	367.35	Matte Black	4
WYNFORD®	**M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT5500**	273.85	Chrome	4
		UT5500BN	348.00	Brushed Nickel	4
		UT5500NL	348.00	Polished Nickel	4
		UT5500ORB	374.35	Oil Rubbed Bronze	4
ALIGN®	**M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3290**	280.70	Chrome	12
		UT3290BN	348.00	Brushed Nickel	12
		UT3290BG	348.00	Brushed Gold	12
		UT3290BL	382.80	Matte Black	12
VOSS™	**M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3611**	269.35	Chrome	4
		UT3611BN	333.95	Brushed Nickel	4
		UT3611BG	333.95	Brushed Gold	4
		UT3611NL	333.95	Polished Nickel	4
		UT3611ORB	359.25	Oil Rubbed Bronze	4
BELFIELD™	**M-CORE™ 3-SERIES WITH INTEGRATED TRANSFER VALVE TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3322**	280.70	Chrome	4
		UT3322BN	348.00	Brushed Nickel	4
		UT3322NL	348.00	Polished Nickel	4
		UT3322ORB	374.35	Oil Rubbed Bronze	4

HOW TO ORDER M-CORE™ WITH INTEGRATED TRANSFER VALVE

Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System

M-CORE™ 3-SERIES AND 2-SERIES
Transfer Valve Showering Configurations

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

M-CORE™ 3-SERIES OR 2-SERIES: SHOWERHEAD, BODYSPRAYS & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Arris® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Bodyspray and Quantity	Handheld Shower with Slide Bar	Drop Ell
	3- Series	2-Series				
Weymouth®	UTS33102	UTS232102EP	UTS32205	A501 **x 2**	S12107EP	A725
Arris®	UTS32002	UTS22002EP	UTS23005	A501 **x 2**	3887EP	A725
Flara®	UTS3912	UTS2912EP	UTS4911	A501 **x 2**	S3880EP	A725
Colinet™	UTS344302	UTS244202EP	UTS9381	A501 **x 2**	3887EP	A725
90°™	UTS3715	UTS2712EP	UTS4172	A501 **x 2**	S3880EP	A721
Via®	UTS3772	UTS28712EP	UTS2171	A501 **x 2**	3988EP	A721
Doux™	UTS3202	UTS2202EP	UTS9204	A501 **x 2**	3887EP	A725
Cia™	UT3362	UT2262EP	UT4620	A501 **x 2**	3887EP	A725
Wynford®	UT35502	UT24502EP	UT4511	A501 **x 2**	3667EP	A725
Align®	UT3292	UT2192EP	UT4191	A501 **x 2**	3887EP	A725
Voss™	UT3692	UT2692EP	UT4611	A501 **x 2**	3988EP	A721
Belfield™	UT3312	UT2312EP	UT4301	A501 **x 2**	3667EP	A725
Rizon®	UT3812EP	UT2812EP	UT2081	A501 **x 2**	3988EP	A721
Dartmoor™	-	UT2282EP	UT2031	A501 **x 2**	3667EP	A725
Glyde™	-	UT2842EP	UT2721	A501 **x 2**	3887EP	A725
Brantford®	-	UT2252EP	UT2021	A501 **x 2**	3667EP	A725
Eva®	-	UT2232EP	UT2011	A501 **x 2**	3669EP	A725
Gibson™	-	UT3002EP	UT2921	A501 **x 2**	3887EP	A725
Genta™	-	UT2472EP	UT2401	A501 **x 2**	3988EP	A721

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

When plumbing the U361 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

M-CORE™ 3-Series and 2-Series Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES OR 2-SERIES: CEILING RAINSHOWER, SHOWERHEAD & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Via® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Ceiling Mount Showerhead	Ceiling Mount Shower Arm	Ceiling Mount Shower Arm Flange	Handheld Shower with Slide Bar	Drop Ell
	3-Series	2-Series						
Weymouth®	UTS33102	UTS232102EP	UTS32205	S1311	226651	AT2199	S12107EP	A725
Arris®	UTS32002	UTS22002EP	UTS23005	S112	226651	137488	3887EP	A725
Flara®	UTS3912	UTS2912EP	UTS4911	S6365	226651	137488	S3880EP	A725
Colinet™	UTS344302	UTS244202EP	UTS9381	S112	226651	AT2199	3887EP	A725
90°™	UTS3715	UTS2712EP	UTS4172	S6340	226651	147572	S3880EP	A721
Via®	UTS3772	UTS28712EP	UTS2171	S6365	226651	179834	3988EP	A721
Doux™	UTS3202	UTS2202EP	UTS9204	S176	226651	137488	3887EP	A725
Cia™	UT3362	UT2262EP	UT4620	S112	226651	T37488	3887EP	A725
Wynford®	UT35502	UT24502EP	UT4511	S6310	226651	AT2199	3667EP	A725
Align®	UT3292	UT2192EP	UT4191	S176	226651	137488	3887EP	A725
Voss™	UT3692	UT2692EP	UT4611	S6365	226651	AT2199	3988EP	A721
Belfield™	UT3312	UT2312EP	UT4301	S6310	226651	AT2199	3667EP	A725
Rizon®	UT3812EP	UT2812EP	UT2081	6345	226651	AT2199	3988EP	A721
Dartmoor™	-	UT2282EP	UT2031	6345	226651	AT2199	3667EP	A725
Glyde™	-	UT2842EP	UT2721	6345	226651	137488	3887EP	A725
Brantford®	-	UT2252EP	UT2021	6345	226651	AT2199	3667EP	A725
Eva®	-	UT2232EP	UT2011	6345	226651	AT2199	3669EP	A725
Gibson™	-	UT3002EP	UT2921	6345	226651	137488	3669EP	A725
Genta™	-	UT2472EP	UT2401	6345	226651	137488	3988EP	A721

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

M-CORE™ 3-Series and 2-Series Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES OR 2-SERIES: SHOWERHEAD, HANDSHOWER & NON-DIVERTING TUB SPOUT

3 Showering Devices:

(3 Independent Functions using U231 set
for independent functionality)

Via® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Handheld Shower with Slide Bar	Drop Ell	Non-Diverting Tub Spout
	3-Series	2-Series				
Weymouth®	UTS33102	UTS232102EP	UTS32205	S12107EP	A725	S12105
Arris®	UTS32002	UTS22002EP	UTS23005	3887EP	A725	S16900
Flara®	UTS3912	UTS2912EP	UTS4911	S3880EP	A725	S990
Colinet™	UTS344302	UTS244202EP	UTS9381	3887EP	A725	S5001
90°™	UTS3715	UTS2712EP	UTS4172	S3880EP	A721	S3898
Via®	UTS3772	UTS28712EP	UTS2171	3988EP	A721	S3901
Doux™	UTS3202	UTS2202EP	UTS9204	3887EP	A725	S3869
Cia™	UT3362	UT2262EP	UT4620	3887EP	A725	3347
Wynford®	UT35502	UT24502EP	UT4511	3667EP	A725	195386
Align®	UT3292	UT2192EP	UT4191	3887EP	A725	3892
Voss™	UT3692	UT2692EP	UT4611	3988EP	A721	191956
Belfield™	UT3312	UT2312EP	UT4301	3667EP	A725	3858
Rizon®	UT3812EP	UT2812EP	UT2081	3988EP	A721	3829
Dartmoor™	-	UT2282EP	UT2031	3667EP	A725	3858
Glyde™	-	UT2842EP	UT2721	3887EP	A725	3829
Brantford®	-	UT2252EP	UT2021	3667EP	A725	3858
Eva®	-	UT2232EP	UT2011	3669EP	A725	3829
Gibson™	-	UT3002EP	UT2921	3669EP	A725	3892
Genta™	-	UT2472EP	UT2401	3988EP	A721	3829

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

M-CORE™ 3-Series and 2-Series Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES OR 2-SERIES: SHOWERHEAD & HANDSHOWER

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function) as determined by valve selection

Flara® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Handheld Shower with Slide Bar	Drop Ell
	3-Series	2-Series			
Weymouth®	UTS33102	UTS232102EP	UTS32205	S12107EP	A725
Arris®	UTS32002	UTS22002EP	UTS23005	3887EP	A725
Flara®	UTS3912	UTS2912EP	UTS4911	S3880EP	A725
Colinet™	UTS344302	UTS244202EP	UTS9381	3887EP	A725
90°™	UTS3715	UTS2712EP	UTS4172	S3880EP	A721
Via®	UTS3772	UTS28712EP	UTS2171	3988EP	A721
Doux™	UTS3202	UTS2202EP	UTS9204	3887EP	A725
Cia™	UT3362	UT2262EP	UT4620	3887EP	A725
Wynford®	UT35502	UT24502EP	UTS4511	3667EP	A725
Align®	UT3292	UT2192EP	UT4191	3887EP	A725
Voss™	UT3692	UT2692EP	UT4611	3988EP	A721
Belfield™	UT3312	UT2312EP	UT4301	3667EP	A725
Rizon®	UT3812EP	UT2812EP	UT2081	3988EP	A721
Dartmoor™	-	UT2282EP	UT2031	3667EP	A725
Glyde™	-	UT2842EP	UT2721	3887EP	A725
Brantford®	-	UT2252EP	UT2021	3667EP	A725
Eva®	-	UT2232EP	UT2011	3669EP	A725
Gibson™	-	UT3002EP	UT2921	3669EP	A725
Genta™	-	UT2472EP	UT2401	3988EP	A721

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

M-CORE™ 3-Series and 2-Series Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES OR 2-SERIES: CEILING RAINSHOWER & SHOWERHEAD

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function) as determined by valve selection

Flara® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Ceiling Mount Showerhead	Ceiling Mount Shower Arm	Ceiling Mount Shower Arm Flange
	3-Series	2-Series				
Weymouth®	UTS33102	UTS232102EP	UTS32205	S1311	226651	AT2199
Arris®	UTS32002	UTS22002EP	UTS23005	S112	226651	137488
Flara®	UTS3912	UTS2912EP	UTS4911	S6365	226651	137488
Colinet™	UTS344302	UTS244202EP	UTS9381	S112	226651	AT2199
90°™	UTS3715	UTS2712EP	UTS4172	S6340	226651	147572
Via®	UTS3772	UTS28712EP	UTS2171	S6365	226651	179834
Doux™	UTS3202	UTS2202EP	UTS9204	S176	226651	137488
Cia™	UT3362	UT2262EP	UT4620	S112	226651	137488
Wynford®	UT35502	UT24502EP	UTS4511	S6310	226651	AT2199
Align®	UT3292	UT2192EP	UT4191	S176	226651	137488
Voss™	UT3692	UT2692EP	UT4611	S6365	226651	AT2199
Belfield™	UT3312	UT2312EP	UT4301	S6310	226651	AT2199
Rizon®	UT3812EP	UT2812EP	UT2081	6345	226651	AT2199
Dartmoor™	-	UT2282EP	UT2031	6345	226651	AT2199
Glyde™	-	UT2842EP	UT2721	6345	226651	137488
Brantford®	-	UT2252EP	UT2021	6345	226651	AT2199
Eva®	-	UT2232EP	UT2011	6345	226651	AT2199
Gibson™	-	UT3002EP	UT2921	6345	226651	137488
Genta™	-	UT2472EP	UT2401	6345	226651	137488

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

M-CORE™ 3-Series and 2-Series Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

M-CORE™ 3-SERIES OR 2-SERIES: SHOWERHEAD & BODY SPRAYS

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function) as determined by valve selection

Flara® suite shown.

*mixing valve image shows M-CORE™ 3-Series trim

Suite	M-CORE™ Shower Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		M-CORE™ Transfer Valve Trim	Bodyspray and Quantity
	3-Series	2-Series		
Weymouth®	UTS33102	UTS232102EP	UTS32205	A501 **x 2**
Arris®	UTS32002	UTS22002EP	UTS23005	A501 **x 2**
Flara®	UTS3912	UTS2912EP	UTS4911	A501 **x 2**
Colinet™	UTS344302	UTS244202EP	UTS9381	A501 **x 2**
90°™	UTS3715	UTS2712EP	UTS4172	A501 **x 2**
Via®	UTS3772	UTS28712EP	UTS2171	A501 **x 2**
Doux™	UTS3202	UTS2202EP	UTS9204	A501 **x 2**
Cia™	UT3362	UT2262EP	UT4620	A501 **x 2**
Wynford®	UT35502	UT24502EP	UTS4511	A501 **x 2**
Align®	UT3292	UT2192EP	UT4191	A501 **x 2**
Voss™	UT3692	UT2692EP	UT4611	A501 **x 2**
Belfield™	UT3312	UT2312EP	UT4301	A501 **x 2**
Rizon®	UT3812EP	UT2812EP	UT2081	A501 **x 2**
Dartmoor™	-	UT2282EP	UT2031	A501 **x 2**
Glyde™	-	UT2842EP	UT2721	A501 **x 2**
Brantford®	-	UT2252EP	UT2021	A501 **x 2**
Eva®	-	UT2232EP	UT2011	A501 **x 2**
Gibson™	-	UT3002EP	UT2921	A501 **x 2**
Genta™	-	UT2472EP	UT2401	A501 **x 2**

Use M-CORE™ mixing valve U130
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
M-CORE™ U130	3.1	4.6	5.8	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

When plumbing the U231 or U361 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

POSI-TEMP® WITH M-CORE™
Transfer Valve Showering Configurations

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

POSI-TEMP® WITH M-CORE™: SHOWERHEAD, BODY SPRAY & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Arris® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Bodyspray and Quantity	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32102	UTS32205	A501 **x 2**	S12107EP	A725
Arris®	TS22002	UTS23005	A501 **x 2**	3887EP	A725
Flara®	TS2912	UTS4911	A501 **x 2**	S3880EP	A725
90°™	TS2712	UTS4172	A501 **x 2**	S3880EP	A721
Via®	TS8712	UTS2171	A501 **x 2**	3988EP	A721
Doux™	TS2202	UTS9204	A501 **x 2**	3887EP	A725
Cia™	T2262EP	UT4620	A501 **x 2**	3887EP	A725
Wynford®	T4502	UTS4511	A501 **x 2**	3667EP	A725
Align®	T2192	UT4191	A501 **x 2**	3887EP	A725
Voss™	T2692	UT4611	A501 **x 2**	3988EP	A721
Belfield™	T2312	UT4301	A501 **x 2**	3667EP	A725
Rizon®	T2812	UT2081	A501 **x 2**	3988EP	A721
Dartmoor™	T2182	UT2031	A501 **x 2**	3667EP	A725
Glyde™	T2742EP	UT2721	A501 **x 2**	3887EP	A725
Brantford®	T2152	UT2021	A501 **x 2**	3667EP	A725
Eva®	T2132	UT2011	A501 **x 2**	3669EP	A725
Gibson™	T2902EP	UT2921	A501 **x 2**	3669EP	A725
Genta™	T2472EP	UT2401	A501 **x 2**	3988EP	A721

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

When plumbing the U361 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

Posi-Temp® with **M-CORE™** Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® WITH M-CORE™: CEILING RAINSHOWER, SHOWERHEAD & HANDSHOWER

3 Showering Devices:

(3 Independent Functions or
3 Independent and 3 Shared Functions)
as determined by valve selection

Via® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Ceiling Mount Showerhead	Ceiling Mount Shower Arm	Ceiling Mount Shower Arm Flange	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32102	UTS32205	S1311	226651	AT2199	S12107EP	A725
Arris®	TS22002	UTS23005	S112	226651	137488	3887EP	A725
Flara®	TS2912	UTS4911	S6365	226651	137488	3988EP	A725
90°™	TS44201	UTS9381	S112	226651	137488	3887EP	A725
Via®	TS8712	UTS2171	S6365	226651	179834	3988EP	A721
Doux™	TS2202	UTS9204	S176	226651	137488	3887EP	A725
Cia™	T2262EP	UT4620	S112	226651	137488	3887EP	A725
Wynford®	T4502	UT4511	S6310	226651	AT2199	3667EP	A725
Align®	T2192	UT4191	S176	226651	137488	3887EP	A725
Voss™	T2692	UT4611	S6365	226651	AT2199	3988EP	A721
Belfield™	T2312	UT4301	S6310	226651	AT2199	3667EP	A725
Rizon®	T2812	UT2081	6345	226651	AT2199	3988EP	A721
Dartmoor™	T2182	UT2031	6345	226651	AT2199	3667EP	A725
Glyde™	T2742EP	UT2721	6345	226651	137488	3887EP	A725
Brantford®	T2152	UT2021	6345	226651	AT2199	3667EP	A725
Eva®	T2132	UT2011	6345	226651	AT2199	3669EP	A725
Gibson™	T2902EP	UT2921	6345	226651	137488	3669EP	A725
Genta™	T2472EP	UT2401	6345	226651	137488	3988EP	A721

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U361 or U231
Reference valve section for details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

Posi-Temp® with **M-CORE™** Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® WITH M-CORE™: SHOWERHEAD, HANDSHOWER & NON-DIVERTING TUB SPOUT

3 Showering Devices:

(3 Independent Functions Only, using
U231 set for independent functionality)

Via® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Handheld Shower with Slide Bar	Drop Ell	Non-Diverting Tub Spout
Weymouth®	TS32102	UTS32205	S12107EP	A725	S12105
Arris®	TS22002	UTS23005	3887EP	A725	S16900
Flara®	TS2912	UTS4911	3988EP	A725	S990
90°™	TS2712	UTS4172	S3880EP	A721	S3898
Via®	TS8712	UTS2171	3988EP	A721	S3901
Doux™	TS2202	UTS9204	3887EP	A725	S3869
Cia™	T2262EP	UT4620	3887EP	A725	3347
Wynford®	T4502	UT4511	3667EP	A725	195386
Align®	T2192	UT4191	3887EP	A725	3892
Voss™	T2692	UT4611	3988EP	A721	191956
Belfield™	T2312	UT4301	3667EP	A725	3858
Rizon®	T2812	UT2081	3988EP	A721	3829
Dartmoor™	T2182	UT2031	3667EP	A725	3858
Glyde™	T2742EP	UT2721	3887EP	A725	3829
Brantford®	T2152	UT2021	3667EP	A725	3858
Eva®	T2132	UT2011	3669EP	A725	3829
Gibson™	T2902EP	UT2921	3669EP	A725	3892
Genta™	T2472EP	UT2401	3988EP	A721	3829

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U231
Reference valve section for details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ U231 set in three function independent functionality

Posi-Temp® with **M-CORE™** Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® WITH M-CORE™: SHOWERHEAD & HANDSHOWER

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function)
as determined by valve selection

Flara® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32102	UTS32205	S12107EP	A725
Arris®	TS22002	UTS23005	3887EP	A725
Flara®	TS2912	UTS4911	S3880EP	A725
90°™	TS2712	UTS4172	S3880EP	A721
Via®	TS8712	UTS2171	3988EP	A721
Doux™	TS2202	UTS9204	3887EP	A725
Cia™	T2262EP	UT4620	3887EP	A725
Wynford®	T4502	UT4511	3667EP	A725
Align®	T2192	UT4191	3887EP	A725
Voss™	T2692	UT4611	3988EP	A721
Belfield™	T2312	UT4301	3667EP	A725
Rizon®	T2812	UT2081	3988EP	A721
Dartmoor™	T2182	UT2031	3667EP	A725
Glyde™	T2742EP	UT2721	3887EP	A725
Brantford®	T2152	UT2021	3667EP	A725
Eva®	T2132	UT2011	3669EP	A725
Gibson™	T2902EP	UT2921	3669EP	A725
Genta™	T2472EP	UT2401	3988EP	A721

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U361 or U231
Reference valve section for more options and details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

Posi-Temp® with **M-CORE™** Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® WITH M-CORE™: SHOWERHEAD & BODY SPRAYS

2 Showering Devices:

(2 Independent Functions or
2 Independent and 1 Shared Function)
as determined by valve selection

Flara® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Bodyspray and Quantity
Weymouth®	TS32102	UTS32205	A501 **x 2**
Arris®	TS22002	UTS23005	A501 **x 2**
Flara®	TS2912	UTS4911	A501 **x 2**
90°™	TS2712	UTS4172	A501 **x 2**
Via®	TS8712	UTS2171	A501 **x 2**
Doux™	TS2202	UTS9204	A501 **x 2**
Cia™	T2262EP	UT4620	A501 **x 2**
Wynford®	T4502	UT4511	A501 **x 2**
Align®	T2192	UT4191	A501 **x 2**
Voss™	T2692	UT4611	A501 **x 2**
Belfield™	T2312	UT4301	A501 **x 2**
Rizon®	T2812	UT2081	A501 **x 2**
Dartmoor™	T2182	UT2031	A501 **x 2**
Glyde™	T2742EP	UT2721	A501 **x 2**
Brantford®	T2152	UT2021	A501 **x 2**
Eva®	T2132	UT2011	A501 **x 2**
Gibson™	T2902EP	UT2921	A501 **x 2**
Genta™	T2472EP	UT2401	A501 **x 2**

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U361 or U231
Reference valve section for more options and details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ 3 Function 6 Function (U361) or M-CORE™ 2 Function 3 Function (U231)

When plumbing the U361 valve to flow three shared showering devices, 50 psi or higher is recommended for optimum performance.

Posi-Temp® with **M-CORE™** Transfer Valve Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® WITH M-CORE™: SHOWERHEAD & NON-DIVERTING TUB SPOUT

2 Showering Devices:

(2 Independent Functions; use U231 transfer valve set for 2 Function independent functionality)

Wynford® suite shown.

Suite	Posi-Temp® Shower Only Trim	M-CORE™ Transfer Valve Trim	Non-Diverting Tub Spout
Weymouth®	TS32102	UTS32205	S12105
Arris®	TS22002	UTS23005	S16900
Flara®	TS2912	UTS4911	S990
90°™	TS2712	UTS4172	S3898
Via®	TS8712	UTS2171	S3901
Doux™	TS2202	UTS9204	S3869
Cia™	T2262EP	UT4620	3347
Wynford®	T4502	UT4511	195389
Align®	T2192	UT4191	3892
Voss™	T2692	UT4611	191956
Belfield™	T2312	UT4301	3858
Rizon®	T2812	UT2081	3829
Dartmoor™	T2182	UT2031	3858
Glyde™	T2742EP	UT2721	3829
Brantford®	T2152	UT2021	3858
Eva®	T2132	UT2011	3829
Gibson™	T2902EP	UT2921	3892
Genta™	T2472EP	UT2401	3829

Use Posi-Temp® three port valve
Use M-CORE™ transfer valve U361 or U231
Reference valve section for more options and details

Posi-Temp® Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with M-CORE™ Transfer Valve
Posi-Temp® Three Port Valve	3.6	5.1	6.3	M-CORE™ U231 set in three function independent functionality

M-CORE™ Transfer Valve Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS32205	378.45	Chrome	12
		UTS32205BN	432.45	Brushed Nickel	12
		UTS32205BG	432.45	Brushed Gold	12
		UTS32205NL	432.45	Polished Nickel	12
		UTS32205ORB	460.35	Oil Rubbed Bronze	12
		UTS32205BL	460.35	Matte Black	12
ARRIS®	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS23005	357.25	Chrome	12
		UTS23005BN	424.20	Brushed Nickel	12
		UTS23005BL	458.90	Matte Black	12
FLARA®	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS4911	272.10	Chrome	12
		UTS4911BN	369.50	Brushed Nickel	12
		UTS4911BG	369.50	Brushed Gold	12
		UTS4911NL	369.50	Polished Nickel	12
COLINET™	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS9381	259.90	Chrome	12
		UTS9381BN	352.85	Brushed Nickel	12
		UTS9381BG	352.85	Brushed Gold	12
		UTS9381BL	388.15	Matte Black	12
90°™	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS4172	244.80	Chrome	12
		UTS4172BN	304.75	Brushed Nickel	12
VIA®	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS2171	248.70	Chrome	12
DOUX™	M-CORE™ TRANSFER VALVE TRIM				
	• valve: sold separately • use with M-CORE™ transfer valve	PREMIUM			
		UTS9204	258.45	Chrome	12
		UTS9204BN	339.95	Brushed Nickel	12
		UTS9204BL	366.25	Matte Black	12

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

M-CORE™ Transfer Valve Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CIA™	**M-CORE™ TRANSFER VALVE TRIM**				
NEW! Ships Q3	• valve: sold separately • use with M-CORE™ transfer valve	**UT4620**	186.45	Chrome	12
		UT4620BN	229.55	Brushed Nickel	12
		UT4620BG	229.55	Brushed Gold	12
		UT4620BL	246.35	Matte Black	12
WYNFORD®	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT4511**	194.30	Chrome	12
		UT4511BN	239.20	Brushed Nickel	12
		UT4511NL	239.20	Polished Nickel	12
		UT45110RB	256.70	Oil Rubbed Bronze	12
ALIGN®	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT4191**	194.30	Chrome	12
		UT4191BN	239.20	Brushed Nickel	12
		UT4191BG	239.20	Brushed Gold	12
		UT4191BL	256.70	Matte Black	12
VOSS™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT4611**	186.45	Chrome	12
		UT4611BN	229.55	Brushed Nickel	12
		UT4611BG	229.55	Brushed Gold	12
		UT4611NL	229.55	Polished Nickel	12
		UT46110RB	246.35	Oil Rubbed Bronze	12
BELFIELD™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT4301**	189.45	Chrome	12
		UT4301BN	232.75	Brushed Nickel	12
		UT4301NL	232.75	Polished Nickel	12
		UT43010RB	249.60	Oil Rubbed Bronze	12
RIZON®	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2081**	194.30	Chrome	12
		UT2081BN	239.20	Brushed Nickel	12
		UT2081BL	256.75	Matte Black	12
DARTMOOR™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2031**	166.05	Chrome	12
		UT2031BN	201.65	Brushed Nickel	12
		UT20310RB	215.55	Oil Rubbed Bronze	12
		UT2031BL	215.55	Matte Black	12

HOW TO ORDER A COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System

M-CORE™ Transfer Valve Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
GLYDE™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2721**	166.05	Chrome	12
		UT2721BN	201.65	Brushed Nickel	12
		UT2721BL	215.55	Matte Black	12
BRANTFORD®	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2021**	166.05	Chrome	12
		UT2021BN	201.65	Brushed Nickel	12
		UT20210RB	215.55	Oil Rubbed Bronze	12
EVA®	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2011**	166.05	Chrome	12
		UT2011BN	201.65	Brushed Nickel	12
		UT20110RB	215.55	Oil Rubbed Bronze	12
GIBSON™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2921**	166.05	Chrome	12
		UT2921BN	201.95	Brushed Nickel	12
		UT2921BL	215.95	Matte Black	12
GENTA™	**M-CORE™ TRANSFER VALVE TRIM**				
	• valve: sold separately • use with M-CORE™ transfer valve	**UT2401**	161.75	Chrome	12
		UT2401BN	201.65	Brushed Nickel	12
		UT2401BL	215.55	Matte Black	12

HOW TO ORDER A COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System

M-CORE™ 3-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

WEYMOUTH®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: two-function
- showerhead type: rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33102	758.80	Chrome	3
UTS33102BN	1,053.90	Brushed Nickel	3
UTS33102BG	1,053.90	Brushed Gold	3
UTS33102NL	1,053.90	Polished Nickel	3
UTS331020RB	1,159.15	Oil Rubbed Bronze	3
UTS33102BL	1,159.15	Matte Black	3

WEYMOUTH®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: two-function
- showerhead type: eco-performance rainshower
- showerhead size: 9" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33102EP	758.80	Chrome	3
UTS33102EPBN	1,053.90	Brushed Nickel	3
UTS33102EPBG	1,053.90	Brushed Gold	3
UTS33102EPNL	1,053.90	Polished Nickel	3
UTS33102EPORB	1,159.15	Oil Rubbed Bronze	3
UTS33102EPBL	1,159.15	Matte Black	3

ARRIS®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead function: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS32002	731.20	Chrome	3
UTS32002BN	1,013.95	Brushed Nickel	3
UTS32002BL	1,132.25	Matte Black	3

ARRIS®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead function: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS32002EP	731.20	Chrome	3
UTS32002EPBN	1,013.95	Brushed Nickel	3
UTS32002EPBL	1,132.25	Matte Black	3

FLARA®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3912	533.60	Chrome	4
UTS3912BN	738.20	Brushed Nickel	4
UTS3912BG	738.20	Brushed Gold	4
UTS3912NL	738.20	Polished Nickel	4

FLARA®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3912EP	533.60	Chrome	4
UTS3912EPBN	738.20	Brushed Nickel	4
UTS3912EPBG	738.20	Brushed Gold	4
UTS3912EPNL	738.20	Polished Nickel	4

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION® Immersion® Rainshower

M-CORE™ 3-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

COLINET™

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS344302	509.60	Chrome	3
UTS344302BN	704.95	Brushed Nickel	3
UTS344302BG	704.95	Brushed Gold	3
UTS344302BL	775.50	Matte Black	3

COLINET™

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 10" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS344302EP	509.60	Chrome	3
UTS344302EPBN	704.95	Brushed Nickel	3
UTS344302EPBG	704.95	Brushed Gold	3
UTS344302EPBL	775.50	Matte Black	3

90°™

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3715	427.95	Chrome	3
UTS3715BN	824.45	Brushed Nickel	3

90°™

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3715EP	427.95	Chrome	3
UTS3715EPBN	824.45	Brushed Nickel	3

VIA®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 2.5 gpm (9.5 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3772	452.55	Chrome	4

VIA®

M-CORE™ 3-SERIES SHOWER ONLY TRIM

- showerhead functions: one-function
- showerhead type: eco-performance rainshower
- showerhead size: 6" diameter spray head
- showerhead flow rate: 1.75 gpm (6.65 L/min) max.
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

IMMERSION®

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3772EP	452.55	Chrome	4

HOW TO ORDER A COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION® Immersion® Rainshower

M-CORE™ 3-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DOUX™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS3202	447.90	Chrome	4
		UTS3202BN	597.60	Brushed Nickel	4
		UTS3202BL	674.30	Matte Black	4
	IMMERSION®				
DOUX™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	PREMIUM			
		UTS3202EP	447.90	Chrome	4
		UTS3202EPBN	597.60	Brushed Nickel	4
		UTS3202EPBL	674.30	Matte Black	4
	IMMERSION®				
CIA™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3362**	339.20	Chrome	3
		UT3362BN	570.05	Brushed Nickel	3
		UT3362BG	570.05	Brushed Gold	3
		UT3362BL	627.05	Matte Black	3
	IMMERSION®				
CIA™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3362EP**	339.20	Chrome	3
		UT3362EPBN	570.05	Brushed Nickel	3
		UT3362EPBG	570.05	Brushed Gold	3
		UT3362EPBL	627.05	Matte Black	3
	IMMERSION®				
WYNFORD®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35502**	353.45	Chrome	4
		UT35502BN	594.00	Brushed Nickel	4
		UT35502NL	594.00	Polished Nickel	4
		UT35502ORB	640.55	Oil Rubbed Bronze	4
	IMMERSION®				
WYNFORD®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35502EP**	353.45	Chrome	4
		UT35502EPBN	594.00	Brushed Nickel	4
		UT35502EPNL	594.00	Polished Nickel	4
		UT35502EPORB	640.55	Oil Rubbed Bronze	4
	IMMERSION®				

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION® Immersion® Rainshower

Certified by IAPMO R&T

M-CORE™ 3-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
ALIGN®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3292**	353.45	Chrome	4
		UT3292BN	594.00	Brushed Nickel	4
		UT3292BG	594.00	Brushed Gold	4
		UT3292BL	653.40	Matte Black	4
	IMMERSION®				
ALIGN®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3292EP**	353.45	Chrome	4
		UT3292EPBN	594.00	Brushed Nickel	4
		UT3292EPBG	594.00	Brushed Gold	4
		UT3292EPBL	653.40	Matte Black	4
	IMMERSION®				
VOSS™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3692**	339.20	Chrome	4
		UT3692BN	570.05	Brushed Nickel	4
		UT3692BG	570.05	Brushed Gold	4
		UT3692NL	570.05	Polished Nickel	4
		UT3692ORB	614.75	Oil Rubbed Bronze	4
	IMMERSION®				
VOSS™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3692EP**	339.20	Chrome	4
		UT3692EPBN	570.05	Brushed Nickel	4
		UT3692EPBG	570.05	Brushed Gold	4
		UT3692EPNL	570.05	Polished Nickel	4
		UT3692EPORB	614.75	Oil Rubbed Bronze	4
	IMMERSION®				
BELFIELD™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3312**	332.70	Chrome	4
		UT3312BN	549.70	Brushed Nickel	4
		UT3312NL	549.70	Polished Nickel	4
		UT33120RB	623.80	Oil Rubbed Bronze	4
	IMMERSION®				
BELFIELD™	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3312EP**	332.70	Chrome	4
		UT3312EPBN	549.70	Brushed Nickel	4
		UT3312EPNL	549.70	Polished Nickel	4
		UT3312EPORB	623.80	Oil Rubbed Bronze	4
	IMMERSION®				

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION® Immersion® Rainshower

Certified by IAPMO R&T

M-CORE™ 3-Series Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
RIZON®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3812EP**	353.45	Chrome	4
		UT3812EPBN	594.00	Brushed Nickel	4
		UT3812EPBL	640.55	Matte Black	4

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

NEW! M-CORE™ 2-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS232102EP	723.75	Chrome	3
		UTS232102EPBN	1,013.80	Brushed Nickel	3
		UTS232102EPBG	1,013.80	Brushed Gold	3
		UTS232102EPNL	1,013.80	Polished Nickel	3
		UTS232102EP0RB	1,086.30	Oil Rubbed Bronze	3
		UTS232102EPBL	1,086.30	Matte Black	3
ARRIS®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS22002EP	692.00	Chrome	3
		UTS22002EPBN	967.90	Brushed Nickel	3
		UTS22002EPBL	1,055.45	Matte Black	3
FLARA®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2912EP	481.50	Chrome	4
		UTS2912EPBN	660.10	Brushed Nickel	4
		UTS2912EPBG	660.10	Brushed Gold	4
		UTS2912EPNL	660.10	Polished Nickel	4
COLINET™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS244202EP	465.95	Chrome	3
		UTS244202EPBN	636.75	Brushed Nickel	3
		UTS244202EPBG	636.75	Brushed Gold	3
		UTS244202EPBL	688.00	Matte Black	3
90°™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2712EP	377.70	Chrome	4
		UTS2712EPBN	598.75	Brushed Nickel	4
VIA®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS28712EP	384.10	Chrome	4

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

M-CORE™ 2-Series Shower Only Shower Options NEW!

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DOUX™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2202EP	398.75	Chrome	4
		UTS2202EPBN	522.15	Brushed Nickel	4
		UTS2202EPBL	562.00	Matte Black	4
CIA™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW! Ships Q3	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 10" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2262EP**	285.45	Chrome	4
		UT2262EPBN	434.65	Brushed Nickel	4
		UT2262EPBG	434.65	Brushed Gold	4
		UT2262EPBL	467.80	Matte Black	4
WYNFORD®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT24502EP**	297.45	Chrome	12
		UT24502EPBN	452.90	Brushed Nickel	12
		UT24502EPNL	452.90	Polished Nickel	12
		UT24502EPORB	487.35	Oil Rubbed Bronze	12
ALIGN®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2192EP**	297.45	Chrome	4
		UT2192EPBN	452.90	Brushed Nickel	4
		UT2192EPBG	452.90	Brushed Gold	4
		UT2192EPBL	487.45	Matte Black	4
ALIGN®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2192NH**	258.60	Chrome	3
		UT2192NHBN	381.90	Brushed Nickel	3
		UT2192NHBG	381.90	Brushed Gold	3
		UT2192NHBL	409.35	Matte Black	3
VOSS™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2692EP**	285.45	Chrome	12
		UT2692EPBN	434.65	Brushed Nickel	12
		UT2692EPBG	434.65	Brushed Gold	12
		UT2692EPNL	434.65	Polished Nickel	12
		UT2692EPORB	467.70	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

NEW! M-CORE™ 2-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BELFIELD™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2312EP**	290.55	Chrome	4
		UT2312EPBN	440.30	Brushed Nickel	4
		UT2312EPNL	440.30	Polished Nickel	4
		UT2312EPORB	473.45	Oil Rubbed Bronze	4
RIZON®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2812EP**	297.45	Chrome	12
		UT2812EPBN	452.90	Brushed Nickel	12
		UT2812EPBL	487.40	Matte Black	12
RIZON®	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead type: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2812NH**	258.60	Chrome	3
		UT2812NHBN	381.90	Brushed Nickel	3
		UT2812NHBL	409.35	Matte Black	3
DARTMOOR™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2282EP**	233.70	Chrome	4
		UT2282EPBN	326.30	Brushed Nickel	4
		UT2282EPORB	343.50	Oil Rubbed Bronze	4
		UT2282EPBL	343.50	Matte Black	4
DARTMOOR™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2182EP**	164.25	Chrome	12
		UT2182EPBN	282.60	Brushed Nickel	12
		UT2182EPORB	300.25	Oil Rubbed Bronze	12
		UT2182EPBL	300.25	Matte Black	12
GLYDE™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2842EP**	233.70	Chrome	4
		UT2842EPBN	326.30	Brushed Nickel	4
		UT2842EPBL	348.35	Matte Black	4

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

M-CORE™ 2-Series Shower Only Shower Options NEW!

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
GLYDE™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2742EP** **UT2742EPBN** **UT2742EPBL**	164.25 282.60 300.25	Chrome Brushed Nickel Matte Black	12 12 12
VICHY™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2662EP**	172.50	Chrome	12
VICHY™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead type: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2662NH**	169.20	Chrome	3
BRANTFORD®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2252EP** **UT2252EPBN** **UT2252EPORB**	233.70 326.30 343.50	Chrome Brushed Nickel Oil Rubbed Bronze	4 4 4
BRANTFORD®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2152EP** **UT2152EPBN** **UT2152EPORB**	164.25 282.60 300.25	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
BRANTFORD®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead type: showerhead sold separately • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2152NH** **UT2152NHBN** **UT2152NHORB**	160.80 257.45 272.55	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION Immersion® Rainshower

NEW! M-CORE™ 2-Series Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
EVA®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2232EP** **UT2232EPBN** **UT2232EPORB**	233.70 326.30 343.50	Chrome Brushed Nickel Oil Rubbed Bronze	4 4 4
EVA®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2132EP** **UT2132EPBN** **UT2132EPORB**	164.25 282.60 300.25	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
EVA®	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead type: showerhead sold separately • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2132NH** **UT2132NHBN** **UT2132NHORB**	160.80 257.45 272.55	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
GIBSON™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT3002EP** **UT3002EPBN** **UT3002EPBL**	219.95 308.65 328.90	Chrome Brushed Nickel Matte Black	4 4 4
GIBSON™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead function: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2902EP** **UT2902EPBN** **UT2902EPBL**	172.50 242.90 256.60	Chrome Brushed Nickel Matte Black	12 12 12
GIBSON™	M-CORE™ 2-SERIES SHOWER ONLY TRIM				
NEW!	• showerhead type: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2902NH** **UT2902NHBN** **UT2902NHBL**	169.20 236.20 249.25	Chrome Brushed Nickel Matte Black	3 3 3

HOW TO ORDER A COMPLETE FAUCET



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION Immersion® Rainshower

M-CORE™ 2-Series Shower Only Shower Options NEW!

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
GENTA™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead function: three-function • showerhead type: eco-performance showerhead • showerhead size: 4.5" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2472EP**	169.75	Chrome	12
		UT2472EPBN	236.85	Brushed Nickel	12
		UT2472EPBL	249.95	Matte Black	12
GENTA™	**M-CORE™ 2-SERIES SHOWER ONLY TRIM**				
NEW!	• showerhead type: showerhead sold separately • red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2472NH**	166.55	Chrome	3
		UT2472NHBN	230.40	Brushed Nickel	3
		UT2472NHBL	242.85	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	PREMIUM			
		TS32102	631.00	Chrome	3
		TS32102BN	921.00	Brushed Nickel	3
		TS32102BG	921.00	Brushed Gold	3
		TS32102NL	921.00	Polished Nickel	3
		TS32102ORB	993.50	Oil Rubbed Bronze	3
		TS32102BL	993.50	Matte Black	3
WEYMOUTH®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	PREMIUM			
		TS32102EP	631.00	Chrome	3
		TS32102EPBN	921.00	Brushed Nickel	3
		TS32102EPBG	921.00	Brushed Gold	3
		TS32102EPNL	921.00	Polished Nickel	3
		TS32102EPORB	993.50	Oil Rubbed Bronze	3
		TS32102EPBL	993.50	Matte Black	3
ARRIS®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	PREMIUM			
		TS22002	599.25	Chrome	3
		TS22002BN	875.10	Brushed Nickel	3
		TS22002BL	962.70	Matte Black	3
ARRIS®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	PREMIUM			
		TS22002EP	599.25	Chrome	3
		TS22002EPBN	875.10	Brushed Nickel	3
		TS22002EPBL	962.70	Matte Black	3
FLARA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	PREMIUM			
		TS2912	357.20	Chrome	4
		TS2912BN	535.80	Brushed Nickel	4
		TS2912BG	535.80	Brushed Gold	4
		TS2912NL	535.80	Polished Nickel	4
FLARA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	PREMIUM			
		TS2912EP	357.20	Chrome	4
		TS2912EPBN	535.80	Brushed Nickel	4
		TS2912EPBG	535.80	Brushed Gold	4
		TS2912EPNL	535.80	Polished Nickel	4
FLARA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead type: showerhead sold separately • valve: sold separately	PREMIUM			
		TS2912NH	283.95	Chrome	4
		TS2912NHBN	426.00	Brushed Nickel	4
		TS2912NHBG	426.00	Brushed Gold	4
		TS2912NHNL	426.00	Polished Nickel	4

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
IMMERSION® Immersion® Rainshower

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
90°™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	PREMIUM			
		TS2712	259.35	Chrome	3
		TS2712BN	480.40	Brushed Nickel	3
90°™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	PREMIUM			
		TS2712EP	259.35	Chrome	3
		TS2712EPBN	480.40	Brushed Nickel	3
90°™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead type: showerhead sold separately • valve: sold separately	PREMIUM			
		TS2712NH	206.10	Chrome	3
		TS2712NHBN	381.75	Brushed Nickel	3
VIA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	PREMIUM			
		TS8712	259.80	Chrome	3
VIA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	PREMIUM			
		TS8712EP	259.80	Chrome	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DOUX™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	PREMIUM			
		TS2202	274.45	Chrome	4
		TS2202BN	397.90	Brushed Nickel	4
		TS2202BL	437.75	Matte Black	4
DOUX™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	PREMIUM			
		TS2202EP	274.45	Chrome	4
		TS2202EPBN	397.90	Brushed Nickel	4
		TS2202EPBL	437.75	Matte Black	4
DOUX™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead type: showerhead sold separately • valve: sold separately	PREMIUM			
		TS2202NH	219.55	Chrome	4
		TS2202NHBN	318.35	Brushed Nickel	4
		TS2202NHBL	350.25	Matte Black	4
CIA™	**POSI-TEMP® SHOWER ONLY TRIM**				
NEW! Ships Q3	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2262EP**	182.15	Chrome	4
		T2262EPBN	331.35	Brushed Nickel	4
		T2262EPBG	331.35	Brushed Gold	4
		T2262EPBL	364.50	Matte Black	4
WYNFORD®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T4502**	189.80	Chrome	3
		T4502BN	345.25	Brushed Nickel	3
		T4502NL	345.25	Polished Nickel	3
		T4502ORB	379.70	Oil Rubbed Bronze	3
WYNFORD®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T4502EP**	189.80	Chrome	3
		T4502EPBN	345.25	Brushed Nickel	3
		T4502EPORB	379.70	Oil Rubbed Bronze	3
WYNFORD®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead type: showerhead sold separately • valve: sold separately	**T4502NH**	151.00	Chrome	3
		T4502NHBN	274.25	Brushed Nickel	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
ALIGN®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**T2192**	189.80	Chrome	3
		T2192BN	345.25	Brushed Nickel	3
		T2192BG	345.25	Brushed Gold	3
		T2192BL	379.80	Matte Black	3
ALIGN®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2192EP**	189.80	Chrome	3
		T2192EPBN	345.25	Brushed Nickel	3
		T2192EPBG	345.25	Brushed Gold	3
		T2192EPBL	379.80	Matte Black	3
ALIGN®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2192NH**	151.00	Chrome	3
		T2192NHBN	274.25	Brushed Nickel	3
		T2192NHBG	274.25	Brushed Gold	3
		T2192NHBL	301.70	Matte Black	3
VOSS™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2692**	182.15	Chrome	3
		T2692BN	331.35	Brushed Nickel	3
		T2692BG	331.35	Brushed Gold	3
		T2692NL	331.35	Polished Nickel	3
		T2692ORB	364.40	Oil Rubbed Bronze	3
VOSS™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2692EP**	182.15	Chrome	3
		T2692EPBN	331.35	Brushed Nickel	3
		T2692EPBG	331.35	Brushed Gold	3
		T2692EPNL	331.35	Polished Nickel	3
		T2692EPORB	364.40	Oil Rubbed Bronze	3
VOSS™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • valve: sold separately	**T2692NH**	144.90	Chrome	3
		T2692NHBN	263.20	Brushed Nickel	3
		T2692NHBG	263.20	Brushed Gold	3
		T2692NHNL	263.20	Polished Nickel	3
		T2692NHORB	289.55	Oil Rubbed Bronze	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BELFIELD™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2312**	182.90	Chrome	4
		T2312BN	332.65	Brushed Nickel	4
		T2312NL	332.65	Polished Nickel	4
		T2312ORB	365.80	Oil Rubbed Bronze	4
BELFIELD™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 7" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2312EP**	182.90	Chrome	4
		T2312EPBN	332.65	Brushed Nickel	4
		T2312EPNL	332.65	Polished Nickel	4
		T2312EPORB	365.80	Oil Rubbed Bronze	4
BELFIELD™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • valve: sold separately	**T2312NH**	145.45	Chrome	3
		T2312NHBN	264.20	Brushed Nickel	3
		T2312NHNL	264.20	Polished Nickel	3
		T2312NHORB	290.05	Oil Rubbed Bronze	3
RIZON®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**T2812**	189.80	Chrome	3
		T2812BN	345.25	Brushed Nickel	3
		T2812BL	379.75	Matte Black	3
RIZON®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2812EP**	189.80	Chrome	3
		T2812EPBN	345.25	Brushed Nickel	3
		T2812EPBL	379.75	Matte Black	3
RIZON®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2812NH**	151.00	Chrome	3
		T2812NHBN	274.25	Brushed Nickel	3
		T2812NHBL	301.70	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Immersion® Rainshower

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DARTMOOR™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2282EP** **T2282EPBN** **T2282EPORB** NEW! **T2282EPBL**	127.90 220.50 237.70 237.70	Chrome Brushed Nickel Oil Rubbed Bronze Matte Black	4 4 4 4
DARTMOOR™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2182◆** **T2182BN** **T2182ORB** NEW! **T2182BL**	82.20 176.85 194.45 194.45	Chrome Brushed Nickel Oil Rubbed Bronze Matte Black	3 3 3 3
DARTMOOR™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2182EP** **T2182EPBN** **T2182EPORB** NEW! **T2182EPBL**	68.15 176.85 194.45 194.45	Chrome Brushed Nickel Oil Rubbed Bronze Matte Black	3 3 3 3
GLYDE™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2842EP** **T2842EPBN** **T2842EPBL**	127.90 220.50 237.70	Chrome Brushed Nickel Matte Black	4 4 4
GLYDE™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2742◆** **T2742BN** **T2742BL**	82.20 176.85 194.45	Chrome Brushed Nickel Matte Black	3 3 3
GLYDE™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2742EP** **T2742EPBN** **T2742EPBL**	68.15 176.85 194.45	Chrome Brushed Nickel Matte Black	3 3 3

HOW TO ORDER A COMPLETE FAUCET



◆ Also available in bulk pack. See page 609.
Moen® **M•PACT®** Common Valve System
WaterSense® Certified

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BRANTFORD®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2252EP** **T2252EPBN** **T2252EPORB**	127.90 220.50 237.70	Chrome Brushed Nickel Oil Rubbed Bronze	4 4 4
BRANTFORD®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2152◆** **T2152BN** **T2152ORB**	82.20 176.85 194.45	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
BRANTFORD®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve: sold separately	**T62152EP◆◆** **T2152EPBN** **T2152EPORB**	68.15 176.85 194.45	Chrome Brushed Nickel Oil Rubbed Bronze	12 3 3
BRANTFORD®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve: sold separately	**T62152NH◆◆** **T2152NHBN** **T2152NHORB**	64.70 151.65 166.75	Chrome Brushed Nickel Oil Rubbed Bronze	12 3 3

HOW TO ORDER A COMPLETE FAUCET



◆ Also available in bulk pack. See page 609.
◆◆ Available in bulk pack only. See page 609.
Moen® **M•PACT®** Common Valve System
WaterSense® Certified

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T2232EP**	127.90	Chrome	4
		T2232EPBN	220.50	Brushed Nickel	4
		T2232EP0RB	237.70	Oil Rubbed Bronze	4
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T2132◆**	82.20	Chrome	3
		T2132BN	176.85	Brushed Nickel	3
		T2132ORB	194.45	Oil Rubbed Bronze	3
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • used to replace: 2 or 3 hole shower valve • valve: sold separately	**T2138**	127.90	Chrome	3
		T2138BN	220.50	Brushed Nickel	3
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • used to replace: 2 or 3 hole shower valve • valve: sold separately	**T2138EP**	127.90	Chrome	3
		T2138EPBN	220.50	Brushed Nickel	3
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve: sold separately	**T62132EP◆◆**	68.15	Chrome	12
		T2132EPBN	176.85	Brushed Nickel	3
		T2132EP0RB	194.45	Oil Rubbed Bronze	3
EVA®	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve: sold separately	**T62132NH◆◆**	64.70	Chrome	12
		T2132NHBN	151.65	Brushed Nickel	3
		T2132NH0RB	166.75	Oil Rubbed Bronze	3

HOW TO ORDER A COMPLETE FAUCET

◆◆ Available in bulk pack only. See page 609.
Moen® **M•PACT®** Common Valve System
WaterSense® Certified

Posi-Temp® Shower Only Shower Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
GIBSON™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T3002EP**	114.20	Chrome	4
		T3002EPBN	202.85	Brushed Nickel	4
		T3002EPBL	223.15	Matte Black	4
GIBSON™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2902EP**	66.70	Chrome	3
		T2902EPBN	137.10	Brushed Nickel	3
		T2902EPBL	150.85	Matte Black	3
GIBSON™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2902NH**	63.45	Chrome	3
		T2902NHBN	130.40	Brushed Nickel	3
		T2902NHBL	143.45	Matte Black	3
GENTA™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T2472EP**	63.95	Chrome	3
		T2472EPBN	131.05	Brushed Nickel	3
		T2472EPBL	144.20	Matte Black	3
GENTA™	POSI-TEMP® SHOWER ONLY TRIM				
	• showerhead type: showerhead sold separately • red/blue markings: included • valve: sold separately	**T2472NH**	60.75	Chrome	3
		T2472NHBN	124.60	Brushed Nickel	3
		T2472NHBL	137.05	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System
WaterSense® Certified
Eco-Performance

M-CORE™ 3-Series and 2-Series Shower Spa with Nebia by Moen™ Shower Rail Showering Configurations

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

M-CORE™ 3-SERIES OR 2-SERIES WITH NEBIA BY MOEN™ SHOWER RAIL & HANDSHOWER COMBO

1 discrete and 1 shared function

Nebia by Moen™ & Align® suites shown.

*mixing valve shows M-CORE™ 3-Series trim

Suite	M-CORE™ Valve Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		Nebia Shower Rail & Handshower Combo
	3-Series	2-Series	
Weymouth®	UTS33101	UTS23210	N207C0
Arris®	UTS32001	UTS22001	N207C0
Flara®	UTS3911	UTS2911	N207C0
Colinet™	UTS344301	UTS244201	N207C0
90°™	UTS3711	UTS2711	N207C0
Via®	UTS3771	UTS28711	N207C0
Doux™	UTS3201	UTS2201	N207C0
Cia™	UT3362	UT2261	N207C0
Wynford®	UT35501	UT24501	N207C0
Align®	UT3291	UT2191	N207C0
Voss™	UT3691	UT2691	N207C0
Belfield™	UT3311	UT2311	N207C0
Rizon®		UT2811	N207C0
Dartmoor™		UT2181	N207C0
Glyde™		UT2741	N207C0
Brantford®		UT2151	N207C0
Eva®		UT2131	N207C0
Gibson™		UT2901	N207C0
Genta™		UT2471	N207C0

Use M-CORE™ valve U130, sold separately
Reference valve section for details
NOTE: only the Nebia by Moen™ handshower can be used with the Nebia shower rail

M-CORE™ 3-SERIES OR 2-SERIES WITH NEBIA BY MOEN™ SHOWER RAIL

1 discrete function

Nebia by Moen™ & Align® suites shown.

*mixing valve shows M-CORE™ 3-Series trim

Suite	M-CORE™ Valve Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		Nebia Shower Rail
	3-Series	2-Series	
Weymouth®	UTS33101	UTS23210	N207R0
Arris®	UTS32001	UTS22001	N207R0
Flara®	UTS3911	UTS2911	N207R0
Colinet™	UTS344301	UTS244201	N207R0
90°™	UTS3711	UTS2711	N207R0
Via®	UTS3771	UTS28711	N207R0
Doux™	UTS3201	UTS2201	N207R0
Cia™	UT3362	UT2261	N207R0
Wynford®	UT35501	UT24501	N207R0
Align®	UT3291	UT2191	N207R0
Voss™	UT3691	UT2691	N207R0
Belfield™	UT3311	UT2311	N207R0
Rizon®		UT2811	N207R0
Dartmoor™		UT2181	N207R0
Glyde™		UT2741	N207R0
Brantford®		UT2151	N207R0
Eva®		UT2131	N207R0
Gibson™		UT2901	N207R0
Genta™		UT2471	N207R0

Use M-CORE™ valve U130, sold separately
Reference valve section for details

M-CORE™ 3-Series Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ U130	3.5	5.0	6.3

POSI-TEMP® Shower Spa with Nebia by Moen™ Shower Rail Showering Components

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

POSI-TEMP® WITH NEBIA BY MOEN™ SHOWER RAIL & HANDSHOWER COMBO

1 discrete and 1 shared function

Nebia by Moen™ & Align® suites shown.

Suite	Posi-Temp® Valve Only Trim	Nebia Shower Rail & Handshower Combo
Weymouth®	TS3210	N207C0
Arris®	TS22001	N207C0
Flara®	TS2911	N207C0
Colinet™	TS44201	N207C0
90°™	TS2711	N207C0
Via®	TS8711	N207C0
Doux™	TS2201	N207C0
Cia™	T2261	N207C0
Wynford®	T4501	N207C0
Align®	T2191	N207C0
Voss™	T2691	N207C0
Belfield™	T2311	N207C0
Kingsley®	T2111	N207C0
Rizon®	T2811	N207C0
Dartmoor™	T2181	N207C0
Glyde™	T2741	N207C0
Brantford®	T2151	N207C0
Eva®	T2131	N207C0
Gibson™	T2901	N207C0
Genta™	T2471	N207C0
Chateau®	TL181	N207C0

Use Posi-Temp® valve 2520
Reference valve section for details
NOTE: only the Nebia by Moen™ handshower can be used with the Nebia shower rail

POSI-TEMP® WITH NEBIA BY MOEN™ SHOWER RAIL

1 discrete function

Nebia by Moen™ & Align® suites shown.

Suite	Posi-Temp® Valve Only Trim	Nebia™ Shower Rail
Weymouth®	TS3210	N207R0
Arris®	TS22001	N207R0
Flara®	TS2911	N207R0
Colinet™	TS44201	N207R0
90°™	TS2711	N207R0
Via®	TS8711	N207R0
Doux™	TS2201	N207R0
Cia™	T2261	N207R0
Wynford®	T4501	N207R0
Align®	T2191	N207R0
Voss™	T2691	N207R0
Belfield™	T2311	N207R0
Kingsley®	T2111	N207R0
Rizon®	T2811	N207R0
Dartmoor™	T2181	N207R0
Glyde™	T2741	N207R0
Brantford®	T2151	N207R0
Eva®	T2131	N207R0
Gibson™	T2901	N207R0
Genta™	T2471	N207R0
Chateau®	TL181	N207R0

Use Posi-Temp® valve 2520
Reference valve section for details

M-CORE™ 3-Series and 2-Series Shower Spa with Annex™ Shower Rail Showering Configurations

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

M-CORE™ 3-SERIES OR 2-SERIES: AND 2-SERIES WITH ANNEX™ SHOWER RAIL & HANDSHOWER

2 discrete functions

Annex™ & Flara® suite shown.

*mixing valve shows M-CORE™ 3-Series trim

Suite	M-CORE™ Valve Only Trim PICK YOUR MIXING VALVE TRIM 3-Series or 2-Series		Showerhead	Shower Arm Optional	Annex™ Shower Rail	Handshower
	3-Series	2-Series				
Weymouth®	UTS33101	UTS23210	S1311	S113	TS3661NH	154305
Arris®	UTS32001	UTS22001	S112	S110	TS3661NH	155891
Flara®	UTS3911	UTS2911	S6365		TS3661NH	S3880EP
Colinet™	UTS344301	UTS244201	S112		TS3661NH	3887EP
90°™	UTS3711	UTS2711	S6340		TS3661NH	189575
Via®	UTS3771	UTS28711	S6365		TS3661NH	189318
Doux™	UTS3201	UTS2201	S176		TS3661NH	155891
Cia™	UT3362	UT2261	S112		TS33661NH	189575
Wynford®	UT35501	UT24501	S6310		TS3661NH	164927
Align®	UT3291	UT2191	S176	161951	TS3661NH	155891
Voss™	UT3691	UT2691	S6365	161951	TS3661NH	189318
Belfield™	UT3311	UT2311	S6310		TS3661NH	164927
Rizon®	UT3811	UT2811	6345		TS3661NH	189318
Dartmoor™		UT2181	6345		TS3661NH	164927
Glyde®		UT2741	6345		TS3661NH	155747
Brantford®		UT2151	6345		TS3661NH	164927
Eva®		UT2131	6345		TS3661NH	164929
Gibson™		UT2901	6345		TS3661NH	155891
Genta™		UT2471	6345		TS3661NH	189318

Use M-CORE™ valve U130, sold separately
Reference valve section for details

M-CORE™ Mixing Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI
M-CORE™ U130	3.5	5.0	6.3

Posi-Temp® Shower Spa with Annex™ Shower Rail Showering Configurations

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

POSI-TEMP® SHOWER SPA WITH ANNEX™ SHOWER RAIL

Annex™ & Flara® suite shown.

Suite	Posi-Temp® Valve Only Trim	Showerhead	Shower Arm Optional	Annex™ Shower Rail	Handshower
Weymouth®	TS3210	S1311	S113	TS3661NH	154305
Arris®	TS22001	S112	S110	TS3661NH	155891
Flara®	TS2911	S6365		TS3661NH	S3880EP
Colinet™	TS44201	S112	151380	TS3661NH	3887EP
90°™	TS2711	S6340		TS3661NH	189575
Via®	TS8711	S6365		TS3661NH	189318
Doux™	TS2201	S176		TS3661NH	155891
Cia™	T2261	S112		TS3661NH	189575
Wynford®	T4501	S6310		TS3661NH	164927
Align®	T2191	S176	161951	TS3661NH	155891
Voss™	T2691	S6365	161951	TS3661NH	189318
Belfield™	T2311	S6310		TS3661NH	164927
Kingsley®	T2111	6302EP		TS3661NH	164927
Rizon®	T2811	6345		TS3661NH	189318
Dartmoor™	T2181	6345		TS3661NH	164927
Glyde™	T2741	6345		TS3661NH	155891
Brantford®	T2151	6345		TS3661NH	164927
Eva®	T2131	6345		TS3661NH	164928
Gibson™	T2901	6345		TS3661NH	164928
Genta™	T2471	6345		TS3661NH	189318
Chateau®	TL181	6345		TS3661NH	164928

Use Posi-Temp® valve 2520, sold separately
Reference valve section for details

Shower Rails

Must order Rough-In-Valve and Trim Pack separately.

NEBIA BY MOEN™ SHOWER RAIL COMBO

- connection size: 1/2"
- connection type: IPS
- showerhead functions: two-function
- showerhead type: rainshower with handshower
- showerhead size: 7.9" diameter spray head
- type of function: atomized spray
- included: double check valves for backflow prevention
- 23.5" wall bracket with 17" height range
- flow rate: 1.75 gpm (6.6L/min) max.

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
N207C0CH	396.90	Chrome/White	2
N207C0SRN●	460.00	Spot Resist Brushed Nickel	2
N207C0BLC	473.85	Matte Black/Chrome	2
N207C0BL	550.75	Matte Black	2

NEBIA BY MOEN™ SHOWER RAIL

- connection size: 1/2"
- connection type: IPS
- showerhead functions: one-function
- showerhead type: rainshower
- showerhead size: 7.9" diameter spray head
- type of function: atomized spray
- included: double check valves for backflow prevention
- 23.5" wall bracket with 17" height range
- flow rate: 1.35 gpm (5.1L/min) max.

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
N207R0CH	306.15	Chrome/White	2
N207R0SRN●	346.15	Spot Resist Brushed Nickel	2
N207R0BLC	352.30	Matte Black/Chrome	2
N207R0BL	398.45	Matte Black	2

NEBIA BY MOEN™ SHOWER RAIL HANDHELS & MAGNETIC DOCK

- showerhead functions: one-function
- showerhead type: handshower
- showerhead size: 2-1/2" diameter spray head
- type of function: atomized spray
- flow rate: 0.4 gpm (1.35 L/min) max.
- hose length: 59"
- only compatible with Nebia by Moen shower rail

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
N207H0CH	90.75	Chrome/White	2
N207H0SRN●	113.85	Spot Resist Brushed Nickel	2
N207H0BLC	121.55	Matte Black/Chrome	2
N207H0BL	152.30	Matte Black	2

NEBIA BY MOEN™ MAGNETIC DOCKS

- includes: magnetic docking system
- only compatible with Nebia by Moen handshower
- includes: two installation options - permanent, waterproof adhesive or wall bracket and screw

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
N207Z0GLC	26.10	White	6
N207Z0SRN●	27.70	Spot Resist Brushed Nickel	6
N207Z0BL	29.20	Matte Black	6

ANNEX™ SHOWER RAIL

- connection size: 1/2"
- connection type: IPS
- showerhead type: showerhead sold separately
- handshower type: handshower sold separately
- type of function: two independent functions
- hose length: 59"

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS3661NH	576.30	Chrome	3
TS3661NHBN	910.40	Brushed Nickel	3
NEW! **TS3661NHBG**	910.40	Brushed Gold	3
TS3661NHORB	960.65	Oil Rubbed Bronze	3
TS3661NHBL	960.65	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



● Spot Resist Finish
WaterSense® Certified
Eco-Performance

M-CORE™ 3-Series Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

WEYMOUTH® M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS33101	506.65	Chrome	3
UTS33101BN	650.35	Brushed Nickel	3
UTS33101BG	650.35	Brushed Gold	3
UTS33101NL	650.35	Polished Nickel	3
UTS33101ORB	689.90	Oil Rubbed Bronze	3
UTS33101BL	689.90	Matte Black	3

ARRIS® M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS32001	467.05	Chrome	3
UTS32001BN	619.45	Brushed Nickel	3
UTS32001BL	665.80	Matte Black	3

FLARA® M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3911	448.60	Chrome	3
UTS3911BN	594.95	Brushed Nickel	3
UTS3911BG	594.95	Brushed Gold	3
UTS3911NL	594.95	Polished Nickel	3

COLINET™ M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS344301	428.40	Chrome	3
UTS344301BN	568.15	Brushed Nickel	3
UTS344301BG	568.15	Brushed Gold	3
UTS344301BL	624.95	Matte Black	3

90°™ M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3711	358.05	Chrome	3
UTS3711BN	670.00	Brushed Nickel	3

VIA® M-CORE™ 3-SERIES VALVE ONLY TRIM

- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3771	377.15	Chrome	3

DOUX™ M-CORE™ 3-SERIES VALVE ONLY TRIM

- red/blue markings: included
- includes: pressure balanced cartridge with volume and temperature control
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
UTS3201	371.50	Chrome	3
UTS3201BN	468.45	Brushed Nickel	3
UTS3201BL	499.70	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

M-CORE™ 3-Series Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CIA™	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
NEW! Ships Q3	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3361**	285.05	Chrome	3
		UT3361BN	467.90	Brushed Nickel	3
		UT3361BG	467.90	Brushed Gold	3
		UT3361BL	514.70	Matte Black	3
WYNFORD®	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT35501**	297.00	Chrome	3
		UT35501BN	487.55	Brushed Nickel	3
		UT35501NL	487.55	Polished Nickel	3
		UT355010RB	523.60	Oil Rubbed Bronze	3
ALIGN®	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3291**	297.00	Chrome	3
		UT3291BN	487.55	Brushed Nickel	3
		UT3291BG	487.55	Brushed Gold	3
		UT3291BL	536.30	Matte Black	3
VOSS™	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3691**	285.05	Chrome	3
		UT3691BN	467.90	Brushed Nickel	3
		UT3691BG	467.90	Brushed Gold	3
		UT3691NL	467.90	Polished Nickel	3
		UT36910RB	502.50	Oil Rubbed Bronze	3
BELFIELD™	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3311**	273.70	Chrome	3
		UT3311BN	467.50	Brushed Nickel	3
		UT3311NL	467.50	Polished Nickel	3
		UT33110RB	501.35	Oil Rubbed Bronze	3
RIZON®	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• includes: pressure balanced cartridge with volume and temperature control • valve: sold separately	**UT3811**	297.00	Chrome	3
		UT3811BN	487.55	Brushed Nickel	3
		UT3811BL	523.60	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

NEW! M-CORE™ 2-Series Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS23210	423.60	Chrome	3
		UTS23210BN	560.75	Brushed Nickel	3
		UTS23210BG	560.75	Brushed Gold	3
		UTS23210NL	560.75	Polished Nickel	3
		UTS232100RB	597.75	Oil Rubbed Bronze	3
		UTS23210BL	597.75	Matte Black	3
ARRIS®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS22001	400.25	Chrome	3
		UTS22001BN	550.05	Brushed Nickel	3
		UTS22001BL	595.75	Matte Black	3
FLARA®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2911	360.25	Chrome	3
		UTS2911BN	478.30	Brushed Nickel	3
		UTS2911BG	478.30	Brushed Gold	3
		UTS2911NL	478.30	Polished Nickel	3
COLINET™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS244201	350.00	Chrome	3
		UTS244201BN	462.90	Brushed Nickel	3
		UTS244201BG	462.90	Brushed Gold	3
		UTS244201BL	496.75	Matte Black	3
90°™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2711	312.80	Chrome	3
		UTS2711BN	478.40	Brushed Nickel	3
VIA®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS28711	319.15	Chrome	3
DOUX™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	PREMIUM			
		UTS2201	330.10	Chrome	3
		UTS2201BN	422.80	Brushed Nickel	3
		UTS2201BL	452.60	Matte Black	3
CIA™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2261**	240.00	Chrome	3
		UT2261BN	351.50	Brushed Nickel	3
		UT2261BG	351.50	Brushed Gold	3
		UT2261BL	376.40	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

M-CORE™ 2-Series Valve Only Showering Options NEW!

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WYNFORD®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT24501**	250.10	Chrome	3
		UT24501BN	366.25	Brushed Nickel	3
		UT24501NL	366.25	Polished Nickel	3
		UT245010RB	392.20	Oil Rubbed Bronze	3
ALIGN®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2191**	250.10	Chrome	3
		UT2191BN	366.25	Brushed Nickel	3
		UT2191BG	366.25	Brushed Gold	3
		UT2191BL	392.20	Matte Black	3
VOSS™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2691**	240.00	Chrome	3
		UT2691BN	351.50	Brushed Nickel	3
		UT2691BG	351.50	Brushed Gold	3
		UT2691NL	351.50	Polished Nickel	3
		UT26910RB	376.40	Oil Rubbed Bronze	3
BELFIELD™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2311**	244.90	Chrome	3
		UT2311BN	356.85	Brushed Nickel	3
		UT2311NL	356.85	Polished Nickel	3
		UT23110RB	381.80	Oil Rubbed Bronze	3
RIZON®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2811**	250.10	Chrome	3
		UT2811BN	366.25	Brushed Nickel	3
		UT2811BL	392.15	Matte Black	3
DARTMOOR™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2181**	156.50	Chrome	3
		UT2181BN	248.90	Brushed Nickel	3
		UT21810RB	263.10	Oil Rubbed Bronze	3
		UT2181BL	263.10	Matte Black	3
GLYDE™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2741**	156.50	Chrome	3
		UT2741BN	248.90	Brushed Nickel	3
		UT2741BL	263.10	Matte Black	3
VICHY™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2661**	167.15	Chrome	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

NEW! M-CORE™ 2-Series Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
BRANTFORD®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2151**	146.85	Chrome	3
		UT2151BN	248.90	Brushed Nickel	3
		UT21510RB	263.10	Oil Rubbed Bronze	3
EVA®	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2131**	146.85	Chrome	3
		UT2131BN	248.90	Brushed Nickel	3
		UT21310RB	263.10	Oil Rubbed Bronze	3
GIBSON™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2901**	167.15	Chrome	3
		UT2901BN	231.90	Brushed Nickel	3
		UT2901BL	244.50	Matte Black	3
GENTA™	**M-CORE™ 2-SERIES VALVE ONLY TRIM**				
NEW!	• red/blue markings: included • includes: pressure balanced cartridge with temperature control • valve: sold separately	**UT2471**	164.55	Chrome	3
		UT2471BN	226.30	Brushed Nickel	3
		UT2471BL	238.40	Matte Black	3

HOW TO ORDER A COMPLETE FAUCET



Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS3210	330.85	Chrome	3
		TS3210BN	468.00	Brushed Nickel	3
		TS3210BG	468.00	Brushed Gold	3
		TS3210NL	468.00	Polished Nickel	3
		TS3210ORB	505.00	Oil Rubbed Bronze	3
		TS3210BL	505.00	Matte Black	3
ARRIS®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS22001	307.50	Chrome	3
		TS22001BN	457.30	Brushed Nickel	3
		TS22001BL	503.00	Matte Black	3
FLARA®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS2911	236.00	Chrome	3
		TS2911BN	354.00	Brushed Nickel	3
		TS2911BG	354.00	Brushed Gold	3
		TS2911NL	354.00	Polished Nickel	3
COLINET™	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS44201	225.75	Chrome	3
		TS44201BN	338.65	Brushed Nickel	3
		TS44201BG	338.65	Brushed Gold	3
		TS44201BL	372.50	Matte Black	3
90°™	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS2711	194.45	Chrome	3
		TS2711BN	360.05	Brushed Nickel	3
VIA®	**POSI-TEMP® VALVE ONLY TRIM**				
	• red/blue markings: included • valve: sold separately				
		PREMIUM			
		TS8711	194.90	Chrome	3
DOUX™	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately				
		PREMIUM			
		TS2201	205.85	Chrome	3
		TS2201BN	298.50	Brushed Nickel	3
		TS2201BL	328.35	Matte Black	3

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE

Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CIA™	**POSI-TEMP® VALVE ONLY TRIM**				
NEW! Ships Q3	• red/blue markings: included • valve: sold separately	**T2261**	136.70	Chrome	4
		T2261BN	248.20	Brushed Nickel	4
		T2261BG	248.20	Brushed Gold	4
		T2261BL	273.10	Matte Black	4
WYNFORD®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately	**T4501**	142.45	Chrome	3
		T4501BN	258.60	Brushed Nickel	3
		T4501NL	258.60	Polished Nickel	3
		T4501ORB	284.55	Oil Rubbed Bronze	3
ALIGN®	**POSI-TEMP® VALVE ONLY TRIM**				
	• red/blue markings: included • valve: sold separately	**T2191**	142.45	Chrome	3
		T2191BN	258.60	Brushed Nickel	3
		T2191BG	258.60	Brushed Gold	3
		T2191BL	284.55	Matte Black	3
VOSS™	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately	**T2691**	136.70	Chrome	3
		T2691BN	248.20	Brushed Nickel	3
		T2691BG	248.20	Brushed Gold	3
		T2691NL	248.20	Polished Nickel	3
		T2691ORB	273.10	Oil Rubbed Bronze	3
BELFIELD™	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately	**T2311**	137.30	Chrome	3
		T2311BN	249.20	Brushed Nickel	3
		T2311NL	249.20	Polished Nickel	3
		T23110RB	274.15	Oil Rubbed Bronze	3
KINGSLEY®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve: sold separately	**T2111**	148.70	Chrome	3
		T2111BN	269.90	Brushed Nickel	3
RIZON®	**POSI-TEMP® VALVE ONLY TRIM**				
	• red/blue markings: included • valve: sold separately	**T2811**	142.45	Chrome	3
		T2811BN	258.60	Brushed Nickel	3
		T2811BL	284.50	Matte Black	3

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE



Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DARTMOOR™	POSI-TEMP® VALVE ONLY TRIM				
	• valve: sold separately	**T2181**	50.75	Chrome	3
		T2181BN	143.10	Brushed Nickel	3
		T21810RB	157.35	Oil Rubbed Bronze	3
		NEW! **T2181BL**	157.35	Matte Black	3
GLYDE™	POSI-TEMP® VALVE ONLY TRIM				
	• valve: sold separately	**T2741**	50.75	Chrome	3
		T2741BN	143.10	Brushed Nickel	3
		T2741BL	157.35	Matte Black	3
BRANTFORD®	POSI-TEMP® VALVE ONLY TRIM				
	• valve: sold separately	**T2151**	62.65	Chrome	3
		T2151BN	143.10	Brushed Nickel	3
		T21510RB	157.35	Oil Rubbed Bronze	3
EVA®	POSI-TEMP® VALVE ONLY TRIM				
	• valve: sold separately	**T2131**	62.65	Chrome	3
		T2131BN	143.10	Brushed Nickel	3
		T21310RB	157.35	Oil Rubbed Bronze	3
GIBSON™	POSI-TEMP® VALVE ONLY TRIM				
	• red/blue markings: included • valve: sold separately	**T2901**	61.40	Chrome	3
		T2901BN	126.10	Brushed Nickel	3
		T2901BL	138.70	Matte Black	3
GENTA™	POSI-TEMP® VALVE ONLY TRIM				
	• red/blue markings: included • valve: sold separately	**T2471**	58.80	Chrome	3
		T2471BN	120.50	Brushed Nickel	3
		T2471BL	132.60	Matte Black	3

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE

Moen® **M•PACT®** Common Valve System

Posi-Temp® Valve Only Showering Options

Must order Rough-In-Valve and Trim Pack separately.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
CHATEAU®	POSI-TEMP® VALVE ONLY				
	• ports: four • connection size: 1/2" • connection type: CC • showerhead type: showerhead sold separately • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included	**L2361**	189.95	Chrome	6
CHATEAU®	POSI-TEMP® VALVE ONLY TRIM				
	• red/blue markings: included • valve: sold separately	**T181**	39.40	Chrome	12
CHATEAU®	POSI-TEMP® VALVE ONLY TRIM				
	• red/blue markings: included • valve: sold separately	**TL181**	39.40	Chrome	12

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE

Moen® **M•PACT®** Common Valve System

POSI-TEMP®
Multi-Function Showering Options

Moen has all the components necessary for you to build a custom shower spa. And, we're making it easy for you to pull together the sku numbers you need. Charts of common shower spa configurations are included so that all the components can be ordered. The charts below illustrate one layout and option of showering components. Refer to pages 435 - 472 in the Custom Showering section to choose from our wide array of showering products, styles and finishes to meet your preference. For additional assistance, call your Moen Sales Representative.

Shower Spa Options

POSI-TEMP® SHOWER HEAD & HANDSHOWER

3 function (2 discrete/1 shared)
or
2 function (2 discrete)
Belfield™ suite shown.

Suite	Posi-Temp® 2 Function (2 discrete) -or- 3 Function (2 discrete / 1 shared) Transfer Valve with Volume Control Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Handheld Shower with Slide Bar	Drop Ell
Weymouth®	TS32100	S1311	S113		S12107EP	A725
Arris®	TS22000	S112	S110		3887EP	A725
90°™	TS2710	S6340	123815	147572	S3880EP	A721
Via®	TS8710	S6365	123815	179834	3988EP	A721
Doux™	TS22000	S176	123815	137488	3887EP	A725
Wynford®	T4500	S6310	123815	AT2199	3667EP	A725
Align®	T2190	S176	123815	137488	3887EP	A725
Voss™	T2690	S6365	123815	AT2199	3988EP	A721
Belfield™	T2310	S6310	123815	AT2199	3667EP	A725
Rizon®	T2810	6345	123815	AT2199	3988EP	A721
Gibson™	T2900	6345	123815	137488	3669EP	A725
Genta™	T2470	6345	123815	137488	3988EP	A721

* 2551 / 2581 - 2 independent + 1 shared function.
* 2521 / 2571 - 2 independent functions.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer
Posi-Temp® valves 2521, 2571, 2551, 2581	*3.0	*4.2	*5.2	No

Posi-Temp® Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® SHOWER, SHOWERHEAD & BODY SPRAYS

3 function (2 discrete/1 shared)
or
2 function (2 discrete)
Belfield™ suite shown.

Suite	Posi-Temp® 2 Function (2 discrete) -or- 3 Function (2 discrete / 1 shared) Transfer Valve with Volume Control Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Bodyspray and Quantity
Weymouth®	TS32100	S1311	S113		A501 **x 2**
Arris®	TS22000	S112	S110		A501 **x 2**
90°™	TS2710	S6340	123815	147572	A501 **x 2**
Via®	TS8710	S6365	123815	179834	A501 **x 2**
Doux™	TS22000	S176	123815	137488	A501 **x 2**
Wynford®	T4500	S6310	123815	AT2199	A501 **x 2**
Align®	T2190	S176	123815	137488	A501 **x 2**
Voss™	T2690	S6365	123815	AT2199	A501 **x 2**
Belfield™	T2310	S6310	123815	AT2199	A501 **x 2**
Rizon®	T2810	6345	123815	AT2199	A501 **x 2**
Gibson™	T2900	6345	123815	137488	A501 **x 2**
Genta™	T2470	6345	123815	137488	A501 **x 2**

* 2551 / 2581 - 2 independent + 1 shared function.
* 2521 / 2571 - 2 independent functions.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer
Posi-Temp® valves 2521, 2571, 2551, 2581	*3.0	*4.2	*5.2	No

Posi-Temp® Multi-Function Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

POSI-TEMP® SHOWER, SHOWERHEAD & TUB SPOUT

3 function (2 discrete/1 shared)
or
2 function (2 discrete)
Belfield™ suite shown.

Suite	Posi-Temp® 2 Function (2 discrete) -or- 3 Function (2 discrete / 1 shared) Transfer Valve with Volume Control Valve Trim	Showerhead	Shower Arm	Shower Arm Flange	Non-diverter tub spout
Weymouth®	TS32100	S1311	S113		S12105
Arris®	TS22000	S112	S110		S16900
90°™	TS2710	S6340	123815	147572	S3898
Via®	TS8710	S6365	123815	179834	S3901
Doux™	TS22000	S176	123815	137488	S3836
Wynford®	T4500	S6310	123815	AT2199	195386
Align®	T2190	S176	123815	137488	3892
Voss™	T2690	S6365	123815	AT2199	191956
Belfield™	T2310	S6310	123815	AT2199	3858
Rizon®	T2810	6345	123815	AT2199	3829
Gibson™	T2900	6345	123815	137488	3892
Genta™	T2470	6345	123815	137488	3829

* 2551 / 2581 - 2 independent + 1 shared function.
* 2521 / 2571 - 2 independent functions.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer
Posi-Temp® valves 2521, 2571, 2551, 2581	*3.0	*4.2	*5.2	No

Posi-Temp® Multi-Function Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WEYMOUTH®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	PREMIUM			
		TS32100	709.35	Chrome	4
		TS32100BN	1,003.15	Brushed Nickel	4
		TS32100BG	1,003.15	Brushed Gold	4
		TS32100NL	1,003.15	Polished Nickel	4
		TS32100ORB	1,082.55	Oil Rubbed Bronze	4
		TS32100BL	1,082.55	Matte Black	4
ARRIS®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	PREMIUM			
		TS22000	659.35	Chrome	4
		TS22000BN	980.50	Brushed Nickel	4
		TS22000BL	1,078.40	Matte Black	4
90°™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	PREMIUM			
		TS2710	400.00	Chrome	4
		TS2710BN	740.60	Brushed Nickel	4
VIA®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• red/blue markings: included • valve: sold separately	PREMIUM			
		TS8710	400.85	Chrome	4
DOUX™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	PREMIUM			
		TS2200	430.35	Chrome	4
		TS2200BN	624.05	Brushed Nickel	4
		TS2200BL	686.45	Matte Black	4
WYNFORD®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	**T4500**	257.15	Chrome	4
		T4500BN	466.90	Brushed Nickel	4
		T4500NL	466.90	Polished Nickel	4
		T4500ORB	513.65	Oil Rubbed Bronze	4
ALIGN®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• red/blue markings: included • valve: sold separately	**T2190**	257.15	Chrome	4
		T2190BN	466.90	Brushed Nickel	4
		T2190BG	466.90	Brushed Gold	4
		T2190BL	513.65	Matte Black	4

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE

Moen® **M•PACT®** Common Valve System

Posi-Temp® Multi-Function Showering Options

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
VOSS™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	**T2690**	246.80	Chrome	4
		T2690BN	448.10	Brushed Nickel	4
		T2690BG	448.10	Brushed Gold	4
		T2690NL	448.10	Polished Nickel	4
		T2690ORB	492.95	Oil Rubbed Bronze	4
BELFIELD™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• valve: sold separately	**T2310**	247.80	Chrome	4
		T2310BN	449.90	Brushed Nickel	4
		T2310NL	449.90	Polished Nickel	4
		T2310ORB	494.95	Oil Rubbed Bronze	4
RIZON®	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• red/blue markings: included • valve: sold separately	**T2810**	257.15	Chrome	4
		T2810BN	466.90	Brushed Nickel	4
		T2810BL	513.65	Matte Black	4
GIBSON™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• red/blue markings: included • valve: sold separately	**T2900**	91.15	Chrome	4
		T2900BN	132.15	Brushed Nickel	4
		T2900BL	145.40	Matte Black	4
GENTA™	POSI-TEMP® WITH INTEGRATED TRANSFER VALVE TRIM				
	• red/blue markings: included • valve: sold separately	**T2470**	87.30	Chrome	4
		T2470BN	126.55	Brushed Nickel	4
		T2470BL	136.35	Matte Black	4

HOW TO ORDER POSI-TEMP® SHOWER WITH TRANSFER VALVE

Valve Part No. | Trim Part No. | Complete Faucet

Moen® **M•PACT®** Common Valve System

Showerheads

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

1.5 GPM SHOWERING OPTIONS				
MODEL NUMBER	**DESCRIPTION**	**LIST PRICE**	**FINISH**	**CASE QTY.**
S6340EP15	Rainshower	209.05	Chrome	3
S6340EP15BN	Rainshower	287.45	Brushed Nickel	3
S6335EP15	Showerhead	163.95	Chrome	6
6302EP15	Showerhead	101.45	Chrome	12
6399EP15	Showerhead	104.40	Chrome	12
6399EP15BL	Showerhead	179.35	Matte Black	12
6313	Showerhead	56.10	Chrome	12
6313BN	Showerhead	85.95	Brushed Nickel	12
6313ORB	Showerhead	94.55	Oil Rubbed Bronze	12
6300EP15	Showerhead	39.35	Chrome	12
157276EP15	Handheld Shower	69.90	Chrome	6

		MODEL	LIST	FINISH/CONNECT	CASE QTY
RAINSHOWER					
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • type of function: concentrated rinse; full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION®	**PREMIUM**			
		S1311	502.45	Chrome	3
		S1311BN	685.80	Brushed Nickel	3
		S1311BG	685.80	Brushed Gold	3
		S1311NL	685.80	Polished Nickel	3
		S1311ORB	754.25	Oil Rubbed Bronze	3
		S1311BL	754.25	Matte Black	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • type of function: concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION®	**PREMIUM**			
		S1311EP	502.45	Chrome	3
		S1311EPBN	685.80	Brushed Nickel	3
		S1311EPBG	685.80	Brushed Gold	3
		S1311EPNL	685.80	Polished Nickel	3
		S1311EPORB	754.25	Oil Rubbed Bronze	3
		S1311EPBL	754.25	Matte Black	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 12" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. • metal construction • recommended for over-head mount application only	**PREMIUM**			
		S1002	477.80	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 12" diameter spray head • type of function: full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. • metal construction • recommended for over-head mount application only	**PREMIUM**			
		S1002EP	477.80	Chrome	3

WaterSense® Certified
Eco-Performance
IMMERSION® Immersion® Rainshower

Showerheads

RAINSHOWER (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 12" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. • metal construction • recommended for over-head mount applications only	PREMIUM **S1004**	477.80	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 12" diameter spray head • type of function: full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. • metal construction • recommended for over-head mount applications only	PREMIUM **S1004EP**	477.80	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. • metal construction • recommended for over-head mount applications only	PREMIUM **S1001**	447.95	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • type of function: full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. • metal construction • recommended for over-head mount applications only	PREMIUM **S1001EP**	447.95	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. • metal construction • recommended for over-head mount applications only	PREMIUM **S1003**	447.95	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • type of function: full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. • metal construction • recommended for over-head mount application only	PREMIUM **S1003EP**	447.95	Chrome	3

WaterSense® Certified
Eco-Performance
IMMERSION Immersion® Rainshower

Showerheads

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	PREMIUM **S112** **S112BN** **S112BG** **S112NL** **S112ORB** **S112WR**	471.00 637.70 637.70 637.70 701.45 701.45	Chrome Brushed Nickel Brushed Gold Polished Nickel Oil Rubbed Bronze Wrought Iron/Matte Black*	3 3 3 3 3 3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	PREMIUM **S112EP** **S112EPBN** **S112EPBG** **S112EPNL** **S112EPORB** **S112EPWR**	471.00 637.70 637.70 637.70 701.45 701.45	Chrome Brushed Nickel Brushed Gold Polished Nickel Oil Rubbed Bronze Wrought Iron/Matte Black*	3 3 3 3 3 3
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 8" diameter spray head • type of function: full spray; concentrated rinse • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	PREMIUM **S6320** **S6320BN** **S6320BG** **S6320ORB**	327.50 514.65 514.65 566.05	Chrome Brushed Nickel Brushed Gold Oil Rubbed Bronze	3 3 3 3
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • type of function: concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	PREMIUM **S6320EP** **S6320EPBN** **S6320EPBG** **S6320EPORB**	327.50 514.65 514.65 566.05	Chrome Brushed Nickel Brushed Gold Oil Rubbed Bronze	3 3 3 3
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 8-1/2" diameter spray head • type of function: full rainshower; concentrated rinse; combination • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	PREMIUM **S6345** **S6345BN** **S6345BG**	327.50 514.65 514.65	Chrome Brushed Nickel Brushed Gold	3 3 3
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 8-1/2" diameter spray head • type of function: concentrated rinse; combination; full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	PREMIUM **S6345EP** **S6345EPBN** **S6345EPBG**	327.50 514.65 514.65	Chrome Brushed Nickel Brushed Gold	3 3 3

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance
IMMERSION Immersion® Rainshower

Showerheads

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	**PREMIUM**			
	S6360	304.35	Chrome	3
	S6360BN	456.55	Brushed Nickel	3
	S6360ORB	502.95	Oil Rubbed Bronze	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • type of function: rainshower • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	**PREMIUM**			
	S6360EP	304.35	Chrome	3
	S6360EPBN	456.55	Brushed Nickel	3
	S6360EPORB	502.95	Oil Rubbed Bronze	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	**PREMIUM**			
	S176	209.05	Chrome	3
	S176BN	287.45	Brushed Nickel	3
	S176BG	287.45	Brushed Gold	3
	S176BL	301.80	Matte Black	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	**PREMIUM**			
	S176EP	209.05	Chrome	3
	S176EPBN	287.45	Brushed Nickel	3
	S176EPBG	287.45	Brushed Gold	3
	S176EPBL	301.80	Matte Black	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	**PREMIUM**			
	S6310	209.05	Chrome	3
	S6310BN	287.45	Brushed Nickel	3
	S6310NL	273.70	Polished Nickel	3
	S63100RB	301.80	Oil Rubbed Bronze	3
	S6310WR	301.80	Wrought Iron/Matte Black*	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 7" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	**PREMIUM**			
	S6310EP	209.05	Chrome	3
	S6310EPBN	287.45	Brushed Nickel	3
	S6310EPNL	273.70	Polished Nickel	3
	S6310EPORB	301.80	Oil Rubbed Bronze	3
	S6310EPWR	301.80	Wrought Iron/Matte Black*	3

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance
IMMERSION Immersion® Rainshower

Showerheads

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

RAINSHOWER (CONTINUED)

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	**PREMIUM**			
	S6340	209.05	Chrome	3
	S6340BN	287.45	Brushed Nickel	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	**PREMIUM**			
	S6340EP	209.05	Chrome	3
	S6340EPBN	287.45	Brushed Nickel	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. IMMERSION	**PREMIUM**			
	S6340EP15	209.05	Chrome	3
	S6340EP15BN	287.45	Brushed Nickel	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. IMMERSION	**PREMIUM**			
	S6365	209.05	Chrome	3
	S6365BN	287.45	Brushed Nickel	3
	S6365BG	287.45	Brushed Gold	3
	S6365NL	287.45	Polished Nickel	3
	S63650RB	301.80	Oil Rubbed Bronze	3
	S6365BL	301.80	Matte Black	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. IMMERSION	**PREMIUM**			
	S6365EP	209.05	Chrome	3
	S6365EPBN	287.45	Brushed Nickel	3
	S6365EPBG	287.45	Brushed Gold	3
	S6365EPNL	287.45	Polished Nickel	3
	S6365EPORB	301.80	Oil Rubbed Bronze	3
	S6365EPBL	301.80	Matte Black	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 8" diameter spray head • type of function: full rainshower • flow rate: 2.5 gpm (9.5 L/min) max. Ships Q3 NEW!	**6345**	97.05	Chrome	3
	6345BN	109.35	Brushed Nickel	3
	6345BG	109.35	Brushed Gold	3
	63450RB	121.60	Oil Rubbed Bronze	3
	6345BL	121.60	Matte Black	3
• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 8" diameter spray head • type of function: full rainshower • flow rate: 1.75 gpm (6.65 L/min) max. Ships Q3 NEW!	**6345EP**	97.05	Chrome	3
	6345EPBN	109.35	Brushed Nickel	3
	6345EPBG	109.35	Brushed Gold	3
	6345EPORB	121.60	Oil Rubbed Bronze	3
	6345EPBL	121.60	Matte Black	3

WaterSense® Certified
Eco-Performance
IMMERSION Immersion® Rainshower

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S6335	163.95	Chrome	6
		S6335BN	223.20	Brushed Nickel	6
		S6335ORB	245.35	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	PREMIUM			
		S6335EP	163.95	Chrome	6
		S6335EPBN	223.20	Brushed Nickel	6
		S6335EPORB	245.35	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	PREMIUM			
		S6335EP15	163.95	Chrome	6
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S6312	136.00	Chrome	12
		S6312BN	161.65	Brushed Nickel	12
		S6312NL	161.65	Polished Nickel	12
		S6312ORB	177.75	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	PREMIUM			
		S6312EP	136.00	Chrome	12
		S6312EPBN	161.65	Brushed Nickel	12
		S6312EPNL	161.65	Polished Nickel	6
		S6312EPORB	177.75	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: IPS • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: combination; full spray; concentrated rinse • flow rate: 1.75 gpm (6.65 L/min) max.	**3233EP**	117.30	Chrome	12
		3233EPBN	199.10	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray; invigorating spray; targeted massage; combination • flow rate: 2.5 gpm (9.5 L/min) max.	**3638**	117.30	Chrome	12
		3638BN	199.10	Brushed Nickel	12
		3638ORB	219.10	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: targeted massage; full spray; invigorating spray; combination • flow rate: 1.75 gpm (6.65 L/min) max.	**3638EP**	117.30	Chrome	12
		3638EPBN	199.10	Brushed Nickel	12

WaterSense® Certified
Eco-Performance

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; targeted massage; refreshing spray; relaxing spray • flow rate: 2.5 gpm (9.5 L/min) max.	**3855**	117.30	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; targeted massage; refreshing spray; relaxing spray • flow rate: 1.75 gpm (6.65 L/min) max.	**3855EP**	117.30	Chrome	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: six-function • showerhead type: eco-performance showerhead • showerhead size: 4.5" diameter spray head • type of function: downpour; rinse; full spray; massage; relaxing spray; wide coverage • flow rate: 1.75 gpm (6.65 L/min) max.	**6512EP**	113.40	Chrome	12
		6512EPBN	191.35	Brushed Nickel	12
		6512EPBL	210.55	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6302**	101.45	Chrome	12
		6302BN	158.40	Brushed Nickel	12
		6302ORB	174.25	Oil Rubbed Bronze	12
		6302WR	174.25	Wrought Iron/Matte Black*	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6302EP**	101.45	Chrome	12
		6302EPBN	158.40	Brushed Nickel	12
		6302EPORB	174.25	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	**6302EP15**	101.45	Chrome	12

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance

Showerheads

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL6302**	101.45	Chrome	12
		CL6302BN	158.40	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes	**CL6302EP**	101.45	Chrome	12
		CL6302EPBN	158.40	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6322**	100.25	Chrome	12
		6322BN	157.45	Brushed Nickel	1
		6322BL	165.55	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6322EP**	100.25	Chrome	12
		6322EPBN	157.45	Brushed Nickel	1
		6322EPBL	165.55	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6325**	100.25	Chrome	12
		6325BN	156.50	Brushed Nickel	12
		6325BG	156.50	Brushed Gold	12
		6325NL	156.50	Polished Nickel	12
		6325ORB	172.30	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6325EP**	100.25	Chrome	12
		6325EPBN	156.50	Brushed Nickel	12
		6325EPBG	156.50	Brushed Gold	12
		6325EPNL	156.50	Polished Nickel	12
		6325EPORB	172.30	Oil Rubbed Bronze	12

WaterSense® Certified
Eco-Performance

Showerheads

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6399**	104.40	Chrome	12
		6399BN	163.00	Brushed Nickel	12
		6399BG	163.00	Brushed Gold	12
		6399BL	179.35	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6399EP**	104.40	Chrome	12
		6399EPBN	163.00	Brushed Nickel	12
		6399EPBG	163.00	Brushed Gold	12
		6399EPBL	179.35	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	**6399EP15**	104.40	Chrome	12
		6399EP15BL	179.35	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6370**	60.55	Chrome	12
		6370BN	92.70	Brushed Nickel	12
		6370BL	102.05	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6370EP**	60.55	Chrome	12
		6370EPBN	92.70	Brushed Nickel	3
		6370EPBL	102.05	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6371**	60.55	Chrome	12
		6371BN	92.70	Brushed Nickel	12
		6371ORB	102.05	Oil Rubbed Bronze	12
		6371BL	102.05	Matte Black	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6371EP**	60.55	Chrome	12
		6371EPBN	92.70	Brushed Nickel	12
		6371EPORB	102.05	Oil Rubbed Bronze	12
		6371EPBL	102.05	Matte Black	12

WaterSense® Certified
Eco-Performance

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; targeted massage; refreshing spray; relaxing spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL26500**	59.75	Chrome	12
		CL26500BN	97.50	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; targeted massage; refreshing spray; relaxing spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes	**CL26500EP**	59.75	Chrome	12
		CL26500EPBN	97.50	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6303**	56.10	Chrome	12
		6303BN	85.95	Brushed Nickel	12
		6303ORB	94.55	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6303EP**	56.10	Chrome	12
		6303EPBN	85.95	Brushed Nickel	12
		6303EPORB	94.55	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	**6313**	56.10	Chrome	12
		6313BN	85.95	Brushed Nickel	12
		6313ORB	94.55	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes	**CL6303**	56.10	Chrome	12
		CL6303BN	85.95	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes	**CL6303EP**	56.10	Chrome	12
		CL6303EPBN	85.95	Brushed Nickel	12

WaterSense® Certified
Eco-Performance

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

FIXED SHOWERHEAD (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: standard • showerhead size: 3.5" diameter spray head • type of function: full spray; invigorating spray; energizing massage; refreshing spray • flow rate: 2.5 gpm (9.5 L/min) max.	**23026**	39.95	Chrome	4
	• connection size: 1/2" • connection type: IPS • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • type of function: targeted massage; full spray; refreshing spray • flow rate: 1.75 gpm (6.65 L/min) max.	**20001**	34.95	Chrome	3
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max.	**6300**	39.35	Chrome	12
		6300BN	60.05	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max.	**6300EP**	39.35	Chrome	12
		6300EPBC	46.00	Brushed Chrome	12
		6300EPBN	60.05	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max.	**6300EP15**	39.35	Chrome	12

WaterSense® Certified
Eco-Performance

Shower Arms and Flanges

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWER ARM ONLY

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • length: 18"	**336651**	74.70	Chrome	6
		336651BN	145.20	Brushed Nickel	6
		336651BG	145.20	Brushed Gold	6
		336651NL	145.20	Polished Nickel	6
		336651ORB	159.60	Oil Rubbed Bronze	6
		336651BL	159.60	Matte Black	6
	• connection size: 1/2" • connection type: IPS • length: 12"	**226651**	49.90	Chrome	6
		226651BN	96.80	Brushed Nickel	6
		226651BG	96.80	Brushed Gold	6
		226651NL	96.80	Polished Nickel	6
		226651ORB	106.40	Oil Rubbed Bronze	6
		226651WR	106.40	Wrought Iron/Matte Black*	6
	• connection size: 1/2" • connection type: IPS • length: 6"	**116651**	16.15	Chrome	6
		116651BN	27.35	Brushed Nickel	6
		116651BG	27.35	Brushed Gold	6
		116651NL	27.35	Polished Nickel	6
		116651ORB	35.50	Oil Rubbed Bronze	6
		116651WR	35.50	Wrought Iron/Matte Black*	6
	• connection size: 1/2" • connection type: IPS • length: 16"	**151380**	82.65	Chrome	6
		151380BN	140.50	Brushed Nickel	6
		151380BG	140.50	Brushed Gold	6
		151380ORB	154.50	Oil Rubbed Bronze	6
		151380BL	154.50	Matte Black	6
	• connection size: 1/2" • connection type: IPS • length: 8"	**123815**	31.80	Chrome	12
		123815BN	53.00	Brushed Nickel	12
		123815BG	53.00	Brushed Gold	12
		123815NL	53.00	Polished Nickel	12
		123815ORB	58.25	Oil Rubbed Bronze	12
		123815BL	58.25	Matte Black	12
	• connection size: 1/2" • connection type: IPS • length: 8"	**CL123815**	40.75	Chrome	12
		CL123815BN	76.85	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • length: 6"	**CL10154**	32.50	Chrome	12
		CL10154BN	65.75	Brushed Nickel	12
	• connection size: 1/2" • connection type: IPS • length: 6"	**10154**	23.40	Chrome	50
		10154BN	42.00	Brushed Nickel	50
		10154BG	42.00	Brushed Gold	30
		10154NL	42.00	Polished Nickel	1
		10154ORB	46.20	Oil Rubbed Bronze	50
		10154WR	45.05	Wrought Iron/Matte Black*	30
		10154BRB	33.55	Mediterranean Bronze	20
		10154CBN	20.20	Classic Brushed Nickel	20
		10154SLP	37.25	Brushed Platinum	20

* Wrought Iron and Matte Black are the same finish and interchangeable

CL Prefix: Indicates carded product for peg hook merchandising.

Shower Arms and Flanges

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWER ARM AND FLANGE

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • length: 14"	**PREMIUM**			
		S110	137.75	Chrome	6
		S110BN	166.80	Brushed Nickel	6
		S110BL	183.35	Matte Black	6
	• connection size: 1/2" • connection type: IPS • length: 14"	**PREMIUM**			
		S113	137.75	Chrome	6
		S113BN	166.80	Brushed Nickel	6
		S113BG	166.80	Brushed Gold	3
		S113NL	166.80	Polished Nickel	3
		S113ORB	183.35	Oil Rubbed Bronze	6
		S113WR	183.35	Wrought Iron/Matte Black*	3
	• connection size: 1/2" • connection type: IPS • length: 8"	**161951**	108.30	Chrome	12
		161951BN	146.50	Brushed Nickel	12
		161951BG	146.50	Brushed Gold	12
		161951NL	146.50	Polished Nickel	12
		161951ORB	161.15	Oil Rubbed Bronze	12
		161951BL	161.15	Matte Black	12
	• connection size: 1/2" • connection type: IPS • length: 8 3/4"	**177171**	98.75	Chrome	12
		177171BN	133.50	Brushed Nickel	12
		177171NL	133.50	Polished Nickel	12
		177171ORB	146.90	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • length: 8"	**PREMIUM**			
		S122	50.60	Chrome	6
		S122BN	104.55	Brushed Nickel	6
Ships Q3 NEW!		**S122BG**	104.55	Brushed Gold	6
		S122NL	104.55	Polished Nickel	6
		S122ORB	115.10	Oil Rubbed Bronze	6
		S122BL	115.10	Matte Black	6
	• connection size: 1/2" • connection type: IPS • length: 8"	**PREMIUM**			
		S133	50.60	Chrome	6
		S133BN	104.55	Brushed Nickel	6
	• connection size: 1/2" • connection type: IPS • length: 6"	**PREMIUM**			
		S177	50.50	Chrome	6
		S177BN	104.55	Brushed Nickel	6

* Wrought Iron and Matte Black are the same finish and interchangeable

Shower Arms and Flanges

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWER ARM FLANGE

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• tub and shower accent kit	**AT2099**	19.05	Chrome	12
		AT2099BN	48.45	Brushed Nickel	12
		AT2099ORB	53.20	Oil Rubbed Bronze	12
	• shower arm flange	**179834**	15.00	Chrome	20
	• shower arm flange	**147572**	13.15	Chrome	12
		147572BN	19.15	Brushed Nickel	12
	• shower arm flange	**164745**	12.95	Chrome	20
		164745BN	18.95	Brushed Nickel	20
		164745BG	18.95	Brushed Gold	20
		164745NL	18.95	Polished Nickel	20
		164745ORB	24.60	Oil Rubbed Bronze	20
	• shower arm flange	**137488**	9.15	Chrome	200
		137488BN	23.75	Brushed Nickel	200
		137488NL	23.75	Polished Nickel	48
		137488BG	23.75	Brushed Gold	12
		137488BL	25.05	Matte Black	24
	• shower arm flange	**AT2199**	9.10	Chrome	200
		AT2199BN	23.85	Brushed Nickel	200
		AT2199NL	23.85	Polished Nickel	48
		AT2199BG	24.05	Brushed Gold	48
		AT2199ORB	26.25	Oil Rubbed Bronze	200
		AT2199WR	26.25	Wrought Iron/Matte Black*	24
		AT2199SLP	17.05	Brushed Platinum	24

* Wrought Iron and Matte Black are the same finish and interchangeable

Shower Rails

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

NEBIA BY MOEN™ SHOWER RAIL

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead functions: two-function • showerhead type: rainshower with handshower • showerhead size: 7.9" diameter spray head • type of function: atomized spray • included: double check valves for backflow prevention • 23.5" wall bracket with 17" height range • flow rate: 1.75 gpm (6.6L/min) max.	PREMIUM			
		N207C0CH	396.90	Chrome/White	2
		N207C0SRN●	460.00	Spot Resist Brushed Nickel	2
		N207C0BLC	473.85	Matte Black/Chrome	2
		N207C0BL	550.75	Matte Black	2
	• connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7.9" diameter spray head • type of function: atomized spray • included: double check valves for backflow prevention • 23.5" wall bracket with 17" height range • flow rate: 1.35 gpm (5.1L/min) max.	PREMIUM			
		N207R0CH	306.15	Chrome/White	2
		N207R0SRN●	346.15	Spot Resist Brushed Nickel	2
		N207R0BLC	352.30	Matte Black/Chrome	2
		N207R0BL	398.45	Matte Black	2
	• showerhead functions: one-function • showerhead type: handshower • showerhead size: 2-1/2" diameter spray head • type of function: atomized spray • flow rate: 0.4 gpm (1.35 L/min) max. • hose length: 59" • only compatible with Nebia by Moen shower rail	PREMIUM			
		N207H0CH	90.75	Chrome/White	2
		N207H0SRN●	113.85	Spot Resist Brushed Nickel	2
		N207H0BLC	121.55	Matte Black/Chrome	2
		N207H0BL	152.30	Matte Black	2

NEBIA BY MOEN™ MAGNETIC DOCKS

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• includes: magnetic docking system • only compatible with Nebia by Moen handshower • includes: two installation options - permanent, waterproof adhesive or wall bracket and screw	PREMIUM			
		N207Z0GLC	26.10	White	6
		N207Z0SRN●	27.70	Spot Resist Brushed Nickel	6
		N207Z0BL	29.20	Matte Black	6

ANNEX™ SHOWER RAIL

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • showerhead type: showerhead sold separately • handshower type: handshower sold separately • type of function: two independent functions • hose length: 59"	PREMIUM			
		TS3661NH	576.30	Chrome	3
		TS3661NHBN	910.40	Brushed Nickel	3
	NEW!	**TS3661NHBG**	910.40	Brushed Gold	3
		TS3661NHORB	960.65	Oil Rubbed Bronze	3
		TS3661NHBL	960.65	Matte Black	3

● Spot Resist Finish
WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD WITH SLIDEBAR

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S12107EP	585.70	Chrome	6
S12107EPBN	828.25	Brushed Nickel	6
S12107EPBG	828.25	Brushed Gold	6
S12107EPNL	828.25	Polished Nickel	6
S12107EPORB	911.00	Oil Rubbed Bronze	6
S12107EPBL	919.65	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725BG	83.25	Brushed Gold	12
A725NL	82.75	Polished Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12
A725WR	91.00	Wrought Iron/Matte Black*	12

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/4" diameter spray head
- type of function: drench; immerse; shine; soothe
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3870EP	403.15	Chrome	6
S3870EPBN	808.45	Brushed Nickel	6
S3870EPORB	890.05	Oil Rubbed Bronze	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12

- showerhead functions: five-function
- showerhead type: eco-performance handshower
- showerhead size: 4.5" diameter spray head
- type of function: downpour; rinse; full spray; pause; massage; wide coverage
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- ADA compliant: yes

MODEL	LIST	FINISH/CONNECT	CASE QTY
3670EP	348.20	Chrome	6
3670EPBN	504.95	Brushed Nickel	6
3670EPBL	555.35	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725WR	91.00	Wrought Iron/Matte Black*	12

- showerhead functions: five-function
- showerhead type: eco-performance handshower
- showerhead size: 4.5" diameter spray head
- type of function: downpour; rinse; full spray; pause; massage; wide coverage
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- ADA compliant: yes

MODEL	LIST	FINISH/CONNECT	CASE QTY
3671EP	348.20	Chrome	6
3671EPBN	504.95	Brushed Nickel	6
3671EPBL	555.35	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725WR	91.00	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD WITH SLIDEBAR (CONTINUED)

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3879EP	355.85	Chrome	6
S3879EPBN	713.95	Brushed Nickel	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A721	74.75	Chrome	12
A721BN	105.45	Brushed Nickel	12

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- metal construction
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3880EP	355.85	Chrome	6
S3880EPBN	713.95	Brushed Nickel	6
S3880EPBG	713.95	Brushed Gold	6
S3880EPNL	713.95	Polished Nickel	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A721	74.75	Chrome	12
A721BN	105.45	Brushed Nickel	12
A721BG	105.45	Brushed Gold	12
A721NL	105.45	Polished Nickel	12

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4-3/8" diameter spray head
- type of function: combination; full spray; invigorating spray; targeted massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3667EP	310.85	Chrome	6
3667EPBN	614.65	Brushed Nickel	6
3667EPNL	614.65	Polished Nickel	6
3667EPORB	676.05	Oil Rubbed Bronze	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725NL	82.75	Polished Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: targeted massage; full spray; invigorating spray; combination
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3669EP	310.85	Chrome	6
3669EPBN	614.65	Brushed Nickel	6
3669EPORB	676.05	Oil Rubbed Bronze	6
3669EPBL	676.05	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12
A725WR	91.00	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD WITH SLIDEBAR (CONTINUED)

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3887EP	306.50	Chrome	6
3887EPBN	609.10	Brushed Nickel	6
3887EPBG	609.10	Brushed Gold	6
3887EPBL	645.40	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725BG	83.25	Brushed Gold	12
A725WR	91.00	Wrought Iron/Matte Black*	12

- showerhead functions: one-function
- showerhead type: soft square handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3988EP	288.70	Chrome	6
3988EPBN	573.65	Brushed Nickel	6
3988EPSRN●	573.65	Spot Resist Brushed Nickel	6
3988EPORB	630.95	Oil Rubbed Bronze	6
3988EPBRB	630.95	Mediterranean Bronze	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A721	74.75	Chrome	12
A721BN	105.45	Brushed Nickel	12
A721SRN●	105.45	Spot Resist Brushed Nickel	12
A7210RB	115.95	Oil Rubbed Bronze	12
A721BRB	114.05	Mediterranean Bronze	12

- showerhead functions: three-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: combination; full spray; concentrated rinse
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3863EP	283.50	Chrome	6
3863EPBN	592.10	Brushed Nickel	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 4-1/4" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 24"
- hose length: 59"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3668EP	260.25	Chrome	6
3668EPBN	376.65	Brushed Nickel	6
3668EPORB	413.95	Oil Rubbed Bronze	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A7250RB	91.00	Oil Rubbed Bronze	12

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish
WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD WITH SLIDEBAR (CONTINUED)

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 24"
- hose length: 59"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3868EP	260.25	Chrome	6
3868EPBN	376.65	Brushed Nickel	6
3868EPBG	376.65	Brushed Gold	6
3868EPORB	413.95	Oil Rubbed Bronze	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725BG	83.25	Brushed Gold	12
A7250RB	91.00	Oil Rubbed Bronze	12

- showerhead functions: five-function
- showerhead type: eco-performance handshower
- showerhead size: 4-3/8" diameter spray head
- type of function: downpour; rinse; full spray; massage; relaxing massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 30"
- hose length: 69"
- double check valve: included
- slide bar: not to be used as a grab bar
- drop ell: sold separately
- use securemount anchor: to meet hand grip requirements

MODEL	LIST	FINISH/CONNECT	CASE QTY
3558EP	244.70	Chrome	6
3558EPBN	330.30	Brushed Nickel	6
3558EPORB	363.35	Oil Rubbed Bronze	6
3558EPBL	363.35	Matte Black	6
SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
A750	35.85	N/A or Unfinished	24
DROP ELLS SOLD SEPARATELY			
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A7250RB	91.00	Oil Rubbed Bronze	12
A725WR	91.00	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELD WITH WALL BRACKET

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4-3/8" diameter spray head
- type of function: combination; full spray; invigorating spray; targeted massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 69"
- double check valve: included
- drop ell: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
3636EP	300.75	Chrome	6
3636EPBN	572.25	Brushed Nickel	6
3636EPORB	629.50	Oil Rubbed Bronze	6
		DROP ELLS SOLD SEPARATELY	
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1-1/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 69"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S11705EP	289.95	Chrome	6
S11705EPBN	420.25	Brushed Nickel	6
		DROP ELLS SOLD SEPARATELY	
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12

- showerhead functions: one-function
- showerhead type: eco-performance showerhead
- showerhead size: 4" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 59"
- wall bracket: included
- double check valve: included
- drop ell: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
3865EP	216.35	Chrome	6
3865EPBN	314.10	Brushed Nickel	6
3865EPORB	345.70	Oil Rubbed Bronze	6
		DROP ELLS SOLD SEPARATELY	
A725	58.45	Chrome	12
A725BN	82.75	Brushed Nickel	12
A725ORB	91.00	Oil Rubbed Bronze	12

* Wrought Iron and Matte Black are the same finish and interchangeable

WaterSense® Certified
Eco-Performance

Handheld Showers

MOEN® × INLY™

MOEN® X INLY™ AROMATHERAPY COLLECTION

- aromatherapy handshower infuses essential oils directly into your shower water when desired
- showerhead functions: six spray settings and 4 aromatherapy dilution settings (high/med/low/off)
- showerhead size: 5.6" diameter spray head
- type of function: wide coverage; rinse; invigorating spray; relaxing massage; massage; downpour
- showerhead type: eco-performance handshower
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 60"
- includes: magnetix docking system
- double check valve: included
- arm and flange sold separately
- INLY™ aromatherapy shower capsules sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
208H2	198.45	Chrome	2
208H2SRN●	213.85	Spot Resist Brushed Nickel	2

- showerhead aromatherapy rainshower and handshower infuses essential oils directly into your shower water when desired
- 3 showers in 1 - use showerheads separately or together
- handshower functions: six spray settings and 4 aromatherapy dilution settings (high/med/low/off)
- showerhead size: 6.5" diameter rainshower and 5.6" diameter handshower
- handshower type of function: wide coverage; rinse; invigorating spray; relaxing massage; massage; downpour
- showerhead type: eco-performance
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 60"
- includes: magnetix docking system
- double check valve: included
- arm and flange sold separately
- includes: 4 INLY™ shower capsules; 1 of each fragrance

MODEL	LIST	FINISH/CONNECT	CASE QTY
IN208C2	306.15	Chrome	2
IN208C2SRN●	321.55	Spot Resist Brushed Nickel	2

- INLY™ aromatherapy shower capsules 5-pack
- infuse the shower with 4 unique spa-inspired fragrances curated with essential oils
- dispense only using INLY compatible Moen Aromatherapy showering devices (sold separately)

MODEL	LIST	FINISH/CONNECT	CASE QTY
INC20801	24.60	Energetic Morning™ 5-Pack	6
INC20802	24.60	Tropical Day™ 5-Pack	6
INC20803	24.60	Sweet Morning™ 5-Pack	6
INC20804	24.60	Zen Time™ 5-Pack	6

NEW!

- INLY™ aromatherapy bulk capsule case - 125 individual capsules per case
- INLY™ capsules MUST ALWAYS be accompanied by regulatory content for the end user: required content is included on the master carton label and specification page on moen.com
- infuse the shower with 4 unique spa-inspired fragrances curated with essential oils
- dispense only using INLY compatible Moen Aromatherapy showering devices (sold separately)
- bulk pack: yes

MODEL	LIST	FINISH/CONNECT	CASE QTY
INCB20801◆	580.40	Energetic Morning™	125
INCB20802◆	580.40	Tropical Day™	125
INCB20803◆	580.40	Sweet Morning™	125
INCB20804◆	580.40	Zen Time™	125

◆ Also available in bulk pack. See page 609.
● Spot Resist Finish
WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

MAGNETIX® HANDHELDS

- showerhead functions: six-function
- showerhead type: eco-performance handshower
- showerhead size: 5.5" diameter spray head
- type of function: downpour; rinse; invigorating spray; massage; relaxing massage; wide coverage
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 59"
- double check valve: included
- includes: magnetix docking system

MODEL	LIST	FINISH/CONNECT	CASE QTY
3662EP	212.90	Chrome	6
3662EPBN	288.60	Brushed Nickel	6
3662EPORB	363.10	Oil Rubbed Bronze	6
3662EPBL	363.10	Matte Black	6

- showerhead functions: six-function
- showerhead type: eco-performance handshower
- showerhead size: 3.5" diameter spray head
- type of function: wide coverage; rinse; soothing massage; relaxing massage; massage; downpour
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 60"
- includes: magnetix docking system
- double check valve: included
- arm and flange sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
26100EP	69.80	Chrome	2
26100EPSRN●	85.35	Spot Resist Brushed Nickel	2
NEW! **26100EPBL**	87.90	Matte Black	2

- showerhead functions: six-function
- showerhead type: eco-performance handshower
- showerhead size: 3.5" diameter spray head
- type of function: wide coverage; rinse; soothing massage; relaxing massage; massage; downpour
- flow rate: 1.75 gpm (6.65 L/min) max.
- hose length: 60"
- includes: magnetix docking system
- double check valve: included
- arm and flange sold separately
- pre-pack with corrugated display

MODEL	LIST	FINISH/CONNECT	CASE QTY
P26100EP	69.80	Chrome	12

- showerhead functions: six-function
- showerhead type: eco-performance handshower
- showerhead size: 5" diameter spray head
- type of function: downpour; rinse; massage; relaxing massage; wide coverage; soothing massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included
- includes: magnetix docking system
- handshower only
- magnetic dock and hose sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
187054	142.05	Chrome	6
187054BN	177.10	Brushed Nickel	6
187054BL	196.25	Matte Black	6
1870540RB	196.25	Oil Rubbed Bronze	6

MAGNETIX® HANDHELD DOCKS

- includes: Magnetix docking system
- compatible with the following Magnetix SKUs only: 3662EP, 187054, and 26100EP
- includes two installation options - permanent, waterproof adhesive or wall bracket and screw

MODEL	LIST	FINISH/CONNECT	CASE QTY
186117	23.35	Chrome	6
186117SRN●	28.35	Spot Resist Brushed Nickel	6
186117BN	34.20	Brushed Nickel	6
186117BL	37.65	Matte Black	6
1861170RB	37.65	Oil Rubbed Bronze	6

HANDHELDS

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/8" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
154305	150.70	Chrome	6
154305BN	218.50	Brushed Nickel	6
154305BG	217.15	Brushed Gold	6
154305NL	232.05	Polished Nickel	6
1543050RB	232.05	Oil Rubbed Bronze	6
154305BL	232.05	Matte Black	6

- showerhead functions: three-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: combination; full spray; concentrated rinse
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
147913	147.90	Chrome	6
147913BN	218.95	Brushed Nickel	6

● Spot Resist Finish
WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELDS (CONTINUED)

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 3-3/4" diameter spray head
- type of function: combination; full spray; invigorating spray; targeted massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
160042	107.50	Chrome	6
160042BN	156.00	Brushed Nickel	6
1600420RB	171.55	Oil Rubbed Bronze	6

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 3" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
176257	101.10	Chrome	6
176257BN	148.30	Brushed Nickel	6

- showerhead functions: one-function
- showerhead type: eco-performance square handshower
- showerhead size: 1" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included
- metal construction

MODEL	LIST	FINISH/CONNECT	CASE QTY
189575	100.45	Chrome	6
189575BN	147.40	Brushed Nickel	6
189575BG	147.40	Brushed Gold	6
189575NL	147.40	Polished Nickel	6
Ships Q3 NEW! **189575BL**	162.15	Matte Black	6

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: full spray; invigorating spray; targeted massage; combination
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
164928	83.45	Chrome	6
164928BN	121.00	Brushed Nickel	6
1649280RB	133.10	Oil Rubbed Bronze	6
164928BL	133.10	Matte Black	6

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4" diameter spray head
- type of function: combination; full spray; invigorating spray; targeted massage
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included
- carded packaging: yes

MODEL	LIST	FINISH/CONNECT	CASE QTY
CL164928	82.95	Chrome	6
CL164928BN	120.30	Brushed Nickel	6

- showerhead functions: four-function
- showerhead type: eco-performance handshower
- showerhead size: 4-3/8" diameter spray head
- type of function: full spray; invigorating spray; targeted massage; combination
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
164927	81.45	Chrome	6
164927BN	118.00	Brushed Nickel	6
164927NL	111.55	Polished Nickel	6
1649270RB	133.10	Oil Rubbed Bronze	6

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- slide bar length: 8"
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
195957	69.45	Chrome	6
195957BN	100.75	Brushed Nickel	6
195957NL	100.75	Polished Nickel	6
1959570RB	110.90	Oil Rubbed Bronze	6

- showerhead functions: one-function
- showerhead type: eco-performance handshower
- showerhead size: 1" diameter spray head
- type of function: full spray
- flow rate: 1.75 gpm (6.65 L/min) max.
- double check valve: included

MODEL	LIST	FINISH/CONNECT	CASE QTY
195958	69.45	Chrome	6
195958BN	100.75	Brushed Nickel	6
195958NL	100.75	Polished Nickel	6
1959580RB	110.60	Oil Rubbed Bronze	6

WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

HANDHELDS (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**155747**	69.90	Chrome	6
		155747BG	91.90	Brushed Gold	6
		155747BN	101.40	Brushed Nickel	6
		155747ORB	111.55	Oil Rubbed Bronze	6
		155747NL	129.45	Polished Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance round handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**155891**	69.90	Chrome	6
		155891BN	97.15	Brushed Nickel	6
		155891BG	97.15	Brushed Gold	6
		155891BL	111.55	Matte Black	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. • double check valve: included	**157276EP15**	69.90	Chrome	6
		157276EP15BN	99.10	Brushed Nickel	6
		157276EP150RB	109.10	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**164929**	69.90	Chrome	6
		164929BN	101.40	Brushed Nickel	6
		164929NL	101.10	Polished Nickel	6
		164929ORB	111.55	Oil Rubbed Bronze	6
	• showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included • carded packaging: yes	**CL155747**	69.45	Chrome	6
		CL155747BN	100.75	Brushed Nickel	6
	• showerhead functions: one-function • showerhead type: eco-performance soft square handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**189318**	69.45	Chrome	6
		189318BN	100.75	Brushed Nickel	6
		189318SRN●	100.75	Spot Resist Brushed Nickel	6
		189318ORB	110.90	Oil Rubbed Bronze	6
		189318BRB	110.90	Mediterranean Bronze	6
	• showerhead functions: five-function • showerhead type: eco-performance handshower • showerhead size: 4-3/8" diameter spray head • type of function: downpour; rinse; full spray; massage; relaxing massage • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**189315**	62.40	Chrome	6
		189315BN	84.20	Brushed Nickel	6
		189315ORB	92.70	Oil Rubbed Bronze	6
		189315BL	92.70	Matte Black	6
	• showerhead functions: five-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: targeted massage; invigorating spray; relaxing spray; refreshing spray; energizing spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included	**180238**	57.00	Chrome	6

● Spot Resist Finish
WaterSense® Certified
Eco-Performance

Handheld Showers

All Brushed Nickel, Brushed Gold, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

SLIDEBAR

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• length: 30" • slide bar: not to be used as a grab bar • use securemount anchor: to meet handgrip requirement	**154296**	306.95	Chrome	6
		154296BN	337.55	Brushed Nickel	6
		154296BG	335.50	Brushed Gold	6
		154296NL	371.30	Polished Nickel	6
		154296ORB	371.30	Oil Rubbed Bronze	6
		SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
		A750	35.85	N/A or Unfinished	24
	• length: 24" • slide bar: not to be used as a grab bar • use securemount anchor: to meet handgrip requirement	**155746**	217.95	Chrome	6
		155746BN	315.90	Brushed Nickel	6
		155746BG	315.90	Brushed Gold	6
		155746ORB	347.55	Oil Rubbed Bronze	6
		SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
		A750	35.85	N/A or Unfinished	24
	• length: 30" • slide bar: not to be used as a grab bar • use securemount anchor: to meet handgrip requirement	**A742**	190.05	Chrome	6
		A742BN	275.65	Brushed Nickel	6
		A742BG	244.30	Brushed Gold	6
		A742NL	260.70	Polished Nickel	6
		A742ORB	303.25	Oil Rubbed Bronze	6
		A742BRB	303.25	Mediterranean Bronze	6
		A742SRN●	275.65	Spot Resist Brushed Nickel	6
		SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
		A750	35.85	N/A or Unfinished	24
	• length: 30" • slide bar: not to be used as a grab bar • use securemount anchor: to meet handgrip requirement	**A735**	175.75	Chrome	6
		A735BN	254.85	Brushed Nickel	6
		A735BG	239.50	Brushed Gold	6
		A735NL	250.00	Polished Nickel	6
		A735ORB	270.45	Oil Rubbed Bronze	6
		A735WR	270.45	Wrought Iron/Matte Black*	6
		A735P	270.45	Polished Brass	6
		SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
		A750	35.85	N/A or Unfinished	24
	• length: 30" • slide bar: not to be used as a grab bar • use securemount anchor: to meet handgrip requirement	**198017**	83.40	Chrome	6
		198017BN	120.95	Brushed Nickel	6
		198017BL	128.45	Matte Black	6
		SECUREMOUNT™ ANCHORS SOLD SEPARATELY			
		A750	35.85	N/A or Unfinished	24

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish

Handheld Shower Accessories

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
HANDHELD SHOWER HOSE					
	• connection size: 1/2" • connection type: IPS • hose length: 80" • metal construction: yes	**A780**	132.75	Chrome	20
	• connection size: 1/2" • connection type: IPS • hose length: 69" • use brown (br) for oil rubbed bronze (orb), mediterranean bronze (brb) • use satine (st) for brushed nickel (bn)	**A726**	112.50	Chrome	12
		A726WR	128.20	Wrought Iron/Matte Black*	6
		A726BG	201.00	Brushed Gold	12
		A726NL	201.00	Polished Nickel	24
		A726SRN●	201.00	Spot Resist Brushed Nickel	12
		A726ST	201.00	Satine	12
		A726BR	208.30	Brown	12
	• connection size: 1/2" • connection type: IPS • hose length: 69" • use brown (br) for oil rubbed bronze (orb), mediterranean bronze (brb)	**155748BG**	41.00	Brushed Gold	8
		155748	41.75	Chrome	8
		155748BN	60.55	Brushed Nickel	8
		155748BL	89.30	Matte Black	8
		155748BR	89.30	Brown	8
	• connection size: 1/2" • connection type: IPS • hose length: 59"	**CL155748**	41.45	Chrome	12
		CL155748BN	60.20	Brushed Nickel	12

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish

Showering Accessories

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
TWIN ELL					
	• description: twin ell • connection size: 1/2" x 1/2" x 3/4" • connection type: IPS • usage: with tub/shower installations where needed	**128284**	30.55	N/A or Unfinished	12
DROP ELL					
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included	**A755**	149.45	Chrome	12
		A755BN	216.80	Brushed Nickel	12
		A755ORB	238.50	Oil Rubbed Bronze	12
	• description: drop ell • connection size: 1/2" • connection type: IPS	**A721**	74.75	Chrome	12
		A721BN	105.45	Brushed Nickel	12
		A721BG	105.45	Brushed Gold	12
		A721NL	105.45	Polished Nickel	12
		A721SRN●	105.45	Spot Resist Brushed Nickel	12
		A721BRB	114.05	Mediterranean Bronze	12
	Ships Q3 NEW!	**A721BL**	115.95	Matte Black	12
		A721ORB	115.95	Oil Rubbed Bronze	12
	• description: drop ell • connection size: 1/2" • connection type: IPS	**A725**	58.45	Chrome	12
		A725CBN	79.70	Classic Brushed Nickel	12
		A725BN	82.75	Brushed Nickel	12
		A725NL	82.75	Polished Nickel	12
		A725BG	83.25	Brushed Gold	12
		A725ORB	91.00	Oil Rubbed Bronze	12
		A725WR	91.00	Wrought Iron/Matte Black*	12
SECUREMOUNT™ FOR GRAB BARS					
	• description: securemount anchors • use securemount anchor: to meet handgrip requirement	**A750**	35.85	N/A or Unfinished	24

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish

Shower Arms and Flanges

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
WALL BRACKET					
	• integral handshower cradle: included • metal construction: yes	**114348**	97.15	Chrome	12
		114348BN	140.85	Brushed Nickel	12
		114348NL	112.95	Polished Nickel	12
		114348ORB	154.85	Oil Rubbed Bronze	12
		114348WR	154.85	Wrought Iron/Matte Black*	12
	• integral handshower cradle: included	**155694**	27.00	Chrome	12
		155694BN	39.00	Brushed Nickel	12
	Ships Q3 NEW!	**155694BG**	39.00	Brushed Gold	12
		155694ORB	42.95	Oil Rubbed Bronze	12
	Ships Q3 NEW!	**155694BL**	42.95	Matte Black	12
	• integral handshower cradle: included	**CL155694**	26.85	Chrome	12
		CL155694BN	38.75	Brushed Nickel	12
MAGNETIX® HANDHELD DOCKS					
	• includes: magnetix docking system • compatible with the following Magnetix SKUs only: 3662EP, 187054, and 26100EP • includes two installation options - permanent, waterproof adhesive or wall bracket and screw	**186117**	23.35	Chrome	6
		186117SRN●	28.35	Spot Resist Brushed Nickel	6
		186117BN	34.20	Brushed Nickel	6
		186117BL	37.65	Matte Black	6
		186117ORB	37.65	Oil Rubbed Bronze	6
VACUUM BREAKER					
	• connection size: 1/2" • connection type: IPS	**A714**	47.25	Chrome	24
		A714ORB	75.40	Oil Rubbed Bronze	12
		A714WR	75.40	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish

Showering Accessories

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
SHOWER ARM CRADLE/DIVERTER					
	• connection size: 1/2" • connection type: IPS • type of function: two independent and one shared • integral handshower cradle: included • metal construction • carded packaging: yes	**CL707**	126.00	Chrome	12
		CL707BN	182.65	Brushed Nickel	12
		CL707ORB	200.95	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • type of function: two independent and one shared • metal construction • carded packaging: yes	**CL703**	92.80	Chrome	12
		CL703BN	134.50	Brushed Nickel	12
		CL703ORB	148.05	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • type of function: two discrete • metal construction	**A720**	83.40	Chrome	12
		A720BN	113.30	Brushed Nickel	12
		A720ORB	124.65	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes	**A701**	54.45	Chrome	12
		A701BN	78.80	Brushed Nickel	12
	Ships Q3 NEW!	**A701BG**	78.80	Brushed Gold	12
	Ships Q3 NEW!	**A701BL**	86.70	Matte Black	12
		A701ORB	86.70	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes	**CLA701**	54.45	Chrome	12
		CLA701BN	78.80	Brushed Nickel	12

Body Sprays

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

PIVOTING BODY SPRAYS

- spray function: two function
- spray type: standard
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray; targeted massage
- flow rate: 2.0 gpm (7.6 L/min) max.
- 1" extension kit available: 155656
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS1420	248.50	Chrome	6
TS1420BN	336.75	Brushed Nickel	6
TS1420NL	336.75	Polished Nickel	6
TS1420ORB	370.55	Oil Rubbed Bronze	6

- spray function: two function
- spray type: standard
- showerhead size: 3-1/4" diameter spray head
- type of function: full spray; targeted massage
- flow rate: 2.0 gpm (7.6 L/min) max.
- 1" extension kit available: 155656
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS1422	248.50	Chrome	6
TS1422BN	336.75	Brushed Nickel	6
TS1422BG	336.75	Brushed Gold	6
TS1422NL	336.75	Polished Nickel	6
TS1422ORB	370.55	Oil Rubbed Bronze	6
TS1422BL	370.55	Matte Black	6

- spray functions: one-function
- showerhead type: standard
- showerhead size: 3-1/4" diameter spray head
- flow rate: 2.0 gpm (7.6 L/min) max.
- 1" extension kit available: 155656
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS1320	160.60	Chrome	6
TS1320BN	226.40	Brushed Nickel	6
TS1320NL	226.40	Polished Nickel	6
TS1320ORB	255.55	Oil Rubbed Bronze	6

- spray functions: one-function
- showerhead type: standard
- showerhead size: 3-1/4" diameter spray head
- flow rate: 2.0 gpm (7.6 L/min) max.
- 1" extension kit available: 155656
- valve: sold separately

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
TS1322	160.60	Chrome	6
TS1322BN	226.40	Brushed Nickel	6
TS1322BG	226.40	Brushed Gold	6
TS1322NL	226.40	Polished Nickel	6
TS1322ORB	255.55	Oil Rubbed Bronze	6
TS1322BL	255.55	Matte Black	6

BODY SPRAY ROUGH-IN

- connection type: IPS; CC
- installation: fits standard 2x4 wall

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S1300	104.35	1/2" CC	6

BODY SPRAYS

- connection size: 1/2"
- connection type: IPS
- spray functions: one-function
- showerhead size: 2" diameter spray head

MODEL	LIST	FINISH/CONNECT	CASE QTY
A501	108.50	Chrome	12
A501BN	135.70	Brushed Nickel	12
A501NL	135.70	Polished Nickel	12
A501ORB	149.20	Oil Rubbed Bronze	12
A501WR	149.20	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

Moen® **M•PACT®** Common Valve System

Diverter Tub Spouts

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUTS

- connection size: 1/2"
- connection type: slip fit
- spout length: 6-3/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S12104	180.45	Chrome	6
S12104BN	285.80	Brushed Nickel	6
S12104BG	285.80	Brushed Gold	6
S12104NL	288.70	Polished Nickel	6
S12104ORB	314.40	Oil Rubbed Bronze	6
S12104BL	314.40	Matte Black	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 8"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S989	230.15	Chrome	6
S989BN	345.25	Brushed Nickel	6
S989BG	345.25	Brushed Gold	6
S989NL	345.25	Polished Nickel	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 9"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S5000	215.15	Chrome	6
S5000BN	322.70	Brushed Nickel	6
S5000BG	322.70	Brushed Gold	6
S5000BL	354.95	Matte Black	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-1/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3896	113.85	Chrome	6
S3896BN	165.15	Brushed Nickel	6

- connection size: 1/2"
- connection type: IPS
- spout length: 7-1/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3894	118.95	Chrome	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-1/8"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3900	158.70	Chrome	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-3/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
PREMIUM			
S3835	139.20	Chrome	6
S3835BN	201.80	Brushed Nickel	6
S3835BL	222.00	Matte Black	6

NEW! Ships Q3

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-1/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
3346	76.75	Chrome	6
3346BN	121.55	Brushed Nickel	6
3346BG	121.55	Brushed Gold	6
3346BL	141.55	Matte Black	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-1/8"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
165914	162.50	Chrome	6
165914BN	275.55	Brushed Nickel	6
165914BL	303.15	Matte Black	6

- connection size: 1/2"
- connection type: slip fit
- spout length: 7-3/4"
- tub spout type: diverter

MODEL	LIST	FINISH/CONNECT	CASE QTY
185820	100.60	Chrome	6
185820BN	120.05	Brushed Nickel	6
185820NL	120.05	Polished Nickel	6
185820ORB	127.80	Oil Rubbed Bronze	6

Diverter Tub Spouts

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUTS (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • spout length: 5-1/2" • tub spout type: diverter	**3809BN**	109.10	Brushed Nickel	12
	• connection size: 1/2" • connection type: slip fit • spout length: 6" • tub spout type: diverter	**179791**	102.50	Chrome	6
		179791BN	130.45	Brushed Nickel	6
		179791BL	143.50	Matte Black	6
	• connection size: 1/2" • connection type: IPS • spout length: 7-1/4" • tub spout type: diverter	**3814**	88.40	Chrome	6
		3814BN	128.25	Brushed Nickel	6
		3814ORB	141.10	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7-1/4" • tub spout type: diverter	**3857**	86.75	Chrome	6
		3857BN	125.90	Brushed Nickel	6
		3857ORB	138.50	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: IPS • spout length: 5" • tub spout type: diverter	**3806**	90.35	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5" • tub spout type: diverter	**3807**	90.35	Chrome	12
		3807BN	120.70	Brushed Nickel	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7-3/8" • tub spout type: diverter	**3737**	86.15	Chrome	6
		3737BN	125.05	Brushed Nickel	6
		NEW! **3737BL**	137.60	Matte Black	6
		3737ORB	137.60	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 8" • tub spout type: diverter	**161955**	85.40	Chrome	6
		161955BN	132.35	Brushed Nickel	6
		161955BG	132.35	Brushed Gold	6
		161955NL	132.35	Polished Nickel	6
		1619550RB	145.60	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 8" • tub spout type: diverter	**175385**	84.85	Chrome	6
		175385BN	131.70	Brushed Nickel	6
		175385NL	131.70	Polished Nickel	6
		1753850RB	144.80	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7-1/8" • tub spout type: diverter	**172656**	80.95	Chrome	6
		172656BN	128.25	Brushed Nickel	6
		172656BG	128.25	Brushed Gold	6
		172656BL	147.50	Matte Black	6

Diverter Tub Spouts

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTING TUB SPOUTS (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: IPS • spout length: 7-1/8" • tub spout type: diverter	**172657**	80.95	Chrome	6
		172657BN	128.25	Brushed Nickel	6
		172657BL	158.75	Matte Black	6
	• connection size: 1/2" • connection type: CC • spout length: 6-1/2" • tub spout type: diverter	**3890**	82.90	Chrome	12
		3890BN	120.35	Brushed Nickel	12
		3890BL	126.65	Matte Black	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5-1/2" • tub spout type: diverter	**3808**	78.70	Chrome	12
		3808BN	113.90	Brushed Nickel	12
		3808WR	125.35	Wrought Iron/Matte Black*	12
		3808ORB	131.05	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • spout length: 5-1/2" • tub spout type: diverter	**3800**	71.50	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5-1/2" • tub spout type: diverter	**3801**	71.50	Chrome	12
	• connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: diverter	**3830**	63.40	Chrome	12
	• connection size: 1/2" • connection type: IPS • spout length: 5-1/2" • tub spout type: diverter	**3911**	61.45	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5-1/2" • tub spout type: diverter	**3960**	61.45	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: diverter	**3853**	63.00	Chrome	12
		3853SRN●	88.15	Spot Resist Brushed Nickel	12
		3853BRB	96.95	Mediterranean Bronze	12
		3853BN	130.70	Brushed Nickel	12
		3853ORB	143.75	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: diverter	**3839**	61.60	Chrome	12
		3839BN	89.35	Brushed Nickel	1
		3839BL	98.25	Matte Black	12

* Wrought Iron and Matte Black are the same finish and interchangeable

● Spot Resist Finish

Diverter Tub Spouts

		MODEL	LIST	FINISH/CONNECT	CASE QTY
DIVERTING TUB SPOUTS (CONTINUED)					
	• connection size: 1/2" • connection type: IPS • spout length: 5-1/2" • tub spout type: diverter	**3926**	59.75	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5-1/2" • tub spout type: diverter	**3931** **3929BC**	59.75 99.05	Chrome Brushed Chrome	12 12

Non-Diverter Tub Spouts

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
NON-DIVERTING TUB SPOUTS					
	• connection size: 1/2" • connection type: slip fit • spout length: 6 3/4" • tub spout type: non diverter	PREMIUM			
		S12105	162.45	Chrome	6
		S12105BN	235.55	Brushed Nickel	6
		S12105BG	235.55	Brushed Gold	6
		S12105NL	235.55	Polished Nickel	6
		S12105ORB	259.15	Oil Rubbed Bronze	6
		S12105BL	259.15	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: non diverter	PREMIUM			
		S990	226.40	Chrome	6
		S990BN	339.60	Brushed Nickel	6
		S990BG	339.60	Brushed Gold	6
		S990NL	339.60	Polished Nickel	6
	• connection size: 1/2" • connection type: slip fit • spout length: 9" • tub spout type: non diverter	PREMIUM			
		S5001	201.30	Chrome	6
		S5001BN	301.95	Brushed Nickel	6
		S5001BG	301.95	Brushed Gold	6
		S5001BL	332.10	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: non diverter	PREMIUM			
		S16900	152.55	Chrome	6
		S16900BN	258.70	Brushed Nickel	6
		S16900BL	284.65	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: non diverter	PREMIUM			
		S3901	142.90	Chrome	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 3/4" • tub spout type: non diverter	PREMIUM			
		S3836	125.35	Chrome	6
		S3836BN	181.75	Brushed Nickel	6
		S3836BL	199.85	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: non diverter	PREMIUM			
		S3898	112.00	Chrome	6
		S3898BN	162.50	Brushed Nickel	6
NEW! Ships Q3	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: non diverter	**3347**	64.20	Chrome	6
		3347BN	99.15	Brushed Nickel	6
		3347BG	99.15	Brushed Gold	6
		3347BL	109.05	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: non diverter	**3858**	77.85	Chrome	6
		3858BN	113.05	Brushed Nickel	6
		3858ORB	124.40	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 3/4" • tub spout type: non diverter	**191956**	80.35	Chrome	6
		191956BN	116.45	Brushed Nickel	6
		191956BG	116.45	Brushed Gold	6
		191956NL	116.45	Polished Nickel	6
		1919560RB	128.05	Oil Rubbed Bronze	6

Non-Diverter Tub Spouts

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

NON-DIVERTING TUB SPOUTS (CONTINUED)

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection size: 1/2" • connection type: slip fit • spout length: 8" • tub spout type: non diverter	**195386**	79.80	Chrome	6
		195386BN	115.80	Brushed Nickel	6
		195386NL	115.80	Polished Nickel	6
		195386ORB	127.40	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 3/4" • tub spout type: non diverter	**193371**	66.90	Chrome	6
		193371BN	103.30	Brushed Nickel	6
		193371NL	103.30	Polished Nickel	6
		193371ORB	113.65	Oil Rubbed Bronze	6
	• connection size: 1/2" • connection type: slip fit • spout length: 6 1/2" • tub spout type: non diverter	**3892**	67.70	Chrome	12
		3892BN	104.55	Brushed Nickel	12
		3892BG	104.55	Brushed Gold	6
		3892BL	110.05	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: non diverter	**195827**	66.90	Chrome	6
		195827BN	103.30	Brushed Nickel	6
		195827BG	103.30	Brushed Gold	6
		195827BL	113.65	Matte Black	6
	• connection size: 1/2" • connection type: slip fit • spout length: 5-1/2" • tub spout type: non diverter	**3959**	59.80	Chrome	12
	• connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: non diverter	**3828**	52.95	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: non diverter	**3829**	52.95	Chrome	12
		3829BC	87.70	Brushed Chrome	12
		3829BN	121.50	Brushed Nickel	12
		3829BL	132.55	Matte Black	12
		3829ORB	133.65	Oil Rubbed Bronze	12
	• connection size: 1/2" • connection type: IPS • spout length: 5" • tub spout type: non diverter	**3804**	26.90	Chrome	12
	• connection size: 1/2" • connection type: slip fit • spout length: 5" • tub spout type: non diverter	**3805**	26.90	Chrome	12

Bath Tub Drains

All Brushed Nickel, Brushed Gold and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

TUB DRAINS

	• top & bottom ells: schedule 40 abs • thread size: 1-1/2"	**140680**	15.20	N/A or Unfinished	12
	• top & bottom ells: schedule 40 pvc • thread size: 1-1/2"	**140690**	17.15	N/A or Unfinished	12
	• conversion bar kit • converts 2-hole top ell to accommodate 1-hole face plate	**142538**	6.00	N/A or Unfinished	180
	• connection size: 1-1/2" • connection type: threaded shoe • tubing type: 17 gauge brass • fits tubs: 24" • type of tee: cast brass	**90480**	164.35	Chrome	8
		90480BN	259.20	Brushed Nickel	8
		90480ORB	274.00	Oil Rubbed Bronze	8
	• connection size: 1-1/2" • connection type: threaded shoe • tubing type: 20 gauge brass • fits tubs: 14 - 16" • type of tee: cast brass	**90410**	145.40	Chrome	10
		90410BN	232.70	Brushed Nickel	10
		90410ORB	255.90	Oil Rubbed Bronze	10
	• connection size: 1-1/2"connection type: threaded shoe • tubing type: white pvc • fits tubs: 14 - 16"	**90530**	56.50	Chrome	10
	• connection size: 1 1/2"connection type: male IPS; threaded shoe	**T90331**	38.45	Chrome	12
		T90331BG	121.20	Brushed Gold	12
		T90331BN	121.20	Brushed Nickel	12
		T90331NL	121.20	Polished Nickel	12
		T90331ORB	133.35	Oil Rubbed Bronze	12
		T90331WR	133.35	Wrought Iron/Matte Black*	12

* Wrought Iron and Matte Black are the same finish and interchangeable

Moen® **M•PACT®** Common Valve System

Shower Drains

All Brushed Nickel and Brushed Gold faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL	LIST	FINISH/CONNECT	CASE QTY
SHOWER DRAINS					
	• drain size: mounts on 2-5/8" centers	**101664BN**	42.35	Brushed Nickel	12
		101664BG	42.35	Brushed Gold	12
		101664WR	46.65	Wrought Iron/Matte Black*	12
		101664ORB	48.70	Oil Rubbed Bronze	12
	• drain size: mounts on 3-3/8" centers	**102763BN**	42.35	Brushed Nickel	12
		102763BG	42.35	Brushed Gold	12
		102763WR	46.65	Wrought Iron/Matte Black*	12
		102763ORB	48.70	Oil Rubbed Bronze	12
	• drain size: fits in 3" diameter drains	**101663BN**	34.10	Brushed Nickel	12
		101663BG	34.10	Brushed Gold	12
		101663WR	37.55	Wrought Iron/Matte Black*	12
		101663ORB	39.30	Oil Rubbed Bronze	12

* Wrought Iron and Matte Black are the same finish and interchangeable

Valves



Please see **moen.com/consumer-support/warranty** for complete product warranty information.

VALVES

WIDESPREAD FAUCET VALVE

- application: three hole
- center dimensions: 8" - 16" center
- drain assembly: metal
- drain assembly type: lift rod

DURALOCK® DURALAST®

MODEL	LIST	CONNECT	CASE QTY
9000◆	143.40	1/2" IPS	6

WALLMOUNT FAUCET VALVE

- application: three hole
- center dimensions: 8" center
- drain assembly: 140780 sold separately
- includes: mounting brackets

DURALAST®

MODEL	LIST	CONNECT	CASE QTY
9700	202.80	1/2" CC	3

TWO-HANDLE ROMAN TUB VALVE



- application: three hole
- deck thickness: 1/8" to 3-3/8" rough-in deck
- center dimensions: adjustable
- adjustable spout shank: included
- test plug: included

DURALAST®

MODEL	LIST	CONNECT	CASE QTY
4792	166.75	1/2" CC	6

- application: three hole
- deck thickness: 1/8" to 2-3/4" rough-in deck
- center dimensions: 10" - 24" center
- adjustable spout shank: included
- test plug: included

DURALOCK® DURALAST®

MODEL	LIST	CONNECT	CASE QTY
4793	188.85	1/2" CPVC, Crimp Ring PEX	6
4794	180.05	1/2" Crimp Ring PEX, Cold Expansion PEX	6

- application: three hole
- deck thickness: 1/8" to 1-3/16" rough-in deck
- center dimensions: 10" center
- non-adjustable spout shank: included
- test plug: included

DURALAST®

MODEL	LIST	CONNECT	CASE QTY
4796	157.10	1/2" CC	6
4797	160.15	1/2" CPVC, Crimp Ring PEX	6
4798	160.15	1/2" Crimp Ring PEX, Cold Expansion PEX	6

◆ Also available in bulk pack. See page 609.
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

VALVES

TWO-HANDLE ROMAN TUB VALVE WITH HANDSHOWER

- application: four hole
- deck thickness: 1/8" to 2-5/8" rough-in deck
- center dimensions: adjustable
- non-adjustable spout shank: included
- test plug: included

DURALAST®

MODEL	LIST	CONNECT	CASE QTY
9792	375.70	1/2" CC	6

- application: four hole
- deck thickness: 1/8" to 2-5/8" rough-in deck
- center dimensions: 10" - 24" center
- adjustable spout shank: included
- test plug: included

DURALOCK® DURALAST®

MODEL	LIST	CONNECT	CASE QTY
9793	384.50	1/2" CPVC, Crimp Ring PEX	6

ROMAN TUB OPTIONS

- description: high flow thermostatic mixing valve for roman tubs
- ports: three
- ASSE standard 1070: yes
- flow rate: 12.0 gpm (45.4 L/min) max.

MODEL	LIST	CONNECT	CASE QTY
104465	184.65	1/2" CC	12
104466	184.65	1/2" IPS	12
104464	184.65	1/2" Crimp Ring PEX	12
104463	184.65	1/2" Cold Expansion PEX	12

- description: PEX transition fittings (2) and clips
- connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion

MODEL	LIST	CONNECT	CASE QTY
140715	11.40	PEX	200

U BY MOEN™ 4 OUTLET VALVE

- description: digital thermostatic shower valve
- ports: four outlets
- features: precise temperature control
- connection size: 3/4" inlets & 1/2" outlets
- includes: 30 foot data cable

PREMIUM			
S3104	1,614.60	3/4" CC	3
BATTERY BACKUP SOLD SEPARATELY			
179573	68.85	N/A	6

U BY MOEN™ 2 OUTLET VALVE

- description: digital thermostatic shower valve
- ports: two outlets
- features: precise temperature control
- connection size: 1/2" inlets & 1/2" outlets
- includes: 30 foot data cable

PREMIUM			
S3102	755.55	1/2" CC	3
BATTERY BACKUP SOLD SEPARATELY			
179573	68.85	N/A	6

Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Cartridge
DURALAST® Duralast® Cartridge

VALVES

EXACTTEMP® THERMOSTATIC MIXING SHOWER VALVE

- description: thermostatic rough-in valve
- ports: four
- adjustable temp limit stop: included
- check stops: included

	MODEL	LIST	CONNECT	CASE QTY
PREMIUM				
	S3371	601.50	3/4" IPS	6

EXACTTEMP® VOLUME CONTROL SHOWER VALVE

- description: volume control rough-in valve
- includes: volume control

	MODEL	LIST	CONNECT	CASE QTY
PREMIUM				
	S3600	152.95	3/4" IPS	12

VALVES

M-CORE® MIXING SHOWER VALVE

- ports: three
- adjustable temp limit stops: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U130CI	63.00	1/2" CC/IPS	6
U130X	63.00	1/2" Crimp Ring PEX	6
U130CX	63.00	1/2" Cold Expansion PEX	6

- ports: three
- adjustable temp limit stops: included
- quarter turn stops: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U130CIS	90.60	1/2" CC/IPS	6
U130XS	90.60	1/2" Crimp Ring PEX	6
U130CXS	90.60	1/2" Cold Expansion PEX	6

- ports: four
- adjustable temp limit stops: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U140CI	63.00	1/2" CC/IPS	6
U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
U140CX	63.00	1/2" Cold Exp PEX with CC/IPS Tub	6
U140V	77.10	1/2" CPVC with CC/IPS Tub Outlet	6

- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U140CIS	90.60	1/2" CC/IPS	6
U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
U140CXS	90.60	1/2" Cold Exp PEX with CC/IPS Tub	6
U140VS	104.75	1/2" CPVC with CC/IPS Tub Outlet	6

M-CORE® PRE-FAB MIXING SHOWER VALVE

- ports: four
- adjustable temp limit stop: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U140X-PF	71.10	1/2" Crimp Ring PEX	3
U140CX-PF	71.10	1/2" Cold Expansion PEX	3

- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U140XS-PF	98.75	1/2" Crimp Ring PEX	3
U140CXS-PF	98.75	1/2" Cold Expansion PEX	3

VALVES

M-CORE® WITH INTEGRATED TRANSFER VALVE - 2 OR 3 FUNCTIONS

- ports: four; three outlets
- adjustable temp limit stop: included
- quarter turn stops: included
- type of function: 2 independent or 3 independent
- includes: volume control
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U232CIS	234.70	1/2" CC/IPS	6
U232CXS	234.70	1/2" Cold Expansion PEX	6
U232XS	234.70	1/2" Crimp Ring PEX	6

M-CORE® WITH INTEGRATED TRANSFER VALVE - 3 OR 6 FUNCTIONS

- ports: four; three outlets
- adjustable temp limit stop: included
- quarter turn stops: included
- type of function: 2 independent/1 shared or 3 independent/3 shared
- includes: volume control
- test plug: included

MODEL	LIST	CONNECT	CASE QTY
U362CIS	234.70	1/2" CC/IPS	6
U362CXS	234.70	1/2" Cold Expansion PEX	6
U362XS	234.70	1/2" Crimp Ring PEX	6

M-CORE® TRANSFER VALVE - 2 OR 3 FUNCTIONS

- description: transfer valve
- ports: four; three outlets
- type of function: 2 independent or 3 independent

MODEL	LIST	CONNECT	CASE QTY
U231CI	132.40	1/2" CC/IPS	6
U231CX	132.40	1/2" Cold Expansion PEX	6
U231X	132.40	1/2" Crimp Ring PEX	6

M-CORE® TRANSFER VALVE - 3 OR 6 FUNCTIONS

- description: transfer valve
- ports: four; three outlets
- type of function: 2 independent/1 shared or 3 independent/3 shared

MODEL	LIST	CONNECT	CASE QTY
U361CI	132.40	1/2" CC/IPS	6
U361CX	132.40	1/2" Cold Expansion PEX	6
U361X	132.40	1/2" Crimp Ring PEX	6

VALVES

POSI-TEMP® MIXING SHOWER VALVE

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included

MODEL	LIST	CONNECT	CASE QTY
2520	138.05	1/2" CC	6

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- bulk pack: yes

MODEL	LIST	CONNECT	CASE QTY
62320	128.35	1/2" CC	12

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- test plug: included
- bulk pack: yes

MODEL	LIST	CONNECT	CASE QTY
FP62320	128.35	1/2" CC	12

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included

MODEL	LIST	CONNECT	CASE QTY
2570	167.60	1/2" CC	6

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included
- test plug: included
- bulk pack: yes

MODEL	LIST	CONNECT	CASE QTY
62370	156.00	1/2" CC	12

- description: pressure balanced cycling valve
- ports: four
- adjustable temp limit stop: included
- quarter turn stops: included
- test plug: included
- bulk pack: yes

MODEL	LIST	CONNECT	CASE QTY
FP62370	156.00	1/2" CC	12

		MODEL	LIST	CONNECT	CASE QTY
POSI-TEMP® MIXING SHOWER VALVE (CONTINUED)					
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2510**	138.05	1/2" IPS	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62300**	128.35	1/2" IPS	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62300**	128.35	1/2" IPS	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2590**	167.60	1/2" IPS	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • bulk pack: yes	**62390**	156.00	1/2" IPS	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62390**	156.00	1/2" IPS	12

		MODEL	LIST	CONNECT	CASE QTY
POSI-TEMP® MIXING SHOWER VALVE (CONTINUED)					
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included	**2580**	138.05	1/2" Crimp PEX	6
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62380**	128.35	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62380**	128.35	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**62360**	156.00	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62365**	128.35	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62365**	128.35	1/2" Cold Expansion PEX	12

VALVES

POSI-TEMP® MIXING SHOWER VALVE (CONTINUED)

		MODEL	LIST	CONNECT	CASE QTY
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • bulk pack: yes	**62385**	156.00	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62385**	156.00	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62340**	142.45	1/2" CPVC	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62340**	142.45	1/2" CPVC	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • bulk pack: yes	**62330**	170.15	1/2" CPVC	12
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • bulk pack: yes	**62345**	128.35	1/2" IPS, CC	12

VALVES

POSI-TEMP® PRE-FAB MIXING SHOWERING VALVES

		MODEL	LIST	CONNECT	CASE QTY
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62325PF**	139.85	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62326PF**	167.50	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • quarter turn stops: included	**2326PF**	177.95	1/2" Crimp Ring PEX	6
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62327PF**	139.85	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62328PF**	167.50	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: three • adjustable temp limit stop: included • quarter turn stops: included • bulk pack:	**2328PF**	177.95	1/2" Cold Expansion PEX	6

VALVES

POSI-TEMP® PRE-FAB MIXING SHOWERING VALVES (CONTINUED)

		MODEL	LIST	CONNECT	CASE QTY
NEW!	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62320PF**	146.20	1/2" CC	12
NEW!	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • bulk pack: yes	**62370PF**	173.80	1/2" CC	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62380PF**	146.20	1/2" Crimp Ring PEX	12
NEW!	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**62380PF**	146.20	1/2" Crimp Ring PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62360PF**	173.80	1/2" Crimp Ring PEX	12
NEW!	• ports: four • adjustable temp limit stop: included • quarter turn stops: included • bulk pack: yes	**62360PF**	173.80	1/2" Crimp Ring PEX	12

VALVES

POSI-TEMP® PRE-FAB MIXING SHOWERING VALVES (CONTINUED)

		MODEL	LIST	CONNECT	CASE QTY
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2360PF**	184.30	1/2" Crimp Ring PEX	3
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • test plug: included • bulk pack: yes	**FP62365PF**	146.20	1/2" Cold Expansion PEX	12
NEW!	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • bulk pack: yes	**62365PF**	146.20	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**FP62385PF**	173.80	1/2" Cold Expansion PEX	12
NEW!	• ports: four • adjustable temp limit stop: included • quarter turn stops: included • test plug: included • bulk pack: yes	**62385PF**	173.80	1/2" Cold Expansion PEX	12
	• description: pressure balanced cycling valve • ports: four • adjustable temp limit stop: included • quarter turn stops: included	**2385PF**	184.30	1/2" Cold Expansion PEX	3

VALVES

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE - 2 FUNCTIONS

		MODEL	LIST	CONNECT	CASE QTY
	• description: pressure balanced cycling valve with transfer valve • ports: four • adjustable temp limit stop: included • type of function: two discrete	**2521**	249.20	1/2" IPS	6
	• description: pressure balanced cycling valve with transfer valve • ports: four • adjustable temp limit stop: included • type of function: two discrete • stops: included	**2571**	280.70	1/2" IPS	6

POSI-TEMP® WITH INTEGRATED TRANSFER VALVE - 3 FUNCTIONS

	• description: pressure balanced cycling valve with transfer valve • ports: four • adjustable temp limit stop: included • type of function: two independent 1 shared	**2551**	249.20	1/2" IPS	6
	• description: pressure balanced cycling valve with transfer valve • ports: four • adjustable temp limit stop: included • type of function: two independent 1 shared • stops: included	**2581**	280.70	1/2" IPS	6

VALVES

NON-PRESSURE BALANCED MIXING SHOWER VALVE

		MODEL	LIST	CONNECT	CASE QTY
	• ports: four • bulk pack: yes	**62700**	116.90	1/2" IPS	12
	• ports: four • bulk pack: yes	**62720**	116.90	1/2" CC	12

FLUSHMOUNT BODY SPRAY VALVE

	• description: flushmount body spray valve • installation: fits standard 2x4 wall	PREMIUM **S1300**	104.35	1/2" IPS, CC	6

BIDET VALVE

	• application: three hole • center dimensions: 8" - 16" center DURALOCK® DURALAST®	**9265**	295.35	1/2" IPS	6

VALVES M-CORE™ Transfer Valve Plumbing Configurations

Plumb as recommended below for proper diverting functionality of showering devices.

TWO INDEPENDENT FUNCTIONS

Function 1: Independent



Handle Rotation: Clockwise from 6 o'clock to 10 o'clock

Function 2: Independent



THREE INDEPENDENT FUNCTIONS

Function 1: Independent



Handle Rotation: 360°

Function 2: Independent



Function 3: Independent



THREE FUNCTION - 2 INDEPENDENT AND 1 SHARED FUNCTION

Function 1: Independent



Handle Rotation: Clockwise from 6 o'clock to 10 o'clock

Function 2: Shared



Function 3: Independent



SIX FUNCTION - 3 INDEPENDENT AND 3 SHARED FUNCTIONS

Function 1: Independent



Function 2: Shared



Function 3: Independent



Function 4: Shared



Handle Rotation: 360°

Function 5: Independent



Function 6: Shared



NOTES

Outlet 1: to primary showering device
Outlet 2: to second showering device
Outlet 3: to third showering device

Shower Valve Rates

Flow Rate vs. Flowing Inlet Pressure of Moen Showering Valves (Unrestricted)



Flowing Inlet Pressure (psig)

1. **¾" ExactTemp®**
   S3371 ¾" ExactTemp: 18.0 gpm
2. **U by Moen™ Shower – Four-Outlet**
   S3104 Four-Outlet: 16.0 gpm
3. **Volume Control**
   S3600 Volume Control: 13+ gpm
4. **U by Moen Shower – Two-Outlet**
   S3102 Two-Outlet: 10.3 gpm
5. **Posi-Temp® Tub Port**
   Four Port Valves
   Flow at Tub: 6.3 gpm
6. **Posi-Temp Shower Port**
   Three Port Valves
   Flow at Tub: 6.3 gpm
7. **M-CORE™ 3-Series Tub Port**
   Flow at Tub: 6.2 gpm
8. **M-CORE 3-Series Shower Port**
   Flow at Shower: 5.8 gpm
9. **M-CORE 2-Series Tub Port**
   Flow at Tub: 6.7 gpm
10. **M-CORE 2-Series Shower Port**
    Flow at Shower: 6.4 gpm
11. **M-CORE with Transfer**
    Two Outlets: 5.6 gpm
12. **Posi-Temp Shower Port 4-Port Valve**
    Flow at Shower: 4.0 gpm
13. **Posi-Temp with Integrated Transfer Valve**
    Two Outlets: 5.0 gpm

Shower Spa Installation Recommendations

Graph Line	Valve	Flow Rate through shower port (gpm) @ 20 PSI	Flow Rate through shower port (gpm) @ 40 PSI	Flow Rate through shower port (gpm) @ 60 PSI	Use with 2- or 3-function transfer	Maximum Components
1	¾" ExactTemp® S3371	11.4	15.7	18.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
2	U by Moen™ Four-Outlet S3104	9.0	13.0	16.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
4	U by Moen Two-Outlet S3102	6.0	8.5	10.0	No	Showerhead, handshower or showerhead, 2 body sprays
6	Posi-Temp® Three Port Valves	3.6	5.1	6.3	Yes	Showerhead, handshower or showerhead, 2 body sprays*
8	M-CORE™ 3-Series Shower Port	3.1	4.6	5.8	Yes	Showerhead, handshower or showerhead, 2 body sprays*
10	M-CORE 2-Series Shower Port	3.5	5.1	6.4	Yes	Showerhead, handshower or showerhead, 2 body sprays*
11	M-CORE with Transfer	3.0	4.5	5.6	No	Showerhead, handshower or showerhead, 2 body sprays*
12	Posi-Temp Shower Port Four Port Valves	2.1	3.2	4.0	Yes	Showerhead, handshower
13	Posi-Temp with Integrated Transfer Valves	3.0	4.0	5.0	Yes	Showerhead, handshower

* Min 50 psi recommended when plumbing a showerhead and 2 body sprays for shared flow.

VALVES

Coordinating Bath Accessories

Kyvos™ Bath Accessories / BP3703BN / BP3708BN / BP3718BN / BP 3786BN

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Six Ways to Complete Your Bath

All of our bath accessory collections feature a towel ring, robe hook, 18" and 24" towel bars, and a paper holder. And there is so much more — hotel shelves, tank levers, mirrors and glass shelves are offered in many collections.

1 Double Curved Shower Rods

With the double curved shower rod, you can create up to 5½" of additional elbow room in the shower while providing visual appeal and adding extra hanging space. These innovative rods are available in several of today's most popular finishes and offer an additional rod to separate the decorative shower curtain from the shower liner.

2 Knobs and Pulls



With our distinctive collection of knobs and pulls, you can create a perfectly matched kitchen or bath, available in an array of styles and finishes.

3 Pivoting Paper Holders

Look for this icon to find products with pivoting innovation!

Now there's no excuse to leave the bath tissue roll empty! Many Moen® paper holders feature an innovative, spring-free design that makes changing the roll quick and easy. Simply lift the arm, insert the new roll and set the arm back into place. The pivoting arm remains attached so there's no spring to lose and no extra parts to drop.

4 Decorative Hotel Shelves

Kingsley®, Eva® and Iso™ Decorative Hotel Shelves help create the high-end, coordinated styling of an upscale hotel while adding valuable storage space.

5 Bathroom Lighting

Lighting fixtures are available in several of our most popular Moen® bathroom collections. All of the styles can be mounted with globes facing either up or down.

In addition to high-end style, our lighting provides installation benefits. The Quick-Connect Wiring System lets you pre-wire the light fixture to the junction box, meaning there is no need to hold the fixture up to the wall during the wiring process. Glazed sockets help ensure the socket rings install with ease. Additionally, the UL®-listed fixtures are backed by the Moen warranty and our industry-leading customer service.

6 Grab Bars

Stylish grab bars like Voss™ bring safety and style to the bath in your choice of Chrome, Brushed Nickel, Oil Rubbed Bronze, Matte Black, and Brushed Gold finishes. Even better, SecureMount™ Anchors make installation possible anywhere on the wall, with or without studs.

SAVE TIME WITH THE

Pro-Fit® Installation System

The Moen® three-step Pro-Fit Installation System is the simple, most innovative way to mount bath accessories. Installation is as easy as 1-2-3.

1. DRILL IT
The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.

2. SCREW IT
The single-screw mounting system creates a fast and solid installation.

3. CLICK IT
The locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

DRILL IT

Use the installation mounting template with built-in level.

SCREW IT

Screw in fastener.

CLICK IT

Press on the post until it locks into place.

PRO-FIT
INSTALLATION SYSTEM

IT REALLY IS THAT SIMPLE!

Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer callbacks. And of course, there's the extra assurance of quality that comes with the Moen brand.

To view online installation videos, visit **moenpro.com**.



The Pro-Fit Installation System eliminates set screws for faster, easier mounting. There's even a template with a built-in level.

YB8081
Pro-Fit Installation Template

Kitchen Complements

EXCEPTIONAL FAUCETS ARE ONLY THE BEGINNING

Who says Moen® towel bars are just for the bathroom? With several faucet-matching collections featuring both kitchen and bath fixture options — such as Weymouth®, 90°™, Waterhill® and more — we've made sure our accessories can also do double-duty in the kitchen.

Position a towel bar or towel ring beside the kitchen sink or on a kitchen island. Place a hook to hang potholders. Install a decorative shelf to house spices. And don't forget matching drawer knobs and pulls that help you carry the style throughout the workspace.

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality you need in a dream kitchen — now with the convenience of getting it all from one trusted brand. That means a guaranteed style compatibility, quality and satisfaction.

Make Every Bath a Safe Bath™

While bath safety is often only considered for older adults, it should be for all stages of life. From babies to boomers, Moen® offers a full range of products to make baths safe and stylish.

GRAB BARS

GRAB ON TO SAFETY

Moen's line of grab bars is designed to reduce the risk of falls in the tub or shower, while blending in seamlessly with varying styles of bathroom décor.

SHOWER SEATING

SITTING PRETTY

Moen seats, chairs and transfer benches make showering safer and more relaxing. Our products not only provide stability, but they also offer a host of convenient features that will make every shower more pleasant, safe and enjoyable.

HANDHELD SHOWERS

PAUSE CONTROL

Water flow is reduced at the touch of a button with this handheld shower's innovative pause control feature. An easy-to-turn, oversized spray control offers shower, pulsating or massage sprays in addition to the water-saving pause feature.

SecureMount™ Grab Bars and SecureMount™ Anchors make it possible to quickly and easily install a grab bar with or without studs.

SECUREMOUNT™ SYSTEM



GRAB BARS + ANCHORS = SYSTEM

MOUNT SECURELY TO A VARIETY OF SUBSTRATES*:

- ½" drywall
- ½" drywall with tile
- ½" drywall with marble
- ⅛" fiberglass tub surround
- ⅝" drywall
- ⅝" drywall with tile
- ⅝" drywall with marble
- ¼" fiberglass tub surround

*Including multiple layers up to 1½" thick

There is a 300-pound weight capacity when securely installed into above substrates. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

EASY, SECURE INSTALL... ANYWHERE ON THE WALL™

1. **SECUREMOUNT™ GRAB BARS**
   The unique flange makes it easy to connect to the stud at multiple points, at any angle!
2. **SECUREMOUNT™ ANCHORS**
   Precision-engineered for optimal bracing behind the wall, SecureMount™ Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.
3. **SECUREMOUNT™ SYSTEM**
   The SecureMount™ System is the ultimate choice in easy, secure grab bar installation. Plus, it provides stylish designs and choices in finishes and features.

SMA1000
SecureMount™ Anchors

DID YOU KNOW that 16" grab bars can typically mount directly into studs because the standard stud size is 16" on center? 18", 24", 36" and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood-block installation.

MASON® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Mason® bath accessories coordinate with most traditional faucet styles.

For more information on ordering Mason® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8000CH	5.20	Mounting Posts (Pair)	50
YB8003CH	4.55	Double Robe Hook	50
YB8086CH	8.60	Towel Ring	50
YB8088CH	9.45	Double Paper Holder (Roller not included)	25
YB8094CH	4.35	24" Towel Bar (Bar Only)	50
YB8098CH	3.75	18" Towel Bar (Bar Only)	50
YB8099CH	1.85	Paper Holder (Roller Only)	50
Brushed Chrome (BC)			
YB8000BC	6.65	Mounting Posts (Pair)	50
YB8003BC	5.80	Double Robe Hook	50
YB8086BC	11.35	Towel Ring	50
YB8094BC	5.60	24" Towel Bar (Bar Only)	50
YB8098BC	4.75	18" Towel Bar (Bar Only)	50
YB8099BC	3.10	Paper Holder (Roller Only)	50
Satin Nickel (SN)			
YB8000SN	8.60	Mounting Posts (Pair)	50
YB8003SN	5.95	Double Robe Hook	50
YB8086SN	12.30	Towel Ring	50
YB8088SN	15.40	Double Paper Holder (Roller not inlcuded)	25
YB8094SN	7.15	24" Towel Bar (Bar Only)	50
YB8098SN	5.70	18" Towel Bar (Bar Only)	50
YB8099SN	2.75	Paper Holder (Roller Only)	50
Old World Bronze (OWB)			
YB8000OWB	11.15	Mounting Posts (Pair)	50
YB8003OWB	6.80	Double Robe Hook	50
YB8086OWB	13.20	Towel Ring	50
YB8094OWB	8.80	24" Towel Bar (Bar Only)	50
YB8098OWB	6.65	18" Towel Bar (Bar Only)	50
YB8099OWB	2.35	Paper Holder (Roller Only)	50
Pro-Fit® Installation System			
YB8081	12.95	30" Pro-Fit® Installation Template	25

YB8003
Double Robe Hook

YB8099
Paper Holder (Roller only)
+
YB8000
Mounting Posts (Pair)

YB8098
YB8094
Towel Bar (Bar only)
+
YB8000
Mounting Posts (Pair)

YB8086
Towel Ring

YB8088
Double Paper Holder
(3 Mounting Posts, rollers not included)
(Available in CH and SN only)

YB8081
Pro-Fit® Installation Mounting Template (See page 494 for more information about the Pro-Fit® Installation System.)

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

RETREAT® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Retreat® bath accessories coordinate with most transitional faucet styles.

For more information on ordering Retreat® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN8303CH ▲	16.60	Single Robe Hook	24
(P) **DN8308CH ▲**	31.85	Pivoting Paper Holder	3
DN8318CH ▲	32.55	18" Towel Bar	3
DN8322CH ▲	53.80	24" Double Towel Bar	3
DN8324CH ▲	35.30	24" Towel Bar	3
DN8386CH ▲	23.00	Towel Ring	3
DN8390CH ▲	60.10	Vanity Shelf	3
Brushed Nickel (BN)			
DN8303BN ▲	18.60	Single Robe Hook	24
(P) **DN8308BN ▲**	35.50	Pivoting Paper Holder	3
DN8318BN ▲	36.40	18" Towel Bar	3
DN8322BN ▲	60.10	24" Double Towel Bar	3
DN8324BN ▲	39.50	24" Towel Bar	3
DN8386BN ▲	25.70	Towel Ring	3
DN8390BN ▲	67.00	Vanity Shelf	3

Product Details
5/8" Round Bar
30" Towel Bar options also available in select finishes.
See page 517 for details.

DN8303
Single Robe Hook

DN8308
Pivoting Paper Holder (P)

DN8318
DN8324
Towel Bar

DN8322
24" Double Towel Bar

DN8386
Towel Ring

DN8390
Vanity Shelf

▲ Retail Packaging

(P) Denotes pivoting paper holder/mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ARLYS™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Arlys™ bath accessories coordinate with most modern faucet styles.

For more information on ordering Arlys™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
Y5703CH ▲	16.80	Double Robe Hook	12
Y5708CH ▲	23.10	Paper Holder	3
Y5718CH ▲	36.75	18" Towel Bar	3
Y5724CH ▲	39.90	24" Towel Bar	3
Y5786CH ▲	21.00	Hand Towel Bar	3
Matte Black (BL)			
Y5703BL ▲	23.65	Double Robe Hook	12
Y5708BL ▲	32.50	Paper Holder	3
Y5718BL ▲	51.70	18" Towel Bar	3
Y5724BL ▲	56.10	24" Towel Bar	3
Y5786BL ▲	28.70	Hand Towel Bar	3
Brushed Nickel (BN)			
Y5703BN ▲	19.70	Double Robe Hook	12
Y5708BN ▲	27.10	Paper Holder	3
Y5718BN ▲	41.00	18" Towel Bar	3
Y5724BN ▲	45.10	24" Towel Bar	3
Y5786BN ▲	24.60	Hand Towel Bar	3

Y5703
Double Robe Hook

Y5718
Y5724
Towel Bar

Y5708
Paper Holder

Y5786
Hand Towel Bar

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

TRIVA™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Triva™ bath accessories coordinate with most modern faucet styles.

For more information on ordering Triva™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BP1803CH	16.80	Single Robe Hook	24
BP1808CH	23.10	Single-Post Paper Holder	6
BP1818CH	36.75	18" Towel Bar	6
BP1822CH	62.45	24" Double Towel Bar	6
BP1824CH	39.90	24" Towel Bar	6
BP1886CH	21.00	Hand Towel Bar	6
BP1888CH	37.80	Single-Post Double Paper Holder	6
BP1892CH	209.90	Rectangular Mirror	1
Brushed Nickel (BN)			
BP1803BN	20.15	Single Robe Hook	24
BP1808BN	27.75	Single-Post Paper Holder	6
BP1818BN	42.00	18" Towel Bar	6
BP1822BN	69.25	24" Double Towel Bar	6
BP1824BN	46.20	24" Towel Bar	6
BP1886BN	25.20	Hand Towel Bar	6
BP1888BN	45.35	Single-Post Double Paper Holder	6
BP1892BN	251.90	Rectangular Mirror	1
Matte Black (BL)			
BP1803BL	24.20	Single Robe Hook	24
BP1808BL	33.30	Single-Post Paper Holder	6
BP1818BL	52.95	18" Towel Bar	6
BP1822BL	89.95	24" Double Towel Bar	6
BP1824BL	57.45	24" Towel Bar	6
BP1886BL	29.40	Hand Towel Bar	6
BP1888BL	54.45	Single-Post Double Paper Holder	6
BP1892BL	302.30	Rectangular Mirror	1

BP1803
Single Robe Hook

BP1808
Paper Holder-Single Post

BP1818
BP1824
Towel Bar

BP1822
24" Double Towel Bar

BP1886
Hand Towel Bar

BP1888
Double Paper Holder-Single Post

BP1892
Rectangular Mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

SAGE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Sage® bath accessories coordinate with most transitional faucet styles.

For more information on ordering Sage® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN6801CH ▲	20.50	Tank Lever	24
DN6803CH ▲	12.75	Single Robe Hook	24
(P) **DN6808CH ▲**	24.35	Paper Holder	3
DN6818CH ▲	28.45	18" Towel Bar	3
DN6824CH ▲	30.90	24" Towel Bar	3
DN6886CH ▲	20.10	Towel Ring	3
Brushed Nickel (BN)			
DN6801BN ▲	31.15	Tank Lever	12
DN6803BN ▲	20.85	Single Robe Hook	12
(P) **DN6808BN ▲**	32.45	Paper Holder	3
DN6818BN ▲	38.35	18" Towel Bar	3
DN6822BN ▲	63.30	24" Double Towel Bar	3
DN6824BN ▲	41.65	24" Towel Bar	3
DN6886BN ▲	29.10	Towel Ring	3
DN6890BN ▲	61.55	Vanity Shelf	3
DN6892BN ▲	119.45	Mirror	3
DN6850BN ▲	61.90	Freestanding Paper Holder	2
Oil Rubbed Bronze (ORB)			
DN6801ORB ▲	34.35	Tank Lever	12
DN6803ORB ▲	21.10	Single Robe Hook	12
(P) **DN6808ORB ▲**	35.90	Paper Holder	3
DN6818ORB ▲	39.85	18" Towel Bar	3
DN6824ORB ▲	43.35	24" Towel Bar	3
DN6886ORB ▲	29.40	Towel Ring	3

DN6801
Tank Lever

DN6803
Single Robe Hook

(P) DN6808
Paper Holder

DN6818
DN6824
Towel Bar

DN6822
24" Double Towel Bar
(BN Only)

DN6850
Freestanding Paper Holder
(BN Only)

DN6886
Towel Ring

DN6890
Vanity Shelf
(BN Only)

DN6892
Mirror
(BN Only)

Product Details
5/8" Round Bar
30" Towel Bar options also available in select finishes.
See page 517 for details.

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ISO® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Iso® bath accessories coordinate with most modern faucet styles.

For more information on ordering Iso® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0703CH ▲	22.05	Single Robe Hook	12
DN0705CH ▲	9.50	Drawer Knob	48
DN0707CH ▲	19.00	Drawer Pull	48
(P) **DN0708CH ▲**	46.90	Pivoting Paper Holder	3
DN0709CH ▲	39.90	Single-Post Paper Holder	3
DN0718CH ▲	43.15	18" Towel Bar	3
DN0722CH ▲	70.35	24" Double Towel Bar	3
DN0724CH ▲	46.90	24" Towel Bar	3
DN0786CH ▲	30.45	Towel Ring	3
DN0790CH ▲	78.75	Vanity Shelf	3
DN0792CH ▲	113.80	Round Mirror	3
DN0794CH	184.35	Towel Shelf	2
Brushed Nickel (BN)			
DN0703BN ▲	24.80	Single Robe Hook	24
DN0705BN ▲	11.10	Drawer Knob	48
DN0707BN ▲	20.45	Drawer Pull	48
(P) **DN0708BN ▲**	52.80	Pivoting Paper Holder	3
DN0709BN ▲	44.65	Single-Post Paper Holder	3
DN0718BN ▲	48.50	18" Towel Bar	3
DN0722BN ▲	78.95	24" Double Towel Bar	3
DN0724BN ▲	52.80	24" Towel Bar	3
DN0786BN ▲	34.25	Towel Ring	3
DN0790BN ▲	88.65	Vanity Shelf	3
DN0792BN ▲	128.05	Round Mirror	3
DN0794BN	199.30	Towel Shelf	2
Brushed Gold (BG)			
DN0705BG	13.30	Drawer Knob	48
DN0707BG	24.50	Drawer Pull	48
Matte Black (BL)			
DN0705BL ▲	11.55	Drawer Knob	48
DN0707BL ▲	22.95	Drawer Pull	48

DN0703
Single Robe Hook

DN0705
Drawer Knob

DN0707
Drawer Pull

(P) DN0708
Pivoting Paper Holder

DN0709
Single-Post Paper Holder

DN0718
DN0724
Towel Bar

DN0722
24" Double Towel Bar

DN0786
Towel Ring

DN0790
Vanity Shelf

DN0792
Mirror with Pivoting Decorative Hardware

DN0794
Towel Shelf

Product Details
1/2" Round Bar

▲ Retail Packaging

(P) Denotes pivoting paper holder/mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KYVOS® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Kyvos® bath accessories definitive angles that bring a super-modern Art Deco influence to this contemporary collection.

For more information on ordering Kyvos® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BP3703CH	27.20	Double Robe Hook	24
BP3708CH	37.65	Paper Holder	6
BP3718CH	53.35	18" Towel Bar	6
BP3724CH	55.75	24" Towel Bar	6
BP3786CH	40.00	Towel Ring	6
Brushed Nickel (BN)			
BP3703BN	30.65	Double Robe Hook	24
BP3708BN	42.35	Paper Holder	6
BP3718BN	59.95	18" Towel Bar	6
BP3724BN	65.25	24" Towel Bar	6
BP3786BN	44.95	Towel Ring	6

BP3703
Double Robe Hook

BP3708
Paper Holder

BP3718
BP3724
Towel Bar

BP3786
Towel Ring

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

LOUNGE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Lounge® bath accessories coordinate with most transitional faucet styles.

For more information on ordering Lounge® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN7703CH ▲	13.50	Double Robe Hook	24
DN7708CH ▲	25.05	European Paper Holder	3
DN7718CH ▲	26.40	18" Towel Bar	3
DN7722CH ▲	43.65	24" Double Towel Bar	3
DN7724CH ▲	28.65	24" Towel Bar	3
DN7786CH ▲	18.75	Towel Ring	3
DN7790CH ▲	48.80	Vanity Shelf	3
Brushed Nickel (BN)			
DN7703BN ▲	15.65	Double Robe Hook	24
DN7708BN ▲	28.75	European Paper Holder	3
DN7718BN ▲	30.35	18" Towel Bar	3
DN7722BN ▲	50.20	24" Double Towel Bar	3
DN7724BN ▲	33.00	24" Towel Bar	3
DN7786BN ▲	21.55	Towel Ring	3
DN7790BN ▲	56.15	Vanity Shelf	3

Product Details
5/8" Round Bar
30" Towel Bar options also available in select finishes.
See page 517 for details.

DN7703
Double Robe Hook

DN7708
European Paper Holder

DN7718
DN7724
Towel Bar

DN7722
Double Towel Bar

DN7786
Towel Ring

DN7790
Vanity Shelf

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

MADISON® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Madison® bath accessories coordinate with most transitional faucet styles.

For more information on ordering Madison® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
BP6903CH	10.70	Double Robe Hook	24
BP6908CH	23.60	Paper Holder	6
BP6918CH	25.85	18" Towel Bar	6
BP6924CH	27.20	24" Towel Bar	6
BP6980CH	19.80	European Paper Holder	6
BP6986CH	17.80	Towel Ring	6
Old World Bronze (OWB)			
BP6903OWB	16.20	Double Robe Hook	24
BP6908OWB	31.80	Paper Holder	6
BP6918OWB	32.30	18" Towel Bar	6
BP6924OWB	35.95	24" Towel Bar	6
BP6980OWB	23.95	European Paper Holder	6
BP6986OWB	22.25	Towel Ring	6
Pewter (PW)			
DN6903PW ▲	16.10	Double Robe Hook	24
BP6908PW	31.85	Paper Holder	6
DN6918PW ▲	32.35	18" Towel Bar	3
BP6924PW	35.95	24" Towel Bar	6
BP6986PW ▲	22.20	Towel Ring	6

BP6903
Double Robe Hook

BP6980
European Paper Holder

BP6908
Paper Holder

BP6918
BP6924
Towel Bar

BP6986
Towel Ring

Product Details
3/4" Round Bar

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

PRESTON® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Preston® bath accessories coordinate with most traditional faucet styles.

For more information on ordering Preston® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN8403CH ▲	8.50	Double Robe Hook	12
DN8408CH ▲	18.10	European Paper Holder	3
DN8418CH ▲	23.60	18" Towel Bar	3
DN8422CH ▲	38.95	24" Double Towel Bar	3
DN8424CH ▲	25.30	24" Towel Bar	3
DN8486CH ▲	16.25	Towel Ring	3
DN8490CH ▲	42.60	Vanity Shelf	3
Brushed Nickel (BN)			
DN8403BN ▲	12.65	Double Robe Hook	12
DN8408BN ▲	24.95	European Paper Holder	3
DN8418BN ▲	29.20	18" Towel Bar	3
DN8424BN ▲	31.15	24" Towel Bar	3
DN8486BN ▲	20.95	Towel Ring	3

DN8403
Double Robe Hook

DN8408
European Paper Holder

DN8418
DN8424
Towel Bar

DN8422
24" Double Towel Bar
(CH Only)

DN8486
Towel Ring

DN8490
Vanity Shelf
(CH Only)

Product Details
3/4" Round Bar

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EDGESTONE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Edgestone® bath accessories coordinate with most modern faucet styles.

For more information on ordering Edgestone® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB4600CH	19.60	Mounting Posts (Pair)	50
YB4603CH	8.35	Single Robe Hook	50
YB4609CH	17.50	European Paper Holder	50
YB4686CH	16.90	Towel Ring	50
YB4694CH	4.90	24" Towel Bar (Bar Only)	50
YB4698CH	3.75	18" Towel Bar (Bar Only)	50
Brushed Nickel (BN)			
YB4600BN	23.90	Mounting Posts (Pair)	50
YB4603BN	11.80	Single Robe Hook	50
YB4609BN	20.40	European Paper Holder	50
YB4686BN	20.55	Towel Ring	50
YB4694BN	5.65	24" Towel Bar (Bar Only)	50
YB4698BN	4.40	18" Towel Bar (Bar Only)	50
Pro-Fit® Installation System			
YB8081	12.95	30" Pro-Fit® Installation Template	25

YB4609
European Paper Holder

YB4694 or YB4698
Towel Bar (Bar Only)
+
YB4600
Mounting Posts (Pair)

YB4603
Single Robe Hook

YB4686
Towel Ring

YB8081
Pro-Fit® Installation Mounting Template (See page 494 for more information about the Pro-Fit® Installation System.)

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

STOCKTON® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Stockton® bath accessories coordinate with most traditional faucet styles.

For more information on ordering Stockton® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Brushed Nickel (BN)			
DN4103BN ▲	15.90	Double Robe Hook	12
(P) **DN4108BN ▲**	27.60	Pivoting Paper Holder	2
DN4118BN ▲	32.00	18" Towel Bar	2
DN4124BN ▲	34.80	24" Towel Bar	2
DN4150BN ▲	61.30	Freestanding Paper Holder	2
DN4186BN ▲	24.10	Towel Ring	2

Product Details
5/8" Round Bar
30" Towel Bar options also available in select finishes.
See page 517 for details.

DN4103
Double Robe Hook

(P) YB4108
Pivoting Paper Holder

DN4118
DN4124
Towel Bar

(P) DN4150
Freestanding Paper Holder

DN4186
Towel Ring

▲ Retail Packaging
(P) Denotes pivoting paper holder

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

DANBURY® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Danbury® bath accessories coordinate with most traditional faucet styles.

For more information on ordering Danbury® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Brushed Nickel (BN)			
DN6703BN ▲	14.05	Double Robe Hook	24
DN6708BN ▲	23.85	European Paper Holder	3
DN6718BN ▲	30.60	18" Towel Bar	3
DN6724BN ▲	33.30	24" Towel Bar	3
DN6786BN ▲	21.70	Towel Ring	3
Oil Rubbed Bronze (ORB)			
DN6703ORB ▲	15.20	Double Robe Hook	24
DN6708ORB ▲	25.75	European Paper Holder	3
DN6718ORB ▲	34.15	18" Towel Bar	3
DN6724ORB ▲	37.00	24" Towel Bar	3
DN6786ORB ▲	24.15	Towel Ring	3

DN6786
Towel Ring

DN6708
European Paper Holder

DN6718
DN6724
Towel Bar

DN6703
Double Robe Hook

Product Details

1/2" Round Bar

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

YORKSHIRE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Yorkshire® bath accessories coordinate with most transitional faucet styles.

For more information on ordering Yorkshire® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
5303CH ▲	7.20	Double Robe Hook	24
5308CH ▲	14.30	Paper Holder	24
5318CH ▲	18.65	18" Towel Bar	3
5324CH ▲	19.95	24" Towel Bar	3
5386CH ▲	10.05	Towel Ring	24
BP5308CH	14.30	Paper Holder	6
BP5324CH	19.95	24" Towel Bar	6
BP5380CH	14.20	European Paper Holder	6
BP5386CH	10.85	Towel Ring	6
Satin Nickel (SN)			
BP5303SN	8.65	Double Robe Hook	24
BP5308SN	17.65	Paper Holder	6
BP5318SN	19.15	18" Towel Bar	6
BP5324SN	23.45	24" Towel Bar	6
BP5380SN	17.50	European Paper Holder	6
BP5386SN	12.15	Towel Ring	6
Old World Bronze (OWB)			
BP5303OWB	9.70	Double Robe Hook	24
BP5308OWB	21.55	Paper Holder	6
BP5318OWB	23.35	18" Towel Bar	6
BP5324OWB	26.95	24" Towel Bar	6
BP5380OWB	20.10	European Paper Holder	6
BP5386OWB	13.25	Towel Ring	6

Product Details

5/8" Round Bar
30" Towel Bar options available in select finishes.
See page 517 for details.

BP5303
Double Robe Hook

BP5308
Paper Holder

BP5318
BP5324
Towel Bar

BP5386
Towel Ring

BP5380
European Paper Holder

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ASPEN™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Aspen™ bath accessories coordinate with most traditional faucet styles.

For more information on ordering Aspen™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
5802CH ▲	5.15	Single Robe Hook	24
5808CH ▲	12.50	Paper Holder	3
5818CH ▲	14.70	18" Towel Bar	3
5824CH ▲	15.55	24" Towel Bar	3
5886CH ▲	9.85	Towel Ring	3
BP5808CH	12.50	Paper Holder	6
BP5824CH	15.55	24" Towel Bar	6
BP5886CH	9.85	Towel Ring	6

5802W
Single Robe Hook

5808W
Paper Holder

5818W
18" Towel Bar

5886W
Towel Ring

Product Details
3/4" Round Bar

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

GILCREST® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom.Our Gilcrest® bath mirror coordinates with most traditional faucet and bath accessory styles.

For more information on ordering Gilcrest bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Oil Rubbed Bronze (ORB)			
DN0892ORB	103.95	Mirror	3

DN0892
Mirror

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COORDINATING ACCESSORIES

GLENSHIRE® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Glenshire® bath mirror coordinates with most traditional faucet and bath accessory styles.

For more information on ordering Glenshire bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN2692CH	88.65	Mirror	3
Brushed Nickel (BN)			
DN2692BN	92.85	Mirror	3

DN2692
Mirror

30" Towel Bars

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom.

For more information on ordering bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN9830CH	5.20	30" Towel Bar Only - 5/8" diameter	50
Brushed Chrome (BC)			
DN9830BC	6.60	30" Towel Bar Only - 5/8" diameter	50
Brushed Nickel (BN)			
DN9830BN	9.15	30" Towel Bar Only - 5/8" diameter	50
Polished Nickel (NL)			
DN9830NL	13.05	30" Towel Bar Only - 5/8" diameter	50
Satin Nickel (SN)			
DN9830SN	8.60	30" Towel Bar Only - 5/8" diameter	50
Oil Rubbed Bronze (ORB)			
DN9830ORB	9.95	30" Towel Bar Only - 5/8" diameter	50
Matte Black (BL)			
DN9830BL	7.85	30" Towel Bar Only - 5/8" diameter	50

DN9830
30" Towel Bar Only

Product Details

Order both a 30" bar shown here and an 18" towel bar set (or posts only, if available).

Double Curved
Adjustable Curved
Fixed Length
Tension Curved
Decorative Tension
Roller Rings

Shower Rods and Rings

Add an elegant and luxurious look while also creating a more comfortable experience in the bath with a choice of shower rods and rings. Gracious and uncomplicated style features give Moen shower rods and rings an ageless, yet fashion-forward, presence. Tailored yet relaxed, Moen shower rods and rings are an exercise in design balance. This lustrous collection works seamlessly with today's lifestyles.

DOUBLE CURVED SHOWER RODS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN2141CH ▲	78.60	Chrome, Adjustable Double Curved Shower Rod	2
Brushed Nickel (BN)			
DN2141BN ▲	79.25	Brushed Nickel, Adjustable Double Curved Shower Rod	2
Polished Nickel (NL)			
DN2141NL ▲	165.15	Polished Nickel, Adjustable Double Curved Shower Rod	6
Old World Bronze (OWB)			
DN2141OWB ▲	99.70	Old World Bronze, Adjustable Double Curved Shower Rod	2
Matte Black (BL)			
DN2141BL ▲	102.25	Matte Black, Adjustable Double Curved Shower Rod	6

Double Curved Shower Rod
DN2141

Product Details
430 Stainless Steel
Provides up to 5.5" more elbow room in the shower
Adjusts from 57" to 60"
Corrosion-resistant
Drywall anchors included
Works with standard 72" x 72" shower curtains

▲ Retail Packaging

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 522.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ADJUSTABLE CURVED SHOWER RODS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2160CH	57.90	Adjustable Curved Shower Rod	10
CSR2164CH	57.90	Adjustable Curved Shower Rod	10
CSR2168CH	53.90	Low-Profile Adjustable Curved Shower Rod	10
Brushed Nickel (BN)			
CSR2160BN	63.70	Adjustable Curved Shower Rod	10
CSR2164BN	63.70	Adjustable Curved Shower Rod	10
CSR2168BN	59.35	Low-Profile Adjustable Curved Shower Rod	10
Brushed Gold (BG)			
CSR2160BG	89.15	Adjustable Curved Shower Rod	10
CSR2164BG	89.15	Adjustable Curved Shower Rod	10
Polished Nickel (NL)			
CSR2160NL	115.85	Adjustable Curved Shower Rod	10
CSR2164NL	115.85	Adjustable Curved Shower Rod	10
Old World Bronze (OWB)			
CSR2160OWB	72.85	Adjustable Curved Shower Rod	10
CSR2164OWB	72.85	Adjustable Curved Shower Rod	10
Matte Black (BL)			
CSR2160BL	86.90	Adjustable Curved Shower Rod	10
CSR2164BL	86.90	Adjustable Curved Shower Rod	10
CSR2168BL	77.60	Low-Profile Adjustable Curved Shower Rod	10

Product Details
304 Stainless Steel
CSR2168 adjust to fit shower enclosures between 54" and 60"
CSR2160 and CSR2164 adjust to fit shower enclosures between 54" and 72"
Weight load capacity of 120 lbs (based on independent lab testing)
Mounting flange pivots 180 degrees for easy installation
Corrosion-resistant
Drywall anchors included
No cutting required

Adjustable Curved Shower Rod
CSR2160

Adjustable Curved Shower Rod
CSR2164

Low-Profile Adjustable Curved Shower Rod
CSR2168

Shower curtains and shower curtain rings are not included with shower curtain rods.
Moen shower curtain rings can be purchased separately. See page 522.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

FIXED-LENGTH DECORATIVE CURVED SHOWER ROD SET - PIVOTING

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2165CH	45.80	5ft Decorative Curved Shower Rod Set - Pivoting	10
CSR2166CH	52.40	6ft Decorative Curved Shower Rod Set - Pivoting	10
Brushed Nickel (BN)			
CSR2165BN	49.00	5ft Decorative Curved Shower Rod Set - Pivoting	10
CSR2166BN	56.35	6ft Decorative Curved Shower Rod Set - Pivoting	10
Old World Bronze (OWB)			
CSR2165OWB	58.90	5ft Decorative Curved Shower Rod Set - Pivoting	10

FIXED-LENGTH DECORATIVE CURVED SHOWER ROD SET - NON-PIVOTING

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2155CH	51.55	5ft Decorative Curved Shower Rod Set - Non-Pivoting	10
Brushed Nickel (BN)			
CSR2155BN	59.45	5ft Decorative Curved Shower Rod Set - Non-Pivoting	10
Old World Bronze (OWB)			
CSR2155OWB	70.20	5ft Decorative Curved Shower Rod Set - Non-Pivoting	10

FIXED-LENGTH LOW-PROFILE CURVED SHOWER ROD SET - PIVOTING

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2167CH	44.00	5ft Low Profile Curved Shower Rod Set - Pivoting	10
Brushed Nickel (BN)			
CSR2167BN	51.35	5ft Low Profile Curved Shower Rod Set - Pivoting	10
Matte Black (BL)			
CSR2167BL	63.40	5ft Low Profile Curved Shower Rod Set - Pivoting	10

FIXED-LENGTH LOW-PROFILE CURVED SHOWER ROD - NON-PIVOTING*

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
2-102-5PS	24.15	Polished Stainless, Curved Shower Rod Only, 5ft	25
65-F-PS	17.20	Polished Stainless, Low Profile Flange Kit, Non-Pivoting	25
Brushed Nickel (BN)			
2-102-5BS	25.35	Brushed Stainless, Curved Shower Rod Only, 5ft	25
65-F-BS	19.80	Brushed Stainless, Low Profile Flange Kit, Non-Pivoting	25

FIXED-LENGTH LOW-PROFILE CURVED SHOWER ROD SET - NON-PIVOTING

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2145CH	47.25	5ft Low Profile Curved Shower Rod Set - Non-Pivoting	10
Brushed Nickel (BN)			
CSR2145BN	55.15	5ft Low Profile Curved Shower Rod Set - Non-Pivoting	10

Product Details
Corrosion-resistant
Drywall anchors included
CSR2165 / CSR2166: Flanges pivot 180 degrees for an easy install

Shower curtains and shower curtain rings are not included with shower curtain rods.
Moen shower curtain rings can be purchased separately. See page 522.

* For a complete curved shower rod unit, order both the curved rod and low-profile flange kit.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Fixed-Length Decorative Curved Shower Rod – Pivoting Flanges
CSR2165 / CSR2166

Fixed-Length Decorative Curved Shower Rod – Non-Pivoting Flanges
CSR2155

Fixed-Length Low-Profile Curved Shower Rod – Pivoting
CSR2167

Fixed-Length Curved Shower Rod – Non-Pivoting Flanges
2-102-5* / 65-F

Fixed-Length Low-Profile Curved Shower Rod – Non-Pivoting
CSR2145

TENSION CURVED SHOWER RODS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2172CH	57.90	Chrome, Tension Curved Shower Rod	10
Brushed Nickel (BN)			
CSR2172BN	63.70	Brushed Nickel, Tension Curved Shower Rod	10

Product Details
Rod expands from 57" to 60"
Corrosion resistant
Works with standard 72" x 72" shower curtains

Easy installation: expand the bar to the correct size, apply tension and snap on the decorative covers

DECORATIVE TENSION SHOWER RODS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
TR1000CH ▲	36.45	Chrome, Decorative Tension Shower Rods	3
Brushed Nickel (BN)			
TR1000BN ▲	36.45	Brushed Nickel, Decorative Tension Shower Rods	3
TR1032BN ▲	51.25	Brushed Nickel, Decorative Tension Shower Rods	3
Old World Bronze (OWB)			
TR1000OWB ▲	36.45	Old World Bronze, Decorative Tension Shower Rods	3

Product Details
Rod expands from 44" to 72"
Corrosion resistant
FastLock technology: No tools, no additional hardware, no long installation.
Adjustable straight rod

▲ Retail Packaging

Shower curtains and shower curtain rings are not included with shower curtain rods.
Moen shower curtain rings can be purchased separately. See page 522.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Tension Curved Shower Rod
CSR2172



Tension Rod
TR1000

Tension Rod
TR1032

Shower Rods and Rings

DOUBLE SHOWER CURTAIN ROLLER RINGS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
SR2201CH ▲	17.65	Chrome, Double Shower Curtain Roller Rings	12
Brushed Nickel (BN)			
SR2201BN ▲	20.35	Brushed Nickel, Double Shower Curtain Roller Rings	12
Polished Nickel (NL)			
SR2201NL ▲	28.60	Polished Nickel, Double Shower Curtain Roller Rings	24
Old World Bronze (OWB)			
SR22010WB ▲	20.65	Old World Bronze, Double Shower Curtain Roller Rings	12
Matte Black (BL)			
SR2201BL ▲	28.60	Matte Black, Double Shower Curtain Roller Rings	24

Double Shower Rings
SR2201

SINGLE SHOWER CURTAIN ROLLER RINGS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
SR2100CH	14.15	Chrome, Single Shower Curtain Roller Rings	25
Brushed Nickel (BN)			
SR2100BN	16.25	Brushed Nickel, Single Shower Curtain Roller Rings	25
Old World Bronze (OWB)			
SR21000WB	16.45	Old World Bronze, Single Shower Curtain Roller Rings	25

Single Shower Rings
SR2100

Product Details

Corrosion resistant
Fits curved and straight shower rods
Smooth rolling ball bearings eliminate snagging, tugging, and pulling
Includes 12 rings per package

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Moen® Lighting

Waterhill®
Flara®
Colinet™
90°™
Voss™
Belfield™
Brantford®
Eva®
Iso™

Moen® Lighting

Whether your tastes lean traditional, modern or somewhere in between, Moen® offers a bath lighting choice that will fit your style. Our distinctive lighting options are designed to accent some of our leading faucets. With nine collections to choose from, it's never been easier to tie together the look of your bathroom. Built in the Moen tradition, our lighting offers quality, durability and style.

WATERHILL®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB9861CH	195.60	One Globe Bath Light	2
YB9862CH	273.70	Two Globe Bath Light	2
YB9863CH	339.90	Three Globe Bath Light	2
YB9864CH	435.35	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB9861BN	244.45	One Globe Bath Light	2
YB9862BN	342.15	Two Globe Bath Light	2
YB9863BN	425.10	Three Globe Bath Light	2
YB9864BN	544.10	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB9861ORB	244.45	One Globe Bath Light	2
YB9862ORB	342.15	Two Globe Bath Light	2
YB9863ORB	425.05	Three Globe Bath Light	2
YB9864ORB	544.10	Four Globe Bath Light	2
Replacement Globe			
YB9869	34.40	Replacement Globe	3

YB9861
One Globe Light

YB9862
Two Globe Light

YB9863
Three Globe Light

YB9864
Four Globe Light

YB9869
Replacement Globe

All Waterhill® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

c UL us LISTED
Bulbs not included.

Moen® Lighting

FLARA®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0361CH	202.20	One Globe Bath Light	2
YB0362CH	282.90	Two Globe Bath Light	2
YB0363CH	351.35	Three Globe Bath Light	2
YB0364CH	439.15	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB0361BN	262.85	One Globe Bath Light	2
YB0362BN	367.75	Two Globe Bath Light	2
YB0363BN	456.70	Three Globe Bath Light	2
YB0364BN	570.90	Four Globe Bath Light	2
Brushed Gold (BG)			
YB0361BG	315.40	One Globe Bath Light	2
YB0362BG	441.30	Two Globe Bath Light	2
YB0363BG	548.05	Three Globe Bath Light	2
YB0364BG	685.00	Four Globe Bath Light	2
Polished Nickel (NL)			
YB0361NL	289.10	One Globe Bath Light	2
YB0362NL	404.55	Two Globe Bath Light	2
YB0363NL	502.35	Three Globe Bath Light	2
YB0364NL	627.95	Four Globe Bath Light	2
Replacement Globe			
YB0369	34.85	Replacement Globe	3

YB0361
One Globe Bath Light

YB0362
Two Globe Bath Light

YB0363
Three Globe Bath Light

YB0364
Four Globe Bath Light

YB0369
Replacement globe

All Flara® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

c UL us LISTED
Bulbs not included.

Moen® Lighting

COORDINATING ACCESSORIES

COLINET™

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0561CH	193.40	One Globe Bath Light	2
YB0562CH	270.65	Two Globe Bath Light	2
YB0563CH	336.05	Three Globe Bath Light	2
YB0564CH	420.05	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB0561BN	251.40	One Globe Bath Light	2
YB0562BN	351.80	Two Globe Bath Light	2
YB0563BN	436.85	Three Globe Bath Light	2
YB0564BN	546.05	Four Globe Bath Light	2
Brushed Gold (BG)			
YB0561BG	290.10	One Globe Bath Light	2
YB0562BG	406.00	Two Globe Bath Light	2
YB0563BG	504.10	Three Globe Bath Light	2
YB0564BG	630.10	Four Globe Bath Light	2
Matte Black (BL)			
YB0561BL	276.55	One Globe Bath Light	2
YB0562BL	387.00	Two Globe Bath Light	2
YB0563BL	480.55	Three Globe Bath Light	2
YB0564BL	600.65	Four Globe Bath Light	2
Replacement Globe			
YB0569	34.85	Replacement Globe	3

YB0561
One Globe Bath Light

YB0562
Two Globe Bath Light

YB0563
Three Globe Bath Light

YB0564
Four Globe Bath Light

YB0569
Replacement globe

90°™

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8861CH	185.40	One Globe Bath Light	2
YB8862CH	259.40	Two Globe Bath Light	2
YB8863CH	322.15	Three Globe Bath Light	2
YB8864CH	412.60	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB8861BN	231.65	One Globe Bath Light	2
YB8862BN	324.30	Two Globe Bath Light	2
YB8863BN	402.90	Three Globe Bath Light	2
YB8864BN	515.70	Four Globe Bath Light	2
Replacement Globe			
YB8869	34.05	Replacement Globe	3

YB8861
One Globe Bath Light

YB8862
Two Globe Bath Light

YB8863
Three Globe Bath Light

YB8864
Four Globe Bath Light

YB8869
Replacement globe

All Colinet™ and 90™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

c UL us LISTED
Bulbs not included.

Moen® Lighting

VOSS™

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5161CH	153.85	One Globe Bath Light	2
YB5162CH	215.25	Two Globe Bath Light	2
YB5163CH	267.35	Three Globe Bath Light	2
YB5164CH	342.30	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB5161BN	192.35	One Globe Bath Light	2
YB5162BN	269.05	Two Globe Bath Light	2
YB5163BN	334.15	Three Globe Bath Light	2
YB5164BN	427.90	Four Globe Bath Light	2
Brushed Gold (BG)			
YB5161BG	230.85	One Globe Bath Light	2
YB5162BG	322.85	Two Globe Bath Light	2
YB5163BG	401.05	Three Globe Bath Light	2
YB5164BG	513.45	Four Globe Bath Light	2
Polished Nickel (NL)			
YB5161NL	192.45	One Globe Bath Light	2
YB5162NL	280.15	Two Globe Bath Light	2
YB5163NL	361.25	Three Globe Bath Light	2
YB5164NL	462.65	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB5161ORB	192.35	One Globe Bath Light	2
YB5162ORB	269.05	Two Globe Bath Light	2
YB5163ORB	334.15	Three Globe Bath Light	2
YB5164ORB	427.90	Four Globe Bath Light	2
Replacement Globe			
YB5169	28.20	Replacement Globe	3

YB5161
One Globe Light

YB5162
Two Globe Light

YB5163
Three Globe Light

YB5164
Four Globe Light

YB5169
Replacement Globe

All Voss™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

cULus LISTED
Bulbs not included.

Moen® Lighting

BELFIELD™

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB6461CH	154.50	One Globe Bath Light	1
YB6462CH	216.15	Two Globe Bath Light	1
YB6463CH	268.30	Three Globe Bath Light	1
YB6464CH	343.65	Four Globe Bath Light	1
Brushed Nickel (BN)			
YB6461BN	193.10	One Globe Bath Light	1
YB6462BN	270.10	Two Globe Bath Light	1
YB6463BN	335.45	Three Globe Bath Light	1
YB6464BN	429.60	Four Globe Bath Light	1
Polished Nickel (NL)			
YB6461NL	187.05	One Globe Bath Light	1
YB6462NL	261.75	Two Globe Bath Light	1
YB6463NL	335.45	Three Globe Bath Light	1
YB6464NL	446.10	Four Globe Bath Light	1
Oil Rubbed Bronze (ORB)			
YB6461ORB	193.10	One Globe Bath Light	1
YB6462ORB	270.10	Two Globe Bath Light	1
YB6463ORB	335.45	Three Globe Bath Light	1
YB6464ORB	429.60	Four Globe Bath Light	1
Matte Black (BL)			
YB6461BL	187.05	One Globe Bath Light	1
YB6462BL	261.75	Two Globe Bath Light	1
YB6463BL	349.25	Three Globe Bath Light	1
YB6464BL	446.10	Four Globe Bath Light	1
Replacement Globe			
YB6469	28.40	Replacement Globe	3

YB6461
One Globe Light

YB6462
Two Globe Light

YB6463
Three Globe Light

YB6464
Four Globe Light

YB6469
Replacement Globe

BRANTFORD®

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2261CH	127.85	One Globe Bath Light	2
YB2262CH	179.05	Two Globe Bath Light	2
YB2263CH	222.30	Three Globe Bath Light	2
YB2264CH	284.70	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2261BN	159.90	One Globe Bath Light	2
YB2262BN	223.85	Two Globe Bath Light	2
YB2263BN	277.90	Three Globe Bath Light	2
YB2264BN	355.80	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2261ORB	159.90	One Globe Bath Light	2
YB2262ORB	223.85	Two Globe Bath Light	2
YB2263ORB	277.90	Three Globe Bath Light	2
YB2264ORB	355.80	Four Globe Bath Light	2
Replacement Globe			
YB2269	23.95	Replacement Globe	3

YB2261
One Globe Light

YB2262
Two Globe Light

YB2263
Three Globe Light

YB2264
Four Globe Light

YB2269
Replacement Globe

All Belfield™ and Brantford® lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

cULus LISTED
Bulbs not included.

Moen® Lighting

EVA®

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2861CH	127.85	One Globe Bath Light	2
YB2862CH	179.05	Two Globe Bath Light	2
YB2863CH	222.30	Three Globe Bath Light	2
YB2864CH	284.70	Four Globe Bath Light	2
Brushed Nickel (BN)			
YB2861BN	159.90	One Globe Bath Light	2
YB2862BN	223.85	Two Globe Bath Light	2
YB2863BN	277.90	Three Globe Bath Light	2
YB2864BN	355.80	Four Globe Bath Light	2
Oil Rubbed Bronze (ORB)			
YB2861ORB	159.90	One Globe Bath Light	2
YB2862ORB	223.85	Two Globe Bath Light	2
YB2863ORB	277.90	Three Globe Bath Light	2
YB2864ORB	355.80	Four Globe Bath Light	2
Replacement Globe			
YB2869	23.95	Replacement Globe	3

YB2861
One Globe Light

YB2862
Two Globe Light

YB2863
Three Globe Light

YB2864
Four Globe Light

YB2869
Replacement Globe

ISO™

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0761CH	127.55	One Globe Bath Light	2
DN0762CH	182.00	Two Globe Bath Light	2
DN0763CH	223.30	Three Globe Bath Light	2
DN0764CH	286.05	Four Globe Bath Light	2
Brushed Nickel (BN)			
DN0761BN	160.60	One Globe Bath Light	2
DN0762BN	224.85	Two Globe Bath Light	2
DN0763BN	279.20	Three Globe Bath Light	2
DN0764BN	357.45	Four Globe Bath Light	2
Brushed Gold (BG)			
DN0761BG	192.70	One Globe Bath Light	2
DN0762BG	269.80	Two Globe Bath Light	2
DN0763BG	335.05	Three Globe Bath Light	2
DN0764BG	428.95	Four Globe Bath Light	2
Matte Black (BL)			
DN0761BL	154.50	One Globe Bath Light	2
DN0762BL	220.40	Two Globe Bath Light	2
DN0763BL	270.45	Three Globe Bath Light	2
DN0764BL	346.45	Four Globe Bath Light	2
Replacement Globe			
DN0769	23.55	Replacement Globe	3

DN0761
One Globe Light

DN0762
Two Globe Light

DN0763
Three Globe Light

DN0764
Four Globe Light

DN0769
Replacement Globe

All Eva® and Iso™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

cULus LISTED
Bulbs not included.

Moen® Knobs & Pulls

Weymouth®
Flara®
Colinet™
90°™
Kingsley™
Iso™

Moen® Knobs and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched bath or kitchen and carry your style throughout the room.

WEYMOUTH®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8405CH	18.55	Weymouth Drawer Knob	48
YB8407CH	34.65	Weymouth Drawer Pull	48
Brushed Nickel (BN)			
YB8405BN	21.00	Weymouth Drawer Knob	48
YB8407BN	37.05	Weymouth Drawer Pull	48
Brushed Gold (BG)			
YB8405BG	25.15	Weymouth Drawer Knob	48
YB8407BG	44.50	Weymouth Drawer Pull	48
Polished Nickel (NL)			
YB8405NL	23.05	Weymouth Drawer Knob	48
YB8407NL	40.70	Weymouth Drawer Pull	48
Oil Rubbed Bronze (ORB)			
YB8405ORB	23.05	Weymouth Drawer Knob	48
YB8407ORB	40.70	Weymouth Drawer Pull	48
Matte Black (BL)			
YB8405BL	23.05	Weymouth Drawer Knob	48
YB8407BL	40.60	Weymouth Drawer Pull	48

Weymouth® Drawer Knob
YB8405

Weymouth® Drawer Pull
YB8407

FLARA®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0305CH	15.85	Flara Drawer Knob	48
YB0307CH	31.80	Flara Drawer Pull	48
Brushed Nickel (BN)			
YB0305BN	20.65	Flara Drawer Knob	48
YB0307BN	41.35	Flara Drawer Pull	48
Brushed Gold (BG)			
YB0305BG	24.75	Flara Drawer Knob	48
YB0307BG	49.65	Flara Drawer Pull	48
Polished Nickel (NL)			
YB0305NL	17.45	Flara Drawer Knob	48
YB0307NL	45.50	Flara Drawer Pull	48

Flara® Drawer Knob
YB0305

Flara® Drawer Pull
YB0307

COLINET™

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB0505CH	15.15	Colinet Drawer Knob	48
YB0507CH	30.45	Colinet Drawer Pull	48
Brushed Nickel (BN)			
YB0505BN	19.75	Colinet Drawer Knob	48
YB0507BN	39.60	Colinet Drawer Pull	48
Brushed Gold (BG)			
YB0505BG	22.80	Colinet Drawer Knob	48
YB0507BG	45.70	Colinet Drawer Pull	48
Matte Black (BL)			
YB0505BL	21.75	Colinet Drawer Knob	48
YB0507BL	43.50	Colinet Drawer Pull	48

90°™

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
Chrome (CH)			
YB8805CH	14.60	90° Drawer Knob	48
YB8807CH	29.20	90° Drawer Pull	48
Brushed Nickel (BN)			
YB8805BN	16.85	90° Drawer Knob	48
YB8807BN	31.55	90° Drawer Pull	48

Colinet™ Drawer Knob
YB0505

Colinet™ Drawer Pull
YB0507

90°™ Drawer Knob
YB8805

90°™ Drawer Pull
YB8807

KINGSLEY®

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5405CH	10.20	Kingsley Drawer Knob	48
YB5407CH	20.20	Kingsley Drawer Pull	48
Brushed Nickel (BN)			
YB5405BN	12.70	Kingsley Drawer Knob	48
YB5407BN	25.15	Kingsley Drawer Pull	48
Oil Rubbed Bronze (ORB)			
YB5405ORB	13.55	Kingsley Drawer Knob	48
YB5407ORB	27.35	Kingsley Drawer Pull	48

ISO™

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0705CH ▲	9.50	Drawer Knob	48
DN0707CH ▲	19.00	Drawer Pull	48
Brushed Nickel (BN)			
DN0705BN ▲	11.10	Drawer Knob	48
DN0707BN ▲	20.45	Drawer Pull	48
Brushed Gold (BG)			
DN0705BG	13.30	Drawer Knob	48
DN0707BG	24.50	Drawer Pull	48
Matte Black (BL)			
DN0705BL ▲	11.55	Drawer Knob	48
DN0707BL ▲	22.95	Drawer Pull	48

▲ Retail Packaging

Kingsley™ Drawer Knob
YB5405

Kingsley™ Drawer Pull
YB5407

Iso™ Drawer Knob
DN0705

Iso™ Drawer Pull
DN0707

Donner® Straight Shower Rod

ALUMINUM RODS • 1" DIAMETER

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
52-5	10.30	5ft Rod with Chrome-Plated Adjustable Flanges	50
52-6	11.70	6ft Rod with Chrome-Plated Adjustable Flanges	50
54-5	7.35	5ft Rod with Chrome-Plated Poly Adjustable Flange	50
54-6	8.75	6ft Rod with Chrome-Plated Poly Adjustable Flange	50
63-5	10.20	5ft Rod with Exposed Chrome-Plated Flanges	50

HEAVY-DUTY STAINLESS STEEL RODS • 1" DIAMETER

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel			
55-5	42.40	5ft Polished Stainless Steel Rod with Concealed Brushed Stainless Steel Flanges	50
58-5	40.90	5ft Polished Stainless Steel Rod with Exposed Brushed Stainless Steel Flanges	50
Stainless Steel with Chrome Flanges			
52-5-SS	16.35	5ft Polished Stainless Steel Rod with Chrome-Plated Adjustable Flanges	10
61-5-SS	13.65	5ft Polished Stainless Steel Rod with Concealed Chrome Flanges	50
63-5-HD	36.75	5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges	50
63-5-SS	16.25	5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges	50

RODS WITH ADJUSTABLE FLANGES

MODEL	LIST EACH	DESCRIPTION	QTY
Brushed Nickel (BN)			
52-5-BN	35.70	5ft Stainless Steel Rod with Adjustable Flanges (1set), Brushed Nickel	10
Old World Bronze (OWB)			
52-5-OWB	23.85	5ft Aluminum Rod with Adjustable Flanges (1 set), Old World Bronze	10

52-5 52-6

55-5

58-5

61-5

63-5

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Build-Your-Own Straight Shower Rod

STEP #1: PICK YOUR ROD - ALUMINUM OR POLISHED STAINLESS STEEL

MODEL	LIST EACH	DESCRIPTION	QTY
Aluminum Rods			
2-100-5A	6.05	1" x 5ft Smooth Aluminum Rod, Chrome	50
2-100-6A	7.55	1" x 6ft Smooth Aluminum Rod, Chrome	50
Polished Stainless Steel Rods (SS)			
2-100-5SS	32.70	1" x 5ft .035 Polished Stainless Steel Rod	25
2-10155SS	12.25	1" x 5ft .015 Polished Stainless Steel Rod	25

Aluminum Rods

Polished Stainless Steel Rods

STEP #2: PICK YOUR FLANGE

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
52-F	4.20	Chrome-Plated Adjustable Flange	200
54-F	1.25	Chrome-Plated Poly Adjustable Flange	200
61-F	1.50	Chrome Concealed Flange	200
63-F	4.10	Chrome Exposed Flange	200
Brushed Stainless Steel			
55-F	9.75	Brushed Stainless Steel Concealed Flange	50
58-F	8.20	Brushed Stainless Steel Exposed Flange	50

55-F
Brushed Stainless Steel Concealed Flange – Shower Rod Flanges Only

58-F
Brushed Stainless Steel Exposed Flange – Shower Rod Flanges Only

52-F
Chrome-Plated Adjustable Flange – Shower Rod Flanges Only

54-F
Chrome-Plated Poly Adjustable Flange – Shower Rod Flanges Only

61-F
Chrome Concealed Flange – Shower Rod Flanges Only

63-F
Chrome Exposed Flange – Shower Rod Flanges Only

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Contemporary

DONNER® CONTEMPORARY

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
3C	1.55	Chrome Finished Plastic Roller	250
3CH	4.20	Chrome Finished Metal Roller	200
3W	0.30	White Plastic Roller	250
23418A	1.55	18" Aluminum Bar Only	50
23424A	1.95	24" Aluminum Bar Only	50
23430A	2.55	30" Aluminum Bar Only	50
P5030	2.25	Double Robe Hook	100
P5050	4.85	Paper Holder, Chrome Roller	100
P5080	4.10	Paper Holder, White Roller	100
P5100	3.75	3/4" Chrome Towel Bar Posts for Square Bars (Pair)	100
P5118	5.05	18" Towel Bar Set with Aluminum Bar	50
P5124	5.70	24" Towel Bar Set with Alumunum Bar	50
P5340	2.80	Wallmount Toothbrush Holder	100
P5360	3.20	Wallmount Soap Holder	100
P5500	3.95	Towel Ring / Lucite Ring	100
P5860	4.70	Towel Ring / Lucite Ring	100
Brushed Nickel (BN)			
P5030BN	4.40	Double Robe Hook	100
P5050BN	10.20	Paper Holder, Chrome Roller	100
P5080BN	8.35	Paper Holder, White Roller	100
P5118BN	11.00	18" Towel Bar	36
P5124BN	12.20	24" Towel Bar	36
P5130BN	13.20	30" Towel Bar	36
P5860BN	8.80	Towel Ring / Metal Ring	100

3C
Paper Holder
Plastic Roller,
Chrome Finish

3CH
Paper Holder
Metal Roller,
Chrome Finish

3W
Paper Holder
Plastic Roller,
White Plastic

P5030
Double Robe Hook

P5050
Paper Holder,
Chrome Roller

P5080
Paper Holder,
White Roller

P5118
18" Towel Bar Set
with 3/4" Square Bar

P5124
24" Towel Bar Set
with 3/4" Square Bar

P5340
Wallmount
Toothbrush Holder

P5360
Wallmount
Soap Holder

P5500
Towel Ring/
Lucite Ring

P5860
Towel Ring/
Metal Ring

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Stainless Steel

DONNER® STAINLESS STEEL

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless (SS)			
23418SS	2.90	18" Stainless Steel Bar Only	50
23424SS	3.85	24" Stainless Steel Bar Only	50
23430SS	5.00	30" Stainless Steel Bar Only	50
P1700	13.65	3/4" Stainless Steel Towel Bar Posts (Pair)	100
P1703	6.30	Double Robe Hook	100
P1718	15.95	18" Towel Bar Set	50
P1724	16.70	24" Towel Bar Set	50
P1780	14.25	Paper Holder, Plastic Roller	50
P1786	10.90	Towel Ring	100

23418SS
18" Stainless Steel
Bar Only

23424SS
24" Stainless Steel
Bar Only

23430SS
30" Stainless Steel
Bar Only



P1700
3/4" Stainless Steel
Towel Bar Posts (Pair)

P1703
Double Robe Hook

P1718
18" Towel Bar Set

P1724
24" Towel Bar Set

P1780
Paper Holder,
Plastic Roller

P1786
Towel Ring

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Economy Metal

DONNER® ECONOMY METAL

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
902	1.55	Single Robe Hook	50
908	2.95	Paper Holder, White Roller	100
910	2.75	5/8" Square Towel Bar Posts (Pairs)	200
910A18	3.95	18" Towel Bar Set with Aluminum Bar	24
910A24	4.40	24" Towel Bar Set with Alumunum Bar	24
950	3.00	Towel Ring / Lucite Ring	200
25818A	1.50	18" Alumunum Bar Only	50
25824A	2.00	24" Alumunum Bar Only	50

902
Single Robe Hook

908
Paper Holder,
White Roller

910
5/8" Square
Towel Bar Posts
(Pair)

910A18
18" Towel Bar Set
with Aluminum Bar

910A24
24" Towel Bar Set
with Aluminum Bar

950
Towel Ring/
Lucite Ring

25818A
25824A
Aluminum Bar Only

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Hotel/Motel

DONNER® HOTEL/MOTEL

MODEL	LIST EACH	DESCRIPTION	QTY
Hotel Shelves - Chrome (CH)			
R5519 ▲	47.25	Stainless Steel 24" Towel Shelf with Extra Bar and Support Bracket (Towel Shelves have chrome-plated brackets with polished stainless steel rods)	10
Shower Baskets			
YB0275CH	68.05	Corner Shower Basket, Chrome	6
YB0275BN	74.85	Corner Shower Basket, Brushed Nickel	6
YB0275BL	82.80	Corner Shower Basket, Matte Black	6
Miscellaneous Items			
RR5520SS	20.85	Recessed Facial Tissue Box, Chrome Finished Fits Wall Opening 10 1/2" x 5" x 2 1/4"	24
5520NC	12.50	Recessed Coverless Facial Tissue Box, Chrome Finished Fits Wall Opening 10 1/2" x 5" x 2 1/4"	24
5571	23.30	Extra Roll Recessed Paper Holder, White Roller, Overall Dimensions 6 1/4" x 6 1/4" - Wall Opening 5 1/4" x 5 1/4" x 4"	20
5577	41.75	Double Recessed Paper Holder, Chrome Roller , Horizontal, Overall Dimensions 12 1/2" x 6 1/4" - Wall Opening 11 3/8" x 5 1/4" x 1 1/2"	20
RR5506HD	23.85	Heavy Duty Retractable Clothesline, Polished Stainless Steel, Length 7'6"	60



R5519
24" Towel Shelf with
Extra Bar & Support Bracket



YB0275
Corner Shower Basket

5571
Extra Roll Recessed
Paper Holder



5577
Double Recessed
Paper Holder, Horizontal

RR5520SS
Recessed Tissue Box

5520NC
Recessed Coverless
Tissue Box

RR5506HD
Heavy-Duty Retractable
Clothesline – Polished
Stainless Steel

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Donner® Recessed Fixtures

DONNER® RECESSED FIXTURES

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
575	29.15	Paper Holder, Chrome Roller (Utilizes BR587 or 588 Clamp)*	20
2565CH	18.25	Soap Holder and Utility Bar (Utilizes BR587 or 588 Clamp)*	36
2575	17.20	Recessed Paper Holder, Matching Roller (Utilizes BR587 or 588 Clamp)*	36
DN5075	22.10	Recessed Paper Holder (Includes 588 Clamp)	3
Polished Stainless Steel (SS)			
1576SS	10.80	Paper Holder, White Roller (Utilizes BR587 or 588 Clamp)*	40
White (W)			
DN5075W	22.10	Recessed Paper Holder (Included 588 Clamp)	3
Installation Clamps			
588	3.45	C-Clamp (Boxed)	80
BR587	4.25	Clamp with Retaining Spring (Box)	72

575
Paper Holder, Chrome Roller*

2565CH
Soap Holder and Utility Bar*

2575
Recessed Paper Holder, Matching Roller*

DN5075
Recessed Paper Holder

1576SS
Paper Holder, White Roller, Stainless Steel Finish*

DN5075W
Recessed Paper Holder

588
Installation C-Clamp (Boxed)

BR587
Installation Clamp with Retaining Spring (Boxed)

*Clamps must be ordered separately.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bar Guide



HOW MANY GRAB BARS DO I NEED AND WHERE SHOULD THEY BE INSTALLED?

Health professionals typically recommend three grab bars in a bathroom:

- (A) At least one near the toilet
- (B) At least one along the showerhead wall or whichever end of the tub/shower you use to enter/exit
- (C) At least one along the back wall in the bathtub or shower

WHO SHOULD USE GRAB BARS?

Everyone! People of all ages and abilities can benefit from using grab bars.

WHAT CAN A GRAB BAR DO?

- Reduce risk of falling in the tub or shower
- Help steady yourself while getting into and out of the bathtub or shower
- Assist in safely lowering and raising from a seated position

THINGS TO CONSIDER WHEN SELECTING A GRAB BAR(S):

- **Length:** Select a grab bar that is the suitable length for your bath or shower area.
- **Weight Capacity:** Choose a grab bar that at least meets ADA requirements (250 lbs.); SecureMount™ Grab Bars have a 500-pound weight-pull capacity that exceeds ADA requirements (when securely installed into studs).
- **Installation:** Grab bars that feature SecureMount™ have a design that allows for secure installation into a stud or wood backing at any angle. When using SecureMount™ Anchors, there is no need for installation into a stud or wood backing.
- **Grip Surface:** Consider a grab bar with a textured surface or grip feature that provides a better hold in a wet bathroom environment.
- **Finish:** Consider a grab bar that matches your faucet and other fixtures.

The SecureMount™ System

Install Grab Bars Anywhere on the Wall!

SecureMount Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

Did you know:

- 16" grab bars can mount directly into studs because the standard stud size is 16" on center.
- 18", 24", 36", and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood block installation.



The SecureMount System—Easy, Secure Install ... Anywhere on the Wall!™

SecureMount Grab Bars

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

SecureMount Anchors

Precision engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

SecureMount System

The SecureMount System is the ultimate in easy, secure grab bar installation. Plus it provides stylish designs and choices in finishes and features.

SecureMount Anchors Are Versatile.

Installs anywhere on the wall and can be used with all Moen and virtually all other grab bars. Mount securely to a variety of substrates*:

- ½" Drywall
- ½" Drywall with tile
- ½" Drywall with marble
- ⅛" Fiberglass tub surround
- ¼" Fiberglass tub surround
- ⅝" Drywall
- ⅝" Drywall with tile
- ⅝" Drywall with marble

*Including multiple layers up to 1½" thick

SMA1000
SecureMount™ Anchors

300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty.
Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Grab Bars

Arris®
Flara®
90°™
Align®
Voss™
Belfield™
Kingsley®
Brantford®
Eva®
Genta™
ISO™

Grab Bars

With our broad collection of grab bars and bath safety products, there's no need to sacrifice style for safety. Create a perfectly matched bath with grab bars in a variety of styles and finishes. Further enhance bath safety with a choice of products for the toilet, tub and shower.

ARRIS®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG0812CH	175.60	12" Designer Grab Bar	6
YG0818CH	183.50	18" Designer Grab Bar	6
YG0824CH	191.75	24" Designer Grab Bar	6
YG0836CH	218.25	36" Designer Grab Bar	6
YG0842CH	305.45	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0812BN	189.80	12" Designer Grab Bar	6
YG0818BN	198.90	18" Designer Grab Bar	6
YG0824BN	214.65	24" Designer Grab Bar	6
YG0836BN	241.70	36" Designer Grab Bar	6
YG0842BN	338.30	42" Designer Grab Bar	6
1-1/4" • Matte Black (BL)			
YG0812BL	212.10	12" Designer Grab Bar	6
YG0818BL	221.65	18" Designer Grab Bar	6
YG0824BL	231.60	24" Designer Grab Bar	6
YG0836BL	263.75	36" Designer Grab Bar	6
YG0842BL	369.05	42" Designer Grab Bar	6

YG0818
18" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

FLARA®

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG0312CH	182.40	12" Designer Grab Bar	6
YG0318CH	190.60	18" Designer Grab Bar	6
YG0324CH	199.15	24" Designer Grab Bar	6
YG0336CH	226.70	36" Designer Grab Bar	6
YG0342CH	333.60	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0312BN	237.10	12" Designer Grab Bar	6
YG0318BN	247.75	18" Designer Grab Bar	6
YG0324BN	258.80	24" Designer Grab Bar	6
YG0336BN	294.70	36" Designer Grab Bar	6
YG0342BN	433.65	42" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG0312BG	284.55	12" Designer Grab Bar	6
YG0318BG	297.30	18" Designer Grab Bar	6
YG0324BG	310.60	24" Designer Grab Bar	6
YG0336BG	353.65	36" Designer Grab Bar	6
YG0342BG	520.40	42" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG0312NL	260.80	12" Designer Grab Bar	6
YG0318NL	272.55	18" Designer Grab Bar	6
YG0324NL	284.75	24" Designer Grab Bar	6
YG0336NL	324.15	36" Designer Grab Bar	6
YG0342NL	477.00	42" Designer Grab Bar	6

YG0324
24" Designer Grab Bar

90°™

MODEL	LIST EACH	DESCRIPTION	QTY
PREMIUM			
1-1/4" • Chrome (CH)			
YG8812CH	167.25	12" Designer Grab Bar	6
YG8818CH	174.75	18" Designer Grab Bar	6
YG8824CH	182.60	24" Designer Grab Bar	6
YG8836CH	207.85	36" Designer Grab Bar	6
YG8842CH	305.90	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG8812BN	180.75	12" Designer Grab Bar	6
YG8818BN	189.45	18" Designer Grab Bar	6
YG8824BN	204.45	24" Designer Grab Bar	6
YG8836BN	230.20	36" Designer Grab Bar	6
YG8842BN	338.20	42" Designer Grab Bar	6

YG8824
24" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

ALIGN®

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0412CH	111.80	12" Designer Grab Bar	6
YG0418CH	116.85	18" Designer Grab Bar	6
YG0424CH	122.05	24" Designer Grab Bar	6
YG0436CH	138.95	36" Designer Grab Bar	6
YG0442CH	203.85	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0412BN	135.20	12" Designer Grab Bar	6
YG0418BN	141.70	18" Designer Grab Bar	6
YG0424BN	152.90	24" Designer Grab Bar	6
YG0436BN	172.10	36" Designer Grab Bar	6
YG0442BN	254.85	42" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG0418BG	170.05	18" Designer Grab Bar	6
YG0424BG	183.45	24" Designer Grab Bar	6

YG0424
24" Designer Grab Bar

VOSS™

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5112CH	107.30	12" Designer Grab Bar	6
YG5118CH	112.15	18" Designer Grab Bar	6
YG5124CH	117.15	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG5112BN	129.75	12" Designer Grab Bar	6
YG5118BN	136.00	18" Designer Grab Bar	6
YG5124BN	146.75	24" Designer Grab Bar	6
1-1/4" • Brushed Gold (BG)			
YG5112BG	155.65	12" Designer Grab Bar	6
YG5118BG	163.20	18" Designer Grab Bar	6
YG5124BG	176.05	24" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG5112NL	144.70	12" Designer Grab Bar	6
YG5118NL	156.80	18" Designer Grab Bar	6
YG5124NL	175.45	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5112ORB	142.65	12" Designer Grab Bar	6
YG5118ORB	149.65	18" Designer Grab Bar	6
YG5124ORB	161.50	24" Designer Grab Bar	6

YG5124
24" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

BELFIELD™

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG6412CH	107.80	12" Designer Grab Bar	6
YG6418CH	112.60	18" Designer Grab Bar	6
YG6424CH	117.60	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG6412BN	130.20	12" Designer Grab Bar	6
YG6418BN	136.55	18" Designer Grab Bar	6
YG6424BN	147.30	24" Designer Grab Bar	6
1-1/4" • Polished Nickel (NL)			
YG6412NL	130.20	12" Designer Grab Bar	6
YG6418NL	136.05	18" Designer Grab Bar	6
YG6424NL	142.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG6412ORB	143.30	12" Designer Grab Bar	6
YG6418ORB	150.20	18" Designer Grab Bar	6
YG6424ORB	162.10	24" Designer Grab Bar	6
1-1/4" • Matte Black (BL)			
YG6412BL	130.20	12" Designer Grab Bar	6
YG6418BL	136.05	18" Designer Grab Bar	6
YG6424BL	142.10	24" Designer Grab Bar	6

YG6424
24" Designer Grab Bar

KINGSLEY®

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG5412CH	116.70	12" Designer Grab Bar	3
YG5418CH	121.95	18" Designer Grab Bar	3
YG5424CH	127.35	24" Designer Grab Bar	3
YG5430CH	136.25	30" Designer Grab Bar	3
YG5436CH	145.00	36" Designer Grab Bar	3
YG5442CH	212.75	42" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
YG5412BN	141.10	12" Designer Grab Bar	3
YG5418BN	147.85	18" Designer Grab Bar	3
YG5424BN	159.60	24" Designer Grab Bar	3
YG5430BN	166.25	30" Designer Grab Bar	3
YG5436BN	179.60	36" Designer Grab Bar	3
YG5442BN	266.00	42" Designer Grab Bar	3
1-1/4" • Oil Rubbed Bronze (ORB)			
YG5412ORB	155.15	12" Designer Grab Bar	3
YG5418ORB	162.80	18" Designer Grab Bar	3
YG5424ORB	175.65	24" Designer Grab Bar	3

YG5424
24" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

BRANTFORD®

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2212CH	95.25	12" Designer Grab Bar	6
YG2218CH	100.65	18" Designer Grab Bar	6
YG2224CH	105.45	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2212BN	116.20	12" Designer Grab Bar	6
YG2218BN	122.05	18" Designer Grab Bar	6
YG2224BN	132.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2212ORB	127.00	12" Designer Grab Bar	6
YG2218ORB	133.50	18" Designer Grab Bar	6
YG2224ORB	147.35	24" Designer Grab Bar	6

YG2224
24" Designer Grab Bar

EVA®

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG2812CH	95.25	12" Designer Grab Bar	6
YG2818CH	100.65	18" Designer Grab Bar	6
YG2824CH	105.45	24" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG2812BN	116.20	12" Designer Grab Bar	6
YG2818BN	122.05	18" Designer Grab Bar	6
YG2824BN	132.10	24" Designer Grab Bar	6
1-1/4" • Oil Rubbed Bronze (ORB)			
YG2812ORB	127.00	12" Designer Grab Bar	6
YG2818ORB	133.50	18" Designer Grab Bar	6
YG2824ORB	147.35	24" Designer Grab Bar	6

YG2824
24" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COORDINATING ACCESSORIES

Grab Bars

GENTA™

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
MBHG3818CH	132.65	18" Designer Grab Bar	3
1-1/4" • Brushed Nickel (BN)			
MBHG3818BN	138.05	18" Designer Grab Bar	3

MBHG3818
18" Designer Grab Bar

ISO™

MODEL	LIST EACH	DESCRIPTION	QTY
1-1/4" • Chrome (CH)			
YG0712CH	73.35	12" Designer Grab Bar	6
YG0718CH	77.35	18" Designer Grab Bar	6
YG0724CH	81.35	24" Designer Grab Bar	6
YG0736CH	92.65	36" Designer Grab Bar	6
YG0742CH	136.15	42" Designer Grab Bar	6
1-1/4" • Brushed Nickel (BN)			
YG0712BN	82.30	12" Designer Grab Bar	6
YG0718BN	86.65	18" Designer Grab Bar	6
YG0724BN	91.05	24" Designer Grab Bar	6
YG0736BN	103.70	36" Designer Grab Bar	6
YG0742BN	153.50	42" Designer Grab Bar	6
1-1/4" • Matte Black (BL)			
YG0712BL	88.65	12" Designer Grab Bar	6
YG0718BL	93.55	18" Designer Grab Bar	6
YG0724BL	98.30	24" Designer Grab Bar	6
YG0736BL	111.95	36" Designer Grab Bar	6
YG0742BL	164.50	42" Designer Grab Bar	6

YG0718
18" Designer Grab Bar

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

1 ¼" DIAMETER CONCEALED SCREW

DESIGNER ELEGANCE WITH GRIP PADS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
R8716D1GCH	60.40	Chrome, 16" Grab Bar	3
LR8724D1GCH ▲	65.35	Chrome, 24" Grab Bar	3
Brushed Nickel (BN)			
R8716D1GBN	65.35	Brushed Nickel, 16" Grab Bar	3
LR8724D1GBN ▲	68.55	Brushed Nickel, 24" Grab Bar	3
Brushed Nickel (BN)			
RA8716D1GBN	74.65	Brushed Nickel, 16" Angled Grab Bar	3
Old World Bronze (OWB)			
LR8724D1GOWB ▲	81.45	Old World Bronze, 24" Grab Bar	3

Designer Elegance Grab Bar with Grip Pads
R8716D1G



Designer Elegance Angled Grab Bar with Grip Pads
RA8716D1G

DESIGNER ULTIMA

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
LR8716D3CH ▲	36.35	Chrome, 16" Grab Bar	3
LR8724D3CH	40.75	Chrome, 24" Grab Bar	3
Brushed Nickel (BN)			
LR8716D3BN ▲	40.75	Brushed Nickel, 16" Grab Bar	3
LR8724D3BN ▲	45.30	Brushed Nickel, 24" Grab Bar	3

DESIGNER ELITE

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
LR8724D2CH ▲	44.00	Chrome, 24" Grab Bar	3
Brushed Nickel (BN)			
LR8724D2BN ▲	48.95	Brushed Nickel, 24" Grab Bar	3

Designer Elite Grab Bar
LR8724D2

▲ Retail Packaging

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COORDINATING ACCESSORIES

Grab Bars

COORDINATING ACCESSORIES

1 ¼" DIAMETER CONCEALED SCREW

DESIGNER ULTIMA WITH CURL GRIPS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
R8712D3GCH	49.70	Chrome, 12" Grab Bar	6
LR8716D3GCH ▲	54.75	Chrome, 16" Grab Bar	3
R8718D3GCH	54.50	Chrome, 18" Grab Bar	6
LR8724D3GCH ▲	59.95	Chrome, 24" Grab Bar	3
R8736D3GCH	90.80	Chrome, 36" Grab Bar	6
R8742D3GCH	110.05	Chrome, 42" Grab Bar	6
R8748D3GCH	125.40	Chrome, 48" Grab Bar	6
Brushed Nickel (BN)			
R8712D3GBN	54.45	Brushed Nickel, 12" Grab Bar	6
LR8716D3GBN ▲	55.95	Brushed Nickel, 16" Grab Bar	3
R8718D3GBN	61.85	Brushed Nickel, 18" Grab Bar	6
LR8724D3GBN ▲	65.35	Brushed Nickel, 24" Grab Bar	3
R8736D3GBN	91.70	Brushed Nickel, 36" Grab Bar	6
R8742D3GBN	111.10	Brushed Nickel, 42" Grab Bar	6
R8748D3GBN	127.30	Brushed Nickel, 48" Grab Bar	6
Old World Bronze (OWB)			
R8712D3GOWB	65.35	Old World Bronze, 12" Grab Bar	6
LR8716D3GOWB ▲	66.20	Old World Bronze, 16" Grab Bar	3
R8718D3GOWB	72.95	Old World Bronze, 18" Grab Bar	6
LR8724D3GOWB ▲	77.40	Old World Bronze, 24" Grab Bar	3
R8736D3GOWB	108.45	Old World Bronze, 36" Grab Bar	6
R8742D3GOWB	130.25	Old World Bronze, 42" Grab Bar	6
R8748D3GOWB	148.40	Old World Bronze, 48" Grab Bar	6

Designer Ultima Grab Bar with Curl Grips
R8718D3G ♿

▲ Retail Packaging

♿ ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

COORDINATING ACCESSORIES

1 ¼" DIAMETER CONCEALED SCREW

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel (SS)			
DN8712	25.70	12" Grab Bar	6
8716	28.05	16" Grab Bar	6
8718	29.05	18" Grab Bar	6
8724	32.45	24" Grab Bar	6
8730	35.55	30" Grab Bar	6
8732	37.40	32" Grab Bar	6
8736	39.40	36" Grab Bar	6
8742	42.95	42" Grab Bar	6
8748	49.50	48" Grab Bar	6
Polished Stainless Steel (PS)			
R8718PS	36.85	18" Grab Bar	6
LR8724PS	44.20	24" Grab Bar	3
R8724PS	40.40	24" Grab Bar	6
R8736PS	47.65	36" Grab Bar	6
R8742PS	58.30	42" Grab Bar	6
Polished Brass (PB)			
R8718PB	78.25	18" Grab Bar	6
R8724PB	86.60	24" Grab Bar	6
White Powder Coat (W)			
R8712W	35.60	12" Grab Bar	6
R8716W	39.10	16" Grab Bar	6
R8718W	41.05	18" Grab Bar	6
R8724W	44.55	24" Grab Bar	6
R8730W	49.00	30" Grab Bar	6
R8732W	52.95	32" Grab Bar	6
R8736W	54.70	36" Grab Bar	6
R8742W	60.20	42" Grab Bar	6
R8748W	66.35	48" Grab Bar	6
Stainless Steel - Peened (SS)			
R8712P	25.45	12" Grab Bar	6
R8716P	27.10	16" Grab Bar	6
R8718P	28.60	18" Grab Bar	6
R8724P	32.60	24" Grab Bar	6
R8730P	38.60	30" Grab Bar	6
R8732P	38.65	32" Grab Bar	6
R8736P	43.70	36" Grab Bar	6
R8742P	47.00	42" Grab Bar	6
R8748P	60.00	48" Grab Bar	6

1¼" Diameter Concealed Screw Grab Bar
8716 ♿

1¼" Diameter Concealed Screw Peened Grab Bar
LR8724P ♿

♿ ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

1 ½" DIAMETER CONCEALED SCREW

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel			
8912	28.15	12" Grab Bar	6
R8916	31.10	16" Grab Bar	6
R8918	32.60	18" Grab Bar	6
R8924	36.85	24" Grab Bar	6
R8930	39.75	30" Grab Bar	6
R8932	42.85	32" Grab Bar	6
R8936	45.20	36" Grab Bar	6
8942	48.40	42" Grab Bar	6
DN8948	56.00	48" Grab Bar	6
White Powder Coat (W)			
R8912W	44.40	12" Grab Bar	6
R8918W	51.95	18" Grab Bar	6
R8924W	56.35	24" Grab Bar	6
R8930W	60.85	30" Grab Bar	6
R8932W	65.70	32" Grab Bar	6
R8936W	69.45	36" Grab Bar	6
R8942W	74.95	42" Grab Bar	6
R8948W	81.00	48" Grab Bar	6
Stainless Steel - Peened (P)			
R8912P	29.60	12" Grab Bar	6
R8916P	28.60	16" Grab Bar	6
R8918P	34.05	18" Grab Bar	6
R8924P	38.60	24" Grab Bar	6
R8930P	41.85	30" Grab Bar	6
R8932P	45.20	32" Grab Bar	6
R8936P	48.05	36" Grab Bar	6
R8942P	51.75	42" Grab Bar	6
R8948P	55.85	48" Grab Bar	6
8992	93.75	16" x 32" L-shaped Grab Bar	3
8994	102.05	24" x 36" L-shaped Grab Bar	3
8996	108.85	24" x 48" L-shaped Grab Bar	3

1½" Diameter Concealed Screw Grab Bar
R8916

1½" Diameter Concealed Screw Grab Bar - Peened
R8916P

24" x 36" L-Shaped Grab Bar - Peened
8994

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Grab Bars

1 ¼" DIAMETER EXPOSED SCREW

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel (SS)			
7412	20.55	12" Grab Bar	6
R7418	20.85	18" Grab Bar	6
R7424	23.75	24" Grab Bar	6
R7436	32.10	36" Grab Bar	6
R7442	34.75	42" Grab Bar	6

1¼" Grab Bar
R7418

1 ½" DIAMETER EXPOSED SCREW

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel (SS)			
LR7518 ▲	27.75	18" Grab Bar	3
LR7524 ▲	31.65	24" Grab Bar	3
LR7536 ▲	40.00	36" Grab Bar	3
LR7542 ▲	44.50	42" Grab Bar	3

1½" Grab Bar
LR7524

FLIP-UP GRAB BAR

MODEL	LIST EACH	DESCRIPTION	QTY
Stainless Steel - Peened (P)			
R8960FD	166.35	30" Flip Up Grab Bar	2
R8962FD	184.85	30" Flip Up Grab Bar with Paper Holder	2
Stainless Steel - White (W)			
R8960FDW	163.15	30" Flip Up Grab Bar	2
R8962FDW	175.50	30" Flip Up Grab Bar with Paper Holder	2



Flip-Up Grab Bar
R8960FD

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COORDINATING ACCESSORIES

Grab Bars

GRAB BARS WITH ACCESSORIES

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
LR2350DCH ▲	67.50	24" Grab Bar With Towel Bar	3
LR2352DCH ▲	67.50	8" Grab Bar With Paper Holder	3
LR2354DCH ▲	67.50	9" Grab Bar With Corner Shelf	3
LR2356DCH ▲	67.50	16" Grab Bar With Shelf	3
Brushed Nickel (BN)			
LR2350DBN ▲	70.15	24" Grab Bar With Towel Bar	3
LR2352DBN ▲	64.90	8" Grab Bar With Paper Holder	3
LR2354DBN ▲	70.15	9" Grab Bar With Corner Shelf	3
R2356DBN	70.15	16" Grab Bar With Shelf	3

24" Grab Bar with Towel Bar
LR2350D

8" Grab Bar with Paper Holder
LR2352D

8" Grab Bar with Corner Shelf
LR2354D

16" Grab Bar with Shelf
LR2356D/R2356D

▲ Retail Packaging

ADA-Compliant

SecureMount™ for non-stud installation sold separately. See page 553 for details.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Bath Safety

SECUREMOUNT™ ANCHORS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
SMA1000CH	36.90	SecureMount™ Anchors and Plate - One Pair	24
SMA1001CH	32.75	SecureMount™ Anchors and Plates - 10 Pairs	10
Old World Bronze (OWB)			
SMA10000WB	36.90	SecureMount™ Anchors and Plates - 1 Pair	24

Product Details
300 lb. weight capacity when securely installed per instructions.
Independently tested by CSA and NAHB laboratories to exceed ADA , ASTM, SNSI and CSA standards

SecureMount™ – ProPak of 10 Pairs
SMA1001

SecureMount™ – One Pair
SMA1000CH

HAND GRIPS

MODEL	LIST EACH	DESCRIPTION	QTY
Designer Hand Grip Chrome (CH)			
LR2250DCH ▲	25.05	9" Hand Grip with Exposed Screw	3
Chrome (CH) with Exposed Screws			
R2250	17.65	9" Hand Grip	6
R2260	21.25	16" Hand Grip	6
R2270	25.20	24" Hand Grip	6

Product Details
Each hand grip is tested to a 250 lb. weight capacity when securely installed per directions

Designer Hand Grip
LR2250DCH

Hand Grip
R2250

▲ Retail Packaging

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

TUB/SHOWER CHAIRS, SEATS, TRANSFER BENCHES

MODEL	LIST EACH	DESCRIPTION	QTY
DN7110	448.10	Stainless Steel Fold-Down Teak Shower Seat	2
DN7110OWB	519.85	Old World Bronze Fold-Down Teak Shower Seat	2
DN7064 ▲	84.30	Glacier Tool-Free Shower Chair	2
DN7060 ▲	95.70	Glacier Adjustable Tool-Free Tub and Shower Chair	2
DN7025 ▲	55.70	Glacier Adjustable Tub and Shower Seat	2
DN7030 ▲	73.15	White Adjustable Shower Seat	2
DN7100 ▲	128.80	Glacier Mesh Shower Chair	2
DN7105 ▲	157.25	Glacier Tranfer Bench	2

Teak Shower Seat
DN7110

Shower Chair
DN7064

Adjustable Tub and Shower Chair
DN7060

Adjustable Tub and Shower Seat
DN7025

Adjustable Shower Chair
DN7030

Mesh Shower Chair
DN7100

Transfer Bench
DN7105

▲ Retail Packaging

ADA-Compliant

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

TOILET, TUB AND SHOWER SAFETY

MODEL	LIST EACH	DESCRIPTION	QTY
Glacier (W)			
DN7020 ▲	40.05	Glacier Elevated Toilet Seat	2
DN7015 ▲	42.25	Glacier Toilet Safety Rails	2
DN7175 ▲	65.70	Glacier SecureLock™ Tub Grip	2
DN7075 ▲	93.15	Glacier Locking Dual Tub Grip	2
DN7005 ▲	42.30	Glacier Multi-Grip Tub Safety Bar	2
DN7010 ▲	35.00	Glacier Low-Profile Tub Safety Bar	2
DN7050 ▲	18.25	Glacier Bath Mat	24

Elevated Toilet Seat
DN7020

Toilet Safety Rails
DN7015

Tub Grip
DN7175

Tub Safety Bar
DN7075

Tub Safety Bar
DN7005

Tub Safety Bar
DN7010

Bath Mat
DN7050

HANDHELD SHOWERS

MODEL	LIST EACH	DESCRIPTION	QTY
Chrome (CH)			
DN8001CH ▲	59.50	Chrome Pause Control Handheld Shower	3
Glacier (W)			
DN8001W ▲	52.50	White Pause Control Handheld Shower	3

Product Details
Handheld Showers include multifunction design with Shower Spray, Massage Spray, Pulsating Spray, Pause Feature.

Handheld Shower
DN8001CH

Handheld Shower
DN8001W

▲ Retail Packaging

ADA-Compliant

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

PRICE BAND IDENTIFICATION

MATCHING ACCESSORIES

Premium / Best

- Arris® - MODERN
- Colinet™ – TRADITIONAL
- Doux™ – MODERN
- Flara® - TRANSITIONAL
- Weymouth® – TRADITIONAL
- 90°™ – MODERN

2nd Upgrade / Better

- Align® – MODERN
- Belfield™ - TRADITIONAL
- Kingsley® - TRADITIONAL
- Voss® - TRANSITIONAL
- Wynford® - TRADITIONAL

1st Upgrade / Good

- Dartmoor™ - TRADITIONAL
- Glyde™ - TRANSITIONAL
- Brantford® – TRADITIONAL
- Eva® - TRANSITIONAL
- Genta™ - MODERN

COORDINATING ACCESSORIES

1st Upgrade / Good

- Arlys™ - MODERN
- Triva™ - MODERN

Core

- Aspen™ - MODERN
- Danbury® - TRADITIONAL
- Edgestone® - MODERN
- Iso® - MODERN
- Kyvos™ - MODERN
- Lounge™ - TRANSITIONAL
- Madison™ - TRADITIONAL
- Preston™ - TRADITIONAL
- Retreat® - TRADITIONAL
- Sage® - TRANSITIONAL
- Stockton® - TRADITIONAL
- Yorkshire™ - TRANSITIONAL

Spec

- Mason® – TRANSITIONAL

COORDINATING ACCESSORY - MIRROR ONLY

Core

- Gilcrest® - TRADITIONAL
- Glenshire® - TRADITIONAL

Accessories are not IMAP protected

Moen Genuine Replacement Parts



Moen Genuine Parts Display

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Merchandising Solutions

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING					
	• 6" shower arm and flange • connection size: 1/2" • connection type: IPS	**CL10154** **CL10154BN**	32.50 65.75	Chrome Brushed Nickel	12 12
	• 8" shower arm and flange • connection size: 1/2" • connection type: IPS	**CL123815** **CL123815BN**	40.75 76.85	Chrome Brushed Nickel	12 12
	• handshower wall bracket • integral handshower cradle: included • pivots to adjust angle of handshower	**CL155694** **CL155694BN**	26.85 38.75	Chrome Brushed Nickel	12 12
	• handshower hose • connection size: 1/2" • connection type: IPS • hose length: 59" • metal construction: yes	**CL155748** **CL155748BN**	41.45 60.20	Chrome Brushed Nickel	12 12
	• replacement handshower • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max • double check valve: included	**CL155747** **CL155747BN**	69.45 100.75	Chrome Brushed Nickel	6 6
	• replacement handshower • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 1.75 gpm (6.65 L/min) max • double check valve: included	**CL164928** **CL164928BN**	82.95 120.30	Chrome Brushed Nickel	6 6
	• showerhead functions: five-function • connection size: 1/2" • connection type: IPS • showerhead type: standard, eco-performance • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 1.75 gpm (6.65 L/min) max	**CL26500** **CL26500BN** **CL26500EP** **CL26500EPBN**	59.75 97.50 59.75 97.50	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12
	• showerhead functions: one-function • connection size: 1/2" • connection type: IPS • showerhead type: standard, eco-performance showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 1.75 gpm (6.65 L/min) max	**CL6302** **CL6302BN** **CL6302EP** **CL6302EPBN**	101.45 158.40 101.45 158.40	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12

For a complete listing of replacement parts, see pages 574 - 608.

CL Prefix: Indicates carded product for peg hook merchandising.

Merchandising Solutions

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

GENUINE PARTS

		MODEL	LIST	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING (CONTINUED)					
	• showerhead functions: one-function • connection size: 1/2" • connection type: IPS • showerhead type: standard, eco-performance • showerhead size: 3-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 1.75 gpm (6.65 L/min) max	**CL6303** **CL6303BN** **CL6303EP** **CL6303EPBN**	56.10 85.95 56.10 85.95	Chrome Brushed Nickel Chrome Brushed Nickel	12 12 12 12
	• shower arm diverter • connection size: 1/2" • connection type: IPS • type of function: two independent, one shared • metal construction: yes	**CL703** **CL703BN** **CL703ORB**	92.80 134.50 148.05	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• shower arm diverter • connection size: 1/2" • connection type: IPS • type of function: two independent, one shared • integral handshower cradle: included • metal construction: yes • pivots to adjust angle of handshower	**CL707** **CL707BN** **CL707ORB**	126.00 182.65 200.95	Chrome Brushed Nickel Oil Rubbed Bronze	12 12 12
	• shower arm cradle • connection size: 1/2" • connection type: IPS • integral handshower cradle: included • metal construction: yes • pivots to adjust angle of handshower	**CLA701** **CLA701BN**	54.45 78.80	Chrome Brushed Nickel	12 12
CARDED PARTS – MOEN® GENUINE REPLACEMENT CARTRIDGES					
	• 1200® cartridge • single-handle replacement cartridge, brass	**1200**	46.00	Carded	36
	• 1225® cartridge • single-handle replacement cartridge	**1225**	29.90	Carded	36
	• 1224® cartridge • two-handle replacement cartridge (hot or cold)	**1224**	15.55	Carded	36
	• 1248™ cartridge • two-handle replacement cartridge for high flow roman tubs (hot or cold)	**1248**	15.55	Carded	18
	• 1234® cartridge • two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets (hot or cold)	**1234**	15.05	Carded	18

For a complete listing of replacement parts, see pages 574 - 608.

CL Prefix: Indicates carded product for peg hook merchandising.

CARDED PARTS – CARTRIDGES (CONTINUED)

		MODEL	LIST	DESCRIPTION	CASE QTY
	• 1258® cartridge • two-handle Duralast® cartridge for two-handle roman tub faucets (hot or cold)	**1258**	15.60	Carded	18
	• 1222® cartridge • single-handle replacement cartridge, Posi-Temp®	**1222**	79.20	Carded	18
	• 1255® cartridge • single-handle Duralast® cartridge • includes plastic retaining nut	**1255**	30.65	Carded	72
	• 1213® cartridge • single-handle replacement cartridge, M-CORE™ 3 Series	**1213**	110.00	Carded	12
	• 1212® cartridge • single-handle replacement cartridge, M-CORE™ 2-Series	**1212**	85.00	Carded	12
	• cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	**98040**	16.05	Carded	18
	• retainer clips for 1200 and 1225 single-handle cartridges	**96365**	9.05	Carded	36
	• cartridge puller for 1200, 1222 & 1225 single-handle cartridges	**104421**	50.65	Carded	36
	• spout o-ring kit • order in multiples of 12	**96778** **117**	9.55 6.35	Carded Bulk (12 pcs)	36 72

For a complete listing of replacement parts, see pages 574 - 608.

CARDED PARTS – HANDLES

		MODEL	LIST	DESCRIPTION	CASE QTY
	• handle kit with cap for Chateau® single-handle lav with 1225 cartridge • handle kit, Chateau® single-handle tub/shower, clear knob with cap	**96782** **98039**	29.65 29.65	Carded Carded	18 18
	• handle cap, Chateau® single-handle lav and non-pressure-balancing shower	**98032**	11.65	Carded	18
	• handle kit, Posi-Temp® single-handle tub/shower with cap	**100710**	21.95	Carded	18
	• handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	**98026**	34.40	Carded	12
	• handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	**101205**	11.40	Carded	18

CARDED PARTS – AERATORS

		MODEL	LIST	DESCRIPTION	CASE QTY
	• aerator, 2.2 gpm, male thread	**3919**	14.90	Chrome (Carded)	18
	• aerator, 2.2 gpm, female thread	**3924**	14.90	Chrome (Carded)	18
	• aerator, Swing-n-Spray® , 2.2 gpm	**20200**	51.25	Chrome (Carded)	18

For a complete listing of replacement parts, see pages 574 - 608.

		MODEL	LIST	DESCRIPTION	CASE QTY
MOEN® GENUINE REPLACEMENT CARTRIDGES					
	• 1200® cartridge • single-handle replacement cartridge, brass, order in multiples of 12	**1200** **1200B**	46.00 46.00	Carded Bulk (12 pcs.)	36 144
	• 1225® cartridge • single-handle replacement cartridge, order in multiples of 12	**1225** **1225B**	29.90 29.90	Carded Bulk (12 pcs.)	36 144
	• 1224® cartridge • two-handle replacement cartridge (hot or cold), order in multiples of 12 • two-handle replacement cartridge, for 4997 valve prior to 6/00	**1224** **1224B** **14891**	15.55 15.55 18.95	Carded Bulk (12 pcs.) -	36 144 60
	• 1248™ cartridge • two-handle replacement cartridge for high flow roman tubs, order in multiples of 12	**1248** **1248B**	15.55 15.55	Carded Bulk (12 pcs.)	18 144
	• 1234® cartridge • two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets (hot or cold)	**1234**	15.05	Carded	18
	• 1258® cartridge • two-handle Duralast® cartridge for two-handle roman tub faucets (hot or cold)	**1258**	15.60	Carded	18
	• 1222® cartridge • single-handle replacement cartridge, Posi-Temp®, order in multiples of 6 • repair kit 96988	**1222** **1222B**	79.20 79.20	Carded Bulk (6 pcs.)	18 72
	• brass Posi-Temp® cartridge • single-handle replacement cartridge • graphite composite pressure-balancing spool design	**1222HD**	96.10	-	18
	• 1255® cartridge • single-handle Duralast® cartridge • includes plastic retaining nut	**1255**	30.65	Carded	72

For a complete listing of replacement parts, see pages 574 - 608.

		MODEL	LIST	DESCRIPTION	CASE QTY
MOEN® GENUINE REPLACEMENT CARTRIDGES (CONTINUED)					
	• 1213® cartridge • single-handle replacement cartridge, M-CORE™ 3 series	**1213**	110.00	Carded	18
	• 1212® cartridge • single-handle replacement cartridge, M-CORE™ 2 series	**1212**	85.00	Carded	12
	• single-handle Duralast® cartridge • includes plastic retaining nut • brass nut • use with 90 Degree kitchen faucets	**150257**	42.10	Bulk	50
CARTRIDGE REPAIR KIT					
	• cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	**98040** **96988**	16.05 18.65	Carded -	18 100
	• Moen® silicone oil for Posi-Temp® balancing spools • Moen® silicone grease for cartridges and o-rings • order in multiples of 12	**140676** **99915**	5.85 0.25	- -	96 2500
CARTRIDGE RETAINER CLIPS					
	• retainer clips for 1200 and 1225 single-handle cartridges	**96365**	9.05	Carded	36
	• retainer clips for Posi-Temp® single-handle tub/shower	**96914**	6.20	-	500
TOOLS					
	• cartridge puller for 1200, 1222 & 1225 single-handle cartridges	**104421**	50.65	Carded	36
	• cartridge retainer removal tool for 1224, 1234, 1248 & 1258 two-handle cartridge	**14272**	6.75	-	150
O-RING KIT					
	• spout o-ring kit • order in multiples of 12	**96778** **117**	9.55 6.35	Carded Bulk (12 pcs)	36 72

For a complete listing of replacement parts, see pages 574 - 608.

REPLACEMENT HANDLES AND CAPS

	MODEL	LIST	DESCRIPTION	CASE QTY
• handle kit with cap for Chateau® single handle-lav with 1225 cartridge	**96782**	29.65	Carded	18
	96791	29.65	-	150
• handle kit, Chateau single-handle tub/shower	**98039**	29.65	Carded	18
• handle kit, Chateau® single-handle lav with Duralast™	**96797**	30.70	-	150
• handle kit with cap for Chateau® single-handle lav with 1234 Duralast™ cartridge	**150627**	30.70	-	50
• handle cap kit, Chateau® single-handle lav and non-pressure-balancing shower	**98032**	11.65	Carded	18
• handle cap kit, Chateau® single-handle pressure-balanced tub/shower	**91751**	11.65	-	1,000
• handle kit, Posi-Temp® single-handle tub/shower with cap	**100710**	21.95	Carded	18
• handle kit, **less cap,** Posi-Temp® single-handle tub/shower	**94514**	12.10	-	150
• handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	**98026**	34.40	Carded	12
• lever handle cap, Chateau® single-handle kitchen	**96790**	30.70	Chrome	250
• handle caps, Chateau® two-handle lav, kitchen, bar, and tub/shower	**13382**	11.40	-	300
• handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	**101205**	11.40	Carded	18

For a complete listing of replacement parts, see pages 574 - 608.

ECO-PERFORMANCE AERATOR INSERTS

	MODEL	LIST	DESCRIPTION	CASE QTY
• aerator flow restrictor: 1.2 gpm • aerated flow • fits: Flara®, Colinet™, Voss™, Brantford®, Eva®, Belfield™, and Rothbury®	**180158**	9.95	-	20
• aerator flow restrictor, 1.5 gpm • aerated flow • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level™, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	**116711**	7.35	-	500
• aerator flow restrictor, 1.0 gpm • aerated flow • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level™, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	**216721**	7.40	-	700
• aerator flow restrictor, 1.5 gpm • laminar flow • for use on all Icon™ and Divine™ lavatory faucets	**316711**	7.40	-	350
• aerator flow restrictor, 0.5 gpm • laminar flow • for use on Arris®, Align®, Gibson™ and Icon™ lavatory faucets	**175083**	7.40	-	200
• aerator flow restrictor, 1.0 gpm • laminar flow • for use on Arris®, Align® and Icon™ lavatory faucets	**175084**	7.40	-	350
• aerator flow restrictor, 1.5 gpm • laminar flow • for use on Felicity®, Savvy™, Organic™, Waterhill® and Tres Chic™ lavatory faucets	**416711**	7.40	-	200
• aerator flow restrictor, 0.5 gpm • rosetta spray • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level™, Monticello®, Kingsley®, and Vestige® lavatory or kitchen faucets	**516711**	7.40	-	500
• aerator flow restrictor, 0.5 gpm • vandal proof • fits Chateau® lavs • removal tool included	**52016**	20.15	-	24
• aerator flow restrictor, 1.5 gpm • aerated flow • fits Weymouth® lavatory faucets	**154289**	7.65	-	20
• aerator Jr., 0.5 gpm • aerated flow • fits Rothbury™ wallmount, Eva®, Brantford™, Danika™, Zarina™ and Method™ single-handle, and Method™ lavatory faucets	**154364**	7.40	-	100

For a complete listing of replacement parts, see pages 574 - 608.

		MODEL	LIST	DESCRIPTION	CASE QTY
ECO-PERFORMANCE AERATOR INSERTS (CONTINUED)					
	• aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ wallmount, Eva®, Brantford™, Danika™ and Zarina™ single-handle, and Method™ lavatory faucets	**163847**	11.05	-	100
	• aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ wallmount, Eva® and Brantford™ single-handle, and Method™ lavatory faucets	**143326**	13.05	-	100
	• aerator flow restrictor, 0.5 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, and Voss™ lavatory faucets	**165018**	7.40	-	12
	• aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, and Voss™ lavatory faucets	**137401**	14.10	-	12
	• aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, Rizon®, Glyde™, Dartmoor™ and Voss™ lavatory faucets	**316721**	11.05	-	100
AERATORS					
	• aerator, 2.2 gpm, male thread	**3919**	14.90	Chrome (Carded)	18
	• aerator, 2.2 gpm, female thread	**3924**	14.90	Chrome (Carded)	18
SWIVEL-SPRAY AERATORS					
	• aerator, Swing-n-Spray® , 2.2 gpm	**20200**	51.25	Chrome (Carded)	18
PULLOUT/PULLDOWN HOSE MANAGEMENT SYSTEM					
	• pullout/pulldown hose management system • system helps prevent hose and weight from getting caught on under sink obstructions • easy to install • ships fully assembled • sleeve can be cut to accommodate different cabinet sizes • compatible with all Moen® kitchen pulldown and pullout single-handle sidemount SKUs (excludes Aberdeen™)	**159060**	19.90	Chrome	6

For a complete listing of replacement parts, see pages 574 - 608.

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	DESCRIPTION	CASE QTY
SIDE SPRAY SERVICE AND ADAPTER KITS					
	• side spray plug service kit • plug hose outlet to eliminate quick connect system kitchen side spray	**143530**	9.50	-	144
	• side spray adapter kit • for faucets with external threads • converts side spray outlet to quick-connect	**168665**	28.95	-	50
	• side spray adapter kit • for faucets with internal threads • converts side spray outlet to quick-connect	**168666**	18.40	-	50
DRAIN PLUG & SEAT					
	• lavatory drain plug and threaded seat assembly • non-metallic • works with metal drain body 10790 only	**10709**	13.30	Chrome	84
		10709BC	18.60	Brushed Chrome	20
		10709BN	41.55	Brushed Nickel	20
		10709BG	41.55	Brushed Gold	20
		10709NL	45.70	Polished Nickel	20
		10709ORB	45.80	Oil Rubbed Bronze	20
		10709WR	45.80	Wrought Iron	50
		99596	38.90	Polished Brass	1

For a complete listing of replacement parts, see pages 574 - 608.

GENUINE PARTS

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	DESCRIPTION	CASE QTY
EXTENSION KITS					
	• thick deck extension kit for widespread valve bodies, model 9000/69000	**175709**	114.10	-	12
	• thick deck extension kit for valves with 1/2" threaded mounting shanks	**100818**	35.80	-	20
HANDLE EXTENSION KITS					
	• 1" handle extension kit, Posi-Temp® single-handle tub/shower	**96945**	38.50	Chrome	100
		96945BN	55.10	Brushed Nickel	9
		96945WR	60.60	Wrought Iron*	9
		96945BG	55.10	Brushed Gold	9
		96858	55.00	Polished Brass	1
	• 2" handle extension kit, Posi-Temp® single-handle tub/shower	**96955**	46.80	Chrome	1
	• 2" handle extension kit to correct deep rough-in	**96868**	67.55	Polished Brass	1
	• 1" handle extension kit, Moentrol® single-handle tub/shower	**137347**	40.60	Chrome	9
		137347NL	48.20	Polished Nickel	9
		137347P	64.70	Polished Brass	9
		137347BN	66.10	Brushed Nickel	9
		137347BG	66.10	Brushed Gold	9
	**Wrought Iron can be used with Oil Rubbed Bronze finish*	**137347WR**	72.65	Wrought Iron*	9
	• 1" handle extension kit, Legend® & Chateau® single-handle tub/shower	**10399**	38.05	Chrome	36
	• roman tub stem extension • adapts to all 3-hole roman tub valves	**106378**	20.20	Chrome	250
	• 1" handle extension kits for M-CORE™ tub/shower valves • round modern • for use with Align, Arris, Doux, Colinet, Flara, Via	**200755**	40.60	Chrome	15
		200755BN	66.10	Brushed Nickel	15
		200755BG	66.10	Brushed Gold	15
		200755NL	66.10	Polished Nickel	15
		200755BL	72.65	Matte Black	15
	• 1" handle extension kits for M-CORE™ tub/shower valves • round traditional • for use with Belfield, Commercial, Legend, Rizon, Weymouth, Wynford	**200779**	40.60	Chrome	15
		200779BN	66.10	Brushed Nickel	15
		200779BG	66.10	Brushed Gold	15
		200779NL	66.10	Polished Nickel	15
		200779ORB	72.65	Oil Rubbed Bronze	15
		200779BL	72.65	Matte Black	15
	• 1" handle extension kits for M-CORE™ tub/shower valves • square modern • for use with 90 Degree	**200780**	40.60	Chrome	15
		200780BN	66.10	Brushed Nickel	15
	• 1" handle extension kits for M-CORE™ tub/shower valves • soft square transitional • for use with Voss	**200781**	40.60	Chrome	15
		200781BN	66.10	Brushed Nickel	15
		200781BG	66.10	Brushed Gold	15
		200781NL	66.10	Polished Nickel	15
		200781ORB	72.65	Oil Rubbed Bronze	15

For a complete listing of replacement parts, see pages 574 - 608.

**Wrought Iron can be used with Oil Rubbed Bronze finish*

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL	LIST	DESCRIPTION	CASE QTY
M-CORE™ TRANSFER VALVE EXTENSION KIT					
	• 1" handle extension kit • includes handle extension, set screw and 3/32" hex wrench	**200760**	56.40	Chrome	12
CROSS FLOW PLUG KIT					
	• cross flow plug and two rubber check valves • for M-CORE mixing valve	**200763**	5.15	-	12
ADJUSTABLE TEMPERATURE® LIMIT STOPS					
	• Moentrol® • stop tube with adjustable temperature limit stop • Moentrol® single-handle tub/shower	**10066**	26.10	Chrome	125
		10066BN	36.85	Brushed Nickel	20
		10066NL	37.45	Polished Nickel	20
		10066WR	40.70	Wrought Iron*	20
		10066P	46.35	Polished Brass	1
	**Wrought Iron can be used with Oil Rubbed Bronze finish*				
	• Posi-Temp® • adjustable temperature limit stop	**96987**	10.15	Chrome	20
		96987BN	14.30	Brushed Nickel	20
		96987NL	14.40	Polished Nickel	20
		96987BG	14.30	Brushed Gold	20
		96987WR	15.70	Wrought Iron*	20
		15972	20.10	Polished Brass	1
	**Wrought Iron can be used with Oil Rubbed Bronze finish*				
	• temperature limit stop kit, Posi-Temp® single-handle tub/shower	**106479**	4.90	-	300
	• push-button diverter plug	**101100**	32.60	-	100
	• Moentrol® • adapter for standard single-handle tub/shower valves to use Moentrol® trim • attaches to standard valves to fit today's Moentrol® trim	**145058**	18.90	-	50

For a complete listing of replacement parts, see pages 574 - 608.

Moentrol® and Legacy Transfer Valve Trim

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

MOENTROL® VALVE ONLY TRIM - ALIGN

- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T3291	168.60	Chrome	3
T3291BN	359.15	Brushed Nickel	3
T3291BG	359.15	Brushed Gold	3

MOENTROL® VALVE ONLY TRIM - VOSS

- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T3691	161.80	Chrome	3
T3691BN	344.65	Brushed Nickel	3
T3691BG	344.65	Brushed Gold	3
T3691NL	344.65	Polished Nickel	3
T3691ORB	379.25	Oil Rubbed Bronze	3

MOENTROL® VALVE ONLY TRIM - KINGSLEY

- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T3111	157.40	Chrome	3
T3111BN	367.25	Brushed Nickel	3
T3111ORB	404.00	Oil Rubbed Bronze	3

MOENTROL® WITH INTEGRATED TRANSFER VALVE TRIM - ROTHBURY

- showerhead type: showerhead sold separately
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
TS4211	298.15	Chrome	3
TS4211BN	408.25	Brushed Nickel	3
TS4211ORB	430.05	Oil Rubbed Bronze	3

MOENTROL® WITH INTEGRATED TRANSFER VALVE TRIM - ALIGN

- showerhead type: showerhead sold separately
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T3290	195.95	Chrome	3
T3290BN	263.20	Brushed Nickel	3
T3290BL	289.55	Matte Black	3

MOENTROL® WITH INTEGRATED TRANSFER VALVE TRIM - KINGSLEY

- showerhead type: showerhead sold separately
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4111	204.05	Chrome	3
T4111BN	274.10	Brushed Nickel	3
T4111ORB	301.40	Oil Rubbed Bronze	3

For a complete listing of replacement parts, see pages 574 - 608.

Moentrol® Trim

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

3 INDEPENDENT FUNCTION TRANSFER VALVE ONLY TRIM - ALIGN

- use with 3362 transfer valve
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4192	129.50	Chrome	12
T4192BN	175.50	Brushed Nickel	12
T4192BG	175.50	Brushed Gold	12
T4192BL	193.05	Matte Black	12

2/3 FUNCTION TRANSFER VALVE ONLY TRIM - ALIGN

- use with 3372 or 3375 transfer valve
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4191	130.60	Chrome	12
T4191BN	175.50	Brushed Nickel	12
T4191BG	175.50	Brushed Gold	12
T4191BL	193.05	Matte Black	12

3 INDEPENDENT FUNCTION TRANSFER VALVE ONLY TRIM - VOSS

- use with 3362 transfer valve
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4612	125.35	Chrome	12
T4612BN	168.45	Brushed Nickel	12
T4612BG	168.45	Brushed Gold	12
T4612NL	168.45	Polished Nickel	12
T4612ORB	185.25	Oil Rubbed Bronze	12

2/3 FUNCTION TRANSFER VALVE ONLY TRIM - VOSS

- use with 3372 or 3375 transfer valve
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4611	125.35	Chrome	12
T4611BN	168.45	Brushed Nickel	12
T4611BG	168.45	Brushed Gold	12
T4611NL	168.45	Polished Nickel	12
T4611ORB	185.25	Oil Rubbed Bronze	12

2/3 FUNCTION TRANSFER VALVE ONLY TRIM - KINGSLEY

- use with 3372 or 3375 transfer valve
- valve sold separately

MODEL	LIST	DESCRIPTION	CASE QTY
T4311	136.30	Chrome	6
T4311BN	183.20	Brushed Nickel	6

For a complete listing of replacement parts, see pages 574 - 608.

GENUINE PARTS

All Polished Brass and Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

COVER PLATES FOR THE BATH

- remodeling cover plate, for two- and three-handle tub/showers
- fits all single-handle tub/showers with 7" escutcheon

MODEL	LIST	DESCRIPTION	CASE QTY
1920	65.60	Chrome	6
1920BN	95.25	Brushed Nickel	6
1920ORB	116.90	Oil Rubbed Bronze	6
1920P	120.90	Polished Brass	6

- remodel cover plate, for two and three-handle tub/showers
- fits Posi-Temp® valves

MODEL	LIST	DESCRIPTION	CASE QTY
178755	73.25	Chrome	8
178755BN	106.20	Brushed Nickel	8
178755ORB	112.75	Oil Rubbed Bronze	8

- Moenique® service kit, single-handle tub/shower with 3960 tub spout
- handle not included

MODEL	LIST	DESCRIPTION	CASE QTY
14292	225.10	Chrome	1

LAVATORY CONVERSION KIT - KNOB TO LEVER HANDLE

- handle conversion kit, knob to lever, Chateau® single-handle lav - Models prior to April 2003

MODEL	LIST	DESCRIPTION	CASE QTY
100679	61.60	Chrome	12

TUB/SHOWER CONVERSION KITS - KNOB TO LEVER HANDLE

- lever handle kit, Moentrol® single-handle tub/shower

MODEL	LIST	DESCRIPTION	CASE QTY
100224	20.85	Chrome	45

For a complete listing of replacement parts, see pages 574 - 608.

All Brushed Nickel, Brushed Gold, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

LAVATORY WASTE ASSEMBLIES

- lavatory drain assembly
- all metal

MODEL	LIST	DESCRIPTION	CASE QTY
10790	120.25	Chrome	12

- lavatory drain assembly
- spring loaded push button
- with overflow

MODEL	LIST	DESCRIPTION	CASE QTY
131553	77.55	Chrome	12
131553BN	105.80	Brushed Nickel	12
131553NL	105.80	Polished Nickel	12
131553BG	116.20	Brushed Gold	12
131553BL	119.00	Matte Black	12
131553ORB	119.00	Oil Rubbed Bronze	12

- lavatory drain assembly
- ideal for vessel sinks
- spring loaded push button
- without overflow

MODEL	LIST	DESCRIPTION	CASE QTY
140780	68.90	Chrome	12
140780BN	96.00	Brushed Nickel	12
140780BG	96.00	Brushed Gold	12
140780NL	96.00	Polished Nickel	12
140780ORB	108.45	Oil Rubbed Bronze	12
140780BL	108.45	Matte Black	12
140780P	132.50	Polished Brass	12

- grid drain without overflow

MODEL	LIST	DESCRIPTION	CASE QTY
123816	54.55	Chrome	12
123816BN	86.05	Brushed Nickel	12
123816ORB	84.00	Oil Rubbed Bronze	12

- lavatory drain assembly, non-metallic
- lavatory drain assembly, non-metallic plug, metal seat
- lavatory drain assembly, non-metallic plug, metal seat

MODEL	LIST	DESCRIPTION	CASE QTY
14526	13.40	Chrome	1
96497	23.10	Chrome	12
96107	23.10	Chrome (Carded)	18

- pivot rod extension linkage
- designed to bridge gap between faucet lift rod and sink drain assembly
- adjustable
- wing nuts to allow for simple setting of desired range
- pivot rod and perforated strap are not included

MODEL	LIST	DESCRIPTION	CASE QTY
98085	6.35		225

DRAIN PLUG & SEAT

- lavatory drain plug and threaded seat assembly
- non-metallic
- works with metal drain body 10790 only

MODEL	LIST	DESCRIPTION	CASE QTY
10709	13.30	Chrome	84
10709BC	18.60	Brushed Chrome	20
10709BN	41.55	Brushed Nickel	20
10709BG	41.55	Brushed Gold	20
10709NL	45.70	Polished Nickel	20
10709ORB	45.80	Oil Rubbed Bronze	20
10709BL	45.80	Matte Black	20
10709WR	45.80	Wrought Iron	20
99596	38.90	Polished Brass	1

For a complete listing of replacement parts, see pages 574 - 608.

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
162	103.25	Chrome	Escutcheon
221	57.30	Chrome	Escutcheon
441	60.25	Chrome	Escutcheon
601	38.70	N/A or Unfinished	MicroTech 600 Replacement Filter, For PureTouch Classic
615	1466.05	Chrome	Floor Mounted
739	123.30	Chrome	Spout Kit
785	20.35	N/A or Unfinished	Hardware Kit
883	4.10	N/A or Unfinished	Retainer Clip, Lavatory & Tub/shower
1017	16.75	Polished Stainless	Sink_flange
1023	8.40	N/A or Unfinished	Dishwasher Connector Kit
1024	10.25	N/A or Unfinished	Disposal Power Cord Kit
1026	9.40	N/A or Unfinished	Drain Elbow & Gasket
1037	9.00	N/A or Unfinished	Disposal Unjamming Wrench
1039	41.00	N/A or Unfinished	Sink_flange
1041	403.65	N/A or Unfinished	Disposer Unjamming Wrench (100 Unit Bulk Master Pack)
1185	11.35	Chrome	Drain Seat
1198	51.10	N/A or Unfinished	Push Button Diverter
1200	46.00	N/A or Unfinished	1 Handle Replacement Cartridge, Brass
1207	7.65	Chrome	Stop Tube Kit
1213	110.00	N/A or Unfinished	M-CORE 3-Series Cartridge
1222	79.20	N/A or Unfinished	Cartridge
1224	15.55	N/A or Unfinished	2 Handle Replacement Cartridge (hot Or Cold)
1225	29.90	N/A or Unfinished	1 Handle Replacement Cartridge
1234	15.05	N/A or Unfinished	Cartridge
1248	15.55	N/A or Unfinished	2 Handle Replacement Cartridge, High Flow Roman Tub For 4999 Valve
1255	30.65	N/A or Unfinished	Cartridge
1258	15.60	N/A or Unfinished	Cartridge
1306	25.25	Chrome	Handle Cover
1371	104.30	N/A or Unfinished	Valve Body
1373	109.35	N/A or Unfinished	Valve Body
1394	50.70	Chrome	Extension Kit
1411	22.55	Chrome	Escutcheon
1417	53.85	Chrome	Roman Tub Hand Shower Elbow
1423	108.25	N/A or Unfinished	Balancing Spool
1512	9.20	Chrome	Plug Button Kit
1694	66.20	Chrome	Collar & Nut Kit
1824	19.95	Polished Stainless	Mounting_assembly
1862	48.10	Chrome	Hose & Spray
1883	17.30	N/A or Unfinished	Retainer Clip
1920	65.60	Chrome	Remodeling Cover Plate
1931	97.35	Chrome	Spout Receptor Kit
1933	25.80	Chrome	Escutcheon
1935	28.90	Chrome	Escutcheon
2011	18.20	Chrome	Lift Rod Kit
2021	109.85	Chrome	Handle Kit
2060	128.00	N/A or Unfinished	Cartridge
2186	15.10	Chrome	Stream Straightener
2187	21.80	Chrome	Spout Escutcheon
2198	15.05	Chrome	Handle Escutcheon
3346	76.75	Chrome	Tub Spout
3347	64.20	Chrome	Tub Spout
3919	14.90	Chrome	Aerator, 2.2 Gpm, Male Thread
3924	14.90	Chrome	Aerator
3971	24.50	Chrome	Diverter Tub Spout
4000	11.65	N/A or Unfinished	Cartridge
6221	291.95	Chrome	1H Single Mount Lav
9001	99.35	N/A or Unfinished	MicroTech 9000 Replacement Filter For PureTouch AquaSuite
9601	56.20	N/A or Unfinished	ChoiceFlo 9600 Replacement Filter For Chateau With ChoiceFlo, Sip, And AquaSuite Series 9600/9602/9500/9502
10048	18.25	N/A or Unfinished	Liquid Dispenser Bottle
10066	26.10	Chrome	Stop Tube Kit
10089	10.70	Chrome	Stop Tube, Legend & Chateau 1 Handle Tub/ shower, Knob Handle
10099	4.35	N/A or Unfinished	Diverter Kit
10116	4.45	Chrome	Plug Button Kit
10399	38.05	Chrome	Handle Extension Kit
10510	26.10	Chrome	Stop Tube Kit
10644	17.10	N/A or Unfinished	Diverter Tub Spout Repair Kit
10709	13.30	Chrome	Drain Plug & Seat
10927	42.85	Chrome	Handle Kit
11854	11.45	N/A or Unfinished	Handle Screw
11926	38.60	N/A or Unfinished	Hardware Kit
11977	4.75	Chrome	Plug Button, Traditional Handle
11985	6.75	N/A or Unfinished	Pivot Rod, 50/50 Drain Assembly
11997	4.95	N/A or Unfinished	Hardware Kit
12314	21.55	Chrome	Drain Plug
12318	45.05	N/A or Unfinished	Check Stop
12343	9.30	Chrome	Stem Extension Kit
12539	10.05	N/A or Unfinished	Escutcheon Nut
12550	15.60	N/A or Unfinished	Hardware Kit
12570	17.10	N/A or Unfinished	Hardware Kit
12573	7.85	N/A or Unfinished	Bushing
12574	10.15	N/A or Unfinished	Plaster Ground
12639	11.95	N/A or Unfinished	Stop Valve
12648	3.75	N/A or Unfinished	Screw Kit
12689	16.35	N/A or Unfinished	Pivot Rod
12694	8.80	Chrome	Lift Rod Kit
12715	38.60	N/A or Unfinished	Hardware Kit
13291	55.65	Chrome	Handle Kit
13382	11.40	N/A or Unfinished	Handle Insert Kit
13393	55.10	Chrome	Handle Kit
13401	12.15	N/A or Unfinished	Cartridge Nut
13411	#REF!	Chrome	Spout Kit
13462	9.25	N/A or Unfinished	Handle Adapter Kit
13463	12.00	N/A or Unfinished	Stem Extension, Boutique & Chateau Widespread Roman Tub
13499	40.40	Chrome	Handle Kit
13678	9.30	N/A or Unfinished	Hardware Kit
13769	34.50	Chrome	Escutcheon
13774	13.25	Chrome	Wall Tube
13797	16.35	N/A or Unfinished	Cartridge Nut
13805	19.65	N/A or Unfinished	Hardware Kit
13903	4.75	N/A or Unfinished	Set Screw Kit
13979	34.45	N/A or Unfinished	Ground Joints
14187	#REF!	N/A or Unfinished	Garter Spring Only

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
14272	6.75	N/A or Unfinished	Cartridge Retainer Removal Tool, 2 Handle Cartridge
14289	11.95	N/A or Unfinished	Handle Screw
14290	72.00	Chrome	Handle Kit
14291	7.85	N/A or Unfinished	Spout And Handle Insert
14292	225.10	Chrome	Tub Spout Kit
14349	22.70	Chrome	Escutcheon
14373	17.70	N/A or Unfinished	Hose Kit
14526	13.40	Chrome	Lavatory Drain Assembly
14582	35.40	Chrome	Spout Escutcheon
14666	106.05	Chrome	Handle Hub
14671	106.05	Chrome	Handle Hub
14699	7.80	N/A or Unfinished	Retainer Pivot Nut, 1 Handle Kitchen, Lever Handle
14732	28.45	Chrome	Handle Kit
14855	11.35	N/A or Unfinished	Hose Kit
14891	18.95	N/A or Unfinished	Cartridge
14913	14.60	Chrome	Stream Straightener
14949	4.45	N/A or Unfinished	Gasket
14960	17.65	N/A or Unfinished	Diverter Kit
14986	7.50	N/A or Unfinished	Cartridge Nut
15528	11.15	Chrome	Escutcheon Screws
16015	6.45	N/A or Unfinished	Pivot Rod Seat
16090	36.55	Chrome	Escutcheon, Chateau 1 Handle T/S
16331	46.50	N/A or Unfinished	Hardware Kit
20200	51.25	N/A or Unfinished	Aerator
22188	31.65	N/A or Unfinished	Screw Kit
22526	17.40	N/A or Unfinished	Template Kit
22527	17.40	N/A or Unfinished	Template Kit
22617	2.35	N/A or Unfinished	Service Kit
28974	600.00	N/A or Unfinished	Tool Box
28984	252.15	N/A or Unfinished	Tool Box
52618	13.45	Chrome	Aerator Male Thread .035 GPM VP
59001	37.15	Chrome	Handle Kit
59002	30.45	N/A or Unfinished	Cartridge Repair Kit
59003	15.15	N/A or Unfinished	Temperature Limit Stop Kit
59004	24.20	Chrome	Handle Elbows
59005	4.40	N/A or Unfinished	Aerator Removal Tool
59006	62.70	Chrome	Waste Assembly
59007	24.60	N/A or Unfinished	Mounting Hardware
59008	38.15	Chrome	Handle Kit
59009	6.15	N/A or Unfinished	Hot/cold Indicator Kit
59010	73.90	Chrome	Handle Hub Kit
59011	25.75	N/A or Unfinished	Hardware Kit
59012	174.35	Chrome	Spout Kit
59013	174.35	Chrome	Spout Kit
59014	175.55	Chrome	Spout Kit
59015	175.55	Chrome	Spout Kit
59016	31.25	Chrome	Escutcheon & Gasket Kit
59017	47.80	Chrome	Handle Escutcheon
59018	53.05	Chrome	Escutcheon & Gasket Kit
59019	60.25	Chrome	Handle Kit
59021	91.00	Chrome	Diverter Tub Spout
59022	84.05	Chrome	Non Diverting Tub Spout
59023	16.50	N/A or Unfinished	Diverter Tub Spout Repair Kit
59024	78.60	Chrome	Waste Assembly
59025	48.00	N/A or Unfinished	Hardware Kit
59027	37.90	Chrome	Handle Kit
59029	5.45	Chrome	Set Screw Kit
59030	5.45	N/A or Unfinished	O-ring Kit
59031	43.30	Chrome	Lavatory Drain Assembly
59033	15.70	Chrome	Lift Rod Kit
59034	151.50	Chrome	Spout Kit
59035	149.40	Chrome	Spout Kit
59036	73.15	Chrome	Handle Kit
59037	4.75	Chrome	Plug Button Kit
90274	15.00	N/A or Unfinished	Adapters, Widespread Wing Handle
90276	4.10	N/A or Unfinished	Handle Adapter Kit
90462	30.65	Chrome	Face Plate Kit
90467	15.40	Chrome	Grid Drain Cover
90471	24.30	Chrome	Face Plate Kit
90478	10.30	Chrome	Screw Kit
90481	15.15	N/A or Unfinished	Gasket
90483	25.55	N/A or Unfinished	Tub Drain Assembly
91110	61.10	Chrome	Handle Extension Kit
91192	30.25	N/A or Unfinished	Diverter Kit For Single Handle Kitchen Faucets
91194	88.25	Chrome	Spout Kit
91244	29.50	N/A or Unfinished	Handle Kit
91751	11.65	N/A or Unfinished	Knob Insert Kit, Chateau 1 Handle Lav, Non-pressure Balancing Shower, White & Chrome Insert
91992	64.85	Chrome	Spout Kit
92309	22.25	N/A or Unfinished	Pivot Nut
92451	7.70	N/A or Unfinished	Grommets & O-rings For 1225 Cartridge
92455	8.45	N/A or Unfinished	Extension Kit
93944	33.00	Chrome	Handle Hub Kit
93959	14.20	N/A or Unfinished	Hardware Kit For 7100/7400/7600 Series Kitchen
93960	16.25	N/A or Unfinished	Pivot Nut
93964	24.15	N/A or Unfinished	Support Plate With Gasket
93970	9.15	Chrome	Handle Insert Kit
93971	72.20	Chrome	Handle Kit
93973	78.75	Chrome	Spout Kit
93980	31.15	N/A or Unfinished	Handle Mechanism Kit
93988	92.65	Chrome	Spout Kit
93989	73.90	Chrome	Handle Kit
93990	14.30	Chrome	Dome
93995	53.80	Chrome	Escutcheon
94146	10.60	N/A or Unfinished	Cartridge Nut
94435	38.50	Chrome	Escutcheon
94514	12.10	N/A or Unfinished	Handle Kit
94543	28.35	N/A or Unfinished	Stem Ext. Chateau 3 Handle T/S Div. Knob
94740	33.90	Chrome	Handle Kit
94746	10.60	N/A or Unfinished	Handle Adapter Kit
94750	14.60	Chrome	Handle Collar
94770	6.00	Chrome	Plug Button & Set Screw
94773	25.10	N/A or Unfinished	Stem Extension Kit
94786	4.45	N/A or Unfinished	Handle Adapter Kit
94791	4.85	N/A or Unfinished	Handle Screw
94794	42.10	N/A or Unfinished	Hardware Kit
94831	74.35	N/A or Unfinished	Diverter Kit
94854	50.70	N/A or Unfinished	Valve Body
94873	20.15	N/A or Unfinished	Check Valve Kit, OneTouch
94996	4.45	N/A or Unfinished	O-ring Kit
94998	54.40	N/A or Unfinished	Hose Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
95606	26.70	Chrome	Handle Hub Kit
95612	38.60	Chrome	Handle Hub Kit
95626	38.60	Chrome	Handle Hub Kit
96217	49.35	Chrome	Wall Tube
96365	9.05	N/A or Unfinished	Retainer Clips For 1200 And 1225 Single Handle Cartridges
96469	77.15	Chrome	Dispenser Pump And Head Assemb
96497	23.10	Chrome	Drainage
96778	9.55	N/A or Unfinished	Spout O-ring Kit
96782	29.65	N/A or Unfinished	Handle Kit
96790	30.70	Chrome	Handle Kit
96791	29.65	N/A or Unfinished	Handle Kit
96792	30.55	N/A or Unfinished	Handle Kit
96797	30.70	N/A or Unfinished	Knob Handle Kit, Chateau 1 Handle Tub/shower, Clear Knob With White & Chrome Insert
96798	30.55	N/A or Unfinished	Handle Kit
96804	9.70	N/A or Unfinished	Hardware Kit, 1 Handle Lav Knob
96806	9.70	N/A or Unfinished	Hardware Kit, 1 Handle Tub/shower Knob
96884	30.75	N/A or Unfinished	Handle Insert Kit
96885	47.90	Chrome	Escutcheon
96914	6.20	N/A or Unfinished	Retainer Clip, Posi-Temp 1 Handle Tub/shower
96945	38.50	Chrome	Handle Extension Kit
96955	46.80	Chrome	Handle Extension Kit
96987	10.15	Chrome	Stop Tube, Posi-Temp 1 Handle Tub/shower
96988	18.65	N/A or Unfinished	Cartridge Repair Kit, Posi-Temp 1 Handle Tub/shower
97274	5.00	N/A or Unfinished	Red & Blue Washer Kit, Monticello Lever Handle
97344	13.05	N/A or Unfinished	Stem Extension Kit, Monticello 2 Handle Tub/shower, Quantity 2
97361	9.70	Chrome	Handle Escutcheon
97362	14.95	Polished Brass	Handle Escutcheon
97371	6.95	N/A or Unfinished	Handle Adapter Kit
97479	21.00	N/A or Unfinished	Stem Extension Kit
97491	58.45	Chrome	Escutcheon
97535	4.85	N/A or Unfinished	Cartridge Nut
97547	39.90	Chrome	Handle Escutcheon
97556	24.05	N/A or Unfinished	Handle Adapter Kit, Monticello Centerset, Mini Widespread, & Roman Tub, Hot And Cold
97564	4.80	N/A or Unfinished	Gasket
97565	58.45	N/A or Unfinished	Hardware Kit
97577	56.45	Chrome	Escutcheon
97800	7.65	N/A or Unfinished	Plaster Ground
98026	34.40	N/A or Unfinished	Knob Handle Kit
98032	11.65	N/A or Unfinished	Handle Insert Kit
98035	28.70	N/A or Unfinished	Handle Kit
98036	12.10	N/A or Unfinished	Handle Insert Kit
98037	28.70	N/A or Unfinished	Handle Kit
98039	29.65	N/A or Unfinished	Handle Kit
98040	16.05	N/A or Unfinished	Cartridge Repair Kit
98079	26.60	N/A or Unfinished	Hardware Kit
98082	44.05	N/A or Unfinished	Pivot Rod
98085	6.35	N/A or Unfinished	Pivot Rod Extension Kit
98213	5.65	N/A or Unfinished	Gasket
98430	13.35	N/A or Unfinished	Escutcheon Gasket

Part Number	List Price	Finish	Description
98576	23.50	Chrome	Escutcheon
99479	20.25	N/A or Unfinished	Cartridge Nut
99550	30.45	Chrome	Deck Plate
99551	30.45	Chrome	Deck Plate
99556	33.30	Chrome	Escutcheon & Gasket Kit
99557	33.30	Chrome	Escutcheon & Gasket Kit
99558	42.80	Chrome	Escutcheon
99559	33.30	Chrome	Deck Plate
99596	38.90	Polished Brass	Drain Plug & Seat
99712	12.00	Chrome	Handle Cap Kit
99892	7.35	N/A or Unfinished	Set Screw Kit
99915	0.25	N/A or Unfinished	Silicone Grease Pack
100000	10.95	N/A or Unfinished	O-ring Kit
100006	18.55	Glacier	Hose Guide
100008	19.60	N/A or Unfinished	Hardware Kit
100009	170.45	Chrome	Spout Kit
100011	28.35	Chrome	Escutcheon
100012	39.90	Chrome	Handle Kit
100014	21.15	Chrome	Dome
100016	87.70	Chrome	Spout Kit
100021	17.35	Chrome	Handle Cap & Temperature Indicator Kit
100023	34.40	Chrome	Handle Cap Kit
100024	10.45	Chrome	Stop Tube Kit
100040	116.10	N/A or Unfinished	Cartridge
100112	16.85	Chrome	Aerator, 2.2 Gpm, Monticello Large, Male Thread
100113	20.55	Chrome	Aerator
100119	47.40	N/A or Unfinished	Hose Kit
100131	16.85	Chrome	Lift Rod Kit
100138	38.05	N/A or Unfinished	Handle Adapter Kit
100140	20.35	N/A or Unfinished	Grip Ring
100150	47.90	Chrome	Handle Kit
100151	28.10	Chrome	Escutcheon
100154	49.20	Chrome	Handle Kit
100155	18.30	Chrome	Handle Cap Kit
100202	11.95	N/A or Unfinished	Handle Adapter Kit
100205	8.75	N/A or Unfinished	Set Screw Kit
100214	18.15	N/A or Unfinished	Handle Adapter Kit
100216	15.15	N/A or Unfinished	Cartridge Cap & Nut Kit
100223	8.05	N/A or Unfinished	Handle Adapter & Brake Kit, Chateau & Moentrol Lever 1 Handle Tub/shower
100224	20.85	Chrome	Handle Kit
100226	39.85	Chrome	Handle Cap & Screw
100227	80.05	Chrome	Spout Nut Kit
100230	58.60	Chrome	Spout Hub Kit
100232	41.55	Chrome	Handle Hub
100233	42.75	Chrome	Handle Hub
100242	6.80	N/A or Unfinished	Handle Insert Kit
100250	14.85	Chrome	Spout Cap
100251	2.95	N/A or Unfinished	Washer
100254	69.10	Chrome	Spout Kit
100255	20.25	N/A or Unfinished	Diverter Kit
100263	11.20	N/A or Unfinished	Handle Cap & Screw
100265	20.20	N/A or Unfinished	Handle Cap & Screw
100270	5.65	N/A or Unfinished	Handle Connector
100283	1.85	N/A or Unfinished	Gasket
100429	6.80	Chrome	Handle Adapter Kit
100439	14.60	Chrome	Dome Kit

Moen Genuine Parts

Listed in numerical order

GENUINE PARTS

Part Number	List Price	Finish	Description
100440	30.85	N/A or Unfinished	Handle Hardware Kit, Pullout Kitchens
100513	25.85	Chrome	Soap Dispenser Pump
100538	8.40	N/A or Unfinished	Spout Plug
100539	13.75	N/A or Unfinished	Mounting Kit
100541	27.55	N/A or Unfinished	Handle Adapter Kit
100552	88.55	Chrome	Handle Hub Kit
100553	88.55	Chrome	Handle Hub Kit
100556	36.05	Chrome	Handle Hub Kit
100557	41.65	Chrome	Handle Hub Kit
100558	41.40	Chrome	Handle Hub Kit
100559	46.95	Chrome	Handle Hub Kit
100561	12.25	N/A or Unfinished	Handle Adapter, Hot And Cold, Monticello Bar, Centerset, Mini Widespread
100562	4.80	N/A or Unfinished	Handle Adapter, Monticello Widespread Lav & Bidet
100563	4.75	N/A or Unfinished	Handle Adapter, Monticello 2 Handle Tub/shower, 2 Handle Kitchen, & Roman Tub
100566	13.25	N/A or Unfinished	Small Chassis For Monticello Bar, Centerset, Mini Widespread
100593	124.45	N/A or Unfinished	Vacuum Breaker Kit
100602	116.45	N/A or Unfinished	Vacuum Breaker Kit
100615	33.75	Chrome	Escutcheon
100616	56.75	Chrome	Spout Kit
100621	60.40	Chrome	Handle Kit
100624	60.40	Chrome	Handle Kit
100625	28.70	Chrome	Escutcheon
100626	41.50	Chrome	Bar Spout & Spout Nut
100649	132.45	Chrome	Spout Kit
100650	13.45	Chrome	Escutcheon
100652	151.70	Chrome	Roman Tub Spout Kit
100654	167.05	Chrome	Roman Tub Diverter Spout
100655	35.15	Chrome	Diverter Rod Kit
100656	128.90	Chrome	Garden Tub Spout
100657	26.70	Chrome	Handle Kit
100665	37.00	Polished Brass	Spout Kit
100667	132.45	Polished Brass	Spout Kit
100675	145.30	Polished Brass	Spout Kit
100676	40.75	N/A or Unfinished	Valve Body
100679	61.60	Chrome	Handle Kit
100683	6.15	N/A or Unfinished	Gasket
100695	39.40	N/A or Unfinished	Handle Kit
100702	33.30	N/A or Unfinished	Shank Kit
100710	21.95	N/A or Unfinished	Knob Handle Kit, Posi-Temp 1 Handle Tub/shower, With White & Chrome Insert
100742	44.65	N/A or Unfinished	Valve Body
100743	44.65	N/A or Unfinished	Valve Body
100746	23.00	Chrome	Handle Kit
100816	26.15	N/A or Unfinished	Extension Kit
100817	33.40	N/A or Unfinished	Shank Kit
100818	35.80	N/A or Unfinished	Extension Kit
100820	74.95	Chrome	Spout Kit
100895	26.10	Chrome	Handle Kit
100896	79.35	Chrome	Spout Kit
100928	26.70	Chrome	Handle Kit
100957	24.70	Chrome	Escutcheon
100961	132.55	Chrome	Spout Kit

Part Number	List Price	Finish	Description
100998	16.10	Chrome	Escutcheon
101010	15.40	Chrome	Aerator
101029	16.60	Chrome	Aerator
101039	13.75	N/A or Unfinished	Hardware Kit
101048	20.10	Chrome	Aerator
101076	5.55	Chrome	Aerator
101077	13.85	Chrome	Aerator
101099	6.75	N/A or Unfinished	Handle Connector, Spacer, Screw & Washer, Loop Handle Kitchens
101100	32.60	N/A or Unfinished	Push-button Diverter Plug
101140	33.65	Chrome	Handle Kit
101146	15.40	Chrome	Aerator
101199	7.25	N/A or Unfinished	Screen Washer, Pullout Spout Hose
101205	11.40	N/A or Unfinished	Handle Insert Kit
101209	36.80	Chrome	Handle Kit
101237	8.45	N/A or Unfinished	Cup Seal & Diverter Gate, 3800 Tub Spout
101246	87.85	Chrome	Spout Receptor Kit
101249	17.10	Chrome	Handle Collar & Nut Kit, OneTouch
101257	15.40	Chrome	Pullout Spout Aerator Kit
101310	21.80	Chrome	Lever Handle Kit, Chateau 1 Handle Lav
101408	25.80	Chrome	Handle Kit
101410	55.85	Chrome	Handle Kit
101412	29.80	Chrome	Handle Kit
101475	5.80	Chrome	Hose Guide
101484	97.35	Chrome	Spout Receptor Kit
101652	33.90	Chrome	Tub Drain Assembly
101653	33.30	Chrome	Tub Drain Assembly
101707	19.15	N/A or Unfinished	Vacuum Breaker Hub Assembly
101708	74.15	N/A or Unfinished	Hose Kit
101869	25.70	N/A or Unfinished	Hardware Kit
101879	7.15	N/A or Unfinished	Spout Retaining Ring Kit, Monticello & Traditional 2 Handle Bar
101951	19.50	N/A or Unfinished	Diverter Kit
101952	25.05	N/A or Unfinished	Hardware Kit
101964	23.45	Chrome	Aerator Kit
101965	6.80	N/A or Unfinished	Gasket
101975	4.90	N/A or Unfinished	Posi-Temp Test Plug
102562	12.50	Chrome	Stop Tube Kit
102564	57.10	Chrome	Handle Kit
102565	41.40	Chrome	Handle Kit
102566	8.80	Chrome	Collar
102567	4.90	Chrome	Ring Shield
102568	17.75	N/A or Unfinished	Lever Handle Mechanism Kit, Villeta 1 Handle Lav
102569	6.15	N/A or Unfinished	Gasket
102570	35.95	Chrome	Lift Rod Kit
103432	5.85	N/A or Unfinished	Spout Retainer Kit
103433	100.35	Chrome	Spout Hub Kit
103437	6.00	N/A or Unfinished	Handle Connector, Spacer, Screw & Washer, Integra
103454	74.00	Chrome	Handle Kit
103455	75.70	Chrome	Spray Nozzle
103456	26.35	N/A or Unfinished	Handle Adapter Kit, Widespread Lav & Bidet, M-PACT
103460	9.55	N/A or Unfinished	O-ring Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
103462	11.05	N/A or Unfinished	Installation Tool, M-PACT Mini Widespread & Widespread
103463	37.95	Chrome	Spout Escutcheon
103464	20.85	Chrome	Lift Rod Kit
103465	7.65	N/A or Unfinished	Set Screw Kit
103466	5.85	N/A or Unfinished	O-ring Kit
103468	149.80	Chrome	Spout Kit
103469	54.70	N/A or Unfinished	Hose Kit
103470	61.65	Chrome	Escutcheon
103674	269.20	N/A or Unfinished	Cartridge
103675	37.30	Chrome	Handle Shell
103678	20.80	Chrome	Escutcheon
103685	34.25	N/A or Unfinished	Retainer Nut
103686	20.25	N/A or Unfinished	Check Stop
103687	64.90	N/A or Unfinished	Check Stop
103688	29.10	N/A or Unfinished	Thermostatic Cartridge Parts
103689	31.50	N/A or Unfinished	Temperature Limit Stop Kit
103690	17.15	N/A or Unfinished	Handle Adapter Kit
103691	4.40	N/A or Unfinished	Screw Kit
103692	25.20	N/A or Unfinished	Retainer Nut
103744	9.90	N/A or Unfinished	Escutcheon Clip & Washer
103745	64.80	Chrome	Handle Escutcheon
103759	10.70	N/A or Unfinished	Hardware Kit
104212	12.15	N/A or Unfinished	Aerator Removal Tool
104215	26.20	Chrome	Lift Rod Kit
104217	9.85	Chrome	Aerator
104224	10.55	N/A or Unfinished	Handle Adapter Kit
104225	10.80	N/A or Unfinished	Hardware Kit
104228	15.50	Chrome	Aerator
104233	7.25	N/A or Unfinished	Handle Adapter Kit
104235	17.50	Chrome	Hose Guide
104247	7.35	N/A or Unfinished	Escutcheon Screws
104248	7.55	N/A or Unfinished	Handle Adapter Kit
104407	15.85	N/A or Unfinished	Handle Housing Kit
104409	5.05	N/A or Unfinished	Handle Adapter Kit
104411	4.35	N/A or Unfinished	Set Screw Kit
104419	7.35	N/A or Unfinished	Plug Button Kit
104421	50.65	N/A or Unfinished	Cartridge Removal Tool For 1200 Or 1225 Or 1222 Cartridges
104452	167.30	N/A or Unfinished	Control Module 8310 Closet 1.28
104453	59.70	Chrome	AC Tube and Flange for Flush Valve
104454	96.80	Chrome	AC Flush Valve Cap
104455	84.85	Chrome	DC Flush Valve Cap
104456	13.15	N/A or Unfinished	Sensor Eye Casing
104458	2.60	N/A or Unfinished	Split Washer for Electronic Spout
104459	6.65	N/A or Unfinished	Battery Holder for Electronic Faucet
104460	9.45	Chrome	Electronic Faucet Spout Nut
104461	31.45	Chrome	Manual Override Button
104534	18.60	Chrome	1.5 GPM Aerator for 83-5 Series
104540	38.25	Chrome	Service Kit
104541	33.50	Chrome	Service Kit
104542	46.60	Chrome	Service Kit
104543	51.40	Chrome	Service Kit
104544	57.35	Chrome	Service Kit
104545	63.30	Chrome	Service Kit
104546	33.50	Chrome	Service Kit
104547	37.10	Chrome	Service Kit
104548	39.45	Chrome	Service Kit
104549	43.00	Chrome	Service Kit
104550	47.85	Chrome	Service Kit
104551	51.40	Chrome	Service Kit
104552	57.35	Chrome	Service Kit
104553	60.95	Chrome	Service Kit
104554	65.70	Chrome	Service Kit
104555	115.10	Chrome	Stop Valve
104556	115.10	Chrome	Stop Valve
104557	20.15	Chrome	Service Kit
104592	27.05	Chrome	Service Kit
104617	30.50	N/A or Unfinished	Service Kit
104618	72.10	Chrome	Service Kit
104619	72.10	Chrome	Service Kit
104620	72.10	Chrome	Service Kit
104621	72.10	Chrome	Service Kit
104622	72.10	Chrome	Service Kit
104623	72.10	Chrome	Service Kit
104624	72.10	Chrome	Service Kit
104625	33.95	Chrome	Service Kit
104626	34.90	Chrome	Service Kit
104627	32.45	Chrome	Service Kit
104628	95.95	N/A or Unfinished	Service Kit
104630	98.55	N/A or Unfinished	Service Kit
104631	32.55	Chrome	Service Kit
104633	116.10	N/A or Unfinished	Service Kit
104634	22.95	Chrome	Service Kit
104635	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104636	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104637	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104638	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104639	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104640	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104641	148.30	N/A or Unfinished	Electronic Module Bracket Kit
104770	21.25	Chrome	Pop-up Waste Kit
104775	23.35	Chrome	Pop-up Waste Kit
105896	8.80	N/A or Unfinished	Hardware Kit
106322	11.30	N/A or Unfinished	Hardware Kit
106324	29.15	N/A or Unfinished	T-connector
106376	22.75	Chrome	Handshower Bracket
106378	20.20	N/A or Unfinished	Stem Extension Kit
106479	4.90	N/A or Unfinished	Temperature Limit Stop Kit, Posi-Temp 1 Handle Tub/shower
109110	23.35	N/A or Unfinished	Hardware Kit
110307	5.25	N/A or Unfinished	Cartridge Nut
110317	98.40	Chrome	Handle Extension Kit
111881	26.20	Chrome	Handle Kit
113173	10.35	N/A or Unfinished	Mounting Kit
113957	5.85	Chrome	Plug Button & Set Screw
113958	6.20	N/A or Unfinished	Gasket
113959	7.85	Chrome	Dome Kit
113973	22.70	Chrome	Handle Kit
113974	7.80	N/A or Unfinished	Gasket Kit
114295	18.25	N/A or Unfinished	Hardware Kit
114299	35.75	N/A or Unfinished	Hose Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
114303	7.70	N/A or Unfinished	Cartridge Nut
114304	40.15	Chrome	Handle Kit
114305	15.60	Chrome	Handle Hub
114306	19.15	N/A or Unfinished	Hardware Kit
114307	22.20	N/A or Unfinished	Hose Kit, Aberdeen 7590 Series
114308	13.55	N/A or Unfinished	Stem Extension Kit
114311	8.30	N/A or Unfinished	Screen Washer
114324	19.90	Chrome	Handle Cap Kit
114331	18.75	Chrome	Handle Hub Kit
114332	14.45	Chrome	Aerator
114334	16.25	Chrome	Lift Rod Kit
114336	10.40	Chrome	Handle Insert Kit
114337	69.05	Chrome	Handle Hub Kit
114343	15.95	N/A or Unfinished	Handle Cap & Screw
114344	25.65	Chrome	Handle Hub
114346	28.10	Chrome	Handle Hub
114384	7.15	N/A or Unfinished	Retainer Ring Kit
114385	18.25	N/A or Unfinished	Liquid Dispenser Bottle
115000	30.20	N/A or Unfinished	Knob Handle Kit, Posi-Temp 82683
115007	15.40	Chrome	Spout Hub Kit
115010	63.65	N/A or Unfinished	Spout Kit
115012	249.45	N/A or Unfinished	8 Foot Cable Assembly For Wall
115023	7.05	Chrome	Handle Cap Kit
115026	14.50	N/A or Unfinished	Handle Adapter Kit
115029	19.50	Chrome	Handle Hub
115030	25.15	Chrome	Handle Kit
115033	19.10	N/A or Unfinished	Porcelain Handle Insert
115034	12.00	Chrome	Handle Cap Kit, Chrome & Polished Brass
115035	7.70	Chrome	Handle Hub
115036	25.35	Chrome	Handle Kit
115037	10.95	Chrome	Spout Cap Kit
115039	57.00	Chrome	Spout Kit
115043	52.55	Chrome	Spout Kit
115045	9.25	Chrome	Aerator
115046	40.40	Chrome	Handle Kit
115047	58.10	Chrome	Spout Kit
115051	28.95	Chrome	Handle Hub
115055	11.95	Chrome	Handle Cap & Screw
115056	24.85	Chrome	Handle Kit
115057	5.35	Chrome	Gasket
115060	26.30	Chrome	Handle Kit
115061	7.85	N/A or Unfinished	Bearing Washer Kit
115062	4.90	N/A or Unfinished	Gasket
115063	43.05	Chrome	Handle Kit
115066	7.70	Chrome	Handle Insert Kit
115071	23.30	Chrome	Handshower Bracket
115073	12.15	N/A or Unfinished	Hardware Kit
115077	79.05	Chrome	Vacuum Breaker Kit
116379	30.40	N/A or Unfinished	Retainer Nut
116604	41.00	Chrome	Handle Hub
116618	16.60	Chrome	Aerator
116620	24.45	Chrome	Spout Hub Kit
116623	18.60	N/A or Unfinished	Retainer Ring Kit
116626	66.35	Chrome	Spout Kit
116628	15.10	Chrome	Handle Kit
116629	52.15	Chrome	Handle Hub
116630	124.10	Chrome	Spout Cap
116632	43.95	Chrome	Stream Straightener
116641	66.75	Chrome	Spout Kit
116644	48.35	Chrome	Spout Cap
116648	19.50	Chrome	Lift Rod Kit
116649	29.05	Chrome	Spout Cap
116653	7.25	N/A or Unfinished	Posi-Temp Handle Adapter Kit
116664	153.65	Chrome	Spout Kit
116665	260.10	Chrome	Roman Tub Spout Kit
116666	316.35	Chrome	Roman Tub Spout Kit
116667	16.85	Chrome	Diverter Rod Kit
116670	65.40	Chrome	Hot Handle Kit
116671	65.40	Chrome	Cold Handle Kit
116673	84.85	Chrome	Spout Escutcheon
116696	56.50	Chrome	Hose Kit
116698	26.45	N/A or Unfinished	Hardware Kit
116711	7.35	N/A or Unfinished	Flow Restrictor Kit
116713	48.20	Chrome	Handle Kit
116716	21.65	Chrome	Handle Kit
116719	34.95	N/A or Unfinished	Cartridge
116728	39.00	Chrome	Handle Kit
116730	47.40	N/A or Unfinished	Hardware Kit
116731	7.40	N/A or Unfinished	Bearing Washer Kit
116732	41.30	Chrome	Soap Dispenser
116953	43.45	Chrome	Hot Handle Kit
116954	43.45	Chrome	Cold Handle Kit
117000	4.45	N/A or Unfinished	Handle Insert Kit
117658	56.05	Chrome	Spout Kit
117659	11.55	Chrome	Aerator Kit
117660	39.35	Chrome	Handle Kit
117947	29.35	Chrome	Handle Kit
117948	38.75	Chrome	Handle Kit
118230	10.50	Chrome	Handle Shell
118231	29.10	Chrome	Handle Kit
118239	18.30	Chrome	Aerator
118240	9.50	Chrome	Handle Cap Kit
118241	9.55	Chrome	Handle Cap Kit
118243	6.00	Chrome	Plug Button Kit
118244	17.85	Chrome	Lift Rod Kit
118245	10.55	N/A or Unfinished	Hardware Kit
118297	12.15	N/A or Unfinished	Handle Mechanism Kit
118303	22.80	N/A or Unfinished	Hardware Kit
118305	13.20	N/A or Unfinished	Installation Tool
118306	4.15	N/A or Unfinished	Hot/cold Indicator Kit
118881	33.85	Chrome	Escutcheon
118882	19.45	Chrome	Escutcheon
122556	6.00	N/A or Unfinished	O-ring Kit
122560	20.10	Chrome	Aerator Kit
122566	14.90	N/A or Unfinished	Handle Adapter Kit
122569	15.60	N/A or Unfinished	Screw Kit
123244	41.00	Chrome	Deck Plate
123245	49.00	Chrome	Escutcheon & Gasket Kit
123246	5.15	Chrome	Hardware Kit
123247	93.45	Chrome	Spout Kit
123249	31.30	Chrome	Handle Kit
123250	11.90	Chrome	Dome
123342	7.55	N/A or Unfinished	Gasket
123663	7.80	N/A or Unfinished	Gasket
123799	12.50	Chrome	Handle Cap Kit
123804	26.15	Chrome	Lift Rod Kit
123807	17.50	Chrome	Stream Straightener Kit
124660	38.95	Chrome	Spout Hub Kit
124662	72.80	N/A or Unfinished	Hose Kit
124664	94.15	Chrome	Wand Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
124665	8.85	N/A or Unfinished	Bearing Washer Kit
124737	36.75	Chrome	Handle Kit
124738	82.55	Chrome	Wand Kit
124823	64.15	Chrome	Spout Receptor Kit
124854	31.50	Chrome	Handle Kit
125752	35.90	Chrome	Grid Drain Cover
125754	41.85	Chrome	Handle Kit
125756	87.90	Chrome	Handle Kit
125795	26.70	Chrome	Handle Kit
125796	10.60	N/A or Unfinished	Installation Tool
125857	95.00	Chrome	Spout Receptor Kit
125979	37.30	N/A or Unfinished	Hot/cold Indicator Kit
125989	16.00	N/A or Unfinished	Hose Weight
125999	6.25	N/A or Unfinished	Hot/cold Indicator Kit
126956	18.10	Chrome	Hose Guide
126964	11.55	Chrome	Dome Kit
126970	84.75	Chrome	Spout Kit
126971	34.95	Chrome	Handle Kit
127683	42.65	N/A or Unfinished	Filter Manifold Kit
127685	49.20	N/A or Unfinished	Hardware Kit
127686	7.50	N/A or Unfinished	Screw Kit
127689	13.95	N/A or Unfinished	O-ring Kit
127690	7.15	N/A or Unfinished	Aerator Kit
127691	14.40	N/A or Unfinished	Diverter Kit
128865	22.30	Chrome	Lift Rod Kit
128866	53.45	Chrome	Handle Kit
128867	54.70	Chrome	Handle Kit
128868	54.70	Chrome	Handle Kit
128869	7.50	N/A or Unfinished	Gasket
128870	50.95	Chrome	Escutcheon
128871	49.70	Chrome	Handle Kit
128873	32.60	Chrome	Lift Rod Kit
128878	18.30	Chrome	Aerator Kit
128879	118.95	Chrome	Spout Kit
128880	67.35	Chrome	Handle Kit
128883	169.50	Chrome	Roman Tub Spout Kit
128884	20.15	Chrome	Stream Straightener
128885	17.45	Chrome	Lift Rod Kit
128886	225.30	Chrome	Roman Tub Diverter Spout
129102	38.10	Chrome	Escutcheon
129665	11.30	N/A or Unfinished	Handle Kit
129666	22.15	N/A or Unfinished	Sillcock Service Kit
129706	26.40	N/A or Unfinished	Hot/cold Indicator Kit
129707	25.35	N/A or Unfinished	Hot/cold Indicator Kit
129709	38.05	Chrome	Handle Kit
129819	21.80	N/A or Unfinished	Hot/cold Indicator Kit
129830	358.85	Chrome	Roman Tub Spout Kit
129831	6.05	N/A or Unfinished	Bearing Washer Kit
129908	46.90	Chrome	Wand Kit
130142	21.55	N/A or Unfinished	Handle Adapter Kit
130143	71.85	N/A or Unfinished	Extension Kit
130147	8.30	Chrome	Temperature Override Kit
130148	49.60	Chrome	Shower Escutcheon
130149	108.45	Chrome	Handle Kit
130150	23.50	Chrome	Handle Cap Kit
130151	109.60	Chrome	Handle Kit
130152	25.80	Chrome	Handle Escutcheon
130153	37.90	Chrome	Handle Escutcheon
130155	24.60	Chrome	Extension Kit
130156	236.85	N/A or Unfinished	Cartridge Repair Kit
130525	80.55	Chrome	Handle Hub Kit
130526	80.55	Chrome	Handle Hub Kit
130965	49.60	Chrome	Handle Hub Kit
130966	12.15	Chrome	Hinge Pin Caps
130967	24.85	Chrome	Hinge Pin Assembly
130968	40.80	Chrome	Escutcheon & Gasket Kit
130969	28.80	Chrome	Hardware Kit
130970	22.65	Chrome	Aerator Kit
130976	8.25	Chrome	Handle Cap Kit
130998	130.30	Chrome	Spout Kit
131097	65.40	Chrome	Handle Kit
131098	65.40	Chrome	Handle Kit
131099	6.20	Chrome	Handle Cap Kit
131100	17.45	Chrome	Lift Rod Kit
131101	75.45	Chrome	Handle Kit
131104	192.55	Chrome	Roman Tub Spout Kit
131107	21.60	Chrome	Lift Rod Kit
131109	58.60	Chrome	Handle Kit
131191	129.90	Chrome	Handle Kit
131195	131.10	Chrome	Handle Kit
131380	87.00	Chrome	Wand Kit
131381	50.00	Chrome	Hose Kit
131384	18.25	Chrome	Wand Kit
131553	77.55	Chrome	Pop-up Waste Kit
132152	9.00	N/A or Unfinished	Spout Kit O-Ring
132596	39.55	N/A or Unfinished	Hose Kit
132597	22.25	N/A or Unfinished	Hardware Kit
133484	8.30	Chrome	Plug Button Kit
134122	500.05	Chrome	Infrared Sensor Control Box
134309	148.30	Chrome	Spout Kit
134402	76.20	Chrome	Handle Kit
134404	27.70	Chrome	Lift Rod Kit
134742	94.80	Chrome	Wand Kit
135149	88.35	Chrome	Escutcheon
135150	30.25	Chrome	Handle Kit
135151	9.70	Chrome	Stop Tube Kit
135152	5.05	N/A or Unfinished	Spacer Kit
135167	52.65	Chrome	Handle Extension Kit
136101	26.30	N/A or Unfinished	Adapter Kit
136102	12.95	N/A or Unfinished	Hydrolock(R) Hose Spray Kit
136103	40.45	Black	Hose & Spray
136104	78.60	Chrome	Hose & Spray
136106	81.00	Chrome	Hose & Spray
136109	43.40	Black	Hose & Spray
136123	26.40	N/A or Unfinished	Hardware Kit
136196	38.75	Chrome	Handle Adapter Kit
136197	6.75	Chrome	Plug Button Kit
136304	8.35	N/A or Unfinished	Diverter Kit
136331	9.25	N/A or Unfinished	Spout Plug
136640	49.50	Chrome	Handle Kit
136829	58.20	Chrome	Pullout Spout, Extensa
137001	11.05	N/A or Unfinished	Collar
137028	46.50	N/A or Unfinished	Hose Kit
137034	21.70	Chrome	Slider For Slide Bar
137035	10.25	N/A or Unfinished	Hardware Kit
137114	43.20	N/A or Unfinished	Extension Kit
137347	40.60	Chrome	Handle Extension Kit
137388	71.00	Chrome	Handle Kit
137390	155.65	Chrome	Spout Kit
137391	211.20	Chrome	Roman Tub Spout Kit
137392	218.30	Chrome	Roman Tub Diverter Spout

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
137393	23.15	Chrome	Diverter Rod Kit
137394	66.35	Chrome	Escutcheon
137395	71.60	Chrome	Shower Escutcheon
137396	50.00	Chrome	Handle Kit
137398	19.70	Chrome	Escutcheon
137401	14.10	N/A or Unfinished	Aerator
137402	18.00	N/A or Unfinished	Stream Straightener Kit
137403	5.00	N/A or Unfinished	Plug Button Kit
137488	9.15	Chrome	Shower Arm Flange
137511	5.05	Chrome	Handle Rod
137512	7.20	N/A or Unfinished	Dome
137513	4.45	Chrome	Cartridge Nut
137514	12.00	Chrome	Aerator Kit
137515	1.25	Chrome	O-ring Kit
137516	10.40	Chrome	Escutcheon
137517	4.00	Chrome	Hardware Kit
137520	7.70	Chrome	Aerator Kit
137522	1.40	Chrome	Spout Retainer Kit
137526	4.15	Chrome	Flow Restrictor Kit
137527	38.70	Chrome	Handle Kit
137532	11.40	Chrome	Escutcheon
137533	15.90	Chrome	Lift Rod Kit
137536	21.25	Chrome	Handle Kit
137538	1.40	Chrome	Plug Button Kit
137540	46.50	Chrome	Escutcheon
137543	5.65	Chrome	Spout Cap
138765	17.30	N/A or Unfinished	Hardware Kit
139221	14.85	N/A or Unfinished	Liquid Soap/lotion Dispenser Pump Only
139260	3.05	N/A or Unfinished	Mounting Kit
139769	36.40	Chrome	Handle Adapter Kit
139885	78.55	Chrome	Handle Kit
139968	57.90	N/A or Unfinished	Hardware Kit
140028	27.30	Chrome	Service Kit
140251	14.55	Chrome	Gasket Kit
140325	35.75	N/A or Unfinished	Shank Kit
140379	81.35	Chrome	Wand Kit
140392	80.80	Chrome	Wand Kit
140706	9.10	N/A or Unfinished	Hardware Kit
140708	10.95	N/A or Unfinished	Hardware Kit
140709	6.05	N/A or Unfinished	Handle Adapter Kit
140710	5.30	N/A or Unfinished	Cartridge Nut
140712	21.85	N/A or Unfinished	Shank Kit
140713	24.85	N/A or Unfinished	Hose Kit
140714	17.50	N/A or Unfinished	CPVC Transition Fittings (4) &
140715	11.40	N/A or Unfinished	Change To Cold Expansion PEX Adapters
140716	5.75	N/A or Unfinished	O-ring Kit
140718	5.45	N/A or Unfinished	O-ring Kit
140719	34.90	N/A or Unfinished	Hose Kit
140720	25.50	N/A or Unfinished	Hardware Kit
140721	8.35	N/A or Unfinished	Quick-connect Clips (5)
140860	16.00	N/A or Unfinished	Deck Gasket
140899	7.20	N/A or Unfinished	Siding Wedge
140900	10.30	N/A or Unfinished	Vacuum Breaker Kit
140901	6.60	N/A or Unfinished	Hot/cold Indicator Kit
140902	6.85	N/A or Unfinished	Temperature Limit Stop Kit
140903	16.60	N/A or Unfinished	Handle Kit
140904	13.25	N/A or Unfinished	Retainer Nut
140995	64.50	Chrome	Wand Kit
140997	12.25	Chrome	Dome Kit
140998	12.00	Chrome	Cartridge Nut
140999	6.15	Chrome	Gasket Kit
141002	50.75	Chrome	Escutcheon
141003	14.75	N/A or Unfinished	Installation Tool
141006	37.30	Chrome	Hose & Spray
141007	13.15	Chrome	Hose Guide
141008	21.30	Chrome	Aerator Kit
141025	12.20	N/A or Unfinished	O-ring Kit
141044	104.90	Chrome	Wand_hose_kit
141797	34.90	Chrome	Dome Kit
141798	53.85	Chrome	Roman Tub Hand Shower Elbow
142538	6.00	N/A or Unfinished	Hardware Kit
142980	11.65	N/A or Unfinished	Stem Extension Kit
142981	6.00	N/A or Unfinished	Escutcheon Adjuster Kit
143002	10.55	N/A or Unfinished	Handle Adapter Kit
143200	7.20	N/A or Unfinished	Gasket Kit
143321	29.10	Chrome	Handle Kit
143322	26.45	Chrome	Handle Kit
143323	26.10	Chrome	Escutcheon
143324	27.65	Chrome	Escutcheon
143325	6.35	N/A or Unfinished	Gasket
143326	13.05	N/A or Unfinished	Aerator
143327	6.75	N/A or Unfinished	Shank Kit
143530	9.50	N/A or Unfinished	Diverter_plug
144266	5.80	N/A or Unfinished	Cartridge Nut
144450	17.40	Chrome	Lever Handle Mechanism Kit
144451	17.40	Chrome	Lever Handle Mechanism Kit
144454	21.40	Chrome	Escutcheon
144455	2.50	Chrome	Gasket
145058	18.90	N/A or Unfinished	Adapter Kit
145665	5.15	N/A or Unfinished	Hardware Kit
146190	6.55	N/A or Unfinished	Mounting Kit
146191	35.55	Chrome	Handle Kit
146194	4.00	N/A or Unfinished	Cartridge Nut
146210	32.05	Chrome	Handle Kit
146211	13.25	Chrome	Dome
146213	5.65	N/A or Unfinished	O-ring Kit
146214	33.65	Chrome	Handle Kit
146217	13.60	Chrome	Dome
146220	36.85	Chrome	Handle Kit
146221	75.05	Chrome	Spout Receptor Kit
146670	6.10	Chrome	Plug Button Kit
146778	31.65	Chrome	Escutcheon
146779	31.00	Chrome	Escutcheon
146780	41.50	Chrome	Handle Kit
146781	28.50	Chrome	Handle Kit
146782	29.10	Chrome	Handle Kit
146783	10.75	Chrome	Dome
146784	177.30	Chrome	Spout Kit
146786	60.00	Chrome	Spout Kit
146787	6.90	N/A or Unfinished	Bearing Washer Kit
146788	34.90	Chrome	Escutcheon
146789	6.75	N/A or Unfinished	O-ring Kit
146790	14.50	N/A or Unfinished	Mounting Kit
146851	36.40	Chrome	Handle Kit
146926	5.85	N/A or Unfinished	O-ring Kit
146927	10.45	N/A or Unfinished	Mounting Kit
146928	30.35	Chrome	Handle Kit
146936	5.35	N/A or Unfinished	Spacer Kit
147204	27.30	Chrome	Escutcheon & Gasket Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
147206	96.90	N/A or Unfinished	Extension Kit
147207	29.15	N/A or Unfinished	Handle Adapter Kit
147208	155.65	N/A or Unfinished	Cartridge Repair Kit
147209	43.65	N/A or Unfinished	Check Stop
147210	36.40	N/A or Unfinished	Cartridge Repair Kit
147211	21.80	N/A or Unfinished	Handle Adapter Kit
147212	36.40	N/A or Unfinished	Handle Extension Kit
147213	11.65	N/A or Unfinished	Mounting Kit
147539	33.85	Chrome	Escutcheon
147540	10.75	Chrome	Plug Button Kit
147541	34.35	Chrome	Handle Hub Kit
147542	22.15	Chrome	Handle Kit
147543	214.25	Chrome	Spout Kit
147544	12.20	N/A or Unfinished	Bearing Washer Kit
147548	22.50	N/A or Unfinished	Hose Adapter
147549	16.25	Chrome	Escutcheon & Gasket Kit
147550	17.30	Chrome	Lift Rod Kit
147552	34.35	Chrome	Handle Hub Kit
147554	10.15	Chrome	Spout Cap Kit
147555	41.50	Chrome	Extension Kit
147556	143.65	Chrome	Extension Kit
147557	35.90	Chrome	Handle Kit
147558	8.35	N/A or Unfinished	Plug Button Kit
147559	26.80	N/A or Unfinished	Handle Adapter Kit
147562	11.05	Chrome	Escutcheon
147563	11.85	Chrome	Escutcheon
147564	26.10	Chrome	Lift Rod Kit
147565	342.85	Chrome	Spout Kit
147566	32.50	Chrome	Escutcheon
147567	60.70	Chrome	Escutcheon
147568	378.20	Chrome	Spout Kit
147569	44.65	Chrome	Lift Rod Kit
147570	5.90	N/A or Unfinished	Bearing Washer Kit
147571	26.70	N/A or Unfinished	Shank Kit
147572	13.15	Chrome	Shower Arm Flange
147573	32.30	Chrome	Handle Kit
147574	63.70	Chrome	Escutcheon & Gasket Kit
147575	5.80	N/A or Unfinished	Set Screw Kit
147576	66.80	Chrome	Escutcheon & Gasket Kit
148478	5.85	Chrome	Plaster Ground
148479	29.15	Chrome	Extension Kit
148480	29.15	Chrome	Shower Escutcheon
148521	11.65	N/A or Unfinished	Support Plate With Gasket
148606	10.95	N/A or Unfinished	CPVC Transition Fitting
148820	29.15	Chrome	Handle Kit
148821	5.80	N/A or Unfinished	Gasket Kit
148974	3.65	Chrome	Gasket Kit
149088	9.50	N/A or Unfinished	Diverter Kit
149111	32.30	Chrome	Handle Kit
149112	19.65	Chrome	Lift Rod Kit
149113	49.95	Chrome	Handle Kit
149114	229.00	Chrome	Spout Kit
149115	16.55	Chrome	Lift Rod Kit
149116	299.05	Chrome	Roman Tub Spout Kit
149117	14.10	Chrome	Aerator
149118	324.05	Chrome	Roman Tub Spout Kit
149119	23.00	Chrome	Lift Rod Kit
149121	5.50	N/A or Unfinished	Hot/cold Indicator Kit
149122	36.40	Chrome	Handle Kit
149123	59.95	Chrome	Shower Escutcheon
149381	8.80	N/A or Unfinished	Plaster Ground
149570	35.90	Chrome	Handle Kit
149571	40.80	Chrome	Escutcheon
149748	14.35	Chrome	Slide Bar_end Cap
150036	23.30	Chrome	Screw and Cap kit
150040	29.30	N/A or Unfinished	Handle Adapter Kit
150042	29.35	Chrome	Escutcheon
150257	42.10	N/A or Unfinished	Cartridge
150259	37.05	N/A or Unfinished	Hose Kit
150288	210.95	Chrome	Spout Kit
150313	9.50	N/A or Unfinished	3/8" Square Drive Tool
150625	26.20	Chrome	Handle Kit
150626	26.70	Chrome	Handle Kit
150627	30.70	N/A or Unfinished	Handle Hub
150628	7.85	Chrome	Dome
150662	28.90	Chrome	Handle Kit
150663	53.80	Chrome	Handle Escutcheon
150664	33.90	Chrome	Handle Kit
150665	40.75	Chrome	Handle Kit
150666	10.95	Chrome	Dome Kit
150667	40.75	Chrome	Handle Escutcheon
150671	30.35	Chrome	Handle Kit
150672	117.45	Chrome	Spout Kit
150883	4.05	N/A or Unfinished	Hot/cold Indicator Kit
151189	32.35	Chrome	Wand Kit
151644	1.50	N/A or Unfinished	Plug Button Kit
151813	23.65	Chrome	Escutcheon
152859	5.30	Chrome	Plug Button Kit
153206	8.30	Chrome	Dome
153641	53.80	Chrome	Dome
153977	48.20	Chrome	Wand Kit
153978	31.50	Chrome	Handle Kit
153982	24.05	Chrome	Aerator Kit
153983	4.85	Chrome	Gasket Kit
154285	62.20	Chrome	Handle Cap Kit
154286	183.15	Chrome	Spout Kit
154287	21.65	Chrome	Lift Rod Kit
154288	24.05	Chrome	Aerator
154289	7.65	N/A or Unfinished	Aerator
154290	231.05	Chrome	Roman Tub Spout Kit
154291	251.30	Chrome	Roman Tub Diverter Spout
154292	15.10	Chrome	Diverter Rod Kit
154293	400.20	Chrome	Spout Kit
154294	26.30	Chrome	Handle Kit
154295	35.75	Chrome	Stream Straightener
154297	9.30	Chrome	Slide Bar_end Cap
154298	16.85	Chrome	Handle Kit
154299	61.30	Chrome	Wall Escutcheon And Gasket
154302	50.55	Chrome	Handle Hub
154306	15.10	Chrome	Handle Kit
154364	7.40	N/A or Unfinished	Aerator Kit
154391	32.70	Chrome	Handle Hub
155023	5.30	N/A or Unfinished	Screw Kit
155649	44.85	Chrome	Escutcheon
155650	39.95	Chrome	Escutcheon
155651	18.00	N/A or Unfinished	Hardware Kit
155652	6.90	N/A or Unfinished	Hardware Kit
155654	4.75	N/A or Unfinished	O-ring Kit
155655	1.45	N/A or Unfinished	Screen Washer
155656	37.60	N/A or Unfinished	Extension Kit
155658	16.00	N/A or Unfinished	Hardware Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
155759	8.75	N/A or Unfinished	Screw Kit
156723	16.85	Chrome	Handle Kit
156724	48.55	Chrome	Handle Kit
156781	68.45	Chrome	Spout Hub Kit
157131	30.65	Chrome	Shower Escutcheon
157328	45.45	Chrome	Escutcheon
158080	15.50	Chrome	Escutcheon
158376	37.55	Chrome	Shower Arm Flange
158378	59.90	Chrome	Diverter Tub Spout
158380	44.15	Chrome	Handle Kit
158494	31.40	Chrome	Handle Kit
158495	35.95	Chrome	Handle Kit
158550	5.00	N/A or Unfinished	O-ring Kit
159014	42.35	Chrome	Escutcheon
159018	76.20	Chrome	Handle Kit
159019	76.05	Chrome	Handle Kit
159020	76.55	Chrome	Handle Kit
159022	67.50	Chrome	Escutcheon
159023	63.85	Chrome	Escutcheon
159024	75.80	Chrome	Handle Kit
159028	76.85	Chrome	Handle Kit
159029	76.90	Chrome	Handle Kit
159060	19.90	N/A or Unfinished	Hose Guide
159107	37.15	Chrome	Handle Kit
159264	36.40	Chrome	Escutcheon
159266	37.80	Chrome	Handle Kit
159559	14.20	N/A or Unfinished	Hose Weight
159560	35.95	N/A or Unfinished	Hose Kit
159561	57.20	Chrome	Wand Kit
159576	7.25	N/A or Unfinished	Gasket
159582	18.15	N/A or Unfinished	Hose Kit
160659	8.80	Chrome	Dome Kit
160660	8.80	Chrome	Cartridge Nut
161143	58.20	Chrome	Wand Kit
161148	64.50	Chrome	Wand Kit
161149	94.80	Chrome	Wand Kit
161150	87.00	Chrome	Wand Kit
161153	39.15	Chrome	Wand Kit
161156	56.25	Chrome	Wand Kit
161157	48.20	Chrome	Wand Kit
161756	26.05	N/A or Unfinished	Mounting Kit
161757	7.85	N/A or Unfinished	Cartridge Nut
161758	27.65	N/A or Unfinished	Stem Extension Kit
161759	5.65	N/A or Unfinished	Plaster Ground
161760	6.85	N/A or Unfinished	Mounting Kit
161761	39.45	N/A or Unfinished	Shank Kit
161762	25.45	N/A or Unfinished	Mounting Kit
161771	9.85	N/A or Unfinished	Mounting Kit
161772	36.70	N/A or Unfinished	Diverter Kit
161773	21.10	N/A or Unfinished	Installation Tool
161774	10.35	N/A or Unfinished	Handle Adapter Kit
161909	29.90	Chrome	Handle Kit
161917	15.95	Chrome	Lift Rod Kit
161919	23.65	Chrome	Deck Plate
161942	62.80	Chrome	Handle Kit
161944	146.45	Chrome	Spout Kit
161945	42.10	Chrome	Handle Screw
161947	311.45	Chrome	Roman Tub Spout Kit
161949	340.25	Chrome	Roman Tub Spout Kit
161950	16.85	Chrome	Lift Rod Kit
161952	48.65	Chrome	Shower Escutcheon
161953	36.40	Chrome	Shower Escutcheon
161954	44.65	Chrome	Handle Kit
161956	6.75	Chrome	Hot/cold Indicator Kit
162105	11.65	N/A or Unfinished	Handle Cap Kit
162154	29.30	N/A or Unfinished	Cartridge
162378	10.50	N/A or Unfinished	Check Valve Kit
162379	10.50	N/A or Unfinished	Check Valve Kit
162649	110.05	N/A or Unfinished	Cartridge Nut
163053	197.00	Chrome	Spout Kit
163127	112.15	N/A or Unfinished	Cartridge
163138	42.10	Chrome	Handle Kit
163153	30.05	Chrome	Escutcheon
163215	10.65	N/A or Unfinished	C-clip
163244	62.75	Chrome	Wand Kit
163245	181.20	Chrome	Spout Kit
163247	59.40	Chrome	Spout Receptor Kit
163248	62.80	Chrome	Wand Kit
163710	6.80	N/A or Unfinished	Hose Guide
163711	13.05	N/A or Unfinished	Battery Kit
163714	212.25	N/A or Unfinished	Electronic Module Bracket Kit
163716	13.45	N/A or Unfinished	Hose Kit
163717	13.55	N/A or Unfinished	Filter Manifold Kit
163718	27.30	N/A or Unfinished	Hose Kit
163792	3.85	Chrome	Cap
163793	4.60	N/A or Unfinished	Hardware Kit
163847	11.05	N/A or Unfinished	Aerator
163949	4.25	Chrome	Plug Button Kit
164486	12.85	Chrome	Hose Guide
164487	26.80	Chrome	Handle Kit
164488	42.80	Chrome	Aerator Kit
165006	25.00	Chrome	Deck Plate
165010	38.80	Chrome	Handle Kit
165011	12.40	Chrome	Handle Escutcheon
165018	7.40	N/A or Unfinished	Aerator
165193	39.55	Chrome	Handle Kit
165572	3.30	N/A or Unfinished	Lift Rod Kit
165901	37.95	Chrome	Escutcheon
165903	24.60	Chrome	Handle Kit
165904	27.65	Chrome	Handle Kit
165905	53.05	Chrome	Handle Kit
165906	270.30	Chrome	Spout Kit
165907	5.75	N/A or Unfinished	Hot/cold Indicator Kit
165908	242.60	Chrome	Spout Kit
165909	415.20	Chrome	Diverter Tub Spout
165910	55.20	Chrome	Lift Rod Kit
165913	36.40	Chrome	Handle Kit
165916	71.85	Chrome	Handle Kit
165917	71.40	Chrome	Handle Kit
165922	21.90	Porcelain	Handle Cap Kit
165998	28.50	Chrome	Spout Cap
168492	95.05	Chrome	Wand Kit
168494	24.85	Chrome	Handle Kit
168495	153.00	Chrome	Spout Kit
168496	33.60	Chrome	Hose & Spray
168497	98.55	Chrome	Spout Kit
168498	5.80	N/A or Unfinished	Gasket
168499	8.50	Chrome	Aerator
168500	95.00	N/A or Unfinished	Wand Kit
168501	164.50	Chrome	Pullout Spout
168502	29.05	Chrome	Handle Kit
168503	147.60	Chrome	Spout Kit
168504	5.80	N/A or Unfinished	Gasket

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
168665	28.95	N/A or Unfinished	Adapter Kit
168666	18.40	N/A or Unfinished	Side Spray Kit
168682	252.60	Chrome	Spout Kit
168683	73.95	Chrome	Shower Escutcheon
168994	7.20	N/A or Unfinished	O-ring Kit
169031	140.30	N/A or Unfinished	Adapter Kit
169252	40.45	Chrome	Escutcheon & Gasket Kit
169507	16.35	Chrome	Extension Kit
170145	355.75	Chrome	Spout Kit
170190	54.50	Chrome	Diverter Tub Spout
170206	6.60	N/A or Unfinished	Bearing Washer Kit
171325	8.70	Black	Service Kit
172654	38.25	Chrome	Handle Kit
172655	35.70	Chrome	Escutcheon
172658	42.65	Chrome	Lift Rod Kit
172659	260.05	Chrome	Spout Kit
172660	255.60	Chrome	Spout Kit
172661	38.05	Chrome	Lift Rod Kit
172662	21.70	Chrome	Spout Kit
172663	50.15	Chrome	Handle Kit
172665	30.80	Chrome	Handle Kit
172666	17.15	Chrome	Escutcheon
172667	11.20	Chrome	Lift Rod Kit
172668	12.50	Chrome	Escutcheon
172669	53.30	Chrome	Escutcheon
173490	17.30	N/A or Unfinished	Liquid Dispenser Bottle
173717	31.95	N/A or Unfinished	Filter Manifold Kit
173720	3.30	N/A or Unfinished	Check Valve Kit
173816	40.50	Chrome	Wand Kit
173988	82.40	Chrome	Wand Kit
174055	30.55	N/A or Unfinished	Battery Housing
174056	97.00	N/A or Unfinished	Solenoid Repair Kit
174057	26.95	N/A or Unfinished	Strain Relief & Sensor Cable
174060	17.10	N/A or Unfinished	Mounting Kit
174061	23.95	Chrome	Manual Ovrrd Temp Cntrl Handle
174062	8.85	N/A or Unfinished	Hardware Kit
174065	48.45	N/A or Unfinished	In-line Filter W/ Check Valve
174066	5.60	N/A or Unfinished	Filter Screen
174290	21.00	N/A or Unfinished	Extension Kit
174291	42.10	N/A or Unfinished	Valve Body
174292	42.10	N/A or Unfinished	Valve Body
174329	9.30	N/A or Unfinished	Handle Adapter Kit
174333	46.50	Chrome	Shower Escutcheon
174335	191.60	N/A or Unfinished	Ir Sensor Bracket
174336	19.00	Chrome	Plug Button Kit
174337	19.00	Chrome	Plug Button Kit
174836	4.85	N/A or Unfinished	Diverter Kit
175083	7.40	N/A or Unfinished	Aerator
175084	7.40	N/A or Unfinished	Aerator
175376	37.55	Chrome	Handle Kit
175377	49.45	Chrome	Escutcheon
175378	34.05	Chrome	Lift Rod Kit
175379	48.80	Chrome	Handle Kit
175380	62.05	Chrome	Handle Kit
175381	160.10	Chrome	Spout Kit
175382	307.90	Chrome	Spout Kit
175383	49.45	Chrome	Escutcheon
175386	31.85	Chrome	Escutcheon
175394	71.40	N/A or Unfinished	Piston, Bulk Kit
175709	114.10	N/A or Unfinished	Extension Kit
175916	15.30	N/A or Unfinished	Adapter Kit
175917	15.30	N/A or Unfinished	Adapter Kit
175918	15.30	N/A or Unfinished	Adapter Kit
175921	15.30	N/A or Unfinished	Adapter Kit
175925	15.30	N/A or Unfinished	Service Kit
175926	15.30	N/A or Unfinished	Service Kit
175959	31.20	Chrome	Handle Kit
175960	58.45	Chrome	Wand Kit
175961	205.05	Chrome	Spout Receptor Kit
175983	159.30	Chrome	Spout Kit
175985	27.20	Chrome	Handle Kit
175988	147.35	Chrome	Spout Kit
175989	43.80	Chrome	Wand Kit
175991	4.55	N/A or Unfinished	Gasket
176077	84.30	Chrome	Spout Kit
176078	93.60	Chrome	Spout Kit
176079	90.50	Chrome	Spout Kit
176081	96.30	Chrome	Spout Kit
176086	97.45	Chrome	Spout Kit
176101	26.00	Chrome	Handle Kit
176260	26.20	Chrome	Handle Kit
176261	67.00	Chrome	Spout Kit
176262	192.50	Chrome	Spout Kit
176263	39.15	Chrome	Wand Kit
176264	47.30	Chrome	Spout Kit
176265	6.55	Chrome	Gasket Kit
176415	25.95	Chrome	Vacuum Breaker Kit
176633	34.35	Chrome	Diverter Kit
176787	14.40	N/A or Unfinished	Hardware Kit
177057	147.25	N/A or Unfinished	Washer
177138	39.40	Chrome	Handle Kit
177167	38.75	Chrome	Deck Plate
177566	43.15	N/A or Unfinished	Mounting Hardware
177567	15.95	N/A or Unfinished	Battery Kit
177568	113.75	N/A or Unfinished	Service Kit
177569	216.00	N/A or Unfinished	Service Kit
177570	11.20	N/A or Unfinished	Mounting Kit
177572	26.20	N/A or Unfinished	Hose Kit
177573	411.70	Chrome	Spout Kit
177574	434.25	Chrome	Spout Kit
177575	393.40	Chrome	Spout Kit
177576	452.00	Chrome	Spout Kit
177701	39.45	Chrome	Diverter Knob Kit
177702	35.05	Chrome	Escutcheon
177703	271.00	N/A or Unfinished	Valve Body
177705	61.55	Chrome	Spray Nozzle
177706	14.80	N/A or Unfinished	Cartridge Nut
178216	32.70	Chrome	Handle Kit
178217	12.80	Chrome	Handle Kit
178218	85.85	Chrome	Spout Kit
178219	36.35	Chrome	Spout Hub Kit
178231	18.10	Chrome	Spout Cap
178232	38.70	Chrome	Handle Kit
178233	77.85	Chrome	Spout Hub Kit
178234	35.35	Chrome	Escutcheon
178294	35.55	N/A or Unfinished	Extension Kit
178462	36.10	Chrome	Handle Kit
178755	73.25	Chrome	Shower Escutcheon
178888	187.80	Chrome	Spout Kit
178890	184.15	Chrome	Spout Kit
178892	202.65	Chrome	Spout Kit
178894	247.55	Chrome	Spout Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
178896	260.60	Chrome	Spout Kit
179084	38.70	Chrome	Handle Kit
179085	90.20	Chrome	Spout Kit
179086	50.10	Chrome	Side Spray Kit
179100	30.70	Chrome	Handle Kit
179354	199.05	Chrome	Lift Rod Kit
179572	88.10	N/A or Unfinished	Data Cable
179573	68.85	N/A or Unfinished	Battery Kit
179574	43.65	Chrome	Wand Kit
179639	14.00	N/A or Unfinished	Filter
179655	32.60	Chrome	Handle Kit
179656	48.10	Chrome	Wand Kit
179657	146.80	Chrome	Spout Receptor Kit
179675	20.05	Chrome	Handle Kit
179781	16.00	Chrome	Lift Rod Kit
179782	47.40	Chrome	Handle Kit
179783	22.50	N/A or Unfinished	Gasket
179784	60.55	Chrome	Handle Kit
179785	235.35	Chrome	Roman Tub Spout Kit
179786	38.90	Chrome	Lift Rod Kit
179787	140.35	Chrome	Spout Kit
179790	31.30	Chrome	Escutcheon
179792	52.55	Chrome	Handle Kit
179793	21.85	Chrome	Hose Guide
179827	27.50	Chrome	Handle Kit
179828	7.45	Chrome	Lift Rod Kit
179829	10.55	Chrome	Lift Rod Kit
179830	35.20	Chrome	Handle Kit
179831	224.35	Chrome	Spout Kit
179832	12.05	Chrome	Handle Adapter Kit
179833	13.10	Chrome	Escutcheon
179834	15.00	Chrome	Shower Arm Flange
179836	42.00	Chrome	Escutcheon & Gasket Kit
179837	33.30	Chrome	Handle Kit
179877	8.60	N/A or Unfinished	O-ring Kit
179878	5.40	N/A or Unfinished	Gasket
179879	18.80	N/A or Unfinished	Waterway
180059	88.75	Chrome	Wand Kit
180073	40.75	Chrome	Diverter Rod Kit
180157	8.10	N/A or Unfinished	Aerator Kit
180158	9.95	N/A or Unfinished	Aerator Kit
180823	5.60	N/A or Unfinished	Washer
181007	12.35	N/A or Unfinished	Aerator Kit
181040	15.30	N/A or Unfinished	Adapter Kit
181066	6.70	Chrome	Aerator
181085	10.15	Chrome	Aerator
181089	39.15	Chrome	Aerator Kit
181106	60.40	Chrome	Handle Kit
181107	60.40	Chrome	Handle Kit
181500	33.55	Chrome	Escutcheon
181502	28.75	Chrome	Escutcheon
181600	80.20	Chrome	Handle Kit
181602	40.85	Chrome	Handle Kit
181603	91.30	Chrome	Handle Kit
181929	157.95	Chrome	Swing Arm
181930	82.75	Chrome	Spring Spout & Bearing
182074	396.45	Chrome	Roman Tub Spout Kit
182191	6.25	N/A or Unfinished	Aerator
182212	125.20	Chrome	Spout Kit
182213	121.50	Chrome	Spout Kit
182244	38.00	Chrome	Handle Kit
182496	35.85	Chrome	Handle Kit
182500	12.25	N/A or Unfinished	Stem Extension Kit
182546	32.60	N/A or Unfinished	Service Kit
182624	28.70	N/A or Unfinished	Adapter Kit
182719	14.95	Chrome	Aerator
182843	16.60	Chrome	Lift Rod Kit
182862	59.95	Chrome	Escutcheon
183073	12.75	N/A or Unfinished	Spacer Kit
183082	23.55	N/A or Unfinished	Spacer Kit
183245	12.80	N/A or Unfinished	Aerator Kit
183296	61.20	Chrome	Handle Kit
183297	93.85	Chrome	Wand Kit
183298	33.10	Chrome	Receptor
183570	33.00	Chrome	Slider For Slide Bar
183598	21.80	Chrome	Handle Kit
183599	5.25	N/A or Unfinished	Screw Kit
183732	13.05	N/A or Unfinished	Aerator Kit
183810	48.75	Chrome	Handle Kit
183961	35.25	N/A or Unfinished	3-4 Inlet Nipple Nut O-Ring
183962	30.55	N/A or Unfinished	Filter
183964	33.30	N/A or Unfinished	1-2 Inlet Nipple Nut O-Ring Kit
183965	34.85	N/A or Unfinished	1-2 Outlet Nipple Nut O-Ring
183966	116.90	N/A or Unfinished	Data Cable Adapters
183972	44.05	N/A or Unfinished	AC Adapter
184081	38.25	Chrome	Handle Kit
184082	10.40	N/A or Unfinished	Aerator Kit
184083	11.05	N/A or Unfinished	Aerator Kit
184084	5.90	N/A or Unfinished	Hot/cold Indicator Kit
184085	131.00	Chrome	Spout Kit
184086	152.40	Chrome	Spout Kit
184450	35.55	Chrome	Handle Kit
184597	50.55	Chrome	Handle Kit
184607	15.15	Chrome	Cartrdige Kit
184608	8.70	Chrome	O-ring Kit
184610	14.75	Chrome	Hardware Kit
184611	16.25	Chrome	Handle Kit
184612	5.75	Chrome	Dome Kit
184613	15.90	Chrome	Lift Rod Kit
184615	51.90	Chrome	Handle Kit
184616	8.90	Chrome	Handle Cover
184617	29.65	Chrome	Handle Cover Sleeve
184618	301.50	Chrome	Roman Tub Spout Kit
185807	41.60	Chrome	Handle Kit
185808	16.30	Chrome	Lift Rod Kit
185809	8.10	N/A or Unfinished	O-ring Kit
185810	41.65	Chrome	Escutcheon
185811	39.25	Chrome	Handle Kit
185812	17.35	Chrome	Lift Rod Kit
185813	17.25	Chrome	Spout Cap Kit
185814	18.30	Chrome	Lift Rod Kit
185815	45.95	Chrome	Handle Kit
185816	146.55	Chrome	Spout Kit
185817	245.85	Chrome	Spout Kit
185818	228.40	Chrome	Spout Kit
185819	21.40	Chrome	Diverter Rod Kit
185821	32.45	Chrome	Handle Kit
185823	28.60	Chrome	Escutcheon
185834	30.00	Chrome	Escutcheon
185910	34.20	N/A or Unfinished	Aerator Kit
186568	26.65	N/A or Unfinished	Batch Feed Stopper

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
186589	9.30	N/A or Unfinished	Plastic Drain Stopper
186948	11.05	N/A or Unfinished	Service Kit
187053	43.15	Chrome	Handshower Bracket
187073	49.00	Chrome	Deck Plate
187728	39.50	Chrome	Wand Kit
187729	27.50	Chrome	Handle Kit
188029	25.45	Chrome	Handle Kit
188030	26.40	Chrome	Handle Kit
188612	70.60	Chrome	Spout Hub Kit
188613	104.20	Chrome	Handle Kit
188614	104.20	Chrome	Handle Kit
190102	43.15	Chrome	Hot Handle Kit
190112	35.95	Chrome	Lift Rod Kit
190202	50.75	Chrome	Handle Kit
190322	279.45	Chrome	Roman Tub Spout Kit
190330	31.70	Chrome	Deck Plate
190444	27.95	Chrome	Escutcheon
190503	55.40	Chrome	Handle Kit
190843	8.85	Chrome	Aerator Kit
190844	19.20	Chrome	Lift Rod Kit
190845	37.75	Chrome	Handle Kit
190846	52.80	Chrome	Handle Kit - Hot
190847	52.80	Chrome	Handle Kit - Cold
190848	247.80	Chrome	Spout Kit
190850	274.80	Chrome	Spout Kit
190851	33.10	Chrome	Lift Rod Kit
190852	441.85	Chrome	Spout Kit
190853	41.10	Chrome	Escutcheon
190854	43.50	Chrome	Escutcheon
190856	53.00	Chrome	Escutcheon
190857	58.10	Chrome	Escutcheon
190858	56.60	Chrome	Escutcheon
190859	66.35	Chrome	Handle Kit
190860	67.90	Chrome	Handle Kit
190861	65.30	Chrome	Handle Kit
190862	61.30	Chrome	Handle Kit
191000	173.50	Chrome	Spout Kit
191001	180.70	Chrome	Spout Kit
191002	238.70	Chrome	Spout Kit
191004	45.15	Chrome	Wand Kit
191005	43.85	Chrome	Wand Kit
191006	29.60	Chrome	Wand Kit
192155	9.75	N/A or Unfinished	Mounting Kit
192555	7.35	N/A or Unfinished	Flow Restrictor Kit
192731	34.55	N/A or Unfinished	Cartridge Puller
192799	15.40	N/A or Unfinished	Extension Kit
192842	18.15	N/A or Unfinished	Handle Adapter Kit
192995	13.15	N/A or Unfinished	Extension Kit
193089	66.55	Chrome	Escutcheon
193090	71.75	Chrome	Handle Kit
193091	71.75	Chrome	Handle Kit
193092	72.10	Chrome	Handle Kit
193093	67.60	Chrome	Handle Kit
193094	89.05	Chrome	Escutcheon
193095	62.75	Chrome	Escutcheon
193096	63.75	Chrome	Escutcheon
193097	53.15	Chrome	Handle Escutcheon
193098	56.90	Chrome	Handle Kit
193099	59.10	Chrome	Handle Kit
193100	57.25	Chrome	Handle Kit
193101	53.00	Chrome	Handle Kit
193102	6.30	N/A or Unfinished	Handle Hub Screw kit
193103	26.20	N/A or Unfinished	Posi Mounting Hardware kit
193104	34.90	N/A or Unfinished	Hardware Kit
193105	35.80	N/A or Unfinished	Hardware Kit
193112	18.55	N/A or Unfinished	Handle Extension Kit
193113	18.70	N/A or Unfinished	Handle Extension Kit
193114	18.95	N/A or Unfinished	Handle Extension Kit
193115	10.55	N/A or Unfinished	Screw Kit
193116	11.35	N/A or Unfinished	Screw Kit
193117	14.55	N/A or Unfinished	Screw Kit
193163	26.90	N/A or Unfinished	Hardware Kit
193193	106.00	Chrome	Diverter Kit
193194	40.20	Chrome	Diverter Knob Kit
193195	41.00	Chrome	Handshower Cradle
193196	75.60	Chrome	Handle Kit
193197	12.45	N/A or Unfinished	Cartridge Nut
193244	74.80	Chrome	Escutcheon
193245	65.70	Chrome	Handle Kit
193246	66.40	Chrome	Handle Kit
193247	64.45	Chrome	Escutcheon
193248	64.10	Chrome	Handle Kit
193249	64.80	Chrome	Handle Kit
193250	122.95	Chrome	Escutcheon
193251	66.50	Chrome	Handle Kit
193252	67.20	Chrome	Handle Kit
193253	83.05	Chrome	Escutcheon
193254	64.80	Chrome	Handle Kit
193255	65.50	Chrome	Volume Handle kit
193256	120.95	Chrome	ExactTemp Esc. Kit
193257	70.35	Chrome	Thermostatic Handle Kit
193258	71.10	Chrome	Volume Handle kit
193499	271.00	Chrome	Spout Kit
193753	43.40	N/A or Unfinished	Handle Adapter Kit
193900	17.35	N/A or Unfinished	Sink_flange
194149	29.10	N/A or Unfinished	Diverter Kit
194993	21.15	Chrome	Aerator Kit
194994	21.15	Chrome	Aerator Kit
194995	21.15	Chrome	Aerator Kit
195173	186.40	Chrome	Spout Kit
195345	61.45	Chrome	Escutcheon
195346	84.40	Matte Black	Handle Kit
195347	46.15	Chrome	Escutcheon
195349	83.65	Chrome	Handle Kit
195356	25.15	Chrome	Handle Kit
195357	60.25	Chrome	Wand Kit
195358	35.85	Chrome	Handle Kit
195359	70.15	Chrome	Spout Kit
195360	52.45	Chrome	Wand Kit
195361	27.25	N/A or Unfinished	Hose Weight
195362	4.20	Clear	Gasket
195363	57.55	Chrome	Spout Kit
195365	14.10	Chrome	Spout Kit
195366	6.15	Porcelain	Handle Cap Kit
195367	29.65	Chrome	Handle Cap Kit
195369	28.30	Chrome	Handle Kit
195370	17.15	Chrome	Wand Kit
195383	13.65	Chrome	Wand Kit
195709	49.70	Chrome	Service Kit
195710	72.70	Chrome	Handle Kit
195711	39.55	Chrome	Diverter Knob Kit
195712	131.95	Chrome	Diverter Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
195809	16.65	N/A or Unfinished	Cartridge Nut
196252	58.30	Chrome	Handle Kit
196253	71.90	Chrome	Handle Kit
196267	41.65	Chrome	Handle Kit
196268	163.20	Chrome	Spout Kit
196270	346.65	Chrome	Spout Kit
196271	291.35	Chrome	Spout Kit
196445	46.75	Chrome	Handshower Cradle
196446	42.80	Chrome	Handshower Cradle
196447	49.75	Chrome	Handshower Cradle
196448	41.70	Chrome	Handshower Cradle
196449	64.25	Chrome	Handle Kit
196450	66.05	Chrome	Handle Kit
196451	73.50	Chrome	Handle Kit
196452	32.20	Chrome	Diverter Knob Kit
196453	131.10	Chrome	Diverter Kit
196454	33.75	Chrome	Diverter Kit
196455	131.95	Chrome	Line List
196456	30.75	Chrome	Diverter Kit
196457	142.60	Chrome	Diverter Kit
196458	33.05	Chrome	Diverter Kit
196459	144.05	Chrome	Diverter Knob Kit
197000	4.30	N/A or Unfinished	Screw Kit
197001	33.20	N/A or Unfinished	Shank Kit
197002	20.00	N/A or Unfinished	Stem Extension Kit
197003	20.90	N/A or Unfinished	Handle Adapter Kit
197004	16.15	N/A or Unfinished	Stem Extension Kit
197171	15.00	N/A or Unfinished	Filter Kit
197584	20.15	Chrome	Lift Rod Kit
197585	231.30	Chrome	Spout Kit
197586	55.00	Chrome	Handle Kit
197587	71.90	Chrome	Handle Kit
197588	278.80	Chrome	Spout Kit
197590	285.95	Chrome	Spout Kit
197591	66.60	Chrome	Shower Escutcheon
197592	69.95	Chrome	Handle Kit
197593	71.15	Chrome	Handle Kit
197594	84.60	Chrome	Handle Kit
197595	83.85	Chrome	Handle Kit
197596	47.00	Chrome	Escutcheon
197597	69.05	Chrome	Handle Kit
197598	47.25	Chrome	Escutcheon
197599	64.95	Brushed Gold	Handle Kit
197600	56.35	Chrome	Handshower Cradle
197601	71.20	Chrome	Handle Kit
197857	10.95	N/A or Unfinished	Hardware Kit
197869	297.20	Chrome	Spout Kit
197870	307.30	Chrome	Spout Kit
197872	31.95	Chrome	Handle Kit
197883	142.05	Chrome	Service Kit
197884	67.95	Chrome	Service Kit
197929	56.10	N/A or Unfinished	Diverter Kit
197930	29.10	N/A or Unfinished	Diverter Kit
197931	100.05	Chrome	Escutcheon
197932	81.30	Chrome	Escutcheon
197933	102.60	Chrome	Escutcheon
197934	70.95	Chrome	Escutcheon
197935	76.90	Chrome	Escutcheon
197936	81.05	Chrome	Escutcheon
197937	97.95	Chrome	Escutcheon
197938	101.10	Chrome	Escutcheon
197939	101.05	Chrome	Escutcheon
197940	101.05	Chrome	Escutcheon
197941	72.75	Chrome	Diverter Knob Kit
197942	26.35	Chrome	Diverter Knob Kit
197943	23.20	Chrome	Diverter Knob Kit
197944	25.55	Chrome	Diverter Knob Kit
197945	25.15	Chrome	Diverter Knob Kit
197946	26.05	Chrome	Diverter Knob Kit
197947	28.60	Chrome	Diverter Knob Kit
197948	31.20	Chrome	Diverter Knob Kit
197949	28.90	Chrome	Diverter Knob Kit
197950	31.00	Chrome	Handle Hub Kit
197951	27.05	Chrome	Diverter Knob Kit
197952	24.65	Chrome	Diverter Knob Kit
197953	16.55	Chrome	Handle Adapter Kit
197954	14.30	Chrome	Handle Adapter Kit
198017	83.40	Chrome	Chrome
198018	32.05	Chrome	Slider For Slide Bar
198019	7.75	Chrome	Plug Button Kit
198027	29.00	Chrome	Escutcheon
198028	39.85	Chrome	Escutcheon
198029	45.45	Chrome	Escutcheon
198030	37.10	Chrome	Escutcheon
198031	43.05	Chrome	Escutcheon
198032	36.75	Chrome	Escutcheon
198033	37.90	Chrome	Escutcheon
198034	43.00	Chrome	Escutcheon
198036	64.85	N/A or Unfinished	Escutcheon
198038	85.45	Chrome	Escutcheon
198040	47.10	Chrome	Handle Escutcheon
198107	18.80	Chrome	Two Piece Lift Rod
198172	15.90	Chrome	Diverter Stem Ext. Kit
198173	10.60	Chrome	Diverter Clip Kit
198279	95.25	Chrome	Wand Kit
198280	96.95	Chrome	Wand Kit
198288	69.50	Chrome	Spout Kit
198289	21.05	Chrome	Handle Kit
198440	15.90	Chrome	Cartridge Nut
198490	213.25	Chrome	Roman Tub Spout Kit
198921	81.50	Chrome	Wand Kit
198922	114.45	Chrome	Spout Kit
198923	56.20	Chrome	Handle Kit
198951	44.90	Chrome	Handle Kit
199097	76.00	Chrome	Spring Spout & Bearing
199098	81.25	Chrome	Swing Arm
199377	34.35	Chrome	Spout Kit
199477	189.40	Chrome	Spout Kit
199490	253.00	Chrome	Roman Tub Spout Kit
199754	4.90	N/A or Unfinished	Temperature Limit Stop Kit
199785	52.55	N/A or Unfinished	Service Kit
199814	21.75	Chrome	Escutcheon
199815	3.30	Chrome	Dome
199816	1.95	N/A or Unfinished	O-Rings / Gasket
199817	32.90	Chrome	Spout / Wand
200001	408.05	Chrome	Roman Tub Spout Kit
200007	11.90	N/A or Unfinished	Mounting Hardware
200008	76.40	N/A or Unfinished	Mounting Plate
200009	62.30	N/A or Unfinished	Mounting Plate
200010	111.95	N/A or Unfinished	Bracket Extension
200011	90.70	N/A or Unfinished	Bracket Extension
200012	27.75	N/A or Unfinished	Riser Cover

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
200013	24.30	N/A or Unfinished	Riser Cover
200014	56.90	Chrome	Wand Kit
200711	18.05	Chrome	Service Kit
200712	7.60	Chrome	Service Kit
200713	7.45	Chrome	Adapter Kit
200714	24.95	Chrome	Handle Kit
200715	28.15	Chrome	Escutcheon
200716	26.30	Chrome	Handle Kit
200717	30.00	Chrome	Escutcheon
200718	27.45	Chrome	Handle Kit
200719	30.00	Chrome	Escutcheon
200720	31.65	Chrome	Handle Kit
200721	58.35	Chrome	Escutcheon
200722	24.85	Chrome	Handle Kit
200723	27.30	Chrome	Escutcheon
200724	25.05	Chrome	Handle Kit
200726	25.65	Chrome	Handle Kit
200727	26.00	Chrome	Escutcheon
200728	24.65	Chrome	Handle Kit
200729	25.65	Chrome	Escutcheon
200730	19.05	Chrome	Handle Kit
200731	21.95	Chrome	M-CORE Div. Escutcheon
200732	29.90	Chrome	Handle Kit
200733	30.00	Chrome	Diverter Kit
200734	27.30	Chrome	Handle Kit
200735	30.75	Chrome	M-CORE Div. Escutcheon
200736	30.85	Chrome	Handle Kit
200737	32.10	Chrome	M-CORE Div. Escutcheon
200738	27.20	Chrome	Handle Kit
200739	26.50	Chrome	M-CORE Div. Escutcheon
200740	26.00	Chrome	Handle Kit
200741	40.05	Chrome	M-CORE Div. Escutcheon
200742	28.25	Chrome	Handle Kit
200743	27.00	Chrome	M-CORE Div. Escutcheon
200744	24.65	Chrome	Handle Kit
200745	26.50	Chrome	M-CORE Div. Escutcheon
200746	29.50	Chrome	Handle Kit
200747	25.45	Chrome	M-CORE Div. Escutcheon
200748	24.45	Chrome	Handle Kit
200749	26.30	Chrome	M-CORE Div. Escutcheon
200750	26.00	Chrome	Handle Kit
200753	8.70	N/A or Unfinished	Plaster Ground
200754	6.60	N/A or Unfinished	Plaster Ground
200755	40.60	Chrome	Extension Kit
200756	22.75	N/A or Unfinished	Adapter Kit
200757	8.70	N/A or Unfinished	Cartridge Nut
200758	29.30	N/A or Unfinished	Diverter Kit
200759	34.95	N/A or Unfinished	Diverter Kit
200760	56.40	N/A or Unfinished	M-CORE Trans.Vlv Ext. Kit
200761	3.60	Chrome	Service Kit
200762	15.40	N/A or Unfinished	Cartridge Nut
200763	5.15	N/A or Unfinished	Valve Body
200764	8.40	Chrome	Hardware Kit
200765	12.95	Chrome	Hardware Kit
200766	20.00	Chrome	Hardware Kit
200767	20.00	Chrome	Hardware Kit
200768	20.00	Chrome	Hardware Kit
200769	29.80	Chrome	Hardware Kit
200770	29.80	Chrome	Hardware Kit
200771	29.80	Chrome	Hardware Kit
200772	6.85	Chrome	M-CORE Round Snap Ring
200773	13.95	Chrome	M-CORE Square Snap Ring
200774	13.85	Chrome	M-CORE Voss Snap Ring
200775	12.40	Chrome	Dome
200776	11.40	Chrome	Dome
200777	13.05	Chrome	Dome
200778	13.05	Chrome	Dome
200779	40.60	Chrome	Extension Kit
200780	40.60	Chrome	Extension Kit
200781	40.60	Chrome	Extension Kit
200782	23.20	Chrome	M-CORE Handle kit
200783	45.65	Chrome	Escutcheon
200784	36.75	Chrome	Handle Kit
200785	45.00	Chrome	M-CORE Escutcheon Kit
200786	26.10	Chrome	Handle Kit
200787	30.45	Chrome	M-CORE Escutcheon Kit
200788	27.30	Chrome	Handle Kit
200789	41.10	Chrome	M-CORE Escutcheon Kit
200790	37.15	Chrome	Handle Kit
200791	25.65	Chrome	Handle Kit
200792	27.85	Chrome	Handle Kit
200793	55.70	Chrome	M-CORE Escutcheon Kit
200794	25.55	Chrome	M-CORE Handle kit
200795	41.10	Chrome	M-CORE Escutcheon Kit
200796	37.65	Chrome	M-CORE Handle kit
200797	55.60	Chrome	M-CORE Escutcheon Kit
200798	24.30	Chrome	M-CORE Handle kit
200799	35.60	Chrome	M-CORE Escutcheon Kit
200800	24.75	Chrome	M-CORE Handle kit
200801	51.85	Chrome	M-CORE Escutcheon Kit
200802	27.45	Chrome	M-CORE Handle kit
200803	55.60	Chrome	M-CORE Escutcheon Kit
200804	32.40	Chrome	M-CORE Handle kit
200805	72.45	Chrome	M-CORE Escutcheon Kit
200806	30.20	Chrome	M-CORE Handle kit
200807	62.70	Chrome	M-CORE Escutcheon Kit
200808	28.55	Chrome	M-CORE Escutcheon Kit
200809	63.95	Chrome	M-CORE Escutcheon Kit
200810	74.75	Chrome	M-CORE Escutcheon Kit
200811	38.90	Chrome	M-CORE Escutcheon Kit
200812	78.15	Chrome	M-CORE Escutcheon Kit
200813	101.95	Chrome	M-CORE Escutcheon Kit
200814	83.20	Chrome	M-CORE Escutcheon Kit
200815	122.15	Chrome	M-CORE Escutcheon Kit
200816	65.40	Chrome	M-CORE Escutcheon Kit
200817	98.30	Chrome	M-CORE Escutcheon Kit
200818	37.35	Chrome	M-CORE Escutcheon Kit
200819	61.70	Chrome	M-CORE Escutcheon Kit
200820	30.20	Chrome	M-CORE Handle Hub Kit
200821	30.55	Chrome	M-CORE Handle Hub Kit
201203	59.95	Chrome	Lever Handle Kit
201204	60.30	Chrome	Cross Handle Kit
201205	197.55	Chrome	Wlmt Lav Spout Kit
201206	43.15	Chrome	Widespread Lift Rod Kit
201207	152.15	Chrome	Widespread Spout Kit
201208	376.80	Chrome	Roman Tub Spout Kit
201209	408.65	Chrome	4 Hole Roman Tub Spout Kit
201211	87.65	Chrome	Shower Escutcheon Kit
201212	50.55	Chrome	Posi Handle Kit
201213	88.90	Chrome	Thermostatic Handle Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
201214	87.95	Chrome	Volume Handle Kit
201215	79.45	Chrome	Handshower Cradle Kit
201216	75.10	Chrome	Tubfiller Handle Kit
201217	39.70	Chrome	Diverter Knob Kit
201218	148.10	Chrome	Diverter Kit
201309	35.20	N/A or Unfinished	Mounting Kit
201310	7.05	N/A or Unfinished	U by Moen Smart Fct Mount.Hardware
201311	604.05	N/A or Unfinished	Infrared Sensor Control Box
201722	15.35	Chrome	Escutcheon
201723	8.75	Chrome	Escutcheon
201724	3.85	Chrome	Dome
201725	2.50	N/A or Unfinished	Hardware Kit
201726	14.55	Chrome	Handle
201729	32.90	Chrome	Spout / Wand
201730	1.55	N/A or Unfinished	Hardware Kit
201731	7.25	N/A or Unfinished	Hardware Kit
201732	6.00	N/A or Unfinished	Hardware Kit
201733	5.15	N/A or Unfinished	Hardware Kit
201734	25.25	N/A or Unfinished	Hose
201735	6.00	N/A or Unfinished	Hardware Kit
202249	5.55	N/A or Unfinished	Aerator Kit
204133	50.20	White	Electronics
204152	72.40	White	Electronics
204153	87.15	White	Electronics
205035	1262.70	N/A or Unfinished	Hardware Kit
205036	1578.35	N/A or Unfinished	Hardware Kit
205037	103.50	N/A or Unfinished	Hardware Kit
205038	20.70	N/A or Unfinished	Hardware Kit
205039	46.55	N/A or Unfinished	Hardware Kit
205040	2.60	N/A or Unfinished	Hardware Kit
205041	28.45	N/A or Unfinished	Hardware Kit
205042	27.45	#N/A	#N/A
216711	7.40	N/A or Unfinished	Flow Restrictor Kit
216721	7.40	N/A or Unfinished	Flow Restrictor Kit
221641	77.15	Chrome	Handle Kit
221642	77.15	Chrome	Handle Kit
221673	16.35	Chrome	Handle Cap Kit
221772	15.50	Chrome	Handle Cap Kit
222220	31.05	N/A or Unfinished	Accessories
252001	33.45	Chrome	Handle Kit
252002	32.80	Chrome	Handshower Cradle
252005	24.35	N/A or Unfinished	Cartridge
252006	46.00	N/A or Unfinished	Cartridge Sleeve
252007	48.85	N/A or Unfinished	Cartridge Nut
252008	163.85	N/A or Unfinished	Bracket
252009	212.95	N/A or Unfinished	Manifold
252010	131.40	Chrome	Diverter Kit
259416	135.95	Chrome	Service Kit
259417	55.10	N/A or Unfinished	Screw Kit
259418	42.90	N/A or Unfinished	Screw Kit
259419	63.75	Chrome	Handle Hub Kit
259420	8.95	N/A or Unfinished	Screw Kit
259421	176.60	N/A or Unfinished	Mounting Kit
259422	178.25	N/A or Unfinished	Mounting Kit
259423	249.60	Chrome	Service Kit
259424	5.45	N/A or Unfinished	O-ring Kit
262000	113.80	Chrome	Handle Kit
262001	35.10	Chrome	Handle Kit
262002	52.55	Chrome	Handle Hub
262003	80.70	N/A or Unfinished	Handle Adapter Kit
262004	56.80	Chrome	Escutcheon
262005	289.20	Chrome	Handshower Cradle
262006	31.75	Chrome	Escutcheon
262007	153.75	N/A or Unfinished	Manifold
262008	136.10	N/A or Unfinished	Bracket
262955	100.35	N/A or Unfinished	Shank Kit
275393	48.40	Chrome	Spout / Wand
316711	7.40	N/A or Unfinished	Flow Restrictor Kit
316721	11.05	N/A or Unfinished	Aerator
400102	7.30	N/A or Unfinished	Disposal_unjamming_wrench
400431	28.75	Chrome	Spout / Wand
416711	7.40	N/A or Unfinished	Flow Restrictor Kit
442324	15.95	Chrome	Handle
716711	7.35	N/A or Unfinished	Aerator
840011	88.45	Chrome	Handle Cap Kit
840012	88.45	Chrome	Handle Cap Kit
840013	22.30	N/A or Unfinished	Cartridge Nut
840014	46.75	N/A or Unfinished	Cartridge Nut
840016	45.55	N/A or Unfinished	Back Flow Preventor Kit
870112	14.20	Chrome	Escutcheon
870113	47.60	Chrome	Deck Plate
870114	122.35	Chrome	Spout Kit
870115	125.90	Chrome	Spout Kit
870116	138.70	Chrome	Escutcheon
870121	111.40	Chrome	Spout Kit
100005SLP	21.15	Brushed Platinum	Hose Guide
100009SL	247.05	Stainless	Spout Kit
100011SL	39.30	Stainless	Escutcheon
100012SL	57.90	Stainless	Handle Kit
100014SL	29.30	Stainless	Dome
100014W	32.20	Glacier	Dome
100021SLP	19.45	Brushed Platinum	Handle Cap Kit
100021W	19.80	Glacier	Handle Cap Kit
100024BN	17.70	Brushed Nickel	Stop Tube Kit
100080BG	73.65	Brushed Gold	Escutcheon Nut
100080BL	81.00	Matte Black	Escutcheon Nut
100080BN	73.65	Brushed Nickel	Escutcheon Nut
100080NL	73.65	Polished Nickel	Escutcheon Nut
100109WBL	13.25	Matte Black	Plug Button Kit
100112P	40.90	Polished Brass	Aerator
100150BL	69.45	Matte Black	Handle Kit
100150CSL	142.60	Classic Stainless	Handle Kit
100150SL	69.45	Stainless	Handle Kit
100152SL	142.30	Stainless	Spout Receptor Kit
100154SL	71.45	Stainless	Handle Kit
100155SL	26.55	Stainless	Handle Cap Kit
100439W	15.95	Glacier	Dome Kit
100556BN	52.25	Brushed Nickel	Handle Hub Kit
100558SL	60.00	Stainless	Handle Hub Kit
100621BC	72.50	Brushed Chrome	Handle Kit
100621CBN	52.70	Classic Brushed Nickel	Handle Kit
100624BC	72.50	Brushed Chrome	Handle Kit
100624CBN	52.70	Classic Brushed Nickel	Handle Kit
100649CBN	155.60	Classic Brushed Nickel	Spout Kit
100650BC	16.35	Brushed Chrome	Escutcheon
100650CBN	19.50	Classic Brushed Nickel	Escutcheon
100652BC	182.10	Brushed Chrome	Roman Tub Spout Kit
100657BC	31.95	Brushed Chrome	Handle Kit
10066BN	36.85	Brushed Nickel	Stop Tube Kit
10066NL	37.45	Polished Nickel	Stop Tube Kit
10066WR	40.70	Wrought Iron	Stop Tube Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
100746BG	28.50	Brushed Gold	Handle Kit
100746BL	78.25	Matte Black	SIP Trans. Handle Kit
100746BLS	84.45	Black/Stainless Steel	SIP Trans. Handle Kit
100746ORB	33.90	Oil Rubbed Bronze	Handle Kit
100746SRS	28.50	Spot Resist Stainless	Handle Kit
100820BG	94.15	Brushed Gold	Spout Kit
100820BL	74.95	Matte Black	SIP Modern Spout Kit
100820BLS	103.55	Black/Stainless Steel	SIP Modern Spout Kit
100820SRS	94.15	Spot Resist Stainless	Spout Kit
100895BG	32.70	Brushed Gold	Handle Kit
100895BL	143.10	Matte Black	Handle Kit
100895BLS	91.90	Black/Stainless Steel	SIP Modern Handle Kit
100895SRS	32.70	Spot Resist Stainless	Handle Kit
100896BG	104.45	Brushed Gold	Spout Kit
100896BL	50.30	Matte Black	SIP Trad. Spout Kit
100896NL	165.15	Polished Nickel	SIP Trad. Spout Kit
100896ORB	128.35	Oil Rubbed Bronze	Spout Kit
100896SRS	104.45	Spot Resist Stainless	Spout Kit
100928BG	33.55	Brushed Gold	Handle Kit
100928BL	132.80	Matte Black	SIP Trad. Handle Kit
100928NL	52.65	Polished Nickel	SIP Trad. Handle Kit
100928ORB	40.60	Oil Rubbed Bronze	Handle Kit
100928SRS	33.55	Spot Resist Stainless	Handle Kit
100957BG	28.45	Brushed Gold	Escutcheon
100957BL	65.55	Matte Black	SIP Esc. w/LED Indicator
100957BLS	38.95	Black/Stainless Steel	SIP Esc. w/LED Indicator
100957NL	37.15	Polished Nickel	SIP Esc. w/LED Indicator
100957ORB	32.20	Oil Rubbed Bronze	Escutcheon
100957SRS	28.45	Spot Resist Stainless	Escutcheon
100961BG	164.95	Brushed Gold	Spout Kit
100961BL	41.35	Matte Black	SIP Trans. Spout Kit
100961BLS	242.05	Black/Stainless Steel	SIP Trans. Spout Kit
100961ORB	197.10	Oil Rubbed Bronze	Spout Kit
100961SRS	164.95	Spot Resist Stainless	Spout Kit
101010ORB	24.00	Oil Rubbed Bronze	Aerator
101029ORB	27.40	Oil Rubbed Bronze	Aerator
101029SRS	23.35	Spot Resist Stainless	Aerator
101029WR	27.40	Wrought Iron	Aerator
101076SRS	6.90	Spot Resist Stainless	Aerator Kit
101077SRS	16.40	Spot Resist Stainless	Aerator
101120ORB	32.15	Oil Rubbed Bronze	Aerator Kit
101120SRS	29.25	Spot Resist Stainless	Aerator Kit
101140BN	47.10	Brushed Nickel	Handle Kit
101140NL	47.10	Polished Nickel	Handle Kit
101140ORB	51.80	Oil Rubbed Bronze	Handle Kit
101246SL	96.60	Stainless	Spout Receptor Kit
101249S	26.20	Sand	Collar & Nut Kit
101249SL	24.70	Stainless	Collar & Nut Kit
101249V	26.20	Ivory	Collar & Nut Kit
101249W	26.20	Glacier	Collar & Nut Kit
10154BRB	33.55	Mediterranean Bronze	Shower Arm
101964BN	34.05	Brushed Nickel	Aerator Kit
101964ORB	37.45	Oil Rubbed Bronze	Aerator Kit
101964SRS	16.60	Spot Resist Stainless	Aerator Kit
103455BN	105.75	Brushed Nickel	Spray Nozzle
103455ORB	112.20	Oil Rubbed Bronze	Spray Nozzle
103470WR	95.75	Wrought Iron	Escutcheon
104235ORB	27.60	Oil Rubbed Bronze	Hose Guide
1047AMC	8.65	N/A or Unfinished	3-Bolt Mount Hush Cushion
1055AMC	10.30	N/A or Unfinished	Quick&Hot Tube Kit
105895BG	35.95	Brushed Gold	Air Gap With Matching Escutche
105895NL	35.50	Polished Nickel	Air Gap With Matching Escutche
10709BC	18.60	Brushed Chrome	Drain Plug & Seat
10709BG	41.55	Brushed Gold	Drain Plug & Seat
10709BL	45.80	Matte Black	Drain Plug & Seat
10709BN	41.55	Brushed Nickel	Drain Plug & Seat
10709CBN	16.45	Classic Brushed Nickel	Drain Plug & Seat
10709NL	45.70	Polished Nickel	Drain Plug
10709ORB	45.80	Oil Rubbed Bronze	Drain Plug & Seat
10709WR	45.80	Wrought Iron	Drain Plug & Seat
114304CSL	58.25	Classic Stainless	Handle Kit
114304ORB	83.05	Oil Rubbed Bronze	Handle Kit
114304SL	58.25	Stainless	Handle Kit
114305CSL	22.75	Classic Stainless	Handle Hub
114305ORB	40.55	Oil Rubbed Bronze	Handle Hub
114324BN	28.75	Brushed Nickel	Handle Cap Kit
114324ORB	31.50	Oil Rubbed Bronze	Handle Cap Kit
114324W	4.60	White	Cap Kit
114324WR	31.50	Wrought Iron	Handle Cap Kit
114331BN	26.50	Brushed Nickel	Handle Hub
114331ORB	29.15	Oil Rubbed Bronze	Handle Hub Kit
114331WR	29.15	Wrought Iron	Handle Hub Kit
114332ORB	22.80	Oil Rubbed Bronze	Aerator
114334BN	23.65	Brushed Nickel	Lift Rod Kit
114334ORB	25.15	Oil Rubbed Bronze	Lift Rod Kit
114334WR	25.15	Wrought Iron	Lift Rod Kit
114336BG	21.65	Brushed Gold	Handle Insert Kit
114336BL	54.95	Matte Black	Lever Handle
114336NL	65.10	Polished Nickel	Lever Handle
114336ORB	20.55	Oil Rubbed Bronze	Handle Insert Kit
114336SRS	21.65	Spot Resist Stainless	Handle Kit
114337BN	100.25	Brushed Nickel	Handle Kit
114337ORB	110.25	Oil Rubbed Bronze	Handle Hub Kit
114337WR	110.25	Wrought Iron	Handle Hub Kit
114343BN	23.15	Brushed Nickel	Handle Cap & Screw
114343ORB	25.45	Oil Rubbed Bronze	Handle Cap & Screw
114343WR	25.45	Wrought Iron	Handle Cap & Screw
114344BN	37.20	Brushed Nickel	Handle Hub
114344ORB	41.00	Oil Rubbed Bronze	Handle Hub
114346BN	40.95	Brushed Nickel	Handle Kit
114346NL	43.65	Polished Nickel	Handle Kit
114346ORB	44.95	Oil Rubbed Bronze	Handle Hub
114346WR	44.95	Wrought Iron	Handle Hub
115029BN	29.35	Brushed Nickel	Handle Hub
115030SLP	27.55	Brushed Platinum	Handle Kit
115034BC	14.45	Brushed Chrome	Handle Cap Kit
115034BN	17.35	Brushed Nickel	Handle Cap Kit
115045SL	14.45	Stainless	Aerator
115055BN	16.60	Brushed Nickel	Handle Cap & Screw
115060SLP	28.70	Brushed Platinum	Handle Kit
115063BN	66.75	Brushed Nickel	Handle Kit
116604BN	59.40	Brushed Nickel	Handle Hub
116604NL	57.95	Polished Nickel	Handle Hub
116604ORB	65.25	Oil Rubbed Bronze	Handle Hub
116604WR	65.25	Wrought Iron	Handle Hub
116606BN	57.50	Brushed Nickel	Shower Escutcheon
116606ORB	63.30	Oil Rubbed Bronze	Shower Escutcheon
116618BN	24.85	Brushed Nickel	Aerator
116618CSL	24.85	Classic Stainless	Aerator
116618NL	25.05	Polished Nickel	Aerator

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116618ORB	27.40	Oil Rubbed Bronze	Aerator
116618SRS	24.05	Spot Resist Stainless	Aerator
116620NL	35.55	Polished Nickel	Spout Hub Kit
116626ORB	104.15	Oil Rubbed Bronze	Spout Kit
116628BN	21.80	Brushed Nickel	Handle Kit
116628ORB	24.10	Oil Rubbed Bronze	Handle Kit
116628WR	24.10	Wrought Iron	Handle Kit
116629BN	99.70	Brushed Nickel	Handle Hub
116629ORB	108.10	Oil Rubbed Bronze	Handle Hub
116629WR	108.10	Wrought Iron	Handle Hub
116630BN	179.95	Brushed Nickel	Spout Cap
116632BN	63.85	Brushed Nickel	Stream Straightener
116632NL	70.20	Polished Nickel	Stream Straightener
116640WR	131.50	Wrought Iron	Spout Cap
116641ORB	119.15	Oil Rubbed Bronze	Spout Kit
116641WR	119.15	Wrought Iron	Spout Kit
116648BN	38.30	Brushed Nickel	Lift Rod Kit
116648ORB	42.05	Oil Rubbed Bronze	Lift Rod Kit
116649ORB	45.60	Oil Rubbed Bronze	Spout Cap
116664BN	222.75	Brushed Nickel	Spout Kit
116664ORB	236.60	Oil Rubbed Bronze	Spout Kit
116664WR	236.60	Wrought Iron	Spout Kit
116665BN	377.10	Brushed Nickel	Roman Tub Spout Kit
116665ORB	400.50	Oil Rubbed Bronze	Roman Tub Spout Kit
116665WR	398.80	Wrought Iron	Roman Tub Spout Kit
116666BN	405.30	Brushed Nickel	Roman Tub Spout Kit
116666ORB	445.70	Oil Rubbed Bronze	Roman Tub Spout Kit
116667BN	24.30	Brushed Nickel	Diverter Rod Kit
116667ORB	25.80	Oil Rubbed Bronze	Diverter Rod Kit
116670ORB	95.95	Oil Rubbed Bronze	Hot Handle Kit
116670SRS	87.35	Spot Resist Stainless	Hot Handle Kit
116671ORB	95.95	Oil Rubbed Bronze	Cold Handle Kit
116671SRS	87.35	Spot Resist Stainless	Cold Handle Kit
116672ORB	42.05	Oil Rubbed Bronze	Handle Escutcheon
116672SRS	35.25	Spot Resist Stainless	Handle Escutcheon
116672WR	42.05	Wrought Iron	Handle Escutcheon
116673ORB	135.35	Oil Rubbed Bronze	Spout Escutcheon
116673SRS	113.20	Spot Resist Stainless	Spout Escutcheon
116673WR	135.35	Wrought Iron	Spout Escutcheon
116699BN	78.60	Brushed Nickel	Spout Escutcheon
116713BRB	86.30	Mediterranean Bronze	Handle Kit
116728ORB	62.00	Oil Rubbed Bronze	Handle Kit
116728SL	56.50	Stainless	Handle Kit
116732SL	59.95	Stainless	Soap Dispenser
116953BN	66.80	Brushed Nickel	Hot Handle Kit
116953ORB	73.50	Oil Rubbed Bronze	Handle Kit
116953WR	73.50	Wrought Iron	Hot Handle Kit
116954BN	66.80	Brushed Nickel	Cold Handle Kit
116954ORB	73.50	Oil Rubbed Bronze	Handle Kit
116954WR	73.50	Wrought Iron	Cold Handle Kit
118239BN	26.50	Brushed Nickel	Aerator
118239WR	29.15	Wrought Iron	Aerator
118240BN	35.35	Brushed Nickel	Handle Cap Kit
118240ORB	43.05	Oil Rubbed Bronze	Handle Cap Kit
118240WR	43.05	Wrought Iron	Handle Cap Kit
118243BN	12.20	Brushed Nickel	Plug Button Kit
118243ORB	13.35	Oil Rubbed Bronze	Plug Button Kit
118244BN	26.05	Brushed Nickel	Lift Rod Kit
118244ORB	28.50	Oil Rubbed Bronze	Lift Rod Kit
118244WR	28.50	Wrought Iron	Lift Rod Kit
118881BN	49.05	Brushed Nickel	Escutcheon
118881ORB	54.00	Oil Rubbed Bronze	Escutcheon
118881WR	54.00	Wrought Iron	Escutcheon
118882BN	29.10	Brushed Nickel	Escutcheon
118882ORB	31.95	Oil Rubbed Bronze	Escutcheon
118882WR	31.95	Wrought Iron	Escutcheon
1193BN	65.05	Brushed Nickel	Diverter Trim Ring
1193NL	69.30	Polished Nickel	Diverter Trim Ring
1193WR	71.60	Wrought Iron	Diverter Trim Ring
123247CSL	135.60	Classic Stainless	Spout Kit
123247ORB	149.15	Oil Rubbed Bronze	Spout Kit
123247SRS	135.60	Spot Resist Stainless	Spout Kit
123250W	16.40	Glacier	Dome
123804BL	30.65	Matte Black	Lift Rod Kit
123804BN	40.20	Brushed Nickel	Lift Rod Kit
123807BG	15.10	Brushed Gold	Stream Straightener
123807BL	121.80	Matte Black	Stream Straightener
123807BLS	16.90	Black/Stainless Steel	Stream Straightener Kit
123807SRS	15.10	Spot Resist Stainless	Stream Straightener
124660SRS	57.75	Spot Resist Stainless	Spout Hub Kit
124664CSL	154.70	Classic Stainless	Wand Kit
124664ORB	165.20	Oil Rubbed Bronze	Wand Kit
124664SL	150.20	Stainless	Wand Kit
124738SL	126.85	Stainless	Wand Kit
124738W	115.40	Glacier	Wand Kit
124823SL	98.90	Stainless	Spout Receptor Kit
124823W	89.95	Glacier	Spout Receptor Kit
125752BN	54.75	Brushed Nickel	Grid Drain Cover
125754ORB	72.95	Oil Rubbed Bronze	Handle Kit
125756BN	136.45	Brushed Nickel	Handle Kit
125756ORB	150.00	Oil Rubbed Bronze	Handle Kit
12694BC	13.25	Brushed Chrome	Lift Rod Kit
12694BN	21.05	Brushed Nickel	Lift Rod Kit
12694CBN	19.65	Classic Brushed Nickel	Lift Rod Kit
126964W	44.35	Glacier	Dome Kit
128865BN	34.40	Brushed Nickel	Lift Rod Kit
128865ORB	38.00	Oil Rubbed Bronze	Lift Rod Kit
128866BN	82.00	Brushed Nickel	Handle Kit
128866ORB	90.25	Oil Rubbed Bronze	Handle Kit
128867BN	83.80	Brushed Nickel	Handle Kit
128867ORB	92.35	Oil Rubbed Bronze	Handle Kit
128868BN	83.80	Brushed Nickel	Handle Kit
128868ORB	92.35	Oil Rubbed Bronze	Handle Kit
128870BN	75.50	Brushed Nickel	Escutcheon
128870ORB	83.10	Oil Rubbed Bronze	Escutcheon
128871BN	76.65	Brushed Nickel	Handle Kit
128871ORB	84.35	Oil Rubbed Bronze	Handle Kit
128873BN	48.50	Brushed Nickel	Lift Rod Kit
128873ORB	53.35	Oil Rubbed Bronze	Lift Rod Kit
128879BN	189.90	Brushed Nickel	Spout Kit
128880BN	99.85	Brushed Nickel	Handle Kit
128883BN	245.65	Brushed Nickel	Roman Tub Spout Kit
128885BN	25.70	Brushed Nickel	Lift Rod Kit
128886BN	326.65	Brushed Nickel	Roman Tub Diverter Spout
129102BG	56.20	Brushed Gold	Escutcheon
129102BN	56.20	Brushed Nickel	Escutcheon
129102NL	56.20	Polished Nickel	Escutcheon
129102ORB	61.85	Oil Rubbed Bronze	Escutcheon
129102WR	61.85	Wrought Iron	Escutcheon
130147BG	13.35	Brushed Gold	Temperature Override Kit
130147BN	13.35	Brushed Nickel	Temperature Override Kit
130147NL	13.80	Polished Nickel	Temperature Override Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
130147ORB	14.75	Oil Rubbed Bronze	Temperature Override Kit
130147WR	14.75	Wrought Iron	Temperature Override Kit
130148BN	106.50	Brushed Nickel	Escutcheon
130148ORB	117.10	Oil Rubbed Bronze	Escutcheon
130149BN	167.05	Brushed Nickel	Handle Kit
130149ORB	183.70	Oil Rubbed Bronze	Handle Kit
130150BG	34.70	Brushed Gold	Handle Cap Kit
130150BN	34.70	Brushed Nickel	Handle Cap Kit
130150NL	35.95	Polished Nickel	Handle Cap Kit
130150ORB	38.30	Oil Rubbed Bronze	Handle Cap Kit
130150WR	38.30	Wrought Iron	Handle Cap Kit
130151BN	168.80	Brushed Nickel	Handle Kit
130151NL	83.10	Polished Nickel	Handle Kit
130151ORB	185.70	Oil Rubbed Bronze	Handle Kit
130152BG	51.85	Brushed Gold	Handle Escutcheon
130152BN	51.85	Brushed Nickel	Handle Escutcheon
130152NL	43.40	Polished Nickel	Escutcheon
130152ORB	57.00	Oil Rubbed Bronze	Handle Escutcheon
130152WR	57.00	Wrought Iron	Handle Escutcheon
130153BG	56.10	Brushed Gold	Escutcheon
130153BN	58.15	Brushed Nickel	Handle Escutcheon
130153NL	63.50	Polished Nickel	Handle Escutcheon
130153ORB	63.95	Oil Rubbed Bronze	Handle Escutcheon
130965BG	59.70	Brushed Gold	Handle Hub Kit
130965BL	20.70	Matte Black	Handle Hub
130965NL	59.70	Polished Nickel	Handle Hub
130965ORB	96.70	Oil Rubbed Bronze	Handle Hub
130965SRS	59.70	Spot Resist Stainless	Handle Hub Kit
130966BG	13.25	Brushed Gold	Hinge Pin Caps
130966BL	46.75	Matte Black	Hinge Pin Caps
130966BLS	34.60	Black/Stainless Steel	Cap Kit
130966NL	54.85	Polished Nickel	Hinge Pin Caps
130966ORB	12.20	Oil Rubbed Bronze	Hinge Pin Caps
130966SRS	13.25	Spot Resist Stainless	Hinge Cap Kit
130968BG	54.35	Brushed Gold	Escutcheon & Gasket Kit
130968BL	225.85	Matte Black	Wall Escutcheon
130968NL	82.70	Polished Nickel	Wall Escutcheon
130968ORB	44.40	Oil Rubbed Bronze	Wall Escutcheon And Gasket
130968SRS	54.35	Spot Resist Stainless	Escutcheon
130970BG	22.55	Brushed Gold	Aerator Kit
130970BL	123.80	Matte Black	Aerator Assembly
130970NL	46.80	Polished Nickel	Aerator Assembly
130970ORB	24.65	Oil Rubbed Bronze	Stream Straightener
130970SRS	22.55	Spot Resist Stainless	Stream Straightener Kit
130976CSL	23.60	Classic Stainless	Handle Cap Kit
130976SL	23.60	Stainless	Handle Cap Kit
130998BN	200.60	Brushed Nickel	Spout Kit
131097BN	95.05	Brushed Nickel	Handle Kit
131097ORB	104.55	Oil Rubbed Bronze	Handle Kit
131098BN	95.05	Brushed Nickel	Handle Kit
131098ORB	104.55	Oil Rubbed Bronze	Handle Kit
131099BN	9.05	Brushed Nickel	Handle Cap Kit
131099ORB	10.05	Oil Rubbed Bronze	Handle Cap Kit
131100BN	25.15	Brushed Nickel	Lift Rod Kit
131100NL	55.95	Polished Nickel	Lift Rod Kit
1311000RB	27.65	Oil Rubbed Bronze	Lift Rod Kit
131101BN	109.55	Brushed Nickel	Handle Kit
131101ORB	120.40	Oil Rubbed Bronze	Handle Kit
131107BN	31.30	Brushed Nickel	Lift Rod Kit
131107ORB	34.35	Oil Rubbed Bronze	Lift Rod Kit
131109BN	85.05	Brushed Nickel	Handle Kit
131109ORB	93.50	Oil Rubbed Bronze	Handle Kit
131191BG	200.00	Brushed Gold	Handle Kit
131191BN	200.00	Brushed Nickel	Handle Kit
131191NL	200.00	Polished Nickel	Handle Kit
131191ORB	219.90	Oil Rubbed Bronze	Handle Kit
131191WR	219.90	Wrought Iron	Handle Kit
131195BG	201.60	Brushed Gold	Handle Kit
131195BN	201.60	Brushed Nickel	Handle Kit
131195NL	201.60	Polished Nickel	Handle Kit
131195ORB	221.80	Oil Rubbed Bronze	Handle Kit
131195WR	221.80	Wrought Iron	Handle Kit
131380BL	85.75	Matte Black	Wand Kit
131380CSL	105.20	Classic Stainless	Wand Kit
131380ORB	108.10	Oil Rubbed Bronze	Wand Kit
131380SL	102.25	Stainless	Wand Kit
131380SRS	44.50	Spot Resist Stainless	Wand Kit
131553BN	105.80	Brushed Nickel	Pop-up Waste Kit
131553NL	105.80	Polished Nickel	Pop-up Waste Kit
131553ORB	115.00	Oil Rubbed Bronze	Pop-up Waste Kit
132320BG	37.50	Brushed Gold	Handle Cap Kit
132448BG	19.90	Brushed Gold	Stop Tube Kit
133484BN	11.00	Brushed Nickel	Plug Button Kit
134309BN	214.90	Brushed Nickel	Spout Kit
134309ORB	228.35	Oil Rubbed Bronze	Spout Kit
134402BN	124.70	Brushed Nickel	Handle Kit
134404BN	66.70	Brushed Nickel	Lift Rod Kit
134404ORB	66.70	Oil Rubbed Bronze	Lift Rod Kit
134413CSL	54.85	Classic Stainless	Handle Escutcheon
134413SL	55.55	Stainless	Handle Escutcheon
134418CSL	61.90	Classic Stainless	Spout Escutcheon
134418SL	61.90	Stainless	Escutcheon
134742CSL	117.45	Classic Stainless	Wand Kit
134742ORB	123.30	Oil Rubbed Bronze	Wand Kit
134742SL	117.45	Stainless	Wand Kit
134742SRS	113.55	Spot Resist Stainless	Wand Kit
134743CSL	77.35	Classic Stainless	Spout Kit
134743SL	77.35	Stainless	Spout Kit
134938ORB	86.75	Oil Rubbed Bronze	Handle Kit
13499CBN	60.95	Classic Brushed Nickel	Handle Kit
135149BN	124.00	Brushed Nickel	Escutcheon
135149ORB	147.55	Oil Rubbed Bronze	Escutcheon
135149WR	147.55	Wrought Iron	Escutcheon
135150BN	49.20	Brushed Nickel	Handle Kit
135150ORB	54.20	Oil Rubbed Bronze	Handle Kit
135150WR	54.20	Wrought Iron	Handle Kit
135151BG	14.20	Brushed Gold	Stop Tube Kit
135151BL	15.45	Matte Black	Stop Tube Kit
135151BN	14.20	Brushed Nickel	Stop Tube Kit
135151WR	15.45	Wrought Iron	Stop Tube Kit
135167BN	96.00	Brushed Nickel	Handle Extension Kit
135167WR	105.80	Wrought Iron	Handle Extension Kit
136103C	40.45	Chrome	Hose & Spray
136103CP	59.50	Chrome	Hose & Spray
136103ORB	93.75	Oil Rubbed Bronze	Hose & Spray
136103SL	55.95	Stainless	Hose & Spray
136103SLP	55.95	Brushed Platinum	Hose & Spray
136103V	40.45	Ivory	Hose & Spray
136103W	40.45	Glacier	Hose & Spray
136104CSL	134.30	Classic Stainless	Hose & Spray
136104ORB	147.70	Oil Rubbed Bronze	Hose & Spray
136104SRS	227.75	Spot Resist Stainless	Hose & Spray
136104WR	147.70	Wrought Iron	Hose & Spray

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
136106CSL	81.00	Classic Stainless	Side Spray Kit
136106ORB	97.90	Oil Rubbed Bronze	Hose & Spray
136106SL	81.00	Stainless	Hose & Spray
136106SRS	81.00	Spot Resist Stainless	Hose & Spray
136197BN	17.15	Brushed Nickel	Plug Button Kit
136197NL	9.90	Polished Nickel	Plug Button Kit
136197ORB	18.70	Oil Rubbed Bronze	Plug Button Kit
136197WR	18.70	Wrought Iron	Plug Button Kit
136640BN	66.50	Brushed Nickel	Handle Kit
136640ORB	73.25	Oil Rubbed Bronze	Handle Kit
136829BL	55.75	Matte Black	Pullout Spout
136829SL	70.20	Stainless	Pullout Spout, Extensa
136829V	55.75	Ivory	Pullout Spout
136829WG	55.75	Glacier	Pullout Spout
137034BG	30.90	Brushed Gold	Slider For Slide Bar
137034BN	58.15	Brushed Nickel	Slider For Slide Bar
137034BRB	33.40	Mediterranean Bronze	Slider For Slide Bar
137034NL	58.15	Polished Nickel	Slider For Slide Bar
137034ORB	63.95	Oil Rubbed Bronze	Slider For Slide Bar
137034SRN	30.90	Spot Resist Brushed Nickel	Slider For Slide Bar
137034WR	63.95	Wrought Iron	Slider For Slide Bar
137347BG	66.10	Brushed Gold	Handle Extension Kit
137347BN	66.10	Brushed Nickel	Handle Extension Kit
137347WR	72.65	Wrought Iron	Handle Extension Kit
137388BN	102.95	Brushed Nickel	Handle Kit
137388ORB	113.25	Oil Rubbed Bronze	Handle Kit
137390BN	230.80	Brushed Nickel	Spout Kit
137391BN	306.25	Brushed Nickel	Roman Tub Spout Kit
137392BN	316.35	Brushed Nickel	Roman Tub Diverter Spout
137393BN	33.65	Brushed Nickel	Diverter Rod Kit
137394BN	96.00	Brushed Nickel	Escutcheon
137395BN	103.80	Brushed Nickel	Shower Escutcheon
137395ORB	114.15	Oil Rubbed Bronze	Shower Escutcheon
137396BN	72.50	Brushed Nickel	Handle Kit
137396ORB	79.75	Oil Rubbed Bronze	Handle Kit
137398BN	25.30	Brushed Nickel	Escutcheon
137398ORB	28.80	Oil Rubbed Bronze	Escutcheon
137399ORB	44.85	Oil Rubbed Bronze	Deck Plate
137488BL	25.05	Matte Black	Shower Arm Flange
137488BN	23.75	Brushed Nickel	Shower Arm Flange
137488NL	23.75	Polished Nickel	Shower Arm Flange
137511BN	21.85	Brushed Nickel	Handle Kit
137516BN	22.75	Brushed Nickel	Escutcheon
137527BN	102.65	Brushed Nickel	Handle Kit
137532BG	27.00	Brushed Gold	Escutcheon
137534BN	28.15	Brushed Nickel	Spout Cap Kit
137537BN	22.15	Brushed Nickel	Handle Rod
140245SRS	59.10	Spot Resist Stainless	Wand Kit
140379CSL	110.70	Classic Stainless	Wand Kit
140392BL	72.20	Matte Black	Wand Kit
140392CSL	72.20	Classic Stainless	Wand Kit
140392S	72.20	Sand/Almond/Bone	Wand Kit
140392SL	91.25	Stainless	Wand Kit
140392V	72.20	Ivory	Wand Kit
140392W	72.20	Glacier	Wand Kit
140995CSL	73.95	Classic Stainless	Wand Kit
140996CSL	38.60	Classic Stainless	Handle Kit
140997CSL	17.45	Classic Stainless	Dome Kit
140997ORB	25.20	Oil Rubbed Bronze	Dome Kit
141002BG	58.25	Brushed Gold	Escutcheon
141002BL	58.25	Matte Black	Escutcheon
141002BLS	64.10	Black Stainless	Deck Plate
141002CSL	63.05	Classic Stainless	Escutcheon
141002NL	55.25	Polished Nickel	Escutcheon
141002ORB	64.20	Oil Rubbed Bronze	Escutcheon
141002SRS	58.25	Spot Resist Stainless	Escutcheon
141007BL	18.25	Matte Black	Hose Guide
141007SRS	19.10	Spot Resist Stainless	Hose Guide
141008CSL	24.05	Classic Stainless	Aerator Kit
141044ORB	161.60	Oil Rubbed Bronze	Wand_hose_kit
141044SL	152.10	Stainless	Wand_hose_kit
141044W	161.60	Glacier	Wand_hose_kit
1411BG	26.05	Brushed Gold	Escutcheon
1411BN	26.05	Brushed Nickel	Escutcheon
1411NL	34.65	Polished Nickel	Escutcheon
1411ORB	34.65	Oil Rubbed Bronze	Escutcheon
1411WR	34.65	Wrought Iron	Escutcheon
141797CSL	58.20	Classic Stainless	Dome Kit
141797SRS	27.65	Spot Resist Stainless	Dome Kit
141798BN	76.65	Brushed Nickel	Handle Elbows
1417BG	76.65	Brushed Gold	Roman Tub Hand Shower Elbow
1417BN	76.65	Brushed Nickel	Roman Tub Hand Shower Elbow
1417NL	110.95	Polished Nickel	Roman Tub Hand Shower Elbow
1417ORB	84.35	Oil Rubbed Bronze	Roman Tub Hand Shower Elbow
1417WR	84.35	Wrought Iron	Roman Tub Hand Shower Elbow
143321BN	36.20	Brushed Nickel	Handle Kit
143321ORB	45.50	Oil Rubbed Bronze	Handle Kit
143322BN	36.35	Brushed Nickel	Handle Kit
143322ORB	40.95	Oil Rubbed Bronze	Handle Kit
143323BN	40.10	Brushed Nickel	Escutcheon
143323ORB	44.05	Oil Rubbed Bronze	Escutcheon
143324BN	37.50	Brushed Nickel	Escutcheon
143324ORB	41.30	Oil Rubbed Bronze	Escutcheon
146191BN	51.30	Brushed Nickel	Handle Kit
146191ORB	54.75	Oil Rubbed Bronze	Handle Kit
146191WR	54.75	Wrought Iron	Handle Kit
146211BL	18.55	Matte Black	Dome
146211W	18.55	Glacier	Dome
146214ORB	53.65	Oil Rubbed Bronze	Handle Kit
146214SRS	48.85	Spot Resist Stainless	Handle Kit
146217W	19.10	Glacier	Dome
146220CSL	53.65	Classic Stainless	Handle Kit
146220SRS	53.65	Spot Resist Stainless	Handle Kit
146221SRS	108.70	Spot Resist Stainless	Spout Receptor Kit
146670BG	13.10	Brushed Gold	Plug Button Kit
146670BN	13.35	Brushed Nickel	Slide_bar_end_cap
146670NL	27.65	Polished Nickel	Aerator Assembly
146670ORB	14.70	Oil Rubbed Bronze	Plug Button Kit
146670WR	14.70	Wrought Iron	Plug Button Kit
146781SRS	36.30	Spot Resist Stainless	Handle Kit
146783SRS	13.20	Spot Resist Stainless	Dome
146784SRS	257.05	Spot Resist Stainless	Spout Kit
146786BC	78.15	Brushed Chrome	Spout Kit
146786SRS	75.80	Spot Resist Stainless	Spout Kit
146851SRS	56.25	Spot Resist Stainless	Handle Kit
146928CSL	43.80	Classic Stainless	Handle Kit
147204BN	66.15	Brushed Nickel	Escutcheon & Gasket Kit
147539SRS	50.40	Spot Resist Stainless	Escutcheon
147540SRS	16.55	Spot Resist Stainless	Plug Button Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
147541CSL	52.75	Classic Stainless	Handle Hub Kit
147541SRS	51.05	Spot Resist Stainless	Handle Hub Kit
147542BN	32.60	Brushed Nickel	Handle Insert Kit
147542SRS	32.90	Spot Resist Stainless	Handle Kit
147543SRS	318.60	Spot Resist Stainless	Spout Kit
147546CSL	94.30	Classic Stainless	Wand Kit
147549BN	24.00	Brushed Nickel	Escutcheon
147550BN	25.20	Brushed Nickel	Lift Rod Kit
147552BN	50.45	Brushed Nickel	Handle Hub
147554BN	14.75	Brushed Nickel	Slot Plug
147555BN	60.90	Brushed Nickel	Extension Kit
147556BN	210.65	Brushed Nickel	Extension Kit
147557BN	52.65	Brushed Nickel	Handle Kit
147558BL	13.75	Matte Black	Plug Button Kit
147562BN	15.60	Brushed Nickel	Escutcheon
147563BN	17.30	Brushed Nickel	Escutcheon
147564BN	38.20	Brushed Nickel	Lift Rod Kit
147565BN	502.75	Brushed Nickel	Spout Kit
147566BN	47.65	Brushed Nickel	Escutcheon
147567BN	88.80	Brushed Nickel	Escutcheon
147568BN	554.25	Brushed Nickel	Spout Kit
147569BN	65.30	Brushed Nickel	Lift Rod Kit
147572BN	19.15	Brushed Nickel	Shower Arm Flange
147573BN	47.45	Brushed Nickel	Handle Kit
147574BN	93.40	Brushed Nickel	Shower Escutcheon
147576BN	97.95	Brushed Nickel	Shower Escutcheon
14834CBN	85.35	Classic Brushed Nickel	Handle Kit
148479BG	54.55	Brushed Gold	Extension Kit
148479BL	54.90	Matte Black	Extension Kit
148479BN	54.55	Brushed Nickel	Extension Kit
148479WR	54.90	Wrought Iron	Extension Kit
148480BN	36.40	Chrome	Shower Escutcheon
148480ORB	40.10	Oil Rubbed Bronze	Shower Escutcheon
148820BL	42.80	Matte Black	Handle Kit
148820CSL	38.05	Classic Stainless	Handle Kit
148820ORB	42.10	Oil Rubbed Bronze	Handle Kit
148820SRS	38.05	Spot Resist Stainless	Handle Kit
149111BN	43.35	Brushed Nickel	Handle Kit
149112BN	24.15	Brushed Nickel	Lift Rod Kit
149113BN	68.85	Brushed Nickel	Handle Kit
149114BN	310.90	Brushed Nickel	Spout Kit
149115BN	21.15	Brushed Nickel	Lift Rod Kit
149116BN	401.65	Brushed Nickel	Roman Tub Spout Kit
149118BN	427.80	Brushed Nickel	Roman Tub Spout Kit
149119BN	28.70	Brushed Nickel	Lift Rod Kit
149122BN	47.90	Brushed Nickel	Handle Kit
14913BN	20.60	Brushed Nickel	Aerator
14913BRB	16.45	Mediterranean Bronze	Aerator
14913ORB	22.75	Oil Rubbed Bronze	Stream Straightener
149570BG	73.95	Brushed Gold	Handle Kit
149570BL	199.70	Matte Black	Handle Lever Kit
149570BLS	48.60	Black/Stainless Steel	Handle Kit
149570SRS	73.95	Spot Resist Stainless	Handle Kit
149571BG	71.50	Brushed Gold	Escutcheon
149571BL	29.40	Matte Black	Escutcheon
149571BLS	55.15	Black/Stainless Steel	Escutcheon
149571SRS	71.50	Spot Resist Stainless	Escutcheon
149748BG	27.80	Brushed Gold	Slide Bar_end Cap
149748BN	20.75	Brushed Nickel	Plug Button Kit
149748BRB	30.65	Mediterranean Bronze	Slide Bar_end Cap
149748NL	30.25	Polished Nickel	Plug Button Kit
149748ORB	30.65	Oil Rubbed Bronze	Slide Bar_end Cap
149748SRN	27.80	Spot Resist Brushed Nickel	Slide Bar_end Cap
150288SRS	261.65	Spot Resist Stainless	Spout Kit
150568BL	29.15	Matte Black	Escutcheon
150568BN	26.50	Brushed Nickel	Escutcheon
150625BC	31.45	Brushed Chrome	Handle Kit
150628BC	9.55	Chrome	Dome
150628CBN	10.65	Classic Brushed Nickel	Dome
150662ORB	45.95	Oil Rubbed Bronze	Handle Kit
150662SRS	38.50	Spot Resist Stainless	Handle Kit
150663ORB	85.80	Oil Rubbed Bronze	Handle Escutcheon
150663SRS	71.80	Spot Resist Stainless	Handle Escutcheon
150664CSL	49.10	Classic Stainless	Handle Kit
150664ORB	54.05	Oil Rubbed Bronze	Handle Kit
150665ORB	64.90	Oil Rubbed Bronze	Handle Kit
150665SRS	59.00	Spot Resist Stainless	Handle Kit
150666ORB	24.80	Oil Rubbed Bronze	Dome Kit
150666SRS	13.75	Spot Resist Stainless	Dome Kit
150667ORB	64.90	Oil Rubbed Bronze	Handle Escutcheon
150667SRS	59.00	Spot Resist Stainless	Handle Escutcheon
150671SRS	37.95	Spot Resist Stainless	Handle Kit
150672SRS	127.00	Spot Resist Stainless	Spout Kit
151018CSL	31.65	Classic Stainless	Pop-up Waste Kit
151189BL	56.50	Matte Black	Spout Kit
151189ORB	47.20	Oil Rubbed Bronze	Wand Kit
1512BC	10.75	Brushed Chrome	Plug Button Kit
1512BG	12.95	Brushed Gold	Plug Button Kit
1512BN	12.95	Brushed Nickel	Plug Button Kit
1512NL	14.30	Polished Nickel	Plug Button Kit
1512ORB	14.30	Oil Rubbed Bronze	Plug Button Kit
1512WR	14.30	Wrought Iron	Plug Button Kit
151813BN	31.65	Brushed Nickel	Escutcheon
152027SRN	93.60	Spot Resist Brushed Nickel	Diverter Kit
152859BG	5.75	Brushed Gold	Plug Button Kit
152859BL	6.20	Black	Plug Button Kit
152859BLS	6.90	Black/Stainless Steel	Plug Button Kit
152859CSL	6.20	Classic Stainless	Plug Button Kit
152859NL	6.20	Polished Nickel	Plug Button Kit
152859ORB	6.20	Oil Rubbed Bronze	Plug Button Kit
152859W	5.05	Glacier	Plug Button Kit
153641ORB	85.80	Oil Rubbed Bronze	Dome
153641SRS	71.80	Spot Resist Stainless	Dome
153976CSL	102.35	Chrome	Spout Kit
153977CSL	58.60	Chrome	Wand Kit
153977ORB	90.65	Chrome	Wand Kit
153978ORB	51.10	Chrome	Handle Kit
153978SRS	39.00	Spot Resist Stainless	Handle Kit
154286BG	273.65	Brushed Gold	Spout Kit
154286BL	344.60	Matte Black	Spout Kit
154286BN	273.65	Brushed Nickel	Spout Kit
154286NL	301.10	Polished Nickel	Spout Kit
154286ORB	301.10	Oil Rubbed Bronze	Spout Kit
154287BG	27.70	Brushed Gold	Lift Rod Kit
154287BL	76.10	Matte Black	Lift Rod Kit
154287BN	27.70	Brushed Nickel	Lift Rod Kit
154287NL	30.55	Polished Nickel	Lift Rod Kit
154287ORB	30.55	Oil Rubbed Bronze	Lift Rod Kit
154288BG	34.60	Brushed Gold	Aerator
154288ORB	37.00	Oil Rubbed Bronze	Aerator
154288SRS	34.60	Spot Resist Stainless	Aerator

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
154290BG	335.10	Brushed Gold	Roman Tub Spout Kit
154290BN	335.10	Brushed Nickel	Roman Tub Spout Kit
154290NL	355.85	Polished Nickel	Roman Tub Spout Kit
154290ORB	355.85	Oil Rubbed Bronze	Roman Tub Spout Kit
154291BG	364.35	Brushed Gold	Roman Tub Diverter Spout
154291BL	378.85	Matte Black	Roman Tub Diverter Spout
154291BN	364.35	Brushed Nickel	Roman Tub Diverter Spout
154291NL	378.85	Polished Nickel	Roman Tub Diverter Spout
154291ORB	378.85	Oil Rubbed Bronze	Roman Tub Diverter Spout
154292BG	22.50	Brushed Gold	Diverter Rod Kit
154292BL	56.65	Matte Black	Diverter Rod Kit
154292BN	22.50	Brushed Nickel	Diverter Rod Kit
154292NL	24.75	Polished Nickel	Diverter Rod Kit
154292ORB	24.75	Oil Rubbed Bronze	Diverter Rod Kit
154293BG	582.05	Brushed Gold	Spout Kit
154293BL	616.25	Matte Black	Spout Kit
154293BN	582.05	Brushed Nickel	Spout Kit
154293NL	616.25	Polished Nickel	Spout Kit
154293ORB	616.25	Oil Rubbed Bronze	Spout Kit
154294BG	38.05	Brushed Gold	Handle Kit
154294BN	38.05	Brushed Nickel	Handle Kit
154294NL	40.40	Polished Nickel	Handle Kit
154294ORB	40.40	Oil Rubbed Bronze	Handle Kit
154294SRS	38.05	Spot Resist Stainless	Handle Kit
154295BG	53.65	Brushed Gold	Stream Straightener
154295BN	53.65	Brushed Nickel	Stream Straightener
154295NL	59.00	Polished Nickel	Stream Straightener
154295ORB	59.00	Oil Rubbed Bronze	Stream Straightener
154297BG	14.40	Brushed Gold	Slide Bar_end Cap
154297BL	16.15	Matte Black	Slide Bar_end Cap
154297BN	14.65	Brushed Nickel	Slide Bar_end Cap
154297NL	16.15	Polished Nickel	Slide_bar_end_cap
154297ORB	16.15	Oil Rubbed Bronze	Slide Bar_end Cap
154298BG	24.25	Brushed Gold	Handle Kit
154298BN	24.25	Brushed Nickel	Handle Kit
154298NL	24.25	Polished Nickel	Handle Kit
154298ORB	26.70	Oil Rubbed Bronze	Handle Kit
154299BG	94.50	Brushed Gold	Wall Escutcheon And Gasket
154299BL	182.05	Matte Black	Wall Escutcheon And Gasket
154299BN	94.50	Brushed Nickel	Wall Escutcheon And Gasket
154299NL	103.95	Polished Nickel	Wall Escutcheon And Gasket
154299ORB	103.95	Oil Rubbed Bronze	Wall Escutcheon And Gasket
154302BG	59.40	Brushed Gold	Handle Hub
154302BN	59.40	Brushed Nickel	Handle Hub
154302ORB	61.75	Oil Rubbed Bronze	Handle Hub
154306BG	21.80	Brushed Gold	Handle Kit
154306BL	39.90	Matte Black	Handle Kit
154306BN	21.80	Brushed Nickel	Handle Kit
154306NL	24.10	Polished Nickel	Handle Kit
154306ORB	24.10	Oil Rubbed Bronze	Handle Kit
154391BN	45.90	Brushed Nickel	Handle Hub Kit
155649BN	65.00	Brushed Nickel	Escutcheon
155649NL	65.00	Polished Nickel	Escutcheon
155649ORB	71.50	Oil Rubbed Bronze	Escutcheon
155650BG	58.00	Brushed Gold	Escutcheon
155650BL	158.15	Matte Black	Escutcheon
155650BN	58.00	Brushed Nickel	Escutcheon
155650NL	58.00	Polished Nickel	Escutcheon
155650ORB	63.80	Oil Rubbed Bronze	Escutcheon
155891BG	97.15	Brushed Gold	Modern Handshower
156270SRS	66.70	Spot Resist Stainless	Spout Kit
156724BC	58.20	Brushed Chrome	Handle Kit
156781CSL	97.40	Classic Stainless	Spout Kit
156781ORB	108.95	Oil Rubbed Bronze	Spout Hub Kit
157131BC	53.35	Brushed Chrome	Shower Escutcheon
157328ORB	57.50	Oil Rubbed Bronze	Escutcheon
157328SRS	52.25	Spot Resist Stainless	Escutcheon
158080BN	18.25	Brushed Nickel	Escutcheon
158198CSL	106.95	Classic Stainless	Spout Kit
158198SRS	89.65	Spot Resist Stainless	Spout Kit
158493BN	29.90	Brushed Nickel	Handle Kit
1585320RB	12.70	Chrome	Dome
159014BN	55.90	Brushed Nickel	Escutcheon
159018BN	102.95	Brushed Nickel	Handle Kit
159019BN	99.50	Brushed Nickel	Handle Kit
159020BN	104.30	Brushed Nickel	Handle Kit
159022BN	92.55	Brushed Nickel	Escutcheon
159023BN	86.75	Brushed Nickel	Escutcheon
159024BN	102.40	Brushed Nickel	Handle Kit
159028BN	101.25	Brushed Nickel	Handle Kit
159029BN	104.75	Brushed Nickel	Handle Kit
159029ORB	112.15	Oil Rubbed Bronze	Handle Kit
159107BN	54.40	Brushed Nickel	Handle Kit
159264BN	45.60	Brushed Nickel	Escutcheon
159266BN	55.20	Brushed Nickel	Handle Kit
159561BL	56.35	Matte Black	Wand Kit
159561SRS	66.75	Spot Resist Stainless	Wand Kit
160659BG	11.95	Brushed Gold	Dome Kit
160659BN	9.40	Chrome	Dome Kit
160659NL	12.95	Polished Nickel	Dome Kit
160659ORB	10.20	Chrome	Dome Kit
160659SRS	11.95	Spot Resist Stainless	Dome Kit
160660BG	15.20	Brushed Gold	Handle Kit
160660BL	15.60	Matte Black	Dome
160660BLS	16.30	Black/Stainless Steel	Handle Dome
160660BN	9.40	Brushed Nickel	Cartridge Nut
160660BRB	30.50	Mediterranean Bronze	Dome Kit
160660ORB	10.20	Oil Rubbed Bronze	Cartridge Nut
160660SRS	16.10	Spot Resist Stainless	Dome
160997SRS	30.75	Spot Resist Stainless	Aerator
160998SRS	54.60	Spot Resist Stainless	Wand Kit
161143SRS	60.45	Spot Resist Stainless	Wand Kit
161143V	42.55	Ivory	Wand Kit
161143WG	55.75	Glacier	Wand Kit
161144SRS	76.65	Spot Resist Stainless	Wand Kit
161147ORB	165.20	Chrome	Wand Kit
161148CSL	73.95	Classic Stainless	Wand Kit
161149CSL	101.90	Chrome	Wand Kit
161149ORB	123.30	Oil Rubbed Bronze	Wand Kit
161149SRS	113.55	Spot Resist Stainless	Wand Kit
161150BL	85.75	Black	Wand Kit
161150CSL	105.20	Classic Stainless	Wand Kit
161150ORB	108.10	Oil Rubbed Bronze	Wand Kit
161152CSL	123.75	Classic Stainless	Wand Kit
161152SRS	119.45	Spot Resist Stainless	Wand Kit
161154SRS	126.55	Spot Resist Stainless	Wand Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
161156ORB	69.80	Oil Rubbed Bronze	Wand Kit
161156SRS	66.80	Spot Resist Stainless	Wand Kit
161157ORB	90.65	Oil Rubbed Bronze	Wand Kit
161157SRS	58.60	Spot Resist Stainless	Wand Kit
161909BG	40.85	Brushed Gold	Handle Kit
161909BN	40.85	Brushed Nickel	Handle Kit
161909NL	63.65	Polished Nickel	Handle Kit
161909ORB	46.05	Oil Rubbed Bronze	Handle Kit
161917BG	19.40	Brushed Gold	Lift Rod Kit
161917BN	19.40	Brushed Nickel	Lift Rod Kit
161917ORB	19.75	Oil Rubbed Bronze	Lift Rod Kit
161919BG	33.50	Brushed Gold	Deck Plate
161919BN	33.50	Brushed Nickel	Deck Plate
161919NL	33.50	Polished Nickel	Deck Plate
161919ORB	42.00	Oil Rubbed Bronze	Deck Plate
161942BG	85.80	Brushed Gold	Handle Kit
161942BN	85.80	Brushed Nickel	Handle Kit
161942NL	85.80	Polished Nickel	Handle Kit
161942ORB	97.85	Oil Rubbed Bronze	Handle Kit
161944BG	194.00	Brushed Gold	Spout Kit
161944BN	194.00	Brushed Nickel	Spout Kit
161944NL	194.00	Polished Nickel	Spout Kit
161944ORB	222.35	Oil Rubbed Bronze	Spout Kit
161945BN	51.95	Brushed Nickel	Handle Kit
161945ORB	69.35	Oil Rubbed Bronze	Handle Kit
161947BG	422.70	Brushed Gold	Spout Kit
161947BN	422.70	Brushed Nickel	Spout Kit
161947NL	422.70	Polished Nickel	Roman Tub Spout Kit
161947ORB	399.60	Oil Rubbed Bronze	Spout Kit
161949BG	447.00	Brushed Gold	Spout Kit
161949BN	447.00	Brushed Nickel	Spout Kit
161949NL	447.00	Polished Nickel	Roman Tub Spout Kit
161949ORB	430.75	Oil Rubbed Bronze	Spout Kit
161950BG	20.65	Brushed Gold	Lift Rod Kit
161950BN	20.65	Brushed Nickel	Lift Rod Kit
161950NL	20.65	Polished Nickel	Lift Rod Kit
161950ORB	21.35	Brushed Nickel	Lift Rod Kit
161952BG	89.10	Brushed Gold	Shower Escutcheon
161952BN	89.10	Brushed Nickel	Shower Escutcheon
161952NL	89.10	Polished Nickel	Shower Escutcheon
161952ORB	69.85	Oil Rubbed Bronze	Shower Escutcheon
161953BG	76.60	Brushed Gold	Shower Escutcheon
161953BN	76.60	Brushed Nickel	Shower Escutcheon
161953NL	76.60	Polished Nickel	Shower Escutcheon
161953ORB	53.00	Oil Rubbed Bronze	Shower Escutcheon
161954BG	51.95	Brushed Gold	Handle Kit
161954BN	59.65	Brushed Nickel	Handle Kit
161954NL	59.65	Polished Nickel	Handle Kit
161954ORB	64.55	Oil Rubbed Bronze	Handle Kit
162204BL	22.15	Matte Black	Handle
162716BL	51.50	Matte Black	Spout / Wand
162BN	143.30	Brushed Nickel	Escutcheon Extension Kit
162ORB	157.70	Oil Rubbed Bronze	Escutcheon Adjuster Kit
163053BG	252.50	Brushed Gold	Spout Kit
163053BN	252.50	Brushed Nickel	Spout Kit
163053NL	252.50	Polished Nickel	Spout Kit
163053ORB	293.30	Oil Rubbed Bronze	Spout Kit
163138BN	51.95	Brushed Nickel	Handle Kit
163153BG	36.45	Brushed Gold	Escutcheon
163153BN	36.45	Brushed Nickel	Escutcheon
163153BRB	46.35	Mediterranean Bronze	Escutcheon
163153NL	36.45	Polished Nickel	Escutcheon
163153ORB	44.05	Oil Rubbed Bronze	Escutcheon
163153SRN	43.65	Spot Resist Brushed Nickel	Escutcheon
163244SRS	72.05	Spot Resist Stainless	Wand Kit
163245SRS	219.45	Spot Resist Stainless	Spout Kit
163246CSL	72.30	Classic Stainless	Wand Kit
163248CSL	72.75	Classic Stainless	Wand Kit
163248ORB	128.85	Oil Rubbed Bronze	Wand Kit
163248SRS	72.75	Spot Resist Stainless	Wand Kit
163248W	55.75	Wrought Iron	Wand Kit
163249ORB	111.55	Oil Rubbed Bronze	Spout Receptor Kit
163792BN	6.25	Brushed Nickel	Cap
163792ORB	7.00	Oil Rubbed Bronze	Cap
163866BRB	28.35	Chrome	Lift Rod Kit
163949BN	4.35	Brushed Nickel	Plug Button Kit
163949ORB	4.60	Oil Rubbed Bronze	Plug Button Kit
163BG	15.90	Brushed Gold	Escutcheon Screws
163BL	17.50	Matte Black	Escutcheon Screws
163BN	15.90	Brushed Nickel	Escutcheon Screws
163WR	17.50	Wrought Iron	Escutcheon Screws
164486BG	17.30	Brushed Gold	Side Spray Kit
164486NL	29.20	Polished Nickel	Hose Guide
164486ORB	60.80	Oil Rubbed Bronze	Hose Guide
164486SRS	17.30	Spot Resist Stainless	Hose Guide
164487BG	35.90	Brushed Gold	Handle Kit
164487NL	35.50	Polished Nickel	Handle Kit
164487ORB	41.80	Oil Rubbed Bronze	Handle Kit
164487SRS	35.90	Spot Resist Stainless	Handle Kit
164488BG	45.50	Brushed Gold	Aerator Kit
164488NL	45.50	Polished Nickel	Aerator Kit
164488ORB	51.85	Oil Rubbed Bronze	Aerator Kit
164488SRS	45.50	Spot Resist Stainless	Aerator Kit
165003BG	29.90	Brushed Gold	Lift Rod Kit
165003BL	41.25	Matte Black	Lift Rod Kit
165006BL	51.65	Matte Black	Deck Plate
165006BN	46.95	Brushed Nickel	Deck Plate
165193BL	93.75	Matte Black	Handle Kit
165193BN	65.10	Brushed Nickel	Handle Kit
165903BL	35.70	Matte Black	Handle Kit
165903BN	32.45	Brushed Nickel	Handle Kit
165904BL	39.15	Matte Black	Handle Dome kit
165904BN	35.65	Brushed Nickel	Handle Kit
165905BL	80.15	Matte Black	Handle Kit
165905BN	72.80	Brushed Nickel	Handle Kit
165906BL	385.20	Matte Black	Widespread Spout kit
165906BN	350.15	Brushed Nickel	Spout Kit
165908BL	369.60	Matte Black	Roman Tub Non-Div. Tub Spout
165908BN	335.95	Brushed Nickel	Spout Kit
165909BL	520.30	Matte Black	Roman Tub Div. Tub Spout
165909BN	473.00	Brushed Nickel	Diverter Tub Spout
165910BL	84.05	Matte Black	Roman Tub Lift Rod
165910BN	76.40	Brushed Nickel	Lift Rod Kit
165913BN	49.80	Brushed Nickel	Handle Kit
165916BL	109.65	Matte Black	Thermostatic Handle kit
165916BN	99.70	Brushed Nickel	Handle Kit
165917BL	108.90	Matte Black	Volume Control Handle Kit
165917BN	99.00	Brushed Nickel	Handle Kit
165998BG	35.80	Brushed Gold	Spout Cap
165998NL	22.50	Chrome	Spout Cap
165998ORB	35.80	Chrome	Spout Cap
165998SRS	35.80	Chrome	Spout Cap
168492BG	137.70	Brushed Gold	Wand Kit
168492BL	137.70	Matte Black	Wand Kit
168492BLS	151.45	Black/Stainless Steel	Wand Kit
168492SRS	137.70	Spot Resist Stainless	Wand Kit
168493BG	153.60	Brushed Gold	Spout Kit
168493BL	152.45	Matte Black	Spout Kit
168493BLS	168.95	Black/Stainless Steel	Spout Kit
168493BRB	164.60	Mediterranean Bronze	Spout Kit
168493MSRS	134.15	Spot Resist Stainless	Spout Kit
168494BG	36.00	Brushed Gold	Handle Kit
168494BL	36.00	Matte Black	Handle Kit
168494BLS	39.60	Black/Stainless Steel	Handle
168494SRS	36.00	Spot Resist Stainless	Handle Kit
168495BL	180.05	Matte Black	Flangeless Spout Kit
168495SRS	221.80	Spot Resist Stainless	Spout Kit
168496BL	83.65	Matte Black	Sidespray Kit
168496SRS	48.70	Spot Resist Stainless	Hose & Spray
168497BG	142.80	Brushed Gold	Spout Kit
168497BL	122.50	Matte Black	Spout Kit
168497BLS	157.15	Black/Stainless Steel	Bar Spout Kit
168497SRS	142.80	Spot Resist Stainless	Spout Kit
168501BG	238.50	Brushed Gold	Pullout Spout
168501BL	230.30	Matte Black	Pullout Spout
168501SRS	238.50	Spot Resist Stainless	Pullout Spout
168502BG	42.00	Brushed Gold	Handle Kit
168502BL	40.70	Matte Black	Handle Kit
168502BLC	265.10	Matte Black/Chrome	Handle Kit
168502SRS	42.00	Spot Resist Stainless	Handle Kit
168503BG	214.15	Brushed Gold	Spout Kit
168503BL	206.70	Matte Black	Spout Kit
168503SRS	214.15	Spot Resist Stainless	Spout Kit
168682BL	341.75	Matte Black	Spout Kit
168682BN	310.70	Brushed Nickel	Spout Kit
168683BL	111.25	Matte Black	Thermostatic Shw Esc.
168683BN	111.25	Brushed Nickel	Shower Escutcheon
169245ORB	12.35	Oil Rubbed Bronze	Dome Kit
169250ORB	75.55	Oil Rubbed Bronze	Wand Kit
169252ORB	50.00	Oil Rubbed Bronze	Escutcheon & Gasket Kit
170145ORB	476.60	Oil Rubbed Bronze	Spout Kit
170145SRS	445.10	Spot Resist Stainless	Spout Kit
172654BG	47.35	Brushed Gold	Handle Kit
172654BL	47.30	Matte Black	Handle Kit
172654BN	47.35	Brushed Nickel	Handle Kit
172655BG	44.20	Brushed Gold	Escutcheon
172655BL	52.75	Matte Black	Escutcheon
172655BN	44.20	Brushed Nickel	Escutcheon
172657BL	158.75	Matte Black	Spout Kit
172658BG	60.70	Brushed Gold	Spout Kit
172658BN	60.70	Brushed Nickel	Lift Rod Kit
172659BG	351.50	Brushed Gold	Spout Kit
172659BN	351.50	Brushed Nickel	Spout Kit
172660BG	353.65	Brushed Gold	Spout Kit
172660BL	389.00	Matte Black	Spout Kit
172660BN	353.65	Brushed Nickel	Spout Kit
172661BG	53.80	Brushed Gold	Lift Rod Kit
172661BL	47.40	Matte Black	Lift Rod Kit
172661BN	53.80	Brushed Nickel	Lift Rod Kit
172662BG	29.95	Brushed Gold	Lift Rod Kit
172662BL	170.60	Matte Black	Spout Kit
172662BN	29.95	Brushed Nickel	Spout Kit
172663BG	69.30	Brushed Gold	Handle Kit
172663BL	68.70	Matte Black	Handle Kit
172663BN	69.30	Brushed Nickel	Handle Kit
172665BG	35.00	Brushed Gold	Handle Kit
172665BL	58.00	Matte Black	Handle Kit
172665BN	36.20	Brushed Nickel	Handle Kit
172666BG	21.25	Brushed Gold	Lift Rod Kit
172666BL	29.90	Matte Black	Escutcheon
172666BN	21.25	Brushed Nickel	Escutcheon
172666SRN	17.15	Spot Resist Brushed Nickel	Escutcheon
172667BG	14.45	Brushed Gold	Lift Rod Kit
172667BL	22.00	Matte Black	Lift Rod Kit
172667BN	14.45	Brushed Nickel	Lift Rod Kit
172668BG	15.30	Brushed Gold	Lift Rod Kit
172668BL	22.25	Matte Black	Escutcheon
172668BN	15.30	Brushed Nickel	Escutcheon
172669BG	70.35	Brushed Gold	Spout Kit
172669BN	70.35	Brushed Nickel	Escutcheon
173488BL	13.10	Black	Knob Kit (soap Dispenser Cap)
173816BG	77.65	Brushed Gold	Wand Kit
173816BL	53.60	Chrome	Wand Kit
173816BLS	53.70	Black/Stainless Steel	Wand Kit
173816SRS	46.10	Spot Resist Stainless	Wand Kit
173988SRS	100.35	Spot Resist Stainless	Wand Kit
174333BG	66.75	Brushed Gold	Shower Escutcheon
174333BL	51.05	Matte Black	Shower Escutcheon
174333BN	66.75	Brushed Nickel	Shower Escutcheon
174948MBRB	124.55	Mediterranean Bronze	Spout Kit
175376BN	52.55	Brushed Nickel	Handle Kit
175376NL	52.55	Polished Nickel	Handle Kit
175376ORB	57.85	Oil Rubbed Bronze	Handle Kit
175377BN	69.35	Brushed Nickel	Escutcheon
175377NL	69.35	Polished Nickel	Escutcheon
175377ORB	76.30	Oil Rubbed Bronze	Escutcheon
175378BN	47.60	Brushed Nickel	Lift Rod Kit
175378NL	47.60	Polished Nickel	Lift Rod Kit
175378ORB	52.35	Oil Rubbed Bronze	Lift Rod Kit
175379BN	68.25	Brushed Nickel	Handle Kit
175379NL	68.25	Polished Nickel	Handle Kit
175379ORB	75.05	Oil Rubbed Bronze	Handle Kit
175380BN	86.85	Brushed Nickel	Handle Kit
175380NL	86.85	Polished Nickel	Handle Kit
175380ORB	95.60	Oil Rubbed Bronze	Handle Kit
175381BN	224.10	Brushed Nickel	Spout Kit
175381NL	224.10	Polished Nickel	Spout Kit
175381ORB	246.50	Oil Rubbed Bronze	Handle Kit
175382BN	431.15	Brushed Nickel	Spout Kit
175382NL	431.15	Polished Nickel	Spout Kit
175382ORB	474.30	Oil Rubbed Bronze	Spout Kit
175383BN	69.30	Brushed Nickel	Escutcheon
175383NL	69.30	Polished Nickel	Escutcheon
175383ORB	76.30	Oil Rubbed Bronze	Escutcheon
175386BN	44.55	Brushed Nickel	Escutcheon
175386NL	44.55	Polished Nickel	Escutcheon
175386ORB	49.00	Oil Rubbed Bronze	Escutcheon
175959ORB	45.70	Oil Rubbed Bronze	Handle Kit
175959SRS	39.25	Spot Resist Stainless	Handle Kit
175960ORB	86.70	Oil Rubbed Bronze	Wand Kit
175960SRS	69.10	Spot Resist Stainless	Wand Kit

Moen Genuine Parts

Listed in numerical order

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
175961ORB	320.70	Oil Rubbed Bronze	Spout Receptor Kit
175961SRS	263.65	Spot Resist Stainless	Spout Receptor Kit
175983ORB	239.70	Oil Rubbed Bronze	Spout Kit
175983SRS	196.45	Spot Resist Stainless	Spout Kit
175985ORB	39.35	Oil Rubbed Bronze	Handle Kit
175985SRS	34.10	Spot Resist Stainless	Handle Kit
175988ORB	228.85	Oil Rubbed Bronze	Spout Kit
175988SRS	188.85	Spot Resist Stainless	Spout Kit
175989ORB	64.95	Oil Rubbed Bronze	Wand Kit
175989SRS	53.75	Spot Resist Stainless	Wand Kit
176077BL	108.40	Black	Spout Kit
176077BRB	131.15	Mediterranean Bronze	Spout Kit
176077MSRS	106.95	Spot Resist Stainless	Spout Kit
176077ORB	131.15	Oil Rubbed Bronze	Spout Kit
176078BL	71.10	Matte Black	Spout Kit
176078BRB	135.05	Mediterranean Bronze	Spout Kit
176078ORB	135.05	Oil Rubbed Bronze	Spout Kit
176078SRS	102.45	Spot Resist Stainless	Spout Kit
176079BL	113.25	Black	Spout Kit
176079ORB	137.45	Oil Rubbed Bronze	Spout Kit
176079SRS	121.65	Spot Resist Stainless	Spout Kit
176081SRS	135.95	Spot Resist Stainless	Spout Kit
176083ORB	225.35	Oil Rubbed Bronze	Spout Kit
176083SRS	213.35	Spot Resist Stainless	Spout Kit
176086SRS	131.50	Spot Resist Stainless	Spout Kit
176101BL	42.35	Matte Black	1H Lav Spout Kit
176101BN	38.50	Brushed Nickel	Handle Kit
176260SRS	36.15	Spot Resist Stainless	Handle Kit
176261ORB	88.30	Oil Rubbed Bronze	Spout Kit
176262SRS	257.60	Spot Resist Stainless	Spout Kit
176264SRS	58.65	Spot Resist Stainless	Spout Kit
176633BG	48.15	Brushed Gold	Diverter Kit
176633BL	52.95	Matte Black	Diverter Kit
176633BN	48.15	Brushed Nickel	Diverter Kit
176633NL	48.15	Polished Nickel	Diverter Kit
176633ORB	52.90	Oil Rubbed Bronze	Diverter Kit
177138BN	55.15	Brushed Nickel	Handle Kit
177138ORB	60.75	Oil Rubbed Bronze	Handle Kit
177167BN	54.35	Brushed Nickel	Deck Plate
177167NL	54.35	Polished Nickel	Deck Plate
177167ORB	59.65	Oil Rubbed Bronze	Deck Plate
177573ORB	457.10	Oil Rubbed Bronze	Spout Kit
177573SRS	435.00	Spot Resist Stainless	Spout Kit
177574ORB	477.55	Oil Rubbed Bronze	Spout Kit
177574SRS	458.75	Spot Resist Stainless	Spout Kit
177575SRS	418.15	Spot Resist Stainless	Spout Kit
177576SRS	501.20	Spot Resist Stainless	Spout Kit
177701BN	55.30	Brushed Nickel	Diverter Knob Kit
177701ORB	60.80	Oil Rubbed Bronze	Diverter Knob Kit
177702BN	49.00	Brushed Nickel	Escutcheon
177702ORB	53.85	Oil Rubbed Bronze	Escutcheon
178216ORB	46.15	Oil Rubbed Bronze	Handle Kit
178216SRS	40.95	Spot Resist Stainless	Handle Kit
178217ORB	21.00	Oil Rubbed Bronze	Handle Kit
178217SRS	17.90	Spot Resist Stainless	Handle Kit
178218ORB	139.10	Oil Rubbed Bronze	Spout Kit
178218SRS	155.65	Spot Resist Stainless	Spout Kit
178219ORB	61.40	Oil Rubbed Bronze	Spout Hub Kit
178219SRS	46.40	Spot Resist Stainless	Spout Hub Kit
178231ORB	25.15	Oil Rubbed Bronze	Spout Cap
178231SRS	33.15	Spot Resist Stainless	Spout Cap

Part Number	List Price	Finish	Description
178232ORB	59.40	Oil Rubbed Bronze	Handle Kit
178232SRS	50.15	Spot Resist Stainless	Handle Kit
178233ORB	109.55	Oil Rubbed Bronze	Spout Hub Kit
178233SRS	99.60	Spot Resist Stainless	Spout Hub Kit
178234ORB	54.40	Oil Rubbed Bronze	Escutcheon
178234SRS	44.40	Spot Resist Stainless	Escutcheon
178462BN	50.55	Brushed Nickel	Handle Kit
178462NL	50.55	Polished Nickel	Handle Kit
178462ORB	55.65	Oil Rubbed Bronze	Handle Kit
178467BG	40.25	Brushed Gold	Handle Kit
178467BL	44.25	Matte Black	Escutcheon
178467BN	40.25	Brushed Nickel	Escutcheon
178755BN	106.20	Chrome	Shower Escutcheon
178755ORB	112.75	Chrome	Shower Escutcheon
178888BN	272.35	Brushed Nickel	Spout Kit
178888ORB	299.60	Oil Rubbed Bronze	Spout Kit
178890BN	267.10	Brushed Nickel	Spout Kit
178890ORB	293.70	Oil Rubbed Bronze	Spout Kit
178892BN	293.80	Brushed Nickel	Spout Kit
178892ORB	323.25	Oil Rubbed Bronze	Spout Kit
178894BN	358.95	Brushed Nickel	Spout Kit
178894ORB	394.75	Oil Rubbed Bronze	Spout Kit
178896BN	377.90	Brushed Nickel	Spout Kit
178896ORB	415.65	Oil Rubbed Bronze	Spout Kit
179084ORB	59.40	Oil Rubbed Bronze	Handle Kit
179084SRS	50.15	Spot Resist Stainless	Handle Kit
179085ORB	147.75	Oil Rubbed Bronze	Spout Kit
179085SRS	169.80	Spot Resist Stainless	Spout Kit
179086ORB	68.25	Oil Rubbed Bronze	Side Spray Kit
179086SRS	57.90	Spot Resist Stainless	Side Spray Kit
179353SRS	18.90	Spot Resist Stainless	Aerator
179354BN	278.60	Brushed Nickel	Lift Rod Kit
179354NL	278.60	Polished Nickel	Lift Rod Kit
179354ORB	306.50	Oil Rubbed Bronze	Lift Rod Kit
179655ORB	45.00	Oil Rubbed Bronze	Handle Kit
179655SRS	42.50	Spot Resist Stainless	Handle Kit
179656ORB	66.35	Oil Rubbed Bronze	Wand Kit
179656SRS	62.45	Spot Resist Stainless	Wand Kit
179657ORB	190.90	Oil Rubbed Bronze	Spout Receptor Kit
179657SRS	202.60	Spot Resist Stainless	Spout Receptor Kit
179675SRN	28.05	Spot Resist Brushed Nickel	Handle Kit
179781BL	23.20	Matte Black	Lift Rod Kit
179781BN	21.05	Brushed Nickel	Lift Rod Kit
179782BL	60.05	Matte Black	Handle Kit
179782BN	54.60	Brushed Nickel	Handle Kit
179784BL	79.80	Matte Black	Handle Kit
179784BN	72.55	Brushed Nickel	Handle Kit
179785BN	278.35	Brushed Nickel	Roman Tub Spout Kit
179786BL	45.60	Matte Black	Lift Rod Kit
179786BN	41.45	Brushed Nickel	Lift Rod Kit
179787BL	205.10	Matte Black	Spout Kit
179787BN	186.45	Brushed Nickel	Spout Kit
179790BL	57.45	Matte Black	Escutcheon
179790BN	52.20	Brushed Nickel	Escutcheon
179792BL	67.90	Matte Black	Handle Kit
179792BN	61.75	Brushed Nickel	Handle Kit
179793ORB	25.60	Oil Rubbed Bronze	Hose Guide
179793SRS	30.20	Spot Resist Stainless	Hose Guide
179827BLC	318.70	Matte Black/Chrome	Handle Kit
179828BL	40.45	Matte Black	Lift Rod Kit
179830BLC	304.30	Matte Black/Chrome	Handle Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
179831BLC	276.65	Matte Black/Chrome	1H Lav Spout Kit
179834BL	22.75	Matte Black	Shower Arm Flange
180059BL	93.80	Matte Black	Wand Kit
180059SRS	93.80	Spot Resist Stainless	Wand Kit
180073BN	57.00	Brushed Nickel	Diverter Rod Kit
180073NL	57.00	Polished Nickel	Diverter Rod Kit
180073ORB	62.65	Oil Rubbed Bronze	Diverter Rod Kit
181066BN	9.30	Brushed Nickel	Aerator
181080BG	32.90	Brushed Gold	Line_list
181087BN	17.25	Brushed Nickel	Aerator Kit
181106BC	72.50	Brushed Chrome	Handle Kit
181107BC	72.50	Brushed Chrome	Handle Kit
181500BN	45.35	Brushed Nickel	Escutcheon
181500ORB	49.80	Oil Rubbed Bronze	Escutcheon
181502BN	38.80	Brushed Nickel	Escutcheon
181502ORB	42.80	Oil Rubbed Bronze	Escutcheon
181602BN	55.05	Brushed Nickel	Handle Kit
181602NL	55.05	Polished Nickel	Handle Kit
181602ORB	60.65	Oil Rubbed Bronze	Handle Kit
181603BN	123.30	Brushed Nickel	Handle Kit
181603ORB	135.65	Oil Rubbed Bronze	Handle Kit
181929BG	258.75	Brushed Gold	Swing Arm
181929BL	197.35	Matte Black	Swing Arm
181929BLS	220.80	Black/Stainless Steel	Swing Arm
181929SRS	200.75	Spot Resist Stainless	Swing Arm
181930BL	103.40	Matte Black	Spring Spout & Bearing
181930BLS	124.35	Black/Stainless Steel	Spring Spout & Bearing
181930SRS	113.05	Spot Resist Stainless	Spring Spout & Bearing
182074BN	554.95	Brushed Nickel	Roman Tub Spout Kit
182074NL	554.95	Polished Nickel	Roman Tub Spout Kit
182074ORB	610.45	Oil Rubbed Bronze	Roman Tub Spout Kit
182212BN	168.85	Brushed Nickel	Spout Kit
182212ORB	185.25	Oil Rubbed Bronze	Spout Kit
182213BN	150.35	Brushed Nickel	Spout Kit
182213ORB	182.80	Oil Rubbed Bronze	Spout Kit
182244BN	53.15	Brushed Nickel	Handle Kit
182244ORB	58.45	Oil Rubbed Bronze	Handle Kit
182496BN	50.15	Brushed Nickel	Handle Kit
182496NL	50.15	Polished Nickel	Handle Kit
182496ORB	55.15	Oil Rubbed Bronze	Handle Kit
182546BL	44.85	N/A or Unfinished	Service Kit
182546BN	40.75	N/A or Unfinished	Service Kit
182632BG	34.15	Brushed Gold	Escutcheon with Set Screw
182632BL	35.25	Matte Black	Escutcheon & Gasket Kit
182632BN	34.15	Brushed Nickel	Escutcheon & Gasket Kit
182632ORB	35.25	Oil Rubbed Bronze	Escutcheon & Gasket Kit
182633BL	76.40	Matte Black	Hardware Kit
182633BN	73.80	Brushed Nickel	Hardware Kit
182633ORB	76.40	Oil Rubbed Bronze	Hardware Kit
182636BL	7.70	Matte Black	Cap Kit
182636BN	7.45	Brushed Nickel	Cap Kit
182636ORB	7.70	Oil Rubbed Bronze	Cap Kit
182637BL	37.25	Matte Black	Diverter Knob Kit
182637BN	36.00	Brushed Nickel	Diverter Knob Kit
182637ORB	37.25	Oil Rubbed Bronze	Diverter Knob Kit
182843BL	21.75	Matte Black	Lift Rod Kit
182843BN	19.75	Brushed Nickel	Lift Rod Kit
182862BN	80.40	Brushed Nickel	Escutcheon
1831960RB	36.35	Oil Rubbed Bronze	Handle Kit
183296SRS	75.95	Spot Resist Stainless	Handle Kit
183297SRS	114.50	Spot Resist Stainless	Wand Kit

Part Number	List Price	Finish	Description
183298SRS	41.55	Spot Resist Stainless	Receptor
183570BL	49.45	Matte Black	Slider For Slide Bar
183570BN	47.80	Brushed Nickel	Slider For Slide Bar
183570ORB	49.45	Oil Rubbed Bronze	Slider For Slide Bar
183598BL	53.45	Matte Black	Handle Kit
183598BN	30.50	Brushed Nickel	Handle Kit
183810BN	50.25	Brushed Nickel	Handle Kit
184081BL	70.45	Matte Black	Handle Kit
184081BN	37.85	Brushed Nickel	Handle Kit
184085BL	164.80	Matte Black	Spout Kit
184085BN	91.20	Brushed Nickel	Spout Kit
184086BL	230.05	Matte Black	Spout Kit
184086BN	207.05	Brushed Nickel	Spout Kit
184445BG	50.85	Brushed Gold	Handle Kit
184445BN	50.85	Brushed Nickel	Handle Kit
184445NL	50.85	Polished Nickel	Centerset Handle kit
184450ORB	55.95	Oil Rubbed Bronze	Handle Kit
184450BN	49.70	Chrome	Handle Kit
185807BN	50.30	Brushed Nickel	Handle Kit
185807NL	50.30	Polished Nickel	Handle Kit
185807ORB	53.70	Oil Rubbed Bronze	Handle Kit
185808BN	19.90	Brushed Nickel	Lift Rod Kit
185808NL	19.90	Polished Nickel	Lift Rod Kit
185808ORB	20.55	Oil Rubbed Bronze	Lift Rod Kit
185810BN	49.05	Brushed Nickel	Escutcheon
185810NL	49.05	Polished Nickel	Escutcheon
185810ORB	51.10	Oil Rubbed Bronze	Escutcheon
185811BN	47.70	Brushed Nickel	Handle Kit
185811NL	47.70	Polished Nickel	Handle Kit
185811ORB	81.75	Oil Rubbed Bronze	Handle Kit
185812BN	20.55	Brushed Nickel	Lift Rod Kit
185812NL	20.55	Polished Nickel	Lift Rod Kit
185812ORB	21.80	Oil Rubbed Bronze	Lift Rod Kit
185813BN	39.70	Brushed Nickel	Spout Cap Kit
185813NL	39.70	Polished Nickel	Spout Cap Kit
185813ORB	40.40	Oil Rubbed Bronze	Spout Cap Kit
185814BN	22.85	Brushed Nickel	Lift Rod Kit
185814NL	22.85	Polished Nickel	Lift Rod Kit
185814ORB	23.30	Oil Rubbed Bronze	Lift Rod Kit
185815BN	55.55	Brushed Nickel	Handle Kit
185815NL	56.80	Polished Nickel	Handle Kit
185815ORB	87.25	Oil Rubbed Bronze	Handle Kit
185816BN	184.65	Brushed Nickel	Spout Kit
185816NL	188.85	Polished Nickel	Spout Kit
185816ORB	191.70	Oil Rubbed Bronze	Spout Kit
185817BN	320.70	Brushed Nickel	Spout Kit
185817NL	320.70	Polished Nickel	Spout Kit
185817ORB	328.70	Oil Rubbed Bronze	Spout Kit
185818BN	297.30	Brushed Nickel	Spout Kit
185818NL	297.30	Polished Nickel	4Hole Roman Tub Spout kit
185818ORB	310.65	Oil Rubbed Bronze	Spout Kit
185819BN	26.50	Brushed Nickel	Diverter Rod Kit
185819NL	27.10	Polished Nickel	Roman Tub Lift Rod
185819ORB	27.25	Oil Rubbed Bronze	Diverter Rod Kit
185821BN	42.85	Brushed Nickel	Handle Kit
185821NL	43.85	Polished Nickel	Shower Handle Kit
185821ORB	46.15	Oil Rubbed Bronze	Handle Kit
185823BN	35.60	Brushed Nickel	Escutcheon
185823NL	35.60	Polished Nickel	Valve Escutcheon
185823ORB	37.40	Oil Rubbed Bronze	Escutcheon
185834BN	57.90	Brushed Nickel	Escutcheon

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
185834NL	57.90	Polished Nickel	Moentrol Esc
185834ORB	82.85	Oil Rubbed Bronze	Escutcheon
186750BL	47.70	Matte Black	Spout / Wand
186750BN	92.80	Brushed Nickel (BN	Spout / Wand
187053BN	62.60	Brushed Nickel	Handshower Bracket
187053ORB	68.60	Oil Rubbed Bronze	Handshower Bracket
187093BN	64.65	Brushed Nickel	Handle Kit
187728BLS	83.10	Black/Stainless Steel	Wand Kit
187728SRS	50.20	Spot Resist Stainless	Wand Kit
187729BLS	39.70	Black/Stainless Steel	Handle Kit
187729SRS	35.00	Spot Resist Stainless	Handle Kit
188029BL	112.65	Matte Black	Wand Kit
188029SRS	42.90	Chrome	Handle Kit
188030BL	110.90	Matte Black	Handle Kit
188030SRS	34.10	Spot Resist Stainless	Handle Kit
190102BN	60.40	Brushed Nickel	Hot Handle Kit
190102ORB	66.50	Oil Rubbed Bronze	Hot Handle Kit
190112BN	50.30	Brushed Nickel	Lift Rod Kit
190112ORB	55.30	Oil Rubbed Bronze	Lift Rod Kit
190202BN	71.10	Brushed Nickel	Handle Kit
190202ORB	78.15	Oil Rubbed Bronze	Handle Kit
190322BN	382.70	Brushed Nickel	Roman Tub Spout Kit
190322ORB	430.50	Oil Rubbed Bronze	Roman Tub Spout Kit
190330SRS	41.00	Spot Resist Stainless	Deck Plate
190444BN	39.15	Brushed Nickel	Escutcheon
190444NL	39.15	Polished Nickel	Posi Escutcheon
190444ORB	43.15	Oil Rubbed Bronze	Escutcheon
190503BN	77.75	Brushed Nickel	Handle Kit
190503ORB	85.45	Oil Rubbed Bronze	Handle Kit
190844BL	29.50	Matte Black	Lift Rod Kit
190844BN	26.85	Brushed Nickel	Lift Rod Kit
190845BL	58.00	Matte Black	Handle Kit
190845BN	52.80	Brushed Nickel	Handle Kit
190846BL	81.25	Matte Black	Handle Kit - Hot
190846BN	73.85	Brushed Nickel	Handle Kit - Hot
190847BL	81.25	Matte Black	Handle Kit - Cold
190847BN	73.85	Brushed Nickel	Handle Kit - Cold
190848BL	381.60	Matte Black	Spout Kit
190848BN	346.90	Brushed Nickel	Spout Kit
190850BL	423.20	Matte Black	Spout Kit
190850BN	384.75	Brushed Nickel	Spout Kit
190851BL	50.90	Matte Black	Lift Rod Kit
190851BN	46.25	Brushed Nickel	Lift Rod Kit
190852BL	680.45	Matte Black	Spout Kit
190852BN	618.60	Brushed Nickel	Spout Kit
190853BG	57.50	Brushed Gold	Escutcheon
190853BL	63.25	Matte Black	Spout Kit
190853BN	57.50	Brushed Nickel	Spout Kit
190853NL	57.50	Polished Nickel	Escutcheon
190854BL	66.95	Matte Black	Escutcheon
190854BN	60.85	Brushed Nickel	Escutcheon
190856BL	81.55	Matte Black	Escutcheon
190856BN	74.15	Brushed Nickel	Escutcheon
190857BL	70.30	Matte Black	Escutcheon
190857BN	63.90	Brushed Nickel	Escutcheon
190858BG	79.25	Brushed Gold	Escutcheon
190858BL	87.20	Matte Black	Handle Kit
190858BN	79.25	Brushed Nickel	Handle Kit
190858NL	76.55	Polished Nickel	Handle Kit
190859BL	102.10	Matte Black	Handle Kit
190859BN	92.85	Brushed Nickel	Handle Kit
190860BL	104.55	Matte Black	Handle Kit
190860BN	95.05	Brushed Nickel	Handle Kit
190861BL	100.60	Matte Black	Handle Kit
190861BN	91.45	Brushed Nickel	Handle Kit
190862BL	94.40	Matte Black	Handle Kit
190862BN	85.80	Brushed Nickel	Handle Kit
191000BL	224.85	Matte Black	Notch Power Boost Wand
191000ORB	232.25	Oil Rubbed Bronze	Spout Kit
191000SRS	212.40	Spot Resist Stainless	Spout Kit
191001BL	225.95	Matte Black	Spout Kit
191001SRS	222.20	Spot Resist Stainless	Spout Kit
191002BG	298.40	Brushed Gold	Spout Kit
191002BL	288.30	Matte Black	Spout Kit
191002BLS	305.20	Black/Stainless Steel	Spout Kit
191002SRS	277.40	Spot Resist Stainless	Spout Kit
191004BL	31.40	Matte Black	Wand Kit
191004ORB	59.60	Oil Rubbed Bronze	Wand Kit
191004SRS	51.70	Spot Resist Stainless	Wand Kit
191005ORB	59.45	Oil Rubbed Bronze	Wand Kit
191005SRS	35.50	Spot Resist Stainless	Wand Kit
191006ORB	36.50	Oil Rubbed Bronze	Wand Kit
191006SRS	45.25	Spot Resist Stainless	Wand Kit
191751BL	46.30	Matte Black	Hose Kit
19200RB	116.90	Oil Rubbed Bronze	Deck Plate
193089BG	93.15	Brushed Gold	Escutcheon
193089BL	102.45	Matte Black	Escutcheon
193089BN	93.15	Brushed Nickel	Escutcheon
193089NL	93.15	Polished Nickel	Escutcheon
193089ORB	102.45	Oil Rubbed Bronze	Escutcheon
193090BG	100.40	Brushed Gold	Handle Kit
193090BL	110.45	Matte Black	Handle Kit
193090BN	100.40	Brushed Nickel	Handle Kit
193090NL	100.40	Polished Nickel	Handle Kit
193090ORB	110.45	Oil Rubbed Bronze	Handle Kit
193091BG	100.40	Brushed Gold	Handle Kit
193091BL	110.45	Matte Black	Handle Kit
193091BN	100.40	Brushed Nickel	Handle Kit
193091NL	100.40	Polished Nickel	Handle Kit
193091ORB	111.00	Oil Rubbed Bronze	Handle Kit
193092BG	100.90	Brushed Gold	Handle Kit
193092BL	111.05	Matte Black	Handle Kit
193092BN	100.90	Brushed Nickel	Handle Kit
193092NL	100.90	Polished Nickel	Handle Kit
193092ORB	111.05	Oil Rubbed Bronze	Handle Kit
193093BG	94.65	Brushed Gold	Handle Kit
193093BL	104.10	Matte Black	Handle Kit
193093BN	94.65	Brushed Nickel	Handle Kit
193093NL	94.65	Polished Nickel	Handle Kit
193093ORB	104.10	Oil Rubbed Bronze	Handle Kit
193094BL	137.20	Matte Black	Escutcheon
193094BN	124.70	Brushed Nickel	Escutcheon
193095BL	96.65	Matte Black	Escutcheon
193095BN	87.85	Brushed Nickel	Escutcheon
193096BL	98.15	Matte Black	Escutcheon
193096BN	89.20	Brushed Nickel	Escutcheon
193097BL	81.85	Matte Black	Handle Escutcheon
193097BN	74.40	Brushed Nickel	Handle Escutcheon
193098BL	87.65	Matte Black	Handle Kit
193098BN	79.65	Brushed Nickel	Handle Kit
193099BL	90.90	Matte Black	Handle Kit
193099BN	82.70	Brushed Nickel	Handle Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
193100BN	80.10	Brushed Nickel	Handle Kit
193101BL	81.60	Matte Black	Handle Kit
193101BN	74.15	Brushed Nickel	Handle Kit
193193BG	148.35	Brushed Gold	Diverter Kit
193193BN	148.35	Brushed Nickel	Diverter Kit
193193NL	148.35	Polished Nickel	Diverter Kit
193193ORB	163.15	Oil Rubbed Bronze	Diverter Kit
193194BG	55.10	Brushed Gold	Diverter Knob Kit
193194BN	56.25	Brushed Nickel	Diverter Knob Kit
193194NL	56.25	Polished Nickel	Diverter Knob Kit
193194ORB	61.90	Oil Rubbed Bronze	Diverter Knob Kit
193195BG	54.05	Brushed Gold	Handshower Cradle
193195BN	59.35	Brushed Nickel	Handshower Cradle
193195NL	54.05	Polished Nickel	Handshower Cradle
193195ORB	63.05	Oil Rubbed Bronze	Handshower Cradle
193196BG	101.70	Brushed Gold	Handle Kit
193196BN	105.80	Brushed Nickel	Handle Kit
193196NL	105.80	Polished Nickel	Handle Kit
193196ORB	110.75	Oil Rubbed Bronze	Handle Kit
193244BG	104.70	Brushed Gold	Escutcheon
193244BL	115.15	Matte Black	Escutcheon
193244BN	104.70	Brushed Nickel	Escutcheon
193245BG	92.05	Brushed Gold	Handle Kit
193245BL	101.25	Matte Black	Handle Kit
193245BN	92.05	Brushed Nickel	Handle Kit
193246BG	92.95	Brushed Gold	Handle Kit
193246BL	102.25	Matte Black	Handle Kit
193246BN	92.95	Brushed Nickel	Handle Kit
193247BN	90.20	Brushed Nickel	Escutcheon
193247NL	90.20	Polished Nickel	Escutcheon
193247ORB	99.20	Oil Rubbed Bronze	Escutcheon
193248BN	89.75	Brushed Nickel	Handle Kit
193248NL	89.75	Polished Nickel	Handle Kit
193248ORB	98.70	Oil Rubbed Bronze	Handle Kit
193249BN	90.70	Brushed Nickel	Handle Kit
193249NL	90.70	Polished Nickel	Handle Kit
193249ORB	99.75	Oil Rubbed Bronze	Handle Kit
193250BN	172.10	Brushed Nickel	Escutcheon
193250NL	172.10	Polished Nickel	Escutcheon
193250ORB	189.30	Oil Rubbed Bronze	Escutcheon
193251BN	93.05	Brushed Nickel	Handle Kit
193251NL	93.05	Polished Nickel	Handle Kit
193251ORB	102.35	Oil Rubbed Bronze	Handle Kit
193252BN	94.15	Brushed Nickel	Handle Kit
193252NL	94.15	Polished Nickel	Handle Kit
193252ORB	103.55	Oil Rubbed Bronze	Handle Kit
193253BG	116.30	Brushed Gold	Escutcheon
193253BN	116.30	Brushed Nickel	Escutcheon
193253NL	116.30	Polished Nickel	Escutcheon
193253ORB	127.95	Oil Rubbed Bronze	Escutcheon
193254BG	90.70	Brushed Gold	Handle Kit
193254BN	90.70	Brushed Nickel	Handle Kit
193254NL	90.70	Polished Nickel	Handle Kit
193254ORB	99.75	Oil Rubbed Bronze	Handle Kit
193255BG	91.70	Brushed Gold	Volume Handle kit
193255BN	91.70	Brushed Nickel	Volume Handle kit
193255NL	91.70	Polished Nickel	Volume Handle kit
193255ORB	100.85	Oil Rubbed Bronze	Volume Handle kit
1933SL	28.50	Stainless	Escutcheon
193499ORB	296.90	Oil Rubbed Bronze	Spout Kit
193499SRS	310.90	Spot Resist Stainless	Spout Kit
194993BL	31.75	Matte Black	Aerator Kit
194994BL	31.75	Matte Black	Aerator Kit
194994BN	29.65	Brushed Nickel	Aerator Kit
194994ORB	31.75	Oil Rubbed Bronze	Aerator Kit
194995BN	29.65	Brushed Nickel	Aerator Kit
194995SRN	29.65	Spot Resist Brushed Nickel	Aerator Kit
195173BL	229.85	Matte Black	Spout Kit
195173BN	219.25	Brushed Nickel	Spout Kit
195345BG	85.95	Brushed Gold	Escutcheon
195345BL	94.55	Matte Black	Escutcheon
195345BN	85.95	Brushed Nickel	Escutcheon
195345NL	85.95	Polished Nickel	Escutcheon
195346BL	130.00	Matte Black	Handle Kit
195346BN	118.20	Brushed Nickel	Handle Kit
195347BG	64.65	Brushed Gold	Escutcheon
195347BL	71.10	Matte Black	Escutcheon
195347BN	64.65	Brushed Nickel	Escutcheon
195347NL	64.65	Polished Nickel	Escutcheon
195349BL	128.70	Matte Black	Handle Kit
195349BN	117.00	Brushed Nickel	Handle Kit
195355BL	98.05	Matte Black	Spout Kit
195355SRS	74.25	Spot Resist Stainless	Spout Kit
195356BL	40.55	Matte Black	Spout Kit
195356SRS	29.95	Spot Resist Stainless	Spout Kit
195357BL	104.70	Matte Black	Wand Kit
195357SRS	68.85	Spot Resist Stainless	Wand Kit
195358BL	91.85	Matte Black	Handle Kit
195358SRS	43.30	Spot Resist Stainless	Handle Kit
195359BL	96.15	Matte Black	Spout Kit
195359SRS	87.15	Spot Resist Stainless	Spout Kit
195360BL	87.10	Matte Black	Wand Kit
195360SRS	58.60	Spot Resist Stainless	Wand Kit
195362BL	4.90	Black	Gasket
195363BG	123.20	Brushed Gold	Spout Kit
195363NL	100.25	Polished Nickel	Spout Kit
195363ORB	74.85	Oil Rubbed Bronze	Spout Kit
195363SRS	70.40	Spot Resist Stainless	Spout Kit
195365BG	38.65	Brushed Gold	Spout Kit
195365NL	22.50	Polished Nickel	Spout Kit
195365ORB	18.80	Oil Rubbed Bronze	Spout Kit
195365SRS	17.45	Spot Resist Stainless	Spout Kit
195367BG	68.15	Brushed Gold	Handle Cap Kit
195367NL	38.55	Polished Nickel	Handle Cap Kit
195367ORB	34.10	Oil Rubbed Bronze	Handle Cap Kit
195367SRS	31.15	Spot Resist Stainless	Handle Cap Kit
195369BG	85.25	Brushed Gold	Handle Kit
195369NL	40.15	Polished Nickel	Handle Kit
195369ORB	38.85	Oil Rubbed Bronze	Handle Kit
195369SRS	33.90	Spot Resist Stainless	Handle Kit
195370BG	40.05	Brushed Gold	Wand Kit
195370NL	25.25	Polished Nickel	Wand Kit
195370ORB	22.05	Oil Rubbed Bronze	Wand Kit
195370SRS	19.40	Spot Resist Stainless	Wand Kit
195383BG	31.55	Brushed Gold	Wand Kit
195383NL	23.10	Polished Nickel	Wand Kit
195383ORB	18.65	Oil Rubbed Bronze	Wand Kit
195383SRS	15.90	Spot Resist Stainless	Wand Kit
195709BL	76.50	Matte Black	Service Kit
195709BN	69.50	Brushed Nickel	Service Kit
195710BL	112.00	Matte Black	Handle Kit
195710BN	101.85	Brushed Nickel	Handle Kit
195711BL	60.90	Matte Black	Diverter Knob Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
195711BN	55.40	Brushed Nickel	Diverter Knob Kit
195712BL	203.15	Matte Black	Diverter Kit
195712BN	184.70	Brushed Nickel	Diverter Kit
196252BN	81.65	Brushed Nickel	Handle Kit
196252NL	81.65	Polished Nickel	Handle Kit
196252ORB	89.85	Oil Rubbed Bronze	Handle Kit
196253BN	100.60	Brushed Nickel	Handle Kit
196253NL	100.60	Polished Nickel	Handle Kit
196253ORB	110.70	Oil Rubbed Bronze	Handle Kit
196267BN	58.30	Brushed Nickel	Handle Kit
196268BN	228.55	Brushed Nickel	Spout Kit
196269BN	214.90	Brushed Nickel	Spout Kit
196270BN	485.30	Brushed Nickel	Spout Kit
196271BN	407.95	Brushed Nickel	Spout Kit
196445BG	65.40	Brushed Gold	Handshower Cradle
196445BL	72.00	Matte Black	Handshower Cradle
196445BN	65.40	Brushed Nickel	Handshower Bracket
196446BN	59.85	Brushed Nickel	Handshower Cradle
196447BN	69.60	Brushed Nickel	Handshower Cradle
196447NL	69.60	Polished Nickel	Handshower Cradle
196447ORB	76.60	Oil Rubbed Bronze	Handshower Cradle
196448BN	58.35	Brushed Nickel	Handshower Cradle
196448NL	58.35	Polished Nickel	Handshower Cradle
196448ORB	64.20	Oil Rubbed Bronze	Handshower Cradle
196449BG	90.00	Brushed Gold	Handle Kit
196449BL	99.00	Matte Black	Handle Kit
196449BN	90.00	Brushed Nickel	Handle Kit
196450BN	92.45	Brushed Nickel	Handle Kit
196451BN	102.80	Brushed Nickel	Handle Kit
196451NL	102.80	Polished Nickel	Handle Kit
196451ORB	112.85	Oil Rubbed Bronze	Handle Kit
196452BG	45.05	Brushed Gold	Diverter Knob Kit
196452BL	49.60	Matte Black	Diverter Knob Kit
196452BN	45.05	Brushed Nickel	Diverter Knob Kit
196453BG	183.55	Brushed Gold	Diverter Kit
196453BL	201.90	Matte Black	Diverter Kit
196453BN	183.55	Brushed Nickel	Diverter Kit
196454BN	47.25	Brushed Nickel	Diverter Kit
196455BN	199.40	Brushed Nickel	Line List
196456BN	43.00	Brushed Nickel	Diverter Kit
196456NL	43.00	Polished Nickel	Diverter Kit
196456ORB	47.30	Oil Rubbed Bronze	Diverter Kit
196457BN	199.65	Brushed Nickel	Diverter Kit
196457NL	199.65	Polished Nickel	Diverter Kit
196457ORB	219.65	Oil Rubbed Bronze	Diverter Kit
196458BG	55.05	Brushed Gold	Diverter Kit
196458BN	46.25	Brushed Nickel	Diverter Kit
196458NL	46.25	Polished Nickel	Diverter Kit
196458ORB	50.85	Oil Rubbed Bronze	Diverter Kit
196459BG	201.15	Brushed Gold	Diverter Knob Kit
196459BN	201.65	Brushed Nickel	Diverter Knob Kit
196459NL	201.65	Polished Nickel	Diverter Knob Kit
196459ORB	221.85	Oil Rubbed Bronze	Diverter Knob Kit
197583BG	36.35	Brushed Gold	Handle Kit
197583BN	36.35	Brushed Nickel	Handle Kit
197583NL	36.35	Polished Nickel	Handle Kit
197584BG	28.15	Brushed Gold	Lift Rod Kit
197584BN	28.15	Brushed Nickel	Lift Rod Kit
197584NL	28.15	Polished Nickel	Lift Rod Kit
197586BG	77.00	Brushed Gold	Handle Kit
197586BN	77.00	Brushed Nickel	Handle Kit
197586NL	77.00	Polished Nickel	Handle Kit
197587BG	100.60	Brushed Gold	Handle Kit
197587BN	100.60	Brushed Nickel	Handle Kit
197587NL	100.60	Polished Nickel	Handle Kit
197588BG	390.25	Brushed Gold	Spout Kit
197588BN	390.25	Brushed Nickel	Spout Kit
197588NL	390.25	Polished Nickel	Spout Kit
197589BG	40.60	Brushed Gold	Lift Rod Kit
197589BN	40.60	Brushed Nickel	Lift Rod Kit
197589NL	40.60	Polished Nickel	Lift Rod Kit
197590BG	400.40	Brushed Gold	Spout Kit
197590BN	400.40	Brushed Nickel	Spout Kit
197590NL	400.40	Polished Nickel	Spout Kit
197591BG	93.20	Brushed Gold	Shower Escutcheon
197591BN	93.20	Brushed Nickel	Shower Escutcheon
197591NL	93.20	Polished Nickel	Shower Escutcheon
197592BG	97.95	Brushed Gold	Handle Kit
197592BN	97.95	Brushed Nickel	Handle Kit
197592NL	97.95	Brushed Gold	Handle Kit
197593BG	99.60	Brushed Gold	Handle Kit
197593BN	99.60	Brushed Nickel	Handle Kit
197593NL	99.60	Polished Nickel	Handle Kit
197594BG	118.50	Brushed Gold	Handle Kit
197594BN	118.50	Brushed Nickel	Handle Kit
197594NL	118.50	Polished Nickel	Handle Kit
197595BG	117.35	Brushed Gold	Handle Kit
197595BN	117.35	Brushed Nickel	Handle Kit
197595NL	117.35	Polished Nickel	Handle Kit
197596BG	65.75	Brushed Gold	Escutcheon
197596BN	65.75	Brushed Nickel	Escutcheon
197596NL	65.75	Polished Nickel	Escutcheon
197597BG	96.65	Brushed Gold	Handle Kit
197597NL	96.65	Polished Nickel	Handle Kit
197598BG	66.20	Brushed Gold	Escutcheon
197598BN	66.20	Brushed Nickel	Escutcheon
197598NL	66.20	Polished Nickel	Escutcheon
197599BG	90.90	Brushed Gold	Handle Kit
197599BN	90.90	Brushed Nickel	Handle Kit
197599NL	90.90	Polished Nickel	Handle Kit
197600BG	78.85	Brushed Gold	Handshower Cradle
197600BN	78.85	Brushed Nickel	Handshower Cradle
197600NL	78.85	Polished Nickel	Handshower Cradle
197601BG	99.65	Brushed Gold	Handle Kit
197601BN	99.65	Brushed Nickel	Handle Kit
197601NL	99.65	Polished Nickel	Handle Kit
197869BL	370.95	Matte Black	Spout Kit
197869SRS	386.85	Spot Resist Stainless	Spout Kit
197870BL	387.20	Matte Black	Spout Kit
197870SRS	399.45	Spot Resist Stainless	Spout Kit
197872BLBG	125.25	Matte Black/Brushed Gold	Handle Kit
197872BLSSRS	125.25	MatteBlack/ SpResStainless	Handle Kit
197872CHBL	101.40	Chrome/Matte Black	Handle Kit
197872SRS	41.05	Spot Resist Stainless	Handle Kit
197872SRSBL	106.00	SpResist Stainless/ MatteBlack	Handle Kit
197883BG	256.70	Brushed Gold	Service Kit
197883BL	210.60	Matte Black	Service Kit
197883NL	315.65	Polished Nickel	Service Kit
197883ORB	268.85	Oil Rubbed Bronze	Service Kit
197883SRS	195.40	Spot Resist Stainless	Service Kit
197884BG	129.85	Brushed Gold	Service Kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
197884BL	144.75	Matte Black	Service Kit
197884NL	129.85	Polished Nickel	Service Kit
197884ORB	155.80	Oil Rubbed Bronze	Service Kit
197884SRS	88.35	Spot Resist Stainless	Screw Kit
197931BL	154.05	Matte Black	Escutcheon
197931BN	145.05	Brushed Nickel	Escutcheon
197932BG	117.90	Brushed Gold	Escutcheon
197932BL	125.20	Matte Black	Escutcheon
197932BN	117.90	Brushed Nickel	Escutcheon
197933BN	148.85	Brushed Nickel	Escutcheon
197934BN	102.85	Brushed Nickel	Escutcheon
197934NL	102.85	Polished Nickel	Escutcheon
197934ORB	113.15	Oil Rubbed Bronze	Escutcheon
197935BG	111.50	Brushed Gold	Escutcheon
197935BN	111.50	Brushed Nickel	Escutcheon
197935NL	111.50	Polished Nickel	Escutcheon
197935ORB	122.70	Oil Rubbed Bronze	Escutcheon
197936BN	117.70	Brushed Nickel	Escutcheon
197936NL	117.70	Polished Nickel	Escutcheon
197936ORB	129.45	Oil Rubbed Bronze	Escutcheon
197937BN	142.05	Brushed Nickel	Escutcheon
197939BL	155.65	Matte Black	Escutcheon
197939BN	146.55	Brushed Nickel	Escutcheon
197940BG	146.55	Brushed Gold	Escutcheon
197940BL	1213.95	Matte Black	Escutcheon
197940BN	146.55	Brushed Nickel	Escutcheon
197940NL	146.55	Polished Nickel	Escutcheon
197940ORB	155.65	Oil Rubbed Bronze	Escutcheon
197941BL	112.10	Matte Black	Diverter Knob Kit
197941BN	105.50	Brushed Nickel	Diverter Knob Kit
197942BL	40.50	Matte Black	Diverter Knob Kit
197942BN	38.20	Brushed Nickel	Diverter Knob Kit
197943BG	33.65	Brushed Gold	Diverter Knob Kit
197943BL	35.75	Matte Black	Diverter Knob Kit
197943BN	33.65	Brushed Nickel	Diverter Knob Kit
197944BL	39.40	Matte Black	Diverter Knob Kit
197944BN	37.05	Brushed Nickel	Diverter Knob Kit
197945BN	36.50	Brushed Nickel	Diverter Knob Kit
197945NL	36.50	Polished Nickel	Diverter Knob Kit
197945ORB	38.75	Oil Rubbed Bronze	Diverter Knob Kit
197946BG	37.75	Brushed Gold	Diverter Knob Kit
197946BN	37.75	Brushed Nickel	Diverter Knob Kit
197946NL	37.75	Polished Nickel	Diverter Knob Kit
197946ORB	40.05	Oil Rubbed Bronze	Diverter Knob Kit
197947BN	41.45	Brushed Nickel	Diverter Knob Kit
197947NL	41.45	Polished Nickel	Diverter Knob Kit
197947ORB	44.05	Oil Rubbed Bronze	Diverter Knob Kit
197948BN	45.25	Brushed Nickel	Diverter Knob Kit
197949BL	44.40	Matte Black	Diverter Knob Kit
197949BN	41.80	Brushed Nickel	Diverter Knob Kit
197950BG	44.90	Brushed Gold	Handle Hub Kit
197950BL	47.70	Matte Black	Handle Hub Kit
197950BN	44.90	Brushed Nickel	Handle Hub Kit
197950NL	44.90	Polished Nickel	Handle Hub Kit
197950ORB	47.70	Oil Rubbed Bronze	Handle Hub Kit
197951BG	39.25	Brushed Gold	Diverter Knob Kit
197951BL	41.65	Matte Black	Diverter Knob Kit
197951BN	39.25	Brushed Nickel	Diverter Knob Kit
197951NL	39.25	Polished Nickel	Diverter Knob Kit
197951ORB	41.65	Oil Rubbed Bronze	Diverter Knob Kit
197952BL	37.95	Matte Black	Diverter Knob Kit
197952BN	35.70	Brushed Nickel	Diverter Knob Kit
198017BL	128.45	Matte Black	Matte Black
198017BN	120.95	Brushed Nickel	Brushed Nickel
198018BL	49.30	Matte Black	Slider For Slide Bar
198018BN	46.40	Brushed Nickel	Slider For Slide Bar
198019BL	11.95	Matte Black	Plug Button Kit
198019BN	11.25	Brushed Nickel	Plug Button Kit
198027BL	40.35	Matte Black	Escutcheon
198027BN	36.70	Brushed Nickel	Escutcheon
198027ORB	39.65	Oil Rubbed Bronze	Escutcheon
198029BN	65.85	Brushed Nickel	Escutcheon
198031BL	65.05	Matte Black	Escutcheon
198031BN	62.40	Brushed Nickel	Escutcheon
198032BL	66.20	Matte Black	Escutcheon
198032BN	53.25	Brushed Nickel	Escutcheon
198033BG	54.90	Brushed Gold	Escutcheon
198033BN	54.90	Brushed Nickel	Escutcheon
198033NL	54.90	Polished Nickel	Escutcheon
198033ORB	60.40	Oil Rubbed Bronze	Escutcheon
198034BN	62.30	Brushed Nickel	Escutcheon
198034NL	62.30	Polished Nickel	Escutcheon
198034ORB	68.55	Oil Rubbed Bronze	Escutcheon
198036BG	90.75	Brushed Gold	Escutcheon
198036BL	99.90	Matte Black	Escutcheon
198036BN	90.75	Brushed Nickel	Escutcheon
198036NL	90.75	Polished Nickel	Escutcheon
198036ORB	99.90	Oil Rubbed Bronze	Escutcheon
198038BG	119.60	Brushed Gold	Escutcheon
198038BL	131.55	Matte Black	Escutcheon
198038BN	119.60	Brushed Nickel	Escutcheon
198038NL	119.60	Polished Nickel	Escutcheon
198038ORB	131.55	Oil Rubbed Bronze	Escutcheon
198040BG	65.95	Brushed Gold	Handle Escutcheon
198040BL	72.50	Matte Black	Handle Escutcheon
198040BN	65.95	Brushed Nickel	Handle Escutcheon
198040NL	65.95	Polished Nickel	Handle Escutcheon
198040ORB	72.50	Oil Rubbed Bronze	Handle Escutcheon
198107BL	27.25	Matte Black	Two Piece Lift Rod
198107BN	30.00	Polished Nickel	Two Piece Lift Rod
198279BLS	162.05	Black/Stainless Steel	Wand Kit
198279ORB	161.95	Oil Rubbed Bronze	Wand Kit
198279SRS	108.70	Spot Resist Stainless	Wand Kit
198280BL	136.10	Matte Black	Wand Kit
198280SRS	111.20	Spot Resist Stainless	Wand Kit
198288BL	169.70	Matte Black	Spout Kit
198288SRS	86.65	Spot Resist Stainless	Spout Kit
198289BL	45.65	Matte Black	Handle Kit
198289SRS	24.80	Spot Resist Stainless	Handle Kit
198480BL	24.30	Matte Black	Showerhead Accessor
198480BN	22.05	Brushed Nickel (BN	Showerhead Accessor
198880SRS	52.60	Spot Resist Stainless	Handle Kit
198881ORB	85.45	Oil Rubbed Bronze	Handle Kit
198921BL	83.65	Matte Black	Wand Kit
198921BLS	119.60	Black/Stainless Steel	Wand Kit
198921ORB	109.05	Oil Rubbed Bronze	Wand Kit
198921SRS	93.15	Spot Resist Stainless	Wand Kit
198922BL	166.50	Matte Black	Spout Kit
198922SRS	132.30	Spot Resist Stainless	Spout Kit
198923BL	91.45	Matte Black	Handle Kit
198923BLS	136.65	Black/Stainless Steel	Handle Kit
198923SRS	66.10	Spot Resist Stainless	Handle Kit
199097BL	119.30	Matte Black	Spring Spout & Bearing

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
199097BLS	181.80	Black Stainless	Spring Spout & Bearing
199097SRS	90.70	Spot Resist Stainless	Spring Spout & Bearing
199098BL	115.10	Matte Black	Swing Arm
199098BLS	213.20	Black Stainless	Swing Arm
199098SRS	97.75	Spot Resist Stainless	Swing Arm
199106BL	45.30	Matte Black	Reflex Hose Kit
199164SRS	72.95	Spot Resist Stainle	Spout / Wand
199377BN	50.45	Chrome	Spout Kit
199477SRN	265.15	Spot Resist Brushed Nickel	Spout Kit
199490BL	315.60	Matte Black	Roman Tub Spout Kit
199490BN	372.70	Brushed Nickel	Roman Tub Spout Kit
199814BL	8.25	Matte Black	Escutcheon
199814SRS	7.45	Spot Resist Stainle	Escutcheon
199815BL	3.05	Matte Black	Dome
199815SRS	2.80	Spot Resist Stainle	Dome
199817BL	50.65	Matte Black	Spout / Wand
199817SRS	46.05	Spot Resist Stainle	Spout / Wand
200001BN	501.90	Brushed Nickel	Roman Tub Spout Kit
200014BG	87.95	Brushed Gold	Wand Kit
200014BL	67.25	Matte Black	Wand Kit
200014BLS	77.65	Black Stainless	Wand Kit
200014SRS	67.25	Spot Resist Stainless	Wand Kit
200714BN	34.90	Brushed Nickel	Handle Kit
200714ORB	38.40	Oil Rubbed Bronze	Handle Kit
200715BN	49.35	Brushed Nickel	Escutcheon
200715ORB	60.15	Oil Rubbed Bronze	Escutcheon
200716BN	36.85	Brushed Nickel	Handle Kit
200716ORB	40.55	Oil Rubbed Bronze	Handle Kit
200717BN	53.60	Brushed Nickel	Escutcheon
200717ORB	64.90	Oil Rubbed Bronze	Escutcheon
200718BN	38.40	Brushed Nickel	Handle Kit
200718ORB	42.25	Oil Rubbed Bronze	Handle Kit
200719BN	53.60	Brushed Nickel	Escutcheon
200720BRB	48.75	Mediterranean Bronze	Handle Kit
200720SRN	44.30	Spot Resist Brushed Nickel	Handle Kit
200721BRB	143.75	Oil Rubbed Bronze	Escutcheon
200721SRN	103.90	Spot Resist Brushed Nickel	Escutcheon
200722BL	38.30	Matte Black	Handle Kit
200722BN	34.80	Brushed Nickel	Handle Kit
200723BL	59.30	Matte Black	Escutcheon
200723BN	49.35	Brushed Nickel	Escutcheon
200724BL	38.60	Matte Black	Handle Kit
200724BN	35.10	Brushed Nickel	Handle Kit
200726BN	35.90	Brushed Nickel	Handle Kit
200727BN	47.00	Brushed Nickel	Escutcheon
200728BL	37.90	Matte Black	Handle Kit
200728BN	34.45	Brushed Nickel	Handle Kit
200729BL	51.95	Matte Black	Escutcheon
200729BN	46.45	Brushed Nickel	Escutcheon
200730BG	26.70	Brushed Gold	Handle Kit
200730BL	29.40	Matte Black	Handle Kit
200730BN	26.70	Brushed Nickel	Handle Kit
200731BG	30.75	Brushed Gold	M-CORE Div. Escutcheon
200731BL	33.85	Matte Black	M-CORE Div. Escutcheon
200731BN	30.75	Brushed Nickel	M-CORE Div. Escutcheon
200732BN	41.90	Brushed Nickel	Handle Kit
200732NL	41.90	Polished Nickel	Handle Kit
200732ORB	46.15	Oil Rubbed Bronze	Handle Kit
200733BN	42.00	Brushed Nickel	Diverter Kit
200733NL	42.00	Polished Nickel	Diverter Kit
200733ORB	47.40	Oil Rubbed Bronze	Diverter Kit
200734BN	38.30	Brushed Nickel	Handle Kit
200734NL	38.30	Polished Nickel	Handle Kit
200734ORB	42.10	Oil Rubbed Bronze	Handle Kit
200735BN	43.05	Brushed Nickel	M-CORE Div. Escutcheon
200735NL	43.05	Polished Nickel	M-CORE Div. Escutcheon
200735ORB	47.40	Oil Rubbed Bronze	M-CORE Div. Escutcheon
200736BG	43.15	Brushed Gold	Handle Kit
200736BN	43.15	Brushed Nickel	Handle Kit
200736NL	43.15	Polished Nickel	Handle Kit
200736ORB	47.50	Oil Rubbed Bronze	Handle Kit
200737BG	44.90	Brushed Gold	M-CORE Div. Escutcheon
200737BN	44.90	Brushed Nickel	M-CORE Div. Escutcheon
200737NL	44.90	Polished Nickel	M-CORE Div. Escutcheon
200737ORB	49.35	Oil Rubbed Bronze	M-CORE Div. Escutcheon
200740BL	39.95	Matte Black	Handle Kit
200740BN	36.35	Brushed Nickel	Handle Kit
200741BL	61.70	Matte Black	M-CORE Div. Escutcheon
200741BN	56.10	Brushed Nickel	M-CORE Div. Escutcheon
200742BG	39.55	Brushed Gold	Handle Kit
200742BL	43.45	Matte Black	Handle Kit
200742BN	39.55	Brushed Nickel	Handle Kit
200742NL	39.55	Polished Nickel	Handle Kit
200742ORB	43.45	Oil Rubbed Bronze	Handle Kit
200743BG	37.80	Brushed Gold	M-CORE Div. Escutcheon
200743BL	41.60	Matte Black	M-CORE Div. Escutcheon
200743BN	37.80	Brushed Nickel	M-CORE Div. Escutcheon
200743NL	37.80	Polished Nickel	M-CORE Div. Escutcheon
200743ORB	41.60	Oil Rubbed Bronze	M-CORE Div. Escutcheon
200744BN	34.45	Brushed Nickel	Handle Kit
200745BN	37.05	Brushed Nickel	M-CORE Div. Escutcheon
200746BG	41.30	Brushed Gold	Handle Kit
200746BN	41.30	Brushed Nickel	Handle Kit
200746NL	41.30	Polished Nickel	Handle Kit
200747BG	35.60	Brushed Gold	M-CORE Div. Escutcheon
200747BN	35.60	Brushed Nickel	M-CORE Div. Escutcheon
200747NL	35.60	Polished Nickel	M-CORE Div. Escutcheon
200748BL	37.55	Matte Black	Handle Kit
200748BN	34.15	Brushed Nickel	Handle Kit
200749BL	40.55	Matte Black	M-CORE Div. Escutcheon
200749BN	36.85	Brushed Nickel	M-CORE Div. Escutcheon
200750BG	36.35	Brushed Gold	Handle Kit
200750BL	39.95	Matte Black	Handle Kit
200750BN	36.35	Brushed Nickel	Handle Kit
200755BG	66.10	Brushed Gold	Extension Kit
200755BL	72.65	Matte Black	Extension Kit
200755BN	66.10	Brushed Nickel	Extension Kit
200775BG	17.40	Brushed Gold	Dome
200775BL	19.15	Matte Black	Dome
200775BN	17.40	Brushed Nickel	Dome
200775NL	17.40	Polished Nickel	Dome
200776BG	15.95	Brushed Gold	Dome
200776BL	17.50	Matte Black	Dome
200776BN	15.95	Brushed Nickel	Dome
200776NL	15.95	Polished Nickel	Dome
200776ORB	17.50	Oil Rubbed Bronze	Dome
200777BN	18.20	Brushed Nickel	Dome
200778BG	18.20	Brushed Gold	Dome
200778BN	18.20	Brushed Nickel	Dome
200778NL	18.20	Polished Nickel	Dome
200778ORB	20.10	Oil Rubbed Bronze	Dome

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
200779BG	66.10	Brushed Gold	Extension Kit
200779BL	72.65	Matte Black	Extension Kit
200779BN	66.10	Brushed Nickel	Extension Kit
200779NL	66.10	Polished Nickel	Extension Kit
200779ORB	72.65	Oil Rubbed Bronze	Extension Kit
200780BN	66.10	Brushed Nickel	Extension Kit
200781BG	66.00	Brushed Gold	Extension Kit
200781BN	66.10	Brushed Nickel	Extension Kit
200781NL	66.10	Polished Nickel	Extension Kit
200781ORB	72.65	Oil Rubbed Bronze	Extension Kit
200782BG	32.50	Brushed Gold	M-CORE Handle kit
200782BL	35.70	Matte Black	M-CORE Handle kit
200782BN	32.50	Brushed Gold	M-CORE Handle kit
200783BG	63.85	Brushed Gold	Escutcheon
200783BL	70.30	Matte Black	Escutcheon
200783BN	63.85	Brushed Nickel	Escutcheon
200783CBN	63.90	Classic Brushed Nickel	Escutcheon
200784BN	51.45	Brushed Nickel	Handle Kit
200784NL	51.45	Polished Nickel	Handle Kit
200784ORB	56.60	Oil Rubbed Bronze	Handle Kit
200785BN	63.05	Brushed Gold	M-CORE Escutcheon Kit
200785NL	63.05	Polished Nickel	M-CORE Escutcheon Kit
200785ORB	69.35	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200786BG	36.55	Brushed Gold	Handle Kit
200786BN	36.55	Brushed Nickel	Handle Kit
200786NL	36.55	Polished Nickel	Handle Kit
200786ORB	40.15	Oil Rubbed Bronze	Handle Kit
200787BG	42.65	Brushed Gold	M-CORE Escutcheon Kit
200787BN	42.65	Brushed Gold	M-CORE Escutcheon Kit
200787NL	42.65	Polished Nickel	M-CORE Escutcheon Kit
200787ORB	46.90	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200788BN	38.30	Brushed Nickel	Handle Kit
200788NL	38.30	Polished Nickel	Handle Kit
200788ORB	42.10	Oil Rubbed Bronze	Handle Kit
200789BN	57.55	Brushed Gold	M-CORE Escutcheon Kit
200789NL	57.55	Polished Nickel	M-CORE Escutcheon Kit
200789ORB	63.35	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200790CBN	52.05	Classic Brushed Nickel	Handle Kit
200792BL	42.95	Matte Black	Handle Kit
200792BN	39.00	Brushed Gold	Handle Kit
200793BL	85.70	Matte Black	M-CORE Escutcheon Kit
200793BN	77.95	Brushed Gold	M-CORE Escutcheon Kit
200794BL	39.45	Matte Black	M-CORE Handle kit
200794BN	35.80	Brushed Gold	M-CORE Handle kit
200795BL	63.35	Matte Black	M-CORE Escutcheon Kit
200795BN	57.55	Brushed Gold	M-CORE Escutcheon Kit
200796BG	52.80	Brushed Gold	M-CORE Handle kit
200796BL	58.05	Matte Black	M-CORE Handle kit
200796BN	52.80	Brushed Gold	M-CORE Handle kit
200796NL	52.80	Polished Nickel	M-CORE Handle kit
200796ORB	58.05	Oil Rubbed Bronze	M-CORE Handle kit
200797BG	77.85	Brushed Gold	M-CORE Escutcheon Kit
200797BL	85.60	Matte Black	M-CORE Escutcheon Kit
200797BN	77.85	Brushed Gold	M-CORE Escutcheon Kit
200797NL	77.85	Polished Nickel	M-CORE Escutcheon Kit
200797ORB	85.60	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200798BN	34.05	Brushed Gold	M-CORE Handle kit
200799BN	49.90	Brushed Gold	M-CORE Escutcheon Kit
200800BG	34.65	Brushed Gold	M-CORE Handle kit
200800BL	38.20	Matte Black	M-CORE Handle kit
200800BN	34.65	Brushed Gold	M-CORE Handle kit
200801BG	72.55	Brushed Gold	M-CORE Escutcheon Kit
200801BL	79.80	Matte Black	M-CORE Escutcheon Kit
200801BN	72.55	Brushed Gold	M-CORE Escutcheon Kit
200802BG	38.40	Brushed Gold	M-CORE Handle kit
200802BN	38.40	Brushed Gold	M-CORE Handle kit
200802NL	38.40	Polished Nickel	M-CORE Handle kit
200803BG	77.85	Brushed Gold	M-CORE Escutcheon Kit
200803BN	77.85	Brushed Gold	M-CORE Escutcheon Kit
200803NL	77.85	Polished Nickel	M-CORE Escutcheon Kit
200806BL	46.55	Matte Black	M-CORE Handle kit
200806BN	42.35	Brushed Gold	M-CORE Handle kit
200807BL	96.55	Matte Black	M-CORE Escutcheon Kit
200807BN	87.75	Brushed Gold	M-CORE Escutcheon Kit
200808BG	39.95	Brushed Gold	M-CORE Escutcheon Kit
200808BL	44.00	Matte Black	M-CORE Escutcheon Kit
200808BN	39.95	Brushed Nickel	M-CORE Escutcheon Kit
200809BG	89.55	Brushed Gold	M-CORE Escutcheon Kit
200809BL	98.55	Matte Black	M-CORE Escutcheon Kit
200809BN	89.55	Brushed Nickel	M-CORE Escutcheon Kit
200810BN	104.65	Brushed Nickel	M-CORE Escutcheon Kit
200810NL	104.65	Polished Nickel	M-CORE Escutcheon Kit
200810ORB	115.10	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200811BG	54.45	Brushed Gold	M-CORE Escutcheon Kit
200811BN	54.45	Brushed Nickel	M-CORE Escutcheon Kit
200811NL	54.45	Polished Nickel	M-CORE Escutcheon Kit
200811ORB	59.95	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200812BN	109.40	Brushed Nickel	M-CORE Escutcheon Kit
200812NL	109.40	Polished Nickel	M-CORE Escutcheon Kit
200812ORB	120.35	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200813BG	142.75	Brushed Gold	M-CORE Escutcheon Kit
200813BN	142.75	Brushed Nickel	M-CORE Escutcheon Kit
200813NL	142.75	Polished Nickel	M-CORE Escutcheon Kit
200814BL	128.25	Matte Black	M-CORE Escutcheon Kit
200814BN	116.55	Brushed Nickel	M-CORE Escutcheon Kit
200816BL	100.80	Matte Black	M-CORE Escutcheon Kit
200816BN	91.60	Brushed Nickel	M-CORE Escutcheon Kit
200817BG	137.65	Brushed Gold	M-CORE Escutcheon Kit
200817BL	151.40	Matte Black	M-CORE Escutcheon Kit
200817BN	137.65	Brushed Nickel	M-CORE Escutcheon Kit
200817NL	137.65	Polished Nickel	M-CORE Escutcheon Kit
200817ORB	151.40	Oil Rubbed Bronze	M-CORE Escutcheon Kit
200818BN	52.25	Brushed Nickel	M-CORE Escutcheon Kit
200819BG	86.30	Brushed Gold	M-CORE Escutcheon Kit
200819BL	94.90	Matte Black	M-CORE Escutcheon Kit
200819BN	86.30	Brushed Nickel	M-CORE Escutcheon Kit
200820BG	42.35	Brushed Gold	M-CORE Handle Hub Kit
200820BN	42.35	Brushed Nickel	M-CORE Handle Hub Kit
200820NL	42.35	Polished Nickel	M-CORE Handle Hub Kit
200820ORB	46.55	Oil Rubbed Bronze	M-CORE Handle Hub Kit
200821BN	42.75	Brushed Nickel	M-CORE Handle Hub Kit
201203BG	83.95	Brushed Gold	Lever Handle Kit
201203BL	92.30	Matte Black	Lever Handle Kit
201203BN	83.95	Brushed Nickel	Lever Handle Kit
201204BG	84.40	Brushed Gold	Cross Handle Kit
201204BL	92.85	Matte Black	Cross Handle Kit
201204BN	84.40	Brushed Nickel	Cross Handle Kit
201205BG	276.55	Brushed Gold	Wlmt Lav Spout Kit
201205BL	304.25	Matte Black	Wlmt Lav Spout Kit
201205BN	276.55	Brushed Nickel	Wlmt Lav Spout Kit
201206BG	60.45	Brushed Gold	Widespread Lift Rod Kit
201206BL	66.50	Matte Black	Widespread Lift Rod Kit
201206BN	60.45	Brushed Nickel	Widespread Lift Rod Kit
201208BG	527.50	Brushed Gold	Roman Tub Spout Kit

GENUINE PARTS

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
201208BL	580.25	Matte Black	Roman Tub Spout Kit
201208BN	527.50	Brushed Nickel	Roman Tub Spout Kit
201209BG	572.15	Brushed Gold	4 Hole Roman Tub Spout Kit
201209BL	629.40	Matte Black	4 Hole Roman Tub Spout Kit
201209BN	572.15	Brushed Nickel	4 Hole Roman Tub Spout Kit
201211BG	122.70	Brushed Gold	Shower Escutcheon Kit
201211BL	134.95	Matte Black	Shower Escutcheon Kit
201211BN	122.70	Brushed Nickel	Shower Escutcheon Kit
201212BG	70.80	Brushed Gold	Posi Handle Kit
201212BL	77.90	Matte Black	Posi Handle Kit
201212BN	70.80	Brushed Nickel	Posi Handle Kit
201213BG	124.50	Brushed Gold	Thermostatic Handle Kit
201213BL	137.00	Matte Black	Thermostatic Handle Kit
201213BN	124.50	Brushed Nickel	Thermostatic Handle Kit
201214BG	123.15	Brushed Gold	Volume Handle Kit
201214BL	135.60	Matte Black	Volume Handle Kit
201214BN	123.15	Brushed Nickel	Volume Handle Kit
201215BG	111.20	Brushed Gold	Handshower Cradle Kit
201215BL	122.35	Matte Black	Handshower Cradle Kit
201215BN	111.20	Brushed Nickel	Handshower Cradle Kit
201216BG	105.10	Brushed Gold	Tubfiller Handle Kit
201216BL	115.60	Matte Black	Tubfiller Handle Kit
201216BN	105.10	Brushed Nickel	Tubfiller Handle Kit
201217BG	55.60	Brushed Gold	Diverter Knob Kit
201217BL	61.10	Matte Black	Diverter Knob Kit
201217BN	55.60	Brushed Nickel	Diverter Knob Kit
201218BG	207.35	Brushed Gold	Diverter Kit
201218BL	228.10	Matte Black	Diverter Kit
201218BN	207.35	Brushed Nickel	Diverter Kit
201300BG	525.70	Brushed Gold	Service Kit
201300BL	578.25	Matte Black	Service Kit
201300BLS	578.25	Stainless/Matte Black	Service Kit
201300C	375.50	Chrome	Service Kit
201300SRS	525.70	Spot Resist Stainless	Service Kit
201301BL	543.10	Matte Black	Service Kit
201301C	352.70	Chrome	Service Kit
201301ORB	691.20	Oil Rubbed Bronze	Service Kit
201301SRS	493.75	Spot Resist Stainless	Service Kit
201302C	369.45	Chrome	Service Kit
201302ORB	569.00	Oil Rubbed Bronze	Service Kit
201302SRS	517.25	Spot Resist Stainless	Service Kit
201304BL	1140.35	Matte Black	Service Kit
201304BLS	1254.40	Stainless/Matte Black	Service Kit
201304C	740.50	Chrome	Service Kit
201304SRS	1036.70	Spot Resist Stainless	Service Kit
201305BL	643.55	Matte Black	Service Kit
201305C	417.90	Chrome	Service Kit
201305SRS	585.05	Spot Resist Stainless	Service Kit
201306BL	549.40	Matte Black	Service Kit
201306BLS	549.40	Stainless/Matte Black	Service Kit
201306C	356.75	Chrome	Service Kit
201306SRS	499.45	Spot Resist Stainless	Service Kit
201307BG	695.40	Brushed Gold	Service Kit
201307BL	764.95	Matte Black	Service Kit
201307C	496.70	Chrome	Service Kit
201307SRS	695.40	Spot Resist Stainless	Service Kit
201308BG	565.35	Brushed Gold	Service Kit
201308C	403.85	Chrome	Service Kit
201308NL	565.35	Nickel/Matte Black	Service Kit
201308ORB	621.95	Oil Rubbed Bronze	Service Kit
201308SRS	565.35	Spot Resist Stainless	Service Kit
201612BL	24.00	Matte Black	Escutcheon
201612BN	21.85	Brushed Nickel (BN	Escutcheon
201613BN	21.85	Brushed Nickel (BN	Handle
201719BL	24.05	Matte Black	Handle
201719BN	21.85	Brushed Nickel (BN	Handle
201721BL	24.05	Matte Black	Escutcheon
201721BN	21.85	Brushed Nickel (BN	Escutcheon
201728BL	24.05	Matte Black	Spout / Wand
201728BN	21.85	Brushed Nickel (BN	Spout / Wand
201729BL	50.70	Matte Black	Spout / Wand
201729SRS	46.15	Spot Resist Stainle	Spout / Wand
2186BN	21.80	Brushed Nickel	Stream Straightener
2186P	16.35	Polished Brass	Stream Straightener
2197BN	335.65	Brushed Nickel	Roman Tub Spout Kit
2198SL	23.10	Stainless	Handle Escutcheon
221641BG	104.15	Brushed Gold	Handle Kit
221641BL	118.60	Matte Black	Handle Kit
221641BN	107.80	Brushed Nickel	Handle Kit
221641NL	118.60	Polished Nickel	Handle Kit
221641ORB	118.60	Oil Rubbed Bronze	Handle Kit
221642BG	111.90	Brushed Gold	Handle Kit
221642BL	123.10	Matte Black	Handle Kit
221642BN	111.90	Brushed Nickel	Handle Kit
221642NL	118.85	Polished Nickel	Handle Kit
221642ORB	118.85	Oil Rubbed Bronze	Handle Kit
221672BL	35.50	Matte Black	Handle Cap Kit
221672BN	32.10	Brushed Nickel	Handle Cap Kit
221673BG	21.85	Brushed Gold	Handle Cap Kit
221673BL	24.10	Matte Black	Handle Cap Kit
221673BN	21.85	Brushed Nickel	Handle Cap Kit
221673NL	21.85	Polished Nickel	Handle Cap Kit
221673ORB	24.10	Oil Rubbed Bronze	Handle Cap Kit
221772BG	21.75	Brushed Gold	Handle Cap Kit
221772BN	20.60	Brushed Nickel	Handle Cap Kit
221772NL	21.75	Polished Nickel	Handle Cap Kit
221772ORB	22.65	Oil Rubbed Bronze	Handle Cap Kit
252001BN	43.30	Brushed Nickel	Handle Kit
252002BN	44.15	Brushed Nickel	Handshower Cradle
252006BN	56.80	Brushed Nickel	Cartridge Sleeve
252010BN	161.80	Chrome	Diverter Kit
259416BN	171.60	Brushed Nickel	Service Kit
259416ORB	179.20	Oil Rubbed Bronze	Service Kit
259419BN	78.35	Brushed Nickel	Handle Hub Kit
259423BN	315.35	Brushed Nickel	Service Kit
259423ORB	318.15	Oil Rubbed Bronze	Service Kit
262000BN	137.90	Brushed Nickel	Handle Kit
262000ORB	155.40	Oil Rubbed Bronze	Handle Kit
262001BN	54.30	Brushed Nickel	Handle Kit
262001ORB	59.65	Oil Rubbed Bronze	Handle Kit
262002BN	65.10	Brushed Nickel	Handle Hub
262004BN	68.10	Brushed Nickel	Escutcheon
262004ORB	74.95	Oil Rubbed Bronze	Escutcheon
262005BN	361.00	Brushed Nickel	Handshower Cradle
262005ORB	379.35	Oil Rubbed Bronze	Handshower Cradle
262006BN	44.50	Brushed Nickel	Escutcheon
262006ORB	31.75	Oil Rubbed Bronze	Escutcheon
275393CSL	59.20	Classic Stainless (	Spout / Wand
3346BG	121.55	Brushed Gold (BG)	Tub Spout
3346BL	141.55	Matte Black	Tub Spout
3346BN	121.55	Brushed Nickel (BN	Tub Spout
3347BG	99.15	Brushed Gold (BG)	Tub Spout
3347BL	109.05	Matte Black	Tub Spout
3347BN	99.15	Brushed Nickel (BN	Tub Spout
344112SRS	83.40	Spot Resist Stainless	Spout Kit
344114SRS	99.00	Spot Resist Stainless	Spout Kit
3919BN	21.75	Brushed Nickel	Aerator
3919CSL	21.75	Classic Stainless	Aerator Kit
3919ORB	24.00	Oil Rubbed Bronze	Aerator
3919SLP	19.15	Brushed Platinum	Aerator
3919WR	24.00	Wrought Iron	Aerator
40025BL	29.45	Chrome	Drain
400431CSL	38.00	Classic Stainless (	Spout / Wand
40045BL	7.55	N/A or Unfinished	Cap/Button/Cover
40045BN	6.90	N/A or Unfinished	Cap/Button/Cover
40073BL	26.45	Matte Black	Extension Kit
41002BL	5.70	Matte Black	Hardware Kit
52016F03	18.60	Chrome	Aerator .35 GPM Vandal Resistant
52016F05	18.60	Chrome	Aerator .5 GPM Vandal Resistant
52016F10	18.60	N/A or Unfinished	Aerator
52016F15	18.60	Chrome	Aerator 1.5 GPM Vandal Resistant
52016F22	18.60	Chrome	Aerator 2.2 GPM Vandal Resistant
52018F12	18.60	Black	Aerator
52018F22	10.65	N/A or Unfinished	Aerator
615BG	1979.20	Brushed Gold (BG)	Floor Mounted
615BL	2177.05	Matte Black	Floor Mounted
615BN	1979.20	Brushed Nickel (BN	Floor Mounted
6221BG	434.80	Brushed Gold (BG)	1H Single Mount Lav
6221BL	478.30	Matte Black	1H Single Mount Lav
6221BN	434.80	Brushed Nickel (BN	1H Single Mount Lav
840011CBN	132.70	Classic Brushed Nickel	Handle Cap Kit
840012CBN	132.70	Classic Brushed Nickel	Handle Cap Kit
840015F03	13.45	Chrome	Aerator
840015F15	13.45	Chrome	Aerator
840015F22	13.45	Chrome	Aerator
8559BL	845.95	Chrome	Sensor Lav
90478BN	36.40	Brushed Nickel	Screw Kit
90478NL	14.30	Polished Nickel	Screw Kit
90478ORB	40.10	Oil Rubbed Bronze	Screw Kit
920-001	390.35	N/A or Unfinished	Battery Kit
920-003	18.75	N/A or Unfinished	25 Extension Cable
920-006	31.85	N/A or Unfinished	Flo by Moen 6' Leak Sensing Cable
930-001	62.40	N/A or Unfinished	Installation Tool
930-002	62.40	N/A or Unfinished	Installation Tool
930-003	72.05	N/A or Unfinished	Installation Tool
930-004	72.05	N/A or Unfinished	Installation Tool
930-005	104.85	N/A or Unfinished	Installation Tool
930-006	104.85	N/A or Unfinished	Installation Tool
93990W	16.40	Glacier	Dome
95626BN	56.00	Brushed Nickel	Handle Kit
95626ORB	59.40	Oil Rubbed Bronze	Handle Kit
96945BG	55.10	Brushed Gold	Extension Kit
96945BN	55.10	Brushed Nickel	Handle Extension Kit
96945WR	60.60	Wrought Iron	Handle Extension Kit
96987BG	14.30	Brushed Gold	Stop Tube Kit
96987BN	14.30	Brushed Nickel	Stop Tube Kit
96987NL	14.40	Polished Nickel	Stop Tube Kit
96987WR	15.70	Wrought Iron	Stop Tube Kit
97372BN	90.85	Brushed Nickel	Handle Insert Kit
97476SL	18.60	Stainless	Aerator
97491BN	80.30	Brushed Nickel	Escutcheon
97491ORB	88.30	Oil Rubbed Bronze	Escutcheon
97491WR	88.30	Wrought Iron	Escutcheon
97577BN	80.30	Brushed Nickel	Escutcheon
97577ORB	88.30	Oil Rubbed Bronze	Escutcheon
97577WR	88.30	Wrought Iron	Escutcheon
99557BL	45.80	Matte Black	Escutcheon & Gasket Kit
99557BN	41.65	Brushed Nickel	Escutcheon & Gasket Kit
99558BL	58.85	Matte Black	Escutcheon
99558BN	53.50	Brushed Nickel	Escutcheon
A2020	155.85	Chrome	Extension Kit
A2020BN	223.30	Brushed Nickel	Extension Kit
A705	56.05	Chrome	Shower Arm Flange
A705CBN	84.05	Classic Brushed Nickel	Shower Arm Flange
A714WR	75.40	Wrought Iron	Vacuum Breaker Kit
A735NL	250.00	Polished Nickel	Slidebar kit
AT2199SLP	17.05	Brushed Platinum	Shower Arm Flange
CA3919	15.00	Chrome	Aerator
CA3924	15.00	Chrome	Aerator
CL145058	18.90	N/A or Unfinished	Adapter Kit
SK1711	3.75	N/A or Unfinished	Retainer Clip

Moen Genuine Parts

Listed in numerical order

GENUINE PARTS

Bulk

Integra® One-Handle Kitchen Faucet / 67315

Please see **moen.com/consumer-support/warranty** for complete product warranty information.

Table of Contents

612 Kitchen
614 Bathroom
618 MOEN X INLY™ Aromatherapy
619 M-CORE™ Showering
621 Posi-Temp® Showering Rough-in Valves and Trim
629 Non-Pressure Balancing Showering

MOEN® BULK-PACK

Bulk-Pack gives you everything you need for on-site installation: kitchen, lavatory, roman tub, tub/shower faucets and stainless steel sinks in case lots.

Each kitchen and lavatory faucet carton contains individually packaged faucets ready for installation.

Roman tub and tub/shower faucets come packaged in two cartons. The rough-in valves are in one carton, the finish trim in another carton. This helps you avoid losing or damaging the trim.

L64601
03
CHATEAU®
CHROME
1 HANDLE LAVATORY FAUCET LESS WASTE
CROMO
MEZCLADORA LAVABO 1 MANIJA SIN DESAGUE
CHROME
ROBINET LAVABO 1 POIGNÉE SANS VIDAGE
A112.18.1M 1.2 gpm (4.5 L/min) max
NSF 610 & 372
UPC®
0 26508 06371 2
Assembled in USA of US & Foreign Parts
Ensamblado en EE.UU. con piezas nacionales y extranj
Assemblé aux É.-U., pièces américaines/étrangères
Moen Incorporated * North Olmsted OH 44070
X61613

Each carton is labeled for easy identification.

CROSS-REFERENCE For Bulk Faucets and Valves

CROSS-REFERENCE TABLE

	Single Pack	Bulk Pack
Kitchen	7425	67425
Kitchen	7430	67430
Kitchen	7434	67434
Kitchen	7840	67840
Kitchen	67315C	67315C
Kitchen	67315SRS	67315SRS
Kitchen	67545C	7545C
Valves	2510	62300
Valves	2520	62320
Valves	2570	62370
Valves	2580	62380
Valves	2590	62390
Valves	3570	63170
Valves	9000	69000
Tub/Shower	T2131	T62131
Tub/Shower	T2132	T62132
Tub/Shower	T2133	T62133
Tub/Shower	T2151	T62151
Tub/Shower	T2152	T62152
Tub/Shower	T2153	T62153
Tub/Shower	T2182	T62182
Tub/Shower	T2183	T62183
Tub/Shower	T2742	T62742
Tub/Shower	T2743	T62743
Tub/Shower	2352	T182 + 62320
Tub/Shower	L2352	TL182 + 62300
Tub/Shower	2353	T183 + 62320
Tub/Shower	L2353	TL183 + 62300
Tub/Shower	L2361	TL181 + 62370
Tub/Shower	L2362	TL182 + 62370
Tub/Shower	2363	T183 + 62370
Tub/Shower	L2363	TL183 + 62370
Bathroom Sink Faucet	L4601	L64601
Bathroom Sink Faucet	L4621	L64620
Bathroom Sink Faucet	L4625	L64624
Bathroom Sink Faucet	4925	64925
Bathroom Sink Faucet	6172	66172
Bathroom Sink Faucet	6410	66410
Bathroom Sink Faucet	6610	66610
Bathroom Sink Faucet	6802	66802
INLY X MOEN™ Aromatherapy Capsules	INC20801	INCB20801

BULK

BULK Kitchen Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CAMERIST®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one or three hole • spout height: 12.00" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" • deckplate: included POWERCLEAN reflex DURALOCK® DURALAST®	**67545C**	363.85	Chrome	3
INTEGRA®	**ONE-HANDLE PULLOUT KITCHEN FAUCET**				
	• application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deckplate: included POWERCLEAN DURALOCK® DURALAST®	**67315C** **67315SRS**●	273.05 386.10	Chrome Spot Resist Stainless	6 6
CAMERIST®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: two to four hole • overall height: 8.13" • connection size: 3/8" • connection type: compression • spray type: aerated stream • water usage: 1.5 gpm (5.7 L/min) max. • deckplate: included • side spray: included DURALOCK® DURALAST®	**67840**	228.85	Chrome	6

BULK Kitchen Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**ONE-HANDLE KITCHEN FAUCET**				
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. DURALAST®	**67425**	148.45	Chrome	6
	• application: four hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**67430**	186.60	Chrome	6
	• application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included DURALOCK® DURALAST®	**67434**	186.60	Chrome	6

● Spot Resist Stainless Finish
POWERCLEAN Power Clean™ Technology
reflex Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

BULK

BULK

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
BRANTFORD®	**ONE-HANDLE BATHROOM FAUCET**				
	• application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deckplate: included • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**66600**	209.50	Chrome	6
CHATEAU®	**ONE-HANDLE BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included DURALAST®	**64601**	134.20	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**64621**	164.95	Chrome	12
	• application: three hole • center dimensions: 4" center • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: drain not included DURALAST®	**L64600**	134.20	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included DURALAST®	**L64601**	134.20	Chrome	12

WaterSense Certified
DURALAST® Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**ONE-HANDLE BATHROOM FAUCET (CONTINUED)**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod DURALAST®	**L64620**	175.10	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**L64621**	164.95	Chrome	12
	• application: three hole • center dimensions: 4" center • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: metal • drain assembly type: lift rod DURALAST®	**L64624**	180.15	Chrome	12
	• application: three hole • center dimensions: 4" center • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**L64625**	166.65	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: 50% plastic/ 50% metal • red/blue markings: included DURALAST®	**L64635**	180.15	Chrome	12

WaterSense Certified
DURALAST® Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
DARTMOOR™	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**66802**	171.80	Chrome	6
GLYDE™	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**66172**	171.80	Chrome	6
BRANTFORD®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**66610**	171.80	Chrome	6
EVA®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**66410**	171.80	Chrome	6
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • red/blue markings: included DURALAST®	**66411**	171.80	Chrome	6

WaterSense Certified
DURALAST® Duralast® Cartridge

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**TWO-HANDLE CENTERSET BATHROOM FAUCET**				
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included DURALAST®	**64900**	88.75	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod DURALAST®	**64919**	129.75	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**64920**	124.55	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: drain not included DURALAST®	**64922**	104.90	Chrome	12
	• application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: 50% plastic/ 50% metal • drain assembly type: lift rod DURALAST®	**64925**	145.50	Chrome	12
M-PACT®	**WIDESPREAD VALVE**				
	• application: three hole • center dimensions: 8" - 16" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod DURALOCK® DURALAST®	**69000**	127.25	1/2" IPS	6

WaterSense Certified
Moen® **M•PACT®** Common Valve System
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

BULK MOEN® X INLY™ Aromatherapy

Must order in Case Quantity.

	MODEL	LIST	DESCRIPTION	CASE QTY
MOEN® X INLY™ AROMATHERAPY CAPSULES				
• 125 individual capsules per case • Infuse the shower with 4 unique spa-inspired fragrances curated with essential oils • INLY Capsules MUST ALWAYS be accompanied by regulatory content for the end user; required content is included on the master carton label and spec sheet on moen.com	**INCB20801**	580.40	Energetic Morning	125
	INCB20802	580.40	Tropical Day	125
	INCB20803	580.40	Sweet Morning	125
	INCB20804	580.40	Zen Time	125

MOEN × INLY
AROMATHERAPY SHOWER

BULK M-CORE™ Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
LEGEND®	**M-CORE™ 3-SERIES TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately • includes: pressure balanced cartridge with volume and temperature control	**UTL172**	222.35	Chrome	4
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately • includes: pressure balanced cartridge with volume and temperature control	**UTL172EP**	222.35	Chrome	4
LEGEND®	**M-CORE™ 3-SERIES SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately • includes: pressure balanced cartridge with volume and temperature control	**UTL171**	185.00	Chrome	4
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately • includes: pressure balanced cartridge with volume and temperature control	**UTL171EP**	185.00	Chrome	4

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

BULK

BULK M-CORE™ Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
LEGEND®	**M-CORE™ 3-SERIES VALVE ONLY TRIM**				
	• valve sold separately • includes: pressure balanced cartridge with volume and temperature control	**UTL170**	179.65	Chrome	4

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

M-CORE™ Mixing Valves

(For product details and images please reference pages 477 in Valve section)

TUB/SHOWER OR SHOWER ONLY APPLICATION

Description	Model	List	Connection	Case Qty
Four port	U140CI	63.00	1/2" CC/IPS	6
Four port	U140X	63.00	1/2" Crimp Ring PEX with CC/IPS Tub	6
Four port	U140CX	63.00	1/2" Cold Exp. Pex with CC/IPS Tub	6
Four port	U140V	77.10	1/2" CPVC with CC/IPS Tub	6
Four port with quarter turn stops	U140CIS	90.60	1/2" CC/IPS	6
Four port with quarter turn stops	U140XS	90.60	1/2" Crimp Ring PEX with CC/IPS Tub	6
Four port with quarter turn stops	U140CXS	90.60	1/2" Cold Exp. Pex with CC/IPS Tub	6
Four port with quarter turn stops	U140VS	104.75	1/2" CPVC with CC/IPS Tub	6
Four port Pre-Fab	U140X-PF	71.10	1/2" Crimp Ring PEX	3
Four port Pre-Fab	U140CX-PF	71.10	1/2" Cold Exp. PEX	3
Four port Pre-Fab with quarter turn stops	U140XS-PF	98.75	1/2" Crimp Ring PEX	3
Four port Pre-Fab with quarter turn stops	U140CXS-PF	98.75	1/2" Cold Exp. PEX	3

SHOWER ONLY APPLICATION

Description	Model	List	Connection	Case Qty
Three port	U130CI	63.00	1/2" CC/IPS	6
Three port	U130X	63.00	1/2" Crimp Ring PEX	6
Three port	U130CX	63.00	1/2" Cold Exp. Pex	6
Three port with quarter turn stops	U130CIS	90.60	1/2" CC/IPS	6
Three port with quarter turn stops	U130XS	90.60	1/2" Crimp Ring PEX	6
Three port with quarter turn stops	U130CXS	90.60	1/2" Cold Exp. Pex	6

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
DARTMOOR™	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62183**	102.65	Chrome	12
GLYDE™	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62743**	102.65	Chrome	6
BRANTFORD®	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold seperately	**T62153**	102.65	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T62153EP**	102.65	Chrome	12
	• showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T62153NH**	87.90	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

BULK

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
EVA®	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately	**T62133**	102.65	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T62133EP**	102.65	Chrome	12
	• showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve: sold separately	**T62133NH**	87.90	Chrome	12
CHATEAU®	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T183**	70.40	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T183EP**	70.40	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**POSI-TEMP® TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**TL183** **TL183BC**	70.40 115.65	Chrome Brushed Chrome	12 12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve: sold separately	**TL183EP** **TL183EPBC**	70.40 115.65	Chrome Brushed Chrome	12 12
	• showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL183NH**	61.85	Chrome	12
DARTMOOR™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62182**	68.15	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT**® Common Valve System

BULK

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
GLYDE™	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/4" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62742**	68.15	Chrome	12
BRANTFORD®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62152**	68.15	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T62152EP**	68.15	Chrome	12
	• showerhead type: showerhead sold separately • valve: sold separately	**T62152NH**	64.70	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
EVA®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately	**T62132**	68.15	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve: sold separately	**T62132EP**	68.15	Chrome	12
	• showerhead type: showerhead sold separately • valve: sold separately	**T62132NH**	64.70	Chrome	12
CHATEAU®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**T182**	43.40	Chrome	12

VALVE: PAGE 384

HOW TO ORDER - PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified
Moen® **M•PACT®** Common Valve System

BULK

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**POSI-TEMP® SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T182EP**	43.40	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve: sold separately	**TL182** **TL182BC**	43.40 86.45	Chrome Brushed Chrome	12 12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**TL182EP** **TL182EPBC**	43.40 86.45	Chrome Brushed Chrome	12 12
	• showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately	**TL182NH**	41.10	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified

Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
BRANTFORD®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve sold separately	**T62151**	50.75	Chrome	12
EVA®	**POSI-TEMP® VALVE ONLY TRIM**				
	• valve sold separately	**T62131**	50.75	Chrome	12
CHATEAU®	**POSI-TEMP® VALVE ONLY TRIM**				
	• red/blue markings: included • valve: sold separately	**TL181**	39.40	Chrome	12
	• red/blue markings: included • valve: sold separately	**T187**	39.40	Chrome	12
	• red/blue markings: included • valve: sold separately	**T181**	39.40	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Moen® **M•PACT®** Common Valve System

BULK

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

Posi-Temp® Mixing Showering Rough-In Valves

(For product details, images, and bulk pack offering please reference page 479-485 in Valve section)

TUB/SHOWER OR SHOWER ONLY APPLICATION

Description	Model	List	Connection	Case Qty
Four port; adjustable temperature limit stops	62320	128.35	1/2" CC	12
Four port; adjustable temperature limit stops; test plug included	FP62320	128.35	1/2" CC	12
Four port; adj. temp. limit stops; quarter turn stops included	62370	156.00	1/2" CC	12
Four port; adj. temp. limit stops; quarter turn stops and test plug included	FP62370	156.00	1/2" CC	12
Four port; adjustable temperature limit stops	62300	128.35	1/2" IPS	12
Four port; adjustable temperature limit stops; test plug included	FP62300	128.35	1/2" IPS	12
Four port; adj. temp. limit stops; quarter turn stops included	62390	156.00	1/2" IPS	12
Four port; adj. temp. limit stops; quarter turn stops and test plug included	FP62390	156.00	1/2" IPS	12
Four port; adjustable temperature limit stops	62380	128.35	1/2" Crimp Ring PEX	12
Four port; adjustable temperature limit stops; test plug included	FP62380	128.35	1/2" Crimp Ring PEX	12
Four port; adj. temp. limit stops; quarter turn stops included	62360	156.00	1/2" Crimp Ring PEX	12
Four port; adjustable temperature limit stops	62365	128.35	1/2" Cold Exp. PEX	12
Four port; adjustable temperature limit stops; test plug included	FP62365	128.35	1/2" Cold Exp. PEX	12
Four port; adj. temp. limit stops; quarter turn stops included	62385	156.00	1/2" Cold Exp. PEX	12
Four port; adj. temp. limit stops; quarter turn stops and test plug included	FP62385	156.00	1/2" Cold Exp. PEX	12
Four port; adjustable temperature limit stops	62340	142.45	1/2" CPVC	12
Four port; adjustable temperature limit stops; test plug included	FP62340	142.45	1/2" CPVC	12
Four port; adj. temp. limit stops; quarter turn stops included	62330	170.15	1/2" CPVC	12
Four port; adjustable temperature limit stops; pre-fab	62320PF	146.20	1/2" CC	12
Four port; adj. temp. limit stops; quarter turn stops included; pre-fab	62370PF	173.80	1/2" CC	12
Four port; adjustable temperature limit stops; pre-fab	62380PF	146.20	1/2" Crimp Ring PEX	12
Four port; adjustable temperature limit stops; test plug included; pre-fab	FP62380PF	146.20	1/2" Crimp Ring PEX	12
Four port; adj. temp. limit stops; quarter turn stops included; pre-fab	62360PF	173.80	1/2" Crimp Ring PEX	12
Four port; adj. temp. limit stops; quarter turn stops and test plug included; pre-fab	FP62360PF	173.80	1/2" Crimp Ring PEX	12
Four port; adjustable temperature limit stops; pre-fab	62365PF	146.20	1/2" Cold Exp. PEX	12
Four port; adjustable temperature limit stops; test plug included; pre-fab	FP62365PF	146.20	1/2" Cold Exp. PEX	12
Four port; adj. temp. limit stops; quarter turn stops included; pre-fab	62385PF	173.80	1/2" Cold Exp. PEX	12
Four port; adj. temp. limit stops; quarter turn stops and test plug included; pre-fab	FP62385PF	173.80	1/2" Cold Exp. PEX	12

SHOWER ONLY APPLICATION

Description	Model	List	Connection	Case Qty
Three port; adjustable temperature limit stops	62345	128.35	1/2" IPS, CC	12
Three port; adjustable temperature limit stops; test plug included	FP62325PF	139.85	1/2" Crimp Ring PEX	12
Three port; adjustable temperature limit stops; test plug included	FP62327PF	139.85	1/2" Cold Exp. PEX	12
Three port; adj. temp. limit stops; quarter turn stops and test plug included	FP62328PF	167.50	1/2" Cold Exp. PEX	12

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED TUB/SHOWER TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T471**	80.80	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**T471EP**	80.80	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL471**	80.80	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately	**TL471EP**	80.80	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

WaterSense Certified

Moen® **M•PACT**® Common Valve System

BULK

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED SHOWER ONLY TRIM**				
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**T473**	49.85	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**T473EP**	49.85	Chrome	12
	• showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately	**TL473**	49.85	Chrome	12
	• showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve: sold separately	**TL473EP**	49.85	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL	LIST	FINISH	CASE QTY
CHATEAU®	**ONE-HANDLE NON-PRESSURE BALANCED VALVE ONLY TRIM**				
	• valve sold separately	**T470**	41.85	Chrome	12
	• valve sold separately	**TL470**	41.85	Chrome	12

VALVE: PAGE 384

HOW TO ORDER TRIM PART NO. + VALVE PART NO. = COMPLETE FAUCET

Non-Pressure Balanced Mixing Showering Rough-In Valves

(For product details, images, and bulk pack offering please reference page 487 in Valve section)

TUB/SHOWER OR SHOWER ONLY APPLICATION				
Description	**Model**	**List**	**Connection**	**Case Qty**
Four port; non-pressure balanced mixing valve	62700	116.90	1/2" IPS	12
Four port; non-pressure balanced mixing valve	62720	116.90	1/2" CC	12

BULK

Commercial Products

Products that address your highest priorities.

From leaks and vandalism to normal wear and tear, worries never cease where commercial and institutional fixtures are concerned. That's why Moen® Commercial engineers and designers think of every imaginable scenario — and plan for it in advance. The result is a full line of faucets and valves every facilities manager can rely on from the number one faucet brand in North America.

Our products will help you:

- reduce maintenance costs
- resist vandalism
- save water while maintaining performance
- cut your total cost of ownership

On the pages ahead, we welcome you to discover all the reasons you can count on Moen Commercial to provide the best solutions for your most challenging environments.

M•DURA Two-Handle Centerset Faucet / 8279SM

Contents

636 M•DURA™ Heavy-Duty Faucet

656 M•PRESS™ Heavy-Duty Metering Faucets

659 M•BITION™ Medium-Duty Faucets

666 M•POWER™ Sensor-Operated Faucets

674 M•POWER™ Sensor-Operated Flush Valves

679 M•DURA™ Heavy-Duty Manual Flush Valves

683 M•DURA™ Heavy-Duty Showering

699 M•CORE™ Showering

709 Accessories and Service Kits

715 Suggested List Prices

We're here to help you meet every challenge.

Anticipating every need, your Moen® Commercial representative will help you find the right solutions that will serve you well for years. With our experienced guidance, you'll not only satisfy regulations and requirements, but also create aesthetically pleasing environments thanks to our trendsetting, residential-inspired styles.

Your representative is committed to ensuring your fixtures' suitability for demanding uses, as indicated by the following symbols:

Moen 5-Year Limited Warranty

We're so confident in the performance of our products that we back them with a 5-Year Limited Warranty. If they should ever drip, leak or prove to have a finish defect, we'll send you the replacement parts, free of charge. Just call 1-800-BUY-MOEN or see your Moen dealer for complete details.

With the growing demand for eco-friendly products, Moen Commercial offers many fixtures whose water savings exceed industry standards.

With very few exceptions, fixtures from Moen Commercial comply with the Americans with Disabilities Act (ADA).

A wide range of our products meet the current requirements of the Buy American Act (BAA).

We offer many products which meet WaterSense® criteria to contribute toward meeting LEED® standards and maximizing LEED points*. While helping you achieve ambitious environmental standards, Moen Commercial can also help you ensure essential function. For instance, installing extremely low-flow fixtures that save water could end up being costlier elsewhere. Without enough water pressure to clear pipes of solids, performance, maintenance and sanitation can quickly become serious issues. Exceedingly low-flow fixtures also provide consumers with a disappointing experience. Being LEED certified doesn't mean sacrificing performance to save water. With the guidance of a Moen Commercial representative, you can build beautifully efficient properties without increasing health risks and downgrading the consumer experience.

* Projects pursuing LEED certification earn points across several areas that address sustainability issues, and based on the number of points achieved, a project receives one of four LEED rating levels: Certified, Silver, Gold or Platinum.

Moen products comply with the Safe Drinking Water Act's stringent lead safety standards.

Each product in this catalog has been identified by the following icons where applicable:

- ▲ NSF 61/9 and 372 compliant
- ● NSF 372 compliant
- ■ Non-drinking water faucet

To see our full line of faucets and valves, visit moencommercial.com.

COMMERCIAL

M•DURA™ Heavy-Duty Faucets

M•DURA™ Modern Widespread Lavatory Faucet / 9220 and 9223 Series

M•DURA™ Heavy-Duty Lavatory Faucets

	MODEL	LIST	FINISH	CASE QTY
MODERN SINGLE-MOUNT LAVATORY FAUCET				
• connection size: 3/8" compression • vandal resistant: yes • cartridge type: 1255® duralast® • flow type: vandal resistant aerated • water usage: 1.2 gpm (4.5 L/min)max. • mount type: single mount • supply length: 22" • temp limit stops: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**9417F12**	274.75	Chrome	3
	4" DECKPLATE SOLD SEPARATELY			
	99559	33.30	Chrome	20
• water usage: 1.5 gpm (5.7 L/min)max. • drain assembly: drain not included • handle type: lever • material: brass	**9417F05**	274.75	Chrome	3
• water usage: 1.2 gpm (4.5 L/min)max. • drain assembly: metal • handle type: lever • material: brass	**9419F12**	305.30	Chrome	3
• water usage: 0.5 gpm (1.9 L/min)max. • drain assembly: metal • handle type: lever • material: brass	**9419F05**	305.30	Chrome	3

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

SINGLE-MOUNT LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • temp limit stop: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8417**	248.30	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8417F12**	248.30	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8417F05**	248.30	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8419F12**	282.05	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8419F05**	282.05	Chrome	6

SINGLE-MOUNT LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 3/8" compression • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: single mount • supply length: 22" • temp limit stop: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8418**	260.95	Chrome	6

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

ONE-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • cartridge type: ceramic disc • flow type: aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • temp limit stop: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8413**	179.75	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8413F12**	179.75	Chrome	3
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8413F05**	179.75	Chrome	3
• water usage: 0.35 gpm (1.32L/min) max. • drain assembly: not included • handle type: lever • material: brass	**8413F03**	179.75	Chrome	3
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8414**	214.50	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8414F12** **8414F12BN**	214.50 277.55	Chrome Brushed Nickel	3 3

ONE-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 1.2 gpm (4.5 L/min) max. • mount type: widespread • temp limit stop: yes • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8416**	193.05	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8416F05**	193.05	Chrome	3

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

MODERN WIDESPREAD LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 1.2 gpm (4.5 L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**9220F12**	338.70	Chrome	3
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**9220F05**	338.70	Chrome	3
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever • material: brass	**9223F12**	376.30	Chrome	3
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: metal • handle type: lever • material: brass	**9223F05**	376.30	Chrome	3

WIDESPREAD LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8220**	328.75	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8220F05**	328.75	Chrome	3
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8223**	364.85	Chrome	6
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: grid strainer waste • handle type: lever • material: brass	**8224**	357.85	Chrome	6

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

WIDESPREAD LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: widespread • drain assembly: drain not included • no lift rod hole • handle type: wrist blade • material: brass	**8228**	349.50	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8228F12**	349.50	Chrome	3
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8228F05**	349.50	Chrome	3
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: metal • handle type: wrist blade • material: brass	**8239**	385.60	Chrome	6

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8210**	209.90	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8210F12**	209.90	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: smooth lever • material: brass	**8210SMF12**	209.90	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: lever • material: brass	**8210F05**	209.90	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: smooth lever • material: brass	**8210SMF05**	209.90	Chrome	6
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: metal • handle type: lever • material: brass	**8216**	237.10	Chrome	6
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: grid strainer waste • handle type: lever • material: brass	**8218**	230.25	Chrome	6

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • flow type: vandal resistant aerated • water usage: 2.2 gpm (8.3 L/min) max. • mount type: centerset • drain assembly: drain not included • no lift rod hole • handle type: wrist blade • material: brass	**8215**	232.75	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8215F12**	232.75	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: drain not included • handle type: smooth wrist blade • material: brass	**8215SMF12**	232.75	Chrome	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: drain not included • handle type: wrist blade • material: brass	**8215F05**	232.75	Chrome	6
• water usage: 0.35 gpm (1.32L/min) max. • drain assembly: not included • handle type: wrist blade • material: brass	**8215F03**	232.75	Chrome	6
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: metal • handle type: wrist blade • material: brass	**8219**	258.60	Chrome	6

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

moen.com/professional

COMMERCIAL

M•DURA™ Heavy-Duty Faucets

	MODEL	LIST	FINISH	CASE QTY
MANUAL-TO-METERING CONVERSION KIT				
• excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings	**52120**	157.50	Chrome	12
TWO-HANDLE CENTERSET GOOSENECK FAUCET				
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 3.60" • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5 L/min) max. • mount type: centerset • drain assembly: drain not included • no lift rod hole • handle type: lever • material: brass	**8270**	249.65	Chrome	6
TWO-HANDLE CENTERSET GOOSENECK FAUCET				
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25" • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5 L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8272**	261.75	Chrome	6
TWO-HANDLE CENTERSET GOOSENECK FAUCET				
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic disc • spout reach: 6.0" • flow type: aerated • water usage: 1.2 gpm (4.5 L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: lever • material: brass	**8273**	214.65	Chrome	6
• drain assembly: drain not included • handle type: lever • material: brass • spout: not included	**8274**	201.25	Chrome	6

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Faucets

	MODEL	LIST	FINISH	CASE QTY
TWO-HANDLE CENTERSET GOOSENECK FAUCET				
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 3.60" • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5 L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: wrist blade • material: brass	**8278**	263.05	Chrome	6
• water usage: 2.2 gpm (8.3L/min) max. • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8278SM**	263.05	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8278SMF12**	263.05	Chrome	6
TWO-HANDLE CENTERSET GOOSENECK FAUCET				
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25" • flow type: vandal resistant laminar • water usage: 1.2 gpm (4.5 L/min) max. • mount type: centerset • drain assembly: drain not included • handle type: wrist blade • material: brass	**8279**	284.65	Chrome	6
• water usage: 2.2 gpm aerated / 2.0 laminar • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8279SM**	279.90	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8279SMF12**	279.90	Chrome	6
• drain assembly: drain not included • handle type: wrist blade • material: brass • spout: not included	**8276**	224.10	Chrome	6

Optional spouts available on page 654.

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

WIDESPREAD GOOSENECK FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 5.25" • flow type: aerated • water usage: 1.2 gpm (4.5 L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: wrist blade • material: brass	**8248**	334.30	Chrome	6
• water usage: 2.2 gpm aerated / 2.0 laminar • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8248SM**	334.30	Chrome	3
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8248SMF12**	334.30	Chrome	3

WIDESPREAD GOOSENECK FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00" • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: wrist blade • material: brass	**8225**	341.35	Chrome	6
• drain assembly: drain not included • handle type: wrist blade • material: brass • spout: not included	**8229**	284.60	Chrome	6
• water usage: 2.2 gpm aerated / 2.0 laminar • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8225SM**	341.35	Chrome	3
• water usage: 1.5 gpm aerated / 1.5 laminar • drain assembly: not included • handle type: smooth wrist blades • material: brass	**8225SMF15**	341.35	Chrome	3

Optional spouts available on page 654.

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

WIDESPREAD GOOSENECK FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00" • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • drain assembly: drain not included • handle type: lever • material: brass	**8227**	320.60	Chrome	6
• drain assembly: drain not included • handle type: lever • material: brass • spout: not included	**8226**	263.75	Chrome	6

WIDESPREAD GOOSENECK FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00" • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • side spray: included • drain assembly: drain not included • handle type: lever • material: brass	**8242**	367.70	Chrome	6

WIDESPREAD GOOSENECK FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" IPS • vandal resistant: yes • cartridge type: ceramic cartridge hot/cold • spout reach: 8.00" • flow type: aerated • water usage: 1.5 gpm (5.7 L/min) max. • mount type: widespread • side spray: included • drain assembly: drain not included • handle type: wrist blade • material: brass	**8244**	388.40	Chrome	6

Optional spouts available on page 654.

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

COMMERCIAL

M•DURA™ Heavy-Duty Kitchen Faucets

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 8.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8287	315.10	Chrome	6

- drain assembly: drain not included
- handle type: lever
- material: brass
- spout: not included

MODEL	LIST	FINISH	CASE QTY
8280	252.80	Chrome	6

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 8.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- drain assembly: drain not included
- handle type: wrist blade
- material: brass

MODEL	LIST	FINISH	CASE QTY
8289	335.75	Chrome	6

- drain assembly: drain not included
- handle type: wrist blade
- material: brass
- spout: not included

MODEL	LIST	FINISH	CASE QTY
8285	273.55	Chrome	6

Optional spouts available on page 654.

NSF 61/9 and 372 compliant · NSF 372 compliant · Non-drinking water faucet

ADA compliant · BAA compliant · WaterSense® · Water-saving

M•DURA™ Heavy-Duty Kitchen Faucets

ONE-HANDLE KITCHEN FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- supply length: 22"
- temp limit stops: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8701	155.20	Chrome	12

- water usage: 1.5 gpm aerated (5.7L/min) max.drain assembly: not included
- handle type: lever
- material: brass
- spout reach: 12.00"

MODEL	LIST	FINISH	CASE QTY
8711	231.95	Chrome	6

ONE-HANDLE KITCHEN FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- supply length: 22"
- temp limit stops: yes
- side spray: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8707	184.90	Chrome	6

- water usage: 1.5 gpm aerated (5.7L/min) max.drain assembly: not included
- handle type: lever
- material: brass
- spout reach: 12.00"

MODEL	LIST	FINISH	CASE QTY
8717	274.05	Chrome	6

ONE-HANDLE WALLMOUNT KITCHEN FAUCET

- connection: 1/2" eccentric; IPS
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- mount type: wallmount
- temp limit stops: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8713	465.70	Chrome	12

- water usage: 1.5 gpm aerated (5.7L/min) max.drain assembly: not included
- handle type: lever
- material: brass
- spout reach: 12.00"

MODEL	LIST	FINISH	CASE QTY
8714	480.15	Chrome	12

Optional spouts available on page 654.

NSF 61/9 and 372 compliant · NSF 372 compliant · Non-drinking water faucet

ADA compliant · BAA compliant · WaterSense® · Water-saving

COMMERCIAL

M•DURA™ Heavy-Duty Multi-Purpose Faucets

ONE-HANDLE MULTI-PURPOSE FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- mount type: widespread
- supply length: 22"
- temp limit stops: yes
- sidespray: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8138	305.40	Chrome	6

ONE-HANDLE MULTI-PURPOSE FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- mount type: widespread
- supply length: 22"
- temp limit stops: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8137	256.55	Chrome	6

ONE-HANDLE MULTI-PURPOSE FAUCET

- connection: 1/2" IPS
- vandal resistant: yes
- cartridge type: ceramic disc
- flow type: vandal resistant aerated
- water usage: 0.5 gpm (1.9 L/min) max.
- mount type: single mount
- cold only: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8161	155.15	Chrome	6
	4" DECKPLATE SOLD SEPARATELY		
99550	30.45	Chrome	12

- connection: 1/2" IPS
- vandal resistant: yes
- flow type: aerated
- water usage: 1.5 gpm (5.7 L/min) max.
- supply length: 22"
- drain assembly: drain not included
- handle type: lever
- material: brass
- spout: not included

MODEL	LIST	FINISH	CASE QTY
8125	195.65	Chrome	6

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Multi-Purpose Faucets

TWO-HANDLE CENTERSET UTILITY FAUCET

- connection: 1/2" IPS
- 3/4" garden hose thread
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 6.50"
- flow type: vandal resistant aerated
- water usage: unrestricted
- mount type: centerset
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8277	227.10	Chrome	6

TWO-HANDLE WALLMOUNT UTILITY FAUCET

- connection: 1/2" eccentric IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 12.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- mount type: wallmount
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8119	317.75	Chrome	6

TWO-HANDLE WALLMOUNT UTILITY FAUCET

- connection: 1/2" eccentric IPS
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 8.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- mount type: wallmount
- drain assembly: drain not included
- handle type: wrist blade
- material: brass

MODEL	LIST	FINISH	CASE QTY
8126	318.60	Chrome	6

- drain assembly: drain not included
- handle type: wrist blade
- material: brass
- spout: not included

MODEL	LIST	FINISH	CASE QTY
8121	257.80	Chrome	6

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Multi-Purpose Faucets

TWO-HANDLE WALLMOUNT SERVICE SINK FAUCET

- connection: 1/2" eccentric IPS
- 3/4" garden hose thread
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 9.38"
- water usage: unrestricted
- mount type: wallmount
- wall bracket included: yes
- vacuum breaker: yes
- pail hook: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8230	218.45	Rough Chrome	3

TWO-HANDLE WALLMOUNT SERVICE SINK FAUCET

- connection: 1/2" eccentric IPS
- 3/4" garden hose thread
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 10.25"
- water usage: unrestricted
- mount type: wallmount
- wall bracket included: yes
- backflow preventers included: yes
- vacuum breaker: yes
- pail hook: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8124	269.30	Chrome	6

- water usage: unrestricted
- drain assembly: not included
- handle type: wrist blade
- material: brass

MODEL	LIST	FINISH	CASE QTY
8232	316.10	Chrome	6

MOP HANGER

- holds 3 handles

MODEL	LIST	FINISH	CASE QTY
8198	67.95	Stainless	10

HOSE BRACKET

- 30" heavy-duty rubber hose

MODEL	LIST	FINISH	CASE QTY
8199	49.50	Stainless	10

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Laboratory Faucets

ONE-HANDLE LABORATORY FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 5.25"
- flow type: aerated
- flow type: aerated
- water usage: 2.2 gpm (8.3 L/min) max.
- mount type: single mount
- supply length: 22"
- cold only: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8103	182.95	Chrome	6

ONE-HANDLE LABORATORY FAUCET

- connection: 3/8" compression
- serrated hose nozzle
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 6.00"
- water usage: unrestricted
- mount type: single mount
- supply length: 22"
- vacuum breaker: yes
- cold only: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8106	247.00	Chrome	6

TWO-HANDLE LABORATORY FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 5.25"
- flow type: aerated
- water usage: 2.2 gpm (8.3 L/min) max.
- mount type: single mount
- supply length: 22"
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8113	271.05	Chrome	6

TWO-HANDLE LABORATORY FAUCET

- connection: 3/8" compression
- serrated hose nozzle
- vandal resistant: yes
- cartridge type: ceramic cartridge hot/cold
- spout reach: 6.00"
- water usage: unrestricted
- mount type: single mount
- supply length: 22"
- vacuum breaker: yes
- drain assembly: drain not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8116	335.10	Chrome	6

COMMERCIAL

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet
ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Spouts

DOUBLE-BEND SPOUTS

S0003

S0010

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000 ▲	6.00"	2.00"	4.325"	0.89	12	49.65
S0001 ▲	6.00"	3.75"	7.375"	1.20	12	59.70
S0002 ▲	6.00"	5.00"	9.125"	1.64	12	60.95
S0003 ▲	6.00"	5.75"	9.75"	1.60	12	59.70
S0004 ▲	6.00"	8.50"	12.75"	1.71	12	71.70
S0006 ▲	8.00"	0.75"	3.50"	1.20	12	45.50
S0007 ▲	8.00"	6.00"	9.75"	1.90	12	60.95
S0009 ▲	10.00"	5.75"	9.75"	2.20	12	65.70
S0010 ▲	12.00"	0.50"	3.125"	1.40	12	71.70
S0011 ▲	12.00"	6.00"	9.75"	1.64	12	59.70

MULTI-BEND SPOUTS

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0012 ▲	18.00"	3.75"	7.75"	2.40	12	130.30

VACUUM-BREAKER SPOUTS

SV003

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
SV003 ■	6.00"	5.75"	10.50"	2.15	12	123.10
SV006 ■	8.00"	0.50"	4.00"	1.40	12	114.75
SV010 ■	12.00"	0.50"	4.00"	1.70	12	120.70

COMMERCIAL

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.

* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts – spout tip is threaded, no aerator included

*** Smooth-end gooseneck spouts – spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Spouts

GOOSENECK SPOUTS

S0030 S0060 S0070

Model Number	Reach	Base to Aerator*	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0020 ▲	3.625"	6.25"	8.75"	1.47	12	60.95
S0030 ▲	5.25"	5.50"	10.00"	1.55	12	66.95
S0050 ▲	8.00"	6.125"	11.375"	1.65	12	74.10
S0060 ▲	8.00"	10.00"	12.00"	1.10	12	92.05
S0070 ▲	9.50"	6.50"	9.175"	1.81	12	80.10

THREADED-END GOOSENECK SPOUTS

S0050T S0000T S0010T

Model Number	Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000T ▲	6.00"	N/A	4.325"	0.89	1	34.35
S0010T ▲	12.00"	N/A	3.125"	1.40	1	56.35
S0020T ▲	3.625"	N/A	8.75"	1.47	12	45.65
S0030T ▲	5.25"	N/A	10.00"	1.55	12	51.60
S0050T ▲	8.00"	N/A	11.375"	1.85	12	58.75

SMOOTH-END GOOSENECK SPOUTS

Model Number	Reach	Base to Aerator***	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0030NA ▲	5.25"	N/A	10.00"	1.15	6	68.95

COMMERCIAL

All spouts include 2.2 gpm [8.3 lpm] max. aerators (except as noted below). Spouts are designed for use only with 8100 and 8200 series aerators.

* Height from spout nut base plane to aerator

** Threaded-end gooseneck spouts – spout tip is threaded, no aerator included

*** Smooth-end gooseneck spouts – spout tip is smooth and will not take an aerator; flow is controlled by 1.5gpm laminar flow spout base insert.

▲ NSF 61/9 and 372 compliant ● NSF 372 compliant ■ Non-drinking water faucet

ADA compliant BAA compliant WaterSense® Water-saving

moen.com/professional

M•PRESS™ Heavy-Duty Metering Faucets

M•PRESS™ Single-Mount Metering Faucet / 8884

M•PRESS™ Heavy-Duty Metering Faucets

	MODEL	LIST	CASE QTY
ECO-PERFORMANCE SINGLE-MOUNT METERING FAUCET			
• connection: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • water usage: 0.5 gpm (1.9L/min) max. • mount type: single mount • timing preset: yes • drain assembly: not included • material: brass	**8884**	189.05	6
	4" DECKPLATE SOLD SEPARATELY		
	99550	30.45	12
ECO-PERFORMANCE SINGLE-MOUNT EXTENDED REACH METERING FAUCET			
• connection: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • water usage: 0.5 gpm (1.9L/min) max. • mount type: single mount • timing preset: yes • drain assembly: not included • material: brass	**8894**	214.65	6
	4" DECKPLATE SOLD SEPARATELY		
	99551	30.45	12
ECO-PERFORMANCE CENTERSET METERING FAUCET			
• connection: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • water usage: 0.5 gpm (1.9L/min) max. • mount type: centerset • timing preset: yes • drain assembly: not included • material: brass	**8886**	348.45	6
ECO-PERFORMANCE WIDESPREAD METERING FAUCET			
• connection: 1/2" IPS • vandal resistant: yes • flow type: vandal resistant multi-laminar • water usage: 0.5 gpm (1.9L/min) max. • mount type: widespread • timing preset: yes • drain assembly: not included • material: brass	**8889**	446.00	6

NSF 372 compliant ADA compliant Water-saving

M•PRESS™ Heavy-Duty Metering Faucets

		MODEL	LIST	CASE QTY
DURAMETER METERING CARTRIDGE				
	• brass, pressure-independent replacement cartridge	**52100**	84.85	24
MANUAL-TO-METERING CONVERSION KIT				
	• excludes 8242, 8244 and modern lavs • includes hot/cold color indicator rings	**52120**	157.50	12

M•BITION™ Medium-Duty Faucets

M•BITION™ Single-Handle Lavatory Faucet / 8430 Series

M•BITION™ Medium-Duty Lavatory Faucets

MODERN SINGLE-MOUNT LAVATORY FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: single mount
- supply length: 24"
- temp limit stops: yes
- drain assembly: not included
- no lift rod hole
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
9480	170.05	Chrome	3
4" DECKPLATE SOLD SEPARATELY			
99559	33.30	Chrome	20

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
9482	188.95	Chrome	3

ONE-HANDLE CENTERSET LAVATORY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- temp limit stops: yes
- drain assembly: not included
- removable plug button in lift: yes
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8400	188.20	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8420	218.40	Chrome	12
8420CBN	273.05	Classic Brushed Nickel	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8425	212.65	Chrome	12

ONE-HANDLE CENTERSET LAVATORY FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- supply length: flexible
- temp limit stops: yes
- drain assembly: not included
- removable plug button in lift: yes
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8422	197.45	Chrome	12

- water usage: 0.5 gpm (1.9L/min) max.
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8422F05	197.45	Chrome	12

COMMERCIAL

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant WaterSense® Water-saving

M•BITION™ Medium-Duty Lavatory Faucets

ONE-HANDLE CENTERSET LAVATORY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- temp limit stops: yes
- drain assembly: not included
- removable plug button in lift: yes
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8430	147.15	Chrome	12
8430CBN	184.00	Classic Brushed Nickel	12

- water usage: 0.5 gpm (1.9L/min) max.
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8430F05	147.15	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8432	181.10	Chrome	12

- water usage: 0.5 gpm (1.9L/min) max.
- drain assembly: metal
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8432F05	181.10	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: grid strainer waste
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8434	174.60	Chrome	12

ONE-HANDLE CENTERSET LAVATORY FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- cartridge type: 1255® Duralast®
- flow type: vandal resistant aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- supply length: flexible
- temp limit stops: yes
- drain assembly: not included
- removable plug button in lift: yes
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8439	156.65	Chrome	12

- water usage: 0.5 gpm (1.9L/min) max.
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8439F05	156.65	Chrome	12

- water usage: 1.2 gpm (4.5L/min) max.
- drain assembly: metal
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8437	190.55	Chrome	12
8437CBN	238.15	Classic Brushed Nickel	12

COMMERCIAL

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant WaterSense® Water-saving

M•BITION™ Medium-Duty Lavatory Faucets

MODERN WIDESPREAD LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2"IPS • vandal resistant: yes • cartridge type: 1255® Duralast® • flow type: aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: widespread • drain assembly: not included • no lift rod hole • handle type: lever	**9921**	244.85	Chrome	3
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever	**9922**	272.05	Chrome	3

WIDESPREAD LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2"IPS • vandal resistant: yes • cartridge type: 1224 • flow type: aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: widespread • drain type: lift rod • drain assembly: metal • handle type: lever	**8922**	270.65	Chrome	6
	8922CBN	324.80	Classic Brushed Nickel	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: grid strainer waste • handle type: lever	**8924**	289.60	Chrome	6

COMMERCIAL

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant WaterSense® Water-saving

M•BITION™ Medium-Duty Lavatory Faucets

TWO-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2"IPS • vandal resistant: yes • cartridge type: 1224 • flow type: vandal resistant aerated • water usage: 1.2 gpm (4.5L/min) max. • drain assembly: not included • removable plug button in lift: yes • handle type: wrist blade	**8800**	174.65	Chrome	6
	8800CBN	214.15	Classic Brushed Nickel	6
• water usage: 0.5 gpm (1.9L/min) max. • drain assembly: not included • handle type: wrist blade	**8800F05**	174.65	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: grid strainer waste • handle type: wrist blade	**8810**	200.25	Chrome	6
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: wrist blade	**8820**	206.30	Chrome	6
	8820CBN	253.05	Classic Brushed Nickel	6

TWO-HANDLE CENTERSET LAVATORY FAUCET

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2"IPS • vandal resistant: yes • cartridge type: 1224 • spout reach: 6.00" • flow type: aerated • water usage: 1.2 gpm (4.5L/min) max. • mount type: centerset • drain assembly: not included • removable plug button in lift: yes • handle type: lever	**8915**	128.40	Chrome	12
	8915CBN	160.45	Classic Brushed Nickel	12
• water usage: 1.2 gpm (4.5L/min) max. • drain assembly: metal • handle type: lever	**8917**	151.35	Chrome	12
	8917CBN	189.25	Classic Brushed Nickel	12

COMMERCIAL

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant WaterSense® Water-saving

M•BITION™ Medium-Duty Kitchen Faucets

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- side spray: yes
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8791	148.20	Chrome	6

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 8.50"
- flow type: aerated
- water usage: 2.0 gpm (7.6L/min) max.
- side spray: yes
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8792	287.00	Chrome	6

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8780	125.75	Chrome	6

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 9.00"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- drain assembly: not included
- handle type: wrist blade

MODEL	LIST	FINISH	CASE QTY
8798	201.55	Chrome	6

TWO-HANDLE KITCHEN FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 8.50"
- flow type: aerated
- water usage: 1.5 gpm (5.7L/min) max.
- drain assembly: not included
- handle type: wrist blade

MODEL	LIST	FINISH	CASE QTY
8799	262.70	Chrome	6

M•BITION™ Medium-Duty Bar/Pantry Faucets

TWO-HANDLE BAR/PANTRY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.56"
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: not included
- handle type: wrist blade

MODEL	LIST	FINISH	CASE QTY
8938	174.15	Chrome	6

TWO-HANDLE BAR/PANTRY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.56"
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8957	134.15	Chrome	12

TWO-HANDLE BAR/PANTRY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 4.75"
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: not included
- handle type: wrist blade

MODEL	LIST	FINISH	CASE QTY
8948	171.80	Chrome	6

TWO-HANDLE BAR/PANTRY FAUCET

- connection: 1/2"IPS
- vandal resistant: yes
- cartridge type: 1224
- spout reach: 8.50"
- flow type: aerated
- water usage: 1.2 gpm (4.5L/min) max.
- mount type: centerset
- drain assembly: not included
- handle type: wrist blade

MODEL	LIST	FINISH	CASE QTY
8940	248.85	Chrome	6

COMMERCIAL

M•POWER™ Below-Deck Sensor-Operated Faucets & Soap Dispensers

Align® Below-Deck Sensor-Operated Modern Faucet / 8559

Align® Below-Deck Sensor-Operated Modern Soap Dispenser / 8560

M•POWER™ Sensor-Operated Faucets

ALIGN® BELOW-DECK SENSOR-OPERATED MODERN FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included
- material: brass

		MODEL	LIST	FINISH	CASE QTY
		8559	615.25	Chrome	6
Ships Q3	NEW!	**8559BN**	769.05	Brushed Nickel	6
Ships Q2	NEW!	**8559BL**	845.95	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		182546	32.60	Chrome	12
Ships Q3	NEW!	182546BN	40.75	Brushed Nickel	12
Ships Q2	NEW!	182546BL	44.85	Matte Black	12
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	12
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	12
Ships Q2	NEW!	99558BL	58.85	Matte Black	12

ALIGN® BELOW-DECK SENSOR-OPERATED MODERN SOAP DISPENSER

- easily refillable 1500ml foam soap reservoir included
- material: brass

		MODEL	LIST	FINISH	CASE QTY
		8560	523.45	Chrome	3
Ships Q3	NEW!	**8560BN**	654.30	Brushed Nickel	3
Ships Q3	NEW!	**8560BL**	719.75	Matte Black	3
		BRASS SPACER SOLD SEPARATELY			
		181149	69.05	Chrome	12
Ships Q3	NEW!	181149BN	86.30	Brushed Nickel	12
Ships Q3	NEW!	181149BL	94.95	Matte Black	12

BELOW-DECK SENSOR-OPERATED CENTERSET FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resistant laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: centerset
- supply length: 24"
- non-mixing: yes
- drain assembly: not included
- material: brass

		MODEL	LIST	FINISH	CASE QTY
		CA8301	623.50	Chrome	3
Ships Q3	NEW!	**CA8301BN**	779.40	Brushed Nickel	3
Ships Q3	NEW!	**CA8301BL**	857.35	Matte Black	3

BELOW-DECK SENSOR-OPERATED TRANSITIONAL FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resistant laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: singlemount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included
- material: brass

		MODEL	LIST	FINISH	CASE QTY
		CA8302	615.25	Chrome	6
Ships Q3	NEW!	**CA8302BN**	769.05	Brushed Nickel	6
Ships Q3	NEW!	**CA8302BL**	845.95	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		182546	32.60	Chrome	12
Ships Q3	NEW!	182546BN	40.75	Brushed Nickel	12
Ships Q2	NEW!	182546BL	44.85	Matte Black	12
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	12
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	12
Ships Q2	NEW!	99558BL	58.85	Matte Black	12

BELOW-DECK SENSOR-OPERATED TRANSITIONAL SOAP DISPENSER

- easily refillable 1500ml foam soap reservoir included
- material: brass

		MODEL	LIST	FINISH	CASE QTY
		8558	523.45	Chrome	3
Ships Q3	NEW!	**8558BN**	654.30	Brushed Nickel	3
Ships Q3	NEW!	**8558BL**	719.75	Matte Black	3
		BRASS SPACER SOLD SEPARATELY			
		181148	79.90	Chrome	12
Ships Q3	NEW!	181148BN	99.90	Brushed Nickel	12
Ships Q3	NEW!	181148BL	109.90	Matte Black	12

*Convert to AC power with the following accessories: for single or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units, and one (1) faucet AC connector (182538) per unit.

NSF 61/9 and 372 compliant · ADA compliant · BAA compliant · Water-saving

M•POWER™ Sensor-Operated Faucets

BELOW-DECK SENSOR-OPERATED GOOSENECK MIXING FAUCET

- connection: 3/8" compression
- power source: 4 AA included with optional AC*
- flow type: multi-stream laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- drain assembly: not included
- handle type: lever
- material: brass

MODEL	LIST	FINISH	CASE QTY
8562	1,117.10	Chrome	3
	4" DECKPLATE SOLD SEPARATELY		
182546	32.60	Chrome	12
	8" DECKPLATE SOLD SEPARATELY		
99558	42.80	Chrome	12

BELOW-DECK SENSOR-OPERATED GOOSENECK FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included
- material: brass

MODEL	LIST	FINISH	CASE QTY
CA8303	693.80	Chrome	3
	4" DECKPLATE SOLD SEPARATELY		
182546	32.60	Chrome	12
	8" DECKPLATE SOLD SEPARATELY		
99558	42.80	Chrome	12

BELOW-DECK SENSOR-OPERATED GOOSENECK FAUCET WITHOUT SPOUT

- connection: 3/8" compression
- vandal resistant: yes
- power source: 4 AA included with optional AC*
- sold without spout: yes
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included
- material: brass
- spout not included

MODEL	LIST	FINISH	CASE QTY
8565	639.80	Chrome	3
	4" DECKPLATE SOLD SEPARATELY		
182546	32.60	Chrome	12
	8" DECKPLATE SOLD SEPARATELY		
99558	42.80	Chrome	12

*Convert to AC power with the following accessories: for single or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units, and one (1) faucet AC connector (182538) per unit.

NSF 61/9 and 372 compliant · ADA compliant · BAA compliant · Water-saving

M•POWER™ Above-Deck Sensor-Operated Faucets

M•POWER™ Above-Deck Sensor-Operated Lavatory Faucet / 8551 Series

M•POWER™ Sensor-Operated Faucets

ABOVE-DECK SENSOR-OPERATED MODERN FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included

MODEL	LIST	FINISH	CASE QTY
8551	644.95	Chrome	6
4" DECKPLATE SOLD SEPARATELY			
99556	33.30	Chrome	20
8" DECKPLATE SOLD SEPARATELY			
99558	42.80	Chrome	20

AC ABOVE-DECK SENSOR-OPERATED MODERN FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included

MODEL	LIST	FINISH	CASE QTY
8551AC	663.95	Chrome	6
4" DECKPLATE SOLD SEPARATELY			
99556	33.30	Chrome	20
8" DECKPLATE SOLD SEPARATELY			
99558	42.80	Chrome	20

ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8552	719.95	Chrome	6
4" DECKPLATE SOLD SEPARATELY			
99556	33.30	Chrome	20
8" DECKPLATE SOLD SEPARATELY			
99558	42.80	Chrome	20

AC ABOVE-DECK SENSOR-OPERATED MODERN MIXING FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: not included
- handle type: lever

MODEL	LIST	FINISH	CASE QTY
8552AC	719.95	Chrome	6
4" DECKPLATE SOLD SEPARATELY			
99556	33.30	Chrome	20
8" DECKPLATE SOLD SEPARATELY			
99558	42.80	Chrome	20

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units.

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant Water-saving

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included

		MODEL	LIST	FINISH	CASE QTY
		8553	644.95	Chrome	6
Ships Q3	NEW!	**8553BN**	806.20	Brushed Nickel	6
Ships Q3	NEW!	**8553BL**	886.80	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		99557	33.30	Chrome	20
Ships Q3	NEW!	99557BN	41.65	Brushed Nickel	20
Ships Q3	NEW!	99557BL	45.80	Matte Black	20
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	20
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	20
Ships Q3	NEW!	99558BL	58.85	Matte Black	20

AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- non-mixing: yes
- drain assembly: not included

		MODEL	LIST	FINISH	CASE QTY
		8553AC	663.95	Chrome	6
Ships Q3	NEW!	**8553ACBN**	829.95	Brushed Nickel	6
Ships Q3	NEW!	**8553ACBL**	912.95	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		99557	33.30	Chrome	20
Ships Q3	NEW!	99557BN	41.65	Brushed Nickel	20
Ships Q3	NEW!	99557BL	45.80	Matte Black	20
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	20
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	20
Ships Q3	NEW!	99558BL	58.85	Matte Black	20

ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: battery-powered (4 AA included)
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: not included
- handle type: lever

		MODEL	LIST	FINISH	CASE QTY
		8554	719.95	Chrome	6
Ships Q3	NEW!	**8554BN**	899.95	Brushed Nickel	6
Ships Q3	NEW!	**8554BL**	989.95	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		99557	33.30	Chrome	20
Ships Q3	NEW!	99557BN	41.65	Brushed Nickel	20
Ships Q3	NEW!	99557BL	45.80	Matte Black	20
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	20
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	20
Ships Q3	NEW!	99558BL	58.85	Matte Black	20

AC ABOVE-DECK SENSOR-OPERATED TRANSITIONAL MIXING FAUCET

- connection: 3/8" compression
- vandal resistant: yes
- power source: ac powered
- flow type: vandal resistant multi-laminar
- water usage: 0.5 gpm (1.9L/min) max.
- mount type: single mount
- supply length: 24"
- temperature & manual override: yes
- drain assembly: not included
- handle type: lever

		MODEL	LIST	FINISH	CASE QTY
		8554AC	719.95	Chrome	6
Ships Q3	NEW!	**8554ACBN**	899.95	Brushed Nickel	6
Ships Q3	NEW!	**8554ACBL**	989.95	Matte Black	6
		4" DECKPLATE SOLD SEPARATELY			
		99557	33.30	Chrome	20
Ships Q3	NEW!	99557BN	41.65	Brushed Nickel	20
Ships Q3	NEW!	99557BL	45.80	Matte Black	20
		8" DECKPLATE SOLD SEPARATELY			
		99558	42.80	Chrome	20
Ships Q3	NEW!	99558BN	53.50	Brushed Nickel	20
Ships Q3	NEW!	99558BL	58.85	Matte Black	20

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to (8) units.

▲ NSF 61/9 and 372 compliant ADA compliant BAA compliant Water-saving

COMMERCIAL

M•POWER™ Sensor-Operated Faucets

		MODEL	LIST	CASE QTY
LOW-FLOW THERMOSTATIC MIXING VALVE				
	• connection: 1/2" female thread; IPS • incudes: 3/8" compression adapters • no. of ports: three • water usage: 0.35 gpm (1.32 L/min)	**104451**	184.65	12

THERMOSTATIC MIXING VALVE SERVICE KITS

Part No.	Description	List Price	Case Qty
175916	1/2" IPS Adapter Kit	15.85	12
175917	1/2" CC Adapter Kit	15.85	1
175918	1/2" Cold Expansion PEX Adapter Kit	15.85	12
181040	1/2" Crimp Ring PEX Adapter Kit	15.30	12
175921	3/8" Compression Adapter Kit	15.30	12
175925	Fitting Nut Kit	15.30	12
175926	Screen Washer and Seal Washer Kit	15.30	12

See page 673 for sensor-operated faucet accessories.

M•POWER™ Sensor-Operated Faucets

SENSOR-OPERATED FAUCET ACCESSORIES

Part No.	Description	List Price
174055	Battery Housing for Above and Below-Deck Models	30.55
174056	Solenoid Repair Kit for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	97.00
174057	Strain Relief and Sensor Cable Extension for 8551–8554	26.95
174060	Mounting Hardware for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	17.10
174061	Manual Temperature Control Handle Kit 8552, 8554, 8552AC, 8554AC	23.95
174062	T10 Torx Key and Screw for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	8.85
174065	In-Line Filter with Check Valve for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	48.45
174066	Filter Screen for Filter Housing for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	5.60
174334	Sensor and Bracket for 8551, 8552, 8551AC, 8552AC	187.35
174335	Sensor and Bracket for 8553, 8554, 8553AC, 8554AC	191.60
174336	Override Plug Button for 8552, 8552AC	19.00
174337	Override Plug Button for 8554, 8554AC	19.00
99556	4" Deckplate designed for 8551, 8551AC, 8552, 8552AC	33.30
99557	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	33.30
99557BN	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	41.65
99557BL	4" Deckplate designed for 8553, 8553AC, 8554, 8554AC	45.80
99558	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	42.80
99558BN	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	53.50
99558BL	8" Deckplate for 8559, CA8302, 8562, CA8303, 8565, 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	58.85
52016F05	0.5 gpm Multi-Stream Laminar Flow Aerator	18.60
52016F10	1.0 gpm Aerator	18.60
S0030NA	Smooth-End Spout with 1.5 gpm Laminar Flow Base Insert	68.95
104630	Multi-Unit AC Transformer (powers up to 8 units)	98.55
182534	Control Box for Gooseneck and Above-Deck AC Models	50.05
182535	Control Box for CA83021, 8559, CA8302	134.80
182536	Control Box Wall Mounting Hardware	9.55
182537	IR Sensor Assembly and Bracket for Below-Deck Models	148.30
182538	AC Connector	21.00
182539	36" Cable for Gooseneck Models	43.90
182540	Cable Harness and Vandal Sleeve for Below-Deck Non-Mixing Models	50.75
182542	Centerset Deck Gasket for CA8301	16.30
182543	Transitional Deck Gasket for CA8302	16.20
182544	Modern Deck Gasket for 8559	16.20
182546	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	32.60
182546BN	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	40.75
182546BL	4" Deckplate for 8559, CA8302, 8562, CA8303, 8565	44.85
182547	Override Plug Button	23.55

SENSOR-OPERATED SOAP DISPENSER ACCESSORIES

Part No.	Description	List Price
182413	Non-Drip Foam Soap Pump	62.00
182414	1500mL Foam Soap Bottle	17.50
182415	Control Box for Sensor Soap	127.85
182416	Mounting Bracket, Vandal Shield and Mounting Hardware for Sensor Soap	94.90
182417	Soap Tube, O-Ring, Spout Barb and Soap Net	52.15
182418	Soap Net	32.65
182419	Vandal Sheathing for Sensor Soap	15.85
182420	Wire Vandal Sheathing for Sensor Soap	41.55
182421	D-Cell Battery Box for Sensor Soap	60.25
182421BN	D-Cell Battery Box for Sensor Soap	99.80
182421BL	D-Cell Battery Box for Sensor Soap	109.80
182422	Sensor, Bracket and Screw for Sensor Soap	148.30
182423	Mounting Hardware for Sensor Soap	13.60
181148	Transitional Deck Spacer for 8558	79.80
181149	Modern Deck Spacer for 8560	69.05
181149BN	Modern Deck Spacer for 8560	86.30
181149BL	Modern Deck Spacer for 8560	94.95

M•POWER™ Sensor-Operated Flush Valves

M•POWER™ Sensor-Operated Flush Valve / 8312

M•POWER™ Sensor-Operated Flush Valves

		MODEL	LIST	CASE QTY
1-1/2" DC SENSOR-OPERATED CLOSET FLUSH VALVE				
	• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310S35**	636.50	3
	• GPF: 1.6 GPF (6.0 LPF)	**8310**	636.50	3
	• GPF: 1.28 GPF (4.8 LPF)	**8311**	636.50	3
	• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310DF16**	668.20	3
1-1/2" AC SENSOR-OPERATED CLOSET FLUSH VALVE				
	• flush valve type: water closet • GPF: 1.6 GPF (6.0LPF) • vandal resistant: yes • ac powered • requires 12v transformer: sold separately • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310AC16**	636.50	3
	• GPF: 1.28 GPF (4.8 LPF)	**8311AC12**	636.50	3
	• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310ACDF16**	668.20	3
3/4" DC SENSOR-OPERATED URINAL FLUSH VALVE				
	• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312**	636.50	3
	• GPF: 0.5 GPF (1.9 LPF)	**8315**	636.50	3
	• GPF: 0.125 GPF (0.5 LPF)	**8316**	636.50	3

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to eight (8) units.

ADA compliant · BAA compliant · WaterSense® · Water-saving

M•POWER™ Sensor-Operated Flush Valves

1-1/4" DC SENSOR-OPERATED URINAL FLUSH VALVE

	MODEL	LIST	CASE QTY
• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8314**	636.50	3

3/4" AC SENSOR-OPERATED URINAL FLUSH VALVE

	MODEL	LIST	CASE QTY
• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • ac powered • requires 12V transformer: sold separately • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312AC10**	636.50	3
• GPF: 0.5 GPF (1.9 LPF)	**8315AC05**	636.50	3
• GPF: 0.125 GPF (0.5 LPF)	**8316AC**	636.50	3

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to eight (8) units.

ADA compliant BAA compliant WaterSense® Water-saving

M•POWER™ Sensor-Operated Flush Valves

DC SENSOR-OPERATED CLOSET FLUSH VALVE RETROFIT KIT

	MODEL	LIST	CASE QTY
• flush valve type: water closet retrofit • GPF: 3.5 GPF (13.0LPF) • vandal resistant: yes • battery-powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8310SR35**	532.60	3
• GPF: 1.6 GPF (6.0 LPF)	**8310R16**	532.60	3
• GPF: 1.28 GPF (4.8 LPF)	**8310SR128**	532.60	3
• GPF: 1.0/1.6 GPF (3.8/6.0 LPF) • dual flush	**8310RDF16**	559.15	3

DC SENSOR-OPERATED URINAL FLUSH VALVE RETROFIT KIT

	MODEL	LIST	CASE QTY
• flush valve type: urinal retrofit • GPF: 1.0 GPF (3.8LPF) • vandal resistant: yes • battery powered (4 AA included) • flush valve technology: accuset piston • material: cast brass • easy front battery access: yes • mechanical override: yes	**8312R10**	532.60	3
• GPF: 0.5 GPF (1.9 LPF)	**8312SR05**	532.60	3
• GPF: 0.125 GPF (0.5 LPF)	**8312SR125**	532.60	3

For one (1) or multi-unit AC applications, order one (1) multi-unit transformer (104630) which powers up to eight (8) units.

ADA compliant BAA compliant WaterSense® Water-saving

moen.com/professional

COMMERCIAL

M•POWER™ Sensor-Operated Flush Valves

SENSOR-OPERATED FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104585	1½" Flush Extension Tube–24"	123.40
104587	Flush Valve Trap Primer	150.40
104588	1" Sweat Kit, Flush Valve	28.30
104589	1" Sweat Kit, Flush Valve 6" Long	45.50
104555	1" Angle Stop Valve Flush Valve	115.10
104556	¾" Angle Stop Valve Flush Valve	115.10
104570	Vacuum Breaker Kit	18.85
104571	Brass Valve Body Nut Flush Valve	25.15
104578	1½" Brass Flush Valve Tube	48.05
104579	1¼" Brass Flush Tube	52.15
104580	¾" Brass Flush Tube	48.15
104581	1½" Top Spud Assembly	33.65
104582	1¼" Top Spud Assembly	30.65
104583	¾" Top Spud Assembly	26.35
104584	Urinal Tailpiece (24" x ¾")	78.35
104617	Flush Valve Battery Pack	30.50
104618	Front Shroud 1.6 gpf	72.10
104619	Front Shroud 1.28 gpf	72.10
104620	Front Shroud 3.5 gpf	72.10
104621	Front Shroud 1.0 gpf	72.10
104622	Front Shroud 0.5 gpf	72.10
104623	Front Shroud 1.0/1.6 gpf	72.10
104624	Front Shroud 0.125 gpf	72.10
104625	Rear Shroud DC	33.95
104626	Rear Shroud AC	34.90
104627	Flush Valve Override Assembly	32.45
104628	Piston and Manifold Tool	95.95
104630	Multi-Unit AC Transformer (powers up to 8 units)	98.55
104631	AC Cover Tube and Escutcheon	32.55
104633	Solenoid Manifold and Tool	116.10
104634	Flush Valve Override Cap	22.95

M•DURA™ Heavy-Duty Manual Flush Valves

M•DURA™ Heavy-Duty Manual Urinal Flush Valve / 8312M Series

M•DURA™ Heavy-Duty Manual Flush Valves

	MODEL	LIST	FINISH	CASE QTY
1-1/2" MANUAL CLOSET FLUSH VALVE				
• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310M35**	198.30	Chrome	3
• GPF: 1.6 GPF (6.0 LPF)	**8310M16**	198.30	Chrome	3
• GPF: 1.28 GPF (4.8 LPF)	**8310M128**	198.30	Chrome	3
3/4" MANUAL URINAL FLUSH VALVE				
• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • flush valve technology: accuset piston • material: cast brass	**8312M10**	198.30	Chrome	3
• GPF: 0.5 GPF (1.9 LPF)	**8312M05**	198.30	Chrome	3
• GPF: 0.125 GPF (0.5 LPF)	**8312M0125**	198.30	Chrome	3
1-1/4" MANUAL URINAL FLUSH VALVE				
• flush valve type: urinal • GPF: 1.0 GPF (3.8LPF) • flush valve technology: accuset piston • material: cast brass	**8314M10**	198.30	Chrome	3

ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Manual Flush Valves

	MODEL	LIST	FINISH	CASE QTY
MANUAL CLOSET FLUSH VALVE RETROFIT KIT				
• flush valve type: water closet retrofit • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310MR35**	159.55	Chrome	6
• GPF: 1.6 GPF (6.0 LPF)	**8310MR16**	159.55	Chrome	6
• GPF: 1.28 GPF (4.8 LPF)	**8310MR128**	159.55	Chrome	6
MANUAL URINAL FLUSH VALVE RETROFIT KIT				
• flush valve type: urinal retrofit • GPF: 1.0 GPF (3.8LPF) • flush valve technology: accuset piston • material: cast brass	**8312MR10**	159.55	Chrome	6
• GPF: 0.5 GPF (1.9 LPF)	**8312MR05**	159.55	Chrome	6
• GPF: 0.125 GPF (0.5 LPF)	**8312MR0125**	159.55	Chrome	6
1-1/2" MANUAL CLOSET FLUSH VALVE WITH BEDPAN WASHER				
• flush valve type: water closet • GPF: 3.5 GPF (13.0LPF) • flush valve technology: accuset piston • material: cast brass	**8310BPW35**	605.20	Chrome	3
• GPF: 1.6 GPF (6.0 LPF)	**8310BPW16**	605.20	Chrome	2
BEDPAN WASHER DIVERTER KIT				
• flush valve type: bedpan washer diverter kit • material: solid brass	**8310BPWR**	427.90	Chrome	3

ADA compliant BAA compliant WaterSense® Water-saving

COMMERCIAL

M•DURA™ Heavy-Duty Manual Flush Valves

MANUAL FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104540	M•DURA™ 2 1/4" Extension (standard) Nipple (compatible with Delany angle stops)	38.25
104541	M•DURA™ 1 3/4" Extension Nipple (compatible with Delany angle stops)	33.50
104542	M•DURA™ 2 3/4" Extension Nipple (compatible with Delany angle stops)	46.60
104543	M•DURA™ 3 1/4" Extension Nipple (compatible with Delany angle stops)	51.40
104544	M•DURA™ 3 3/4" Extension Nipple (compatible with Delany angle stops)	57.35
104545	M•DURA™ 4 1/4" Extension Nipple (compatible with Delany angle stops)	63.30
104546	M•DURA™ 2 1/8" Extension (standard) Nipple*	33.50
104547	M•DURA™ 2 1/2" Extension Nipple*	37.10
104548	M•DURA™ 3" Extension Nipple*	39.45
104549	M•DURA™ 3 1/2" Extension Nipple*	43.00
104550	M•DURA™ 4" Extension Nipple*	47.85
104551	M•DURA™ 4 1/2" Extension Nipple*	51.40
104552	M•DURA™ 5" Extension Nipple*	57.35
104553	M•DURA™ 5 1/2" Extension Nipple*	60.95
104554	M•DURA™ 6" Extension Nipple*	65.70
104555	M•DURA™ 1" Angle Stop	115.10
104556	M•DURA™ 3/4" Angle Stop	115.10
104557	M•DURA™ Angle Stop Repair Kit	20.15
104560	M•DURA™ Offset Flush Tube 2 1/2" x 1 1/2"	44.70
104561	M•DURA™ Cap Assembly	63.10
104563	M•DURA™ 3.5 gpf (13.2 lpf) Piston	84.85
104564	M•DURA™ 1.6 gpf (6.0 lpf) Piston	84.85
104565	M•DURA™ 1.28 gpf (4.8 lpf) Piston	84.85
104566	M•DURA™ 1.0 gpf (3.8 lpf) Piston	84.85
104567	M•DURA™ 0.5 gpf (1.9 lpf) Piston	84.85
104568	M•DURA™ 0.125 gpf (0.5 lpf) Piston	84.85
104569	M•DURA™ Handle Assembly	25.50
104570	M•DURA™ Vacuum Breaker Assembly	18.85
104571	M•DURA™ Body Nut	25.15
104572	M•DURA™ Angle Stop Replacement Cap	6.55
104578	M•DURA™ Flush Tube 8 1/2" x 1 1/2"	48.05
104579	M•DURA™ Flush Tube 8" x 1 1/4"	52.15
104580	M•DURA™ Flush Tube 8" x 1 3/4"	48.15
104581	M•DURA™ 1 1/2" Top Spud Assembly	33.65
104582	M•DURA™ 1 1/4" Top Spud Assembly	30.65
104583	M•DURA™ 3/4" Top Spud Assembly	26.35
104584	M•DURA™ Flush Extension Tube 24" x 3/4"	78.35
104585	M•DURA™ Flush Extension Tube 24" x 1 1/2"	123.40
104588	M•DURA™ Sweat Kit (1" supply) 3" length	28.30
104589	M•DURA™ Sweat Kit (1" supply) 6" length	45.50
104590	M•DURA™ Cap Assembly with 3.5 gpf Marking	27.05
104591	M•DURA™ Cap Assembly with 1.6 gpf Marking	27.05
104592	M•DURA™ Cap Assembly with 1.28 gpf Marking	27.05
104593	M•DURA™ Cap Assembly with 1.0 gpf Marking	27.05
104594	M•DURA™ Cap Assembly with 0.5 gpf Marking	27.05
104595	M•DURA™ Cap Assembly with 0.125 gpf Marking	27.05
104597	M•DURA™ Tail Piece and Interior Cap Tool	18.05
104598	M•DURA™ Sweat Kit (3/4" supply) 3" length	26.65
104599	M•DURA™ Sweat Kit (3/4" supply) 6" length	47.85
104609	M•DURA™ Piston Gaskets	10.45

BEDPAN WASHER ACCESSORIES

Part No.	Description	List Price
104573	M•DURA™ Bedpan Washer Seal Kit	24.35
104574	M•DURA™ Bedpan Washer Seal Kit	53.20
104575	M•DURA™ Bedpan Washer Arm Assembly	53.20
104577	M•DURA™ Bedpan Washer Spray Face	11.45
104600	M•DURA™ Offset Flush Tube 8" x 1 1/2"	51.35

M•DURA™ Heavy-Duty Showering

M•DURA™ Modern Heavy-Duty Shower System / T9342 Series

MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve: sold separately	**T9343**	521.50	Chrome	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9343EP15**	521.50	Chrome	1
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6
• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER WITH SLIDE BAR/GRAB BAR

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • valve: sold separately	**T9343GBM25**	573.65	Chrome	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9343GBM15**	573.65	Chrome	1
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6
• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8343**	712.90	Chrome	1
	• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8343**	381.40	Chrome	1
		T8343CBN	560.80	Classic Brushed Nickel	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T8343EP15**	381.40	Chrome	1
		T8343EP15CBN	560.80	Classic Brushed Nickel	1
	• showerhead type: showerhead sold separately • valve sold separately	**T8343NH**	372.80	Chrome	1
		T8343NHCBN	513.30	Classic Brushed Nickel	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve: sold separately	**T9342**	493.55	Chrome	1
	• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9342EP15**	493.55	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER WITH SLIDE BAR/GRAB BAR

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve type: Posi-Temp®; transfer • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • valve: sold separately	**T9342GBM25**	542.85	Chrome	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9342GBM15**	542.85	Chrome	1

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

POSI-TEMP® PRESSURE-BALANCING SHOWER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: standard with handshower • # of showerhead functions: one-function • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8342**	694.15	Chrome	1
• water usage: 1.5 gpm (5.7 L/min) max.	**8342EP15**	694.15	Chrome	1
• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8342**	361.00	Chrome	1
	T8342CBN	530.65	Classic Brushed Nickel	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T8342EP15**	361.00	Chrome	1
	T8342EP15CBN	530.65	Classic Brushed Nickel	1
• showerhead type: showerhead sold separately • valve sold separately	**T8342NH**	352.35	Chrome	1
	T8342NHCBN	483.15	Classic Brushed Nickel	1

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve included: yes • valve type: Posi-Temp®; transfer • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8341**	688.25	Chrome	1
	• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8341**	354.70	Chrome	1
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6
	• cartridge type: ceramic disc • valve type: transfer • # of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER

		MODEL	LIST	FINISH/CONNECT	CASE QTY
	• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve type: Posi-Temp® • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • handshower functions: 1f with non-positive pause • valve: sold separately	**T9346**	434.80	Chrome	4
	• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9346EP15**	434.80	Chrome	4
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

HOW TO ORDER A COMPLETE SHOWER



moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER WITH SLIDE BAR/GRAB BAR

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve type: Posi-Temp® • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • valve: sold separately	**T9346GBM25**	478.25	Chrome	1
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9346GBM15**	478.25	Chrome	1

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

POSI-TEMP® PRESSURE-BALANCING HANDSHOWER

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• connection: 1/2" • showerhead type: handshower • # of showerhead functions: not applicable • hose length: 69" • valve included: yes • valve type: Posi-Temp® • slide bar: yes • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements • handshower functions: 1f with non-positive pause	**8346**	492.80	Chrome	4
• water usage: 1.5 gpm (5.7 L/min) max.	**8346EP15**	492.80	Chrome	4
• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8346**	333.15	Chrome	4
	T8346CBN	472.40	Classic Brushed Nickel	4
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T8346EP15**	333.15	Chrome	4
	T8346EP15CBN	472.40	Classic Brushed Nickel	4

	MODEL	LIST	FINISH/CONNECT	CASE QTY
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • # of showerhead functions: one-function • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • valve: sold separately	**T9389**	165.70	Chrome	3
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9389EP15**	165.70	Chrome	3
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

Trim Part No. + Valve Part No. = Complete Shower

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • # of showerhead functions: one-function • valve included: yes • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements	**8389**	254.90	Chrome	6
• water usage: 1.5 gpm (5.7 L/min) max.	**8389EP15**	254.90	Chrome	6
• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8389**	99.60	Chrome	3
	T8389CBN	155.60	Classic Brushed Nickel	3
• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T8389EP15**	99.60	Chrome	3
	T8389EP15CBN	155.60	Classic Brushed Nickel	3
• showerhead type: showerhead sold separately • valve sold separately	**T8389NH**	83.20	Chrome	3
	T8389NHCBN	121.85	Classic Brushed Nickel	3
• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
	8371HD	168.05	1/2" CC connection with integral stops	6
	8372HD	168.05	1/2" IPS connection with integral stops	6
	8373HD	168.05	1/2" PEX connection with integral stops	6
	8374HD	181.15	1/2" CPVC connection with integral stops	6
	8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

Trim Part No. + Valve Part No. = Complete Shower

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER

		MODEL	LIST	FINISH	CASE QTY
	• connection: 1/2" • # of showerhead functions: one-function • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • valve: sold separately	**T9375**	130.25	Chrome	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T9375EP15**	130.25	Chrome	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

Trim Part No. + Valve Part No. = Complete Shower

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

POSI-TEMP® PRESSURE-BALANCING SHOWER

		MODEL	LIST	FINISH	CASE QTY
	• connection: 1/2" • # of showerhead functions: one-function • valve included: yes • valve type: Posi-Temp® • water usage: 2.5 gpm (9.5 L/min) max. • cartridge type: 1222HD • check stops: yes • valve meets ASSE performance requirements	**8375**	223.20	Chrome	12
	• water usage: 1.5 gpm (5.7 L/min) max.	**8375EP15**	223.20	Chrome	12
	• water usage: 2.5 gpm (9.5 L/min) max. • valve: sold separately	**T8375**	65.05	Chrome	3
		T8375CBN	100.10	Classic Brushed Nickel	3
	• water usage: 1.5 gpm (5.7 L/min) max. • valve: sold separately	**T8375EP15**	65.05	Chrome	3
		T8375EP15CBN	100.10	Classic Brushed Nickel	3
	• showerhead type: showerhead sold separately • valve sold separately	**T8375NH**	46.10	Chrome	3
		T8375NHCBN	77.05	Classic Brushed Nickel	3
	• cartridge type: 1222HD • valve type: Posi-Temp® • # of ports: four	**8370HD**	139.65	1/2" CC connection without integral stops	6
		8371HD	168.05	1/2" CC connection with integral stops	6
		8372HD	168.05	1/2" IPS connection with integral stops	6
		8373HD	168.05	1/2" PEX connection with integral stops	6
		8374HD	181.15	1/2" CPVC connection with integral stops	6
		8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE SHOWER

Trim Part No. + Valve Part No. = Complete Shower

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

MODERN POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL

- connection: 1/2"
- valve type: Posi-Temp®
- valve: sold separately

MODEL	LIST	FINISH	CASE QTY
T9370	104.10	Chrome	3

- cartridge type: 1222HD
- valve type: Posi-Temp®
- # of ports: four

MODEL	LIST	FINISH	CASE QTY
8370HD	139.65	1/2" CC connection without integral stops	6
8371HD	168.05	1/2" CC connection with integral stops	6
8372HD	168.05	1/2" IPS connection with integral stops	6
8373HD	168.05	1/2" PEX connection with integral stops	6
8374HD	181.15	1/2" CPVC connection with integral stops	6
8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL

- connection: 1/2"
- valve included: yes
- valve type: Posi-Temp®
- cartridge type: 1222HD
- check stops: yes
- valve meets ASSE performance requirements

MODEL	LIST	FINISH	CASE QTY
8370	198.10	Chrome	12

- connection: 1/2"
- valve: sold separately

MODEL	LIST	FINISH	CASE QTY
T8370	37.65	Chrome	3
T8370CBN	68.75	Classic Brushed Nickel	3

- cartridge type: 1222HD
- valve type: Posi-Temp®
- # of ports: four

MODEL	LIST	FINISH	CASE QTY
8370HD	139.65	1/2" CC connection without integral stops	6
8371HD	168.05	1/2" CC connection with integral stops	6
8372HD	168.05	1/2" IPS connection with integral stops	6
8373HD	168.05	1/2" PEX connection with integral stops	6
8374HD	181.15	1/2" CPVC connection with integral stops	6
8375HD	168.05	1/2" cold expansion PEX connection with integral stops	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE

Trim Part No. + Valve Part No. = Complete Valve

moen.com/professional

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

M•CORE™ 3-SERIES VALVE ONLY TRIM

- connection: 1/2"
- valve included: yes
- valve type: M•CORE™
- cartridge type: M•CORE™ pressure balanced with volume and temperture control
- check stops: yes
- valve meets ASSE performance requirements

MODEL	LIST	FINISH	CASE QTY
U8350	255.30	Chrome	6

- valve sold separately
- includes: pressure balanced cartridge with volume and temperture control

MODEL	LIST	FINISH	CASE QTY
UT8350	189.70	Chrome	3
UT8350CBN	243.45	Classic Brushed Nickel	3

- no. of ports: four
- adjustable temp limit stop: included
- test plug: included

MODEL	LIST	FINISH	CASE QTY
U140CI	63.00	1/2" CC/IPS	6

- no. of ports: four
- adjustable temp limit stop: included
- quarter turn stops: included
- test plug: included

MODEL	LIST	FINISH	CASE QTY
U140CIS	90.60	1/2" CC/IPS	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE

Trim Part No. + Valve Part No. = Complete Valve

moen.com/professional

*The brass Posi-Temp® and M•CORE™ valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

Moen® **M•PACT**® Common Valve System

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

MODERN THREE-FUNCTION TRANSFER VALVE CONTROL

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • valve type: transfer • valve: sold separately	**T9360**	133.20	Chrome	3

• cartridge type: ceramic disc • valve type: transfer • no. of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

THREE-FUNCTION TRANSFER VALVE CONTROL

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • valve included: yes • valve type: transfer • cartridge type: ceramic disc	**8360**	243.70	Chrome	6
• valve sold separately	**T8360**	48.15	Chrome	3
	T8360CBN	87.95	Classic Brushed Nickel	3

• cartridge type: ceramic disc • valve type: transfer • no. of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

ALIGN® THREE-FUNCTION TRANSFER VALVE CONTROL

• use with 3360 transfer valve • connection: 1/2" • valve: sold separately	**T4192**	129.50	Chrome	12

• cartridge type: ceramic disc • valve type: transfer • no. of ports: four • three distinct functions	**3360**	205.55	Commercial three-function 1/2" transfer valve	6

COMMERCIAL

HOW TO ORDER A COMPLETE VALVE

Trim Part No. + Valve Part No. = Complete Valve

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

24" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • showerhead type: eco-performance handshower • hose length: 69" • drop ell: yes • water usage: 1.5 gpm (5.7 L/min) max • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • metal hose	**52224GBM15**	257.20	Chrome/Stainless	3
	52224GBM15CBN	527.15	Classic Brushed Nickel	3
• water usage: 1.75 gpm (6.65 L/min) max.	**52224GBM17**	257.20	Chrome/Stainless	3
• water usage: 2.5 gpm (9.5 L/min) max.	**52224GBM25**	257.20	Chrome/Stainless	3

24" X 1-1/4" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • showerhead type: handshower • hose length: 69" • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • metal hose	**52124GBM25**	251.45	Chrome/Stainless	3
	52124GBM25CBN	515.50	Classic Brushed Nickel	3

24" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

	MODEL	LIST	FINISH	CASE QTY
• connection: 1/2" • showerhead type: handshower • hose length: 60" • drop ell: yes • water usage: 2.5 gpm (9.5 L/min) max. • slide bar/grab bar: yes • handshower functions: 1f with non-positive pause • plastic hose	**52224GBP25**	223.00	Chrome/Stainless	3

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

COMMERCIAL

36" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: eco-performance handshower
- hose length: 69"
- drop ell: yes
- water usage: 1.5 gpm (5.7 L/min) max
- slide bar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL	LIST	FINISH	CASE QTY
52236GBM15	280.05	Chrome/Stainless	3
52236GBM15CBN	572.90	Classic Brushed Nickel	3

- water usage: 1.75 gpm (6.65 L/min) max.

MODEL	LIST	FINISH	CASE QTY
52236GBM17	280.05	Chrome/Stainless	3

- water usage: 2.5 gpm (9.5 L/min) max.

MODEL	LIST	FINISH	CASE QTY
52236GBM25	280.05	Chrome/Stainless	3

36" X 1-1/4" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: handshower
- hose length: 69"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max
- slide bar/grab bar: yes
- handshower functions: 1f with non-positive pause
- metal hose

MODEL	LIST	FINISH	CASE QTY
52136GBM25	274.25	Chrome/Stainless	3
52136GBM25CBN	562.20	Classic Brushed Nickel	3

36" X 1-1/2" SLIDE BAR/GRAB BAR HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: handshower
- hose length: 60"
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max.
- slide bar/grab bar: yes
- handshower functions: 1f with non-positive pause
- plastic hose

MODEL	LIST	FINISH	CASE QTY
52236GBP25	245.80	Chrome/Stainless	3

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: handshower
- hose length: 69"
- slide bar: yes
- drop ell: yes
- water usage: 2.5 gpm (9.5 L/min) max
- handshower functions: 1f with non-positive pause

MODEL	LIST	FINISH	CASE QTY
52710	291.90	Chrome	6
52710CBN	580.95	Classic Brushed Nickel	6

- water usage: 1.5 gpm (5.7 L/min) max.

MODEL	LIST	FINISH	CASE QTY
52710EP15	291.90	Chrome	6
52710EP15CBN	580.95	Classic Brushed Nickel	6

ENVI® THREE-FUNCTION HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: eco-performance handshower
- hose length: 69"
- slide bar: yes
- drop ell: yes
- water usage: 1.75 gpm (6.65 L/min) max
- handshower functions: three-function

MODEL	LIST	FINISH	CASE QTY
52740EP17	291.30	Chrome	6

HANDSHOWER WITHOUT VALVE

- connection: 1/2"
- showerhead type: handshower
- hose length: 69"
- drop ell: yes
- water usage: 1.5 gpm (5.7 L/min) max.
- handshower functions: 1f with non-positive pause

MODEL	LIST	FINISH	CASE QTY
52748EP15	212.95	Chrome	6

† Slide bar is not a grab bar. Not to be used as support.

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

COMMERCIAL

M•DURA™ Heavy-Duty Showerheads

MODERN HANDSHOWER

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • showerhead type: handshower • water usage: 2.5 gpm (9.5 L/min) max. • handshower functions: 1f with non-positive pause • integral double check valves in handshower	**9349**	113.40	Chrome	6
• water usage: 1.5 gpm (5.7 L/min) max.	**9349EP15**	113.40	Chrome	6

HANDSHOWER

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • showerhead type: handshower • water usage: 2.5 gpm (9.5 L/min) max. • handshower functions: 1f with non-positive pause • integral double check valves in handshower	**8349**	79.90	Chrome	6
	8349CBN	116.35	Classic Brushed Nickel	6
• water usage: 1.5 gpm (5.7 L/min) max.	**8349EP15**	79.90	Chrome	6
	8349EP15CBN	116.35	Classic Brushed Nickel	6
• water usage: 1.75 gpm (6.65 L/min) max.	**8349EP17**	79.90	Chrome/Stainless	6
	8349EP17CBN	116.35	Classic Brushed Nickel	6

SHOWER ARM AND FLANGE

	MODEL	LIST	FINISH	CASE QTY
• all metal	**A705**	56.05	Chrome	12
	A705CBN	84.05	Classic Brushed Nickel	12

MODERN VANDAL-RESISTANT SHOWERHEAD

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • # of showerhead functions: one-function • water usage: 2.5 gpm (9.5 L/min) max.	**9263**	77.05	Chrome	12
• water usage: 1.5 gpm (5.7 L/min) max.	**9263EP15**	77.05	Chrome	12

COMMERCIAL

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showerheads

VANDAL-RESISTANT SHOWERHEAD

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • # of showerhead functions: one-function • water usage: 2.5 gpm (9.5 L/min) max.	**5263**	56.35	Chrome	12
	5263CBN	102.85	Classic Brushed Nickel	12
• water usage: 1.5 gpm (5.7 L/min) max.	**5263EP15**	56.35	Chrome	12
	5263EP15CBN	102.85	Classic Brushed Nickel	12
• water usage: 1.75 gpm (6.65 L/min) max.	**5263EP17**	56.35	Chrome	12
	5263EP17CBN	102.85	Classic Brushed Nickel	12

VANDAL-RESISTANT SHOWERHEAD

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • # of showerhead functions: one-function • water usage: 1.5 gpm (5.7 L/min) max.	**52716EP15**	74.20	Chrome	20

VANDAL-RESISTANT WALL-MOUNTED SHOWERHEAD

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • # of showerhead functions: one-function • water usage: 2.5 gpm (9.5 L/min) max.	**8290**	126.35	Chrome	12
• water usage: 1.5 gpm (5.7 L/min) max.	**8290EP15**	121.45	Chrome	12

VANDAL-RESISTANT WALL-MOUNTED SHOWERHEAD

	MODEL	LIST	FINISH	CASE QTY
• 1/2" connection • # of showerhead functions: one-function • water usage: 2.5 gpm (9.5 L/min) max.	**8292**	131.90	Chrome	12

COMMERCIAL

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Showering Accessories

TUB/SHOWER ACCESSORIES			
Part No.	**Finish**	**Description**	**List Price**
15856	Chrome	Diverter tub spout, 1/2" slip fit, vandal-resistant	63.60
15856CBN	Classic Brushed Nickel	Diverter tub spout, 1/2" slip fit, vandal-resistant	92.60
100686	Chrome	Slide bar swivel bracket for handshower	53.05
100686CBN	Classic Brushed Nickel	Slide bar swivel bracket for handshower	76.25
104414	Chrome	Wall-mounted bracket for handshower	51.40
52711	---	Slide bar/Grab bar bracket - 1-1/2" diameter	52.90
52714	---	Slide bar/Grab bar bracket - 1-1/4" diameter	52.90
SMA1000CH**	Chrome	SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange and grab bars	36.90
A725	Chrome	Drop ell	58.45
A725CBN	Classic Brushed Nickel	Drop ell	79.70
A726	Chrome	69" metal hose (vacuum breaker sold separately)	112.50
A723	Chrome	59" plastic hose (vacuum breaker sold separately)	30.35
A780	Chrome	80" metal hose (vacuum breaker sold separately)	132.75
52703	Chrome	Optional vacuum breaker for handshower, 1/2" IPS connections	70.55
A714ST	Classic Brushed Nickel	Optional vacuum breaker for handshower, 1/2" IPS connections	68.50

**Moen Accessories part numbers are included for reference purposes only. Moen Accessories CANNOT be combined with Moen faucet parts on a purchase order.

M•DURA™ Heavy-Duty Tub/Shower Valves

		MODEL	LIST	FINISH	CASE QTY
M•CORE™ CARTRIDGE					
	• Single-handle replacement cartridge M-CORE™ 3-Series • Includes temperature limit stop	**1213**	110.00	N/A or Unfinished	12
BRASS POSI-TEMP® CARTRIDGE					
	• graphite composite pressure-balancing spool design • material: brass	**1222HD**	96.10	N/A or Unfinished	18
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four	**8370HD**	139.65	1/2" CC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four • stops: included	**8371HD**	168.05	1/2" CC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four • stops: included	**8372HD**	168.05	1/2" IPS	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four • stops: included	**8373HD**	168.05	1/2" crimp ring PEX	6

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)
BAA compliant WaterSense® Water-saving

COMMERCIAL

M•DURA™ Heavy-Duty Tub/Shower Valves

		MODEL	LIST	FINISH	CASE QTY
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four • stops: included	**8374HD**	181.15	1/2" CPVC	6
BRASS POSI-TEMP® ROUGH-IN VALVE					
	• cartridge type: 1222HD • valve type: Posi-Temp® • no. of ports: four • stops: included	**8375HD**	168.05	1/2" cold expansion PEX	6
THREE-FUNCTION TRANSFER VALVE					
	• cartridge type: ceramic disc • valve type: transfer • no. of ports: four • type of function: three discrete functions	**3360**	205.55	1/2" CC	6
HIGH-FLOW THERMOSTATIC MIXING VALVE					
	• description: high-flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max.	**104465**	184.65	1/2" CC	12
		104466	184.65	1/2" IPS	12
		104464	180.55	1/2" crimp ring PEX	12
		104463	180.55	1/2" cold expansion PEX	12

THERMOSTATIC MIXING VALVE SERVICE KITS

PART NO.	DESCRIPTION	LIST PRICE
175916	1/2" IPS Adapter Kit	15.85
175917	1/2" CC Adapter Kit	15.85
175918	1/2" Cold Expansion PEX Adapter Kit	15.85
181040	1/2" Crimp Ring PEX Adapter Kit	15.30
175921	3/8" Compression Adapter Kit	15.30
175925	Fitting Nut Kit	15.30

*The brass Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

ADA compliant (excluding holders, slide bars and diverting tub spout)

BAA compliant WaterSense® Water-saving

Model No.	Finish	Product Description	UPC Code	List Price
100078	Chrome	Handle Screw Kit, Sani-Stream 3 Function Transfer Valve	026508096284	20.95
100078CBN	Classic Brushed Nickel	Handle Screw Kit, Sani-Stream 3 Function Transfer Valve	026508244821	10.75
100079	Chrome	Lever Handle Kit, 3 Function Transfer Valve Kit	026508096291	35.35
100079CBN	Classic Brushed Nickel	Lever Handle Kit, 3 Function Transfer Valve Kit	026508239797	51.35
100080	Chrome	Mounting Sleeve, 3 Function Transfer Valve	026508096307	49.05
100080CBN	Classic Brushed Nickel	Mounting Sleeve, 3 Function Transfer Valve	026508244760	71.45
100087	N/A or Unfinished	Shower Function Label, 3 Function Transfer Valve	026508096321	7.85
100216	N/A or Unfinished	Cartridge Cap & Nut Kit	026508094266	15.15
100621CBN	Classic Brushed Nickel	Handle Kit	026508244838	52.70
100624CBN	Classic Brushed Nickel	Handle Kit	026508244777	52.70
100649CBN	Classic Brushed Nickel	Spout Kit	026508244784	155.60
100650CBN	Classic Brushed Nickel	Escutcheon	026508244845	19.50
100686	Chrome	Slide Bar Swivel For Hand Shower	026508057711	53.05
100686CBN	Classic Brushed Nickel	Handshower Bracket	026508246436	76.25
10116CBN	Classic Brushed Nickel	Plug Button Kit	026508244869	5.55
101209	Chrome	Handle Kit	026508061510	36.80
101867	Chrome	Temperature Limit Stop Kit, 1 Handle Lav	026508068373	12.90
101629	Chrome	Slide Bar	026508064375	146.50
101629CBN	Classic Brushed Nickel	Slide Bar	026508246443	213.25
104020	Chrome	Manual Temperature Control Handle Kit 8307, 8308	026508189337	23.35
104021	Chrome	Solenoid Valve Repair Kit 8301, 8303, 8304	026508189344	51.75
104022	N/A or Unfinished	Flow Restrictor Kit	026508229880	1.30
104334	N/A or Unfinished	Control Module (closet)	026508155479	167.30
104400	Chrome	In-line Filter With Check Valve	026508167670	56.80
104401	N/A or Unfinished	Multi-unit AC Power Adapter (up To 8 Faucets/flush Valves)	026508108192	106.35
104402	N/A or Unfinished	Wire Lead For 8301, 8302, 8303, 8304	026508108208	33.65
104403	N/A or Unfinished	Control Module (urinal)	026508155486	167.30
104404	N/A or Unfinished	Faucet Control Module For 8305, 8307 (DC)	026508155493	179.15
104405	N/A or Unfinished	Faucet Control Module For 8306, 8308 (AC)	026508155509	179.15
104406	N/A or Unfinished	AC Flush Valves Power Adapter	026508182444	35.80
104414	Chrome	Hand-Held ShowerWall Bracket Kit, 5270 Series	026508081525	51.40
104424	Chrome	Mixing Valve With Check Valves	026508084229	65.80
104425	Chrome	Mixing Tee With Check Valves	026508084212	25.70
104426	Chrome	4" Deck Plate (with Mounting Kit) For 8302, 8303, 8304	026508084205	33.50
104427	N/A or Unfinished	Single AC Adapter With Shielded Cable For 8301, 8302, 8303, 8304	026508084199	64.60
104429	Chrome	Gooseneck Spout (5-3/4" reach, 10-1/4" heights)	026508084588	42.65
104430	Chrome	Gooseneck Spout (5-3/8" reach, 13-1/4" heights)	026508084595	57.05
104431	Chrome	Swing Spout (6" reach, 4-3/4" height)	026508084601	45.10
104432	Chrome	Swing Spout (8" reach, 5-3/4" height)	026508084618	46.25
104433	Chrome	Gooseneck Spout (8-3/8" reach, 11" height)	026508084625	86.85
104434	Chrome	Circuit Board For 8301, 8302, 8303, 8304	026508084632	286.05
104435	N/A or Unfinished	Flush Valve Solenoid Coil Kit	026508155523	143.35
104437	N/A or Unfinished	Flush Valve Piston Control Disc	026508155530	41.90
104438	Chrome	Filter Screen For Filter Housing	026508084656	8.75
104439	Chrome	Solenoid Housing For 8301, 8302, 8303, 8304	026508084663	313.55
104440	N/A or Unfinished	Flush Valve Battery Holder	026508155547	6.65
104441	N/A or Unfinished	Nylon Washer For Filter Housing	026508167663	2.45
104443	Chrome	Supply Rod For 8304 1	026508084687	16.75
104444	N/A or Unfinished	Supply Line 8305, 8306, 8307 (1/Bag)	026508081914	31.10
104446	N/A or Unfinished	Plug-in Power Adapter (with Cable) For 8306, 8308	026508155554	61.55
104447	N/A or Unfinished	Hex Key Wrench 8305, 8306, 8307 (12/Bag)	026508155561	3.05
104449	Chrome	Vandal-resistant Screws With O-ring & Key For Flush Valve (12/bag)	026508157725	37.70
104450	Chrome	Solenoid Coil Kit For 8305, 8306, 8307, 8308	026508157732	130.30
104452	N/A or Unfinished	Control Module 8310 Closet 1.28	026508200629	167.30
104453	Chrome	AC Tube and Flange for Flush Valve	026508200636	59.70
104454	Chrome	AC Flush Valve Cap	026508200643	96.80
104455	Chrome	DC Flush Valve Cap	026508200650	84.85
104456	N/A or Unfinished	Sensor Eye Casing	026508200667	13.15
104458	N/A or Unfinished	Split Washer for Electronic Spout	026508200681	2.60
104459	N/A or Unfinished	Batterry Holder for Electronic Faucet	026508200698	6.65
104460	Chrome	Electrnic Faucet Spout Nut	026508200704	9.45
104461	Chrome	Manual Override Button	026508200728	31.45
104500	Chrome	2-1/4" Supply Delany Style Standard Extension Nipple	026508176634	38.25
104501	Chrome	1-3/4" Delany Supply Extension Nipple	026508176641	33.50
104502	Chrome	2-3/4" Delany Supply Extension Nipple	026508176658	46.60
104503	Chrome	3-1/4" Delany Supply Extension Nipple	026508176665	51.40
104504	Chrome	3-3/4" Delany Supply Extension Nipple	026508176672	57.35
104505	Chrome	4-1/4" Delany Supply Extension Nipple	026508176689	63.30
104506	Chrome	2-1/8" Sloan-Moen Style Supply Extension Nipple (standard)	026508176696	33.50
104507	Chrome	2-1/2" Sloan-Moen Style Supply Extension Nipple	026508176702	37.10
104508	Chrome	3" Sloan-Moen Style Supply Extension Nipple	026508176719	39.45
104509	Chrome	3-1/2" Sloan-Moen Style Supply Extension Nipple	026508176726	43.00
104510	Chrome	4" Sloan-Moen Style Supply Extension Nipple	026508176733	47.85
104511	Chrome	4-1/2" Sloan-Moen Style Supply Extension Nipple	026508176740	51.40

COMMERCIAL

Model No.	Finish	Product Description	UPC Code	List Price
104512	Chrome	5" Sloan-Moen Style Supply Extension Nipple	026508176757	57.35
104513	Chrome	5-1/2" Sloan-Moen Style Supply Extension Nipple	026508176764	60.95
104514	Chrome	6" Sloan-Moen Style Supply Extension Nipple	026508176771	65.70
104516	Chrome	Split Ring Wall Support	026508176795	76.30
104520	N/A or Unfinished	Sensor Eye/wires For Flush Valve	026508189191	80.10
104523	Chrome	Angle Stop Repair Kit	026508189221	20.15
104524	Chrome	Manual Override Button Flush Valve	026508189238	37.70
104527	N/A or Unfinished	O Ring (large) For Flush Valve Sea	026508189269	5.75
104534	Chrome	1.5 GPM Aerator for 83-5 Series	026508200711	18.60
104536	Chrome	Service Kit	026508213179	19.10
104537	N/A or Unfinished	Service Kit	026508213186	35.90
104539	Chrome	Service Kit	026508213209	4.85
104540	Chrome	Service Kit	026508245293	38.25
104541	Chrome	Service Kit	026508245309	33.50
104542	Chrome	Service Kit	026508245316	46.60
104543	Chrome	Service Kit	026508245323	51.40
104544	Chrome	Service Kit	026508245330	57.35
104545	Chrome	Service Kit	026508245347	63.30
104546	Chrome	Service Kit	026508245354	33.50
104547	Chrome	Service Kit	026508245361	37.10
104548	Chrome	Service Kit	026508245378	39.45
104549	Chrome	Service Kit	026508245385	43.00
104550	Chrome	Service Kit	026508245392	47.85
104551	Chrome	Service Kit	026508245408	51.40
104552	Chrome	Service Kit	026508245415	57.35
104553	Chrome	Service Kit	026508245422	60.95
104554	Chrome	Service Kit	026508245439	65.70
104555	Chrome	Service Kit	026508246535	115.10
104556	Chrome	Service Kit	026508244074	115.10
104557	Chrome	Service Kit	026508244081	20.15
104560	Chrome	Service Kit	026508247891	44.70
104561	Chrome	Service Kit	026508246559	63.10
104563	Chrome	Service Kit	026508245446	84.85
104564	Chrome	Service Kit	026508246573	84.85
104565	Chrome	Service Kit	026508245453	84.85
104566	Chrome	Service Kit	026508245460	84.85
104567	Chrome	Service Kit	026508245477	84.85
104568	Chrome	Service Kit	026508245484	84.85
104569	Chrome	Service Kit	026508245491	25.50
104570	Chrome	Service Kit	026508245507	18.85
104571	Chrome	Service Kit	026508246580	25.15
104572	Chrome	Service Kit	026508245514	6.55
104573	Chrome	Service Kit	026508246801	24.35
104574	Chrome	Service Kit	026508246818	53.20
104575	Chrome	Service Kit	026508248010	53.20
104577	Chrome	Service Kit	026508246825	11.45
104578	Chrome	Service Kit	026508244098	48.05
104579	Chrome	Service Kit	026508244104	52.15
104580	Chrome	Service Kit	026508244111	48.15
104581	Chrome	Service Kit	026508244128	33.65
104582	Chrome	Service Kit	026508246832	30.65
104583	Chrome	Service Kit	026508246856	26.35
104584	Chrome	Service Kit	026508247877	78.35
104585	Chrome	Service Kit	026508247884	123.40
104586	Chrome	Service Kit	026508246023	102.75
104587	Chrome	Service Kit	026508248614	150.40
104588	Chrome	Service Kit	026508246863	28.30
104589	Chrome	Service Kit	026508246870	45.50
104590	Chrome	Service Kit	026508247426	27.05
104591	Chrome	Service Kit	026508247433	27.05
104592	Chrome	Service Kit	026508247440	27.05
104593	Chrome	Service Kit	026508247457	27.05
104594	Chrome	Service Kit	026508247464	27.05
104595	Chrome	Service Kit	026508247471	27.05
104597	Chrome	Service Kit	026508246849	18.05
104598	Chrome	Service Kit	026508251843	26.65
104599	Chrome	Service Kit	026508251850	47.85
104600	Chrome	Service Kit	026508252536	51.35
104609	Chrome	Service Kit	026508251867	10.45
104617	N/A or Unfinished	Service Kit	026508273999	30.50
104618	Chrome	Service Kit	026508274002	72.10
104619	Chrome	Service Kit	026508274019	72.10
104620	Chrome	Service Kit	026508274026	72.10
104621	Chrome	Service Kit	026508274033	72.10
104622	Chrome	Service Kit	026508274040	72.10
104623	Chrome	Service Kit	026508274057	72.10
104624	Chrome	Service Kit	026508274064	72.10
104625	Chrome	Service Kit	026508274071	33.95
104626	Chrome	Service Kit	026508274088	34.90
104627	Chrome	Service Kit	026508274095	32.45
104628	N/A or Unfinished	Service Kit	026508274101	95.95
104630	N/A or Unfinished	Service Kit	026508273609	98.55
104631	Chrome	Service Kit	026508274118	32.55
104633	N/A or Unfinished	Service Kit	026508274125	116.10
104634	Chrome	Service Kit	026508274132	22.95
104635	N/A or Unfinished	Electronic Module Bracket Kit	026508274149	148.30
104636	N/A or Unfinished	Electronic Module Bracket Kit	026508274156	148.30
104637	N/A or Unfinished	Electronic Module Bracket Kit	026508274163	148.30
104638	N/A or Unfinished	Electronic Module Bracket Kit	026508274170	148.30
104639	N/A or Unfinished	Electronic Module Bracket Kit	026508274187	148.30
104640	N/A or Unfinished	Electronic Module Bracket Kit	026508274194	148.30
104641	N/A or Unfinished	Electronic Module Bracket Kit	026508274200	148.30
104770	Chrome	Pop-up Waste Kit	026508210123	21.25
104775	Chrome	Pop-up Waste Kit	026508210130	23.35
106321	N/A or Unfinished	Extension Kit, 3 Function TransferValve	026508085158	103.70
10709CBN	Classic Brushed Nickel	Drain Plug & Seat	026508244876	16.45
109146	N/A or Unfinished	6' Sensor Eye And Cable For 8301, 8302, 8303, 8304	026508102398	222.80
110317	Chrome	Handle Extension Kit	026508098950	98.40
115012	N/A or Unfinished	8 Foot Cable Assembly For Wall	026508108239	249.45
116715	Chrome	Spout Kit, 8948	026508133453	34.65
121520	Chrome	Lever Handle For 8413, 8414, 8417 Series	026508134757	22.65
121521	Chrome	Lever Handle For 8701	026508134740	20.15
121549	N/A or Unfinished	1 Handle Ceramic Disc Cartridge - Models 8413 Series	026508134719	23.35
121550	N/A or Unfinished	2 Handle Plastic Shell Ceramic Disc Cartridge - Hot	026508134726	13.05
121551	N/A or Unfinished	2 Handle Plastic Shell Ceramic Disc Cartridge - Cold	026508134733	13.05
121620	N/A or Unfinished	1 Handle Ceramic Disc Cartridge - Model 8701	026508136683	23.35
1222B	N/A or Unfinished	1 Handle Replacement Cartridge, Posi-Temp	026508043868	79.20
1222HD	N/A or Unfinished	Heavy-Duty Brass Shell Posi-Temp Replacement Cartridge	026508207604	96.10
1224B	N/A or Unfinished	2 Handle Replacement Cartridge (hot Or Cold)	026508004609	15.55
1225B	N/A or Unfinished	1 Handle Replacement Cartridge	026508004616	29.90
12523	N/A or Unfinished	Stem Bushing Support, 14834 & 14848 Wrist Blade Handle	026508053959	2.45
12536	N/A or Unfinished	Screw Kit	026508053973	4.10
12694CBN	Classic Brushed Nickel	Lift Rod Kit	026508244906	19.65
129900	Chrome	Lever Handle Extended Reach 8416, 8418	026508165072	33.50
129902	Brushed Nickel	Lever Handle For 8414 Series	026508165096	29.90
131553ORB	Oil Rubbed Bronze	Pop-up Waste Kit	026508200759	115.00
13411	Chrome	Spout Kit	026508036532	92.15
13499CBN	Classic Brushed Nickel	Handle Kit	026508244883	60.95
140860	N/A or Unfinished	Deck Gasket	026508253274	16.00
14187	N/A or Unfinished	Garter Spring Only	026508032626	19.15
14690	N/A or Unfinished	Cartridge Sani Ceramic Disc Heavy Comm	026508025550	53.80
14695	N/A or Unfinished	Cartridge	026508025567	53.80
14732CBN	Classic Brushed Nickel	Handle Kit	026508239810	34.90
14750	Chrome	1 1/4" Grid Strainer Waste	026508005880	27.50
14834	Chrome	Handle Kit	026508035870	58.60
14834CBN	Classic Brushed Nickel	Handle Kit	026508239827	85.35
14838	Chrome	Wrist Blade Handle, Cold Sani-Stream Models	026508035863	58.60
14838CBN	Classic Brushed Nickel	Line List Items	026508239834	85.35
150628CBN	Classic Brushed Nickel	Dome	026508239841	10.65
15856	Chrome	Diverter Spout, Slip Fit,Vandal-Resistant	026508015186	63.60
15856CBN	Classic Brushed Nickel	Line List Items Diverter Spouts	026508239858	92.60
16000	Chrome	Handle Kit For Metering Faucet	026508167038	64.75
16264	Chrome	High Arch Spout For 8940, 8796 & 8799	026508036129	117.15
163127	N/A or Unfinished	Cartridge	026508234563	112.15
163128	Chrome	Line List Items	026508234570	69.90
163128CBN	Classic Brushed Nickel	Line List Items	026508239865	104.90
163215	N/A or Unfinished	C-clip	026508255360	10.65
16350	Chrome	Aerator	026508036662	18.05
16352	N/A or Unfinished	Replacement Cartridge For 8884, 8886 & 8889	026508044896	105.65
16360	Chrome	Aerator Removal Tool	026508228944	5.10
166471	N/A or Unfinished	O-ring Kit	026508246542	2.35
174055	N/A or Unfinished	Battery Housing	026508235799	30.55
174056	N/A or Unfinished	Solenoid Repair Kit	026508235904	97.00
174057	N/A or Unfinished	Strain Relief & Sensor Cable	026508235911	26.95
174060	N/A or Unfinished	Mounting Kit	026508235942	17.10
174061	Chrome	Manual Ovrrd Temp Cntrl Handle	026508235959	23.95
174062	N/A or Unfinished	Hardware Kit	026508252765	8.85
174065	N/A or Unfinished	In-line Filter W/ Check Valve	026508252772	48.45

Model No.	Finish	Product Description	UPC Code	List Price
174066	N/A or Unfinished	Filter Screen	026508252789	5.60
174334	N/A or Unfinished	IR Sensor/Bracket 8551 (AC), 8552 (AC)	026508254387	187.35
174335	N/A or Unfinished	Ir Sensor Bracket	026508254394	191.60
174336	Chrome	Plug Button Kit	026508254400	19.00
174337	Chrome	Plug Button Kit	026508254417	19.00
175916	N/A or Unfinished	Adapter Kit	026508261903	15.30
175917	N/A or Unfinished	Adapter Kit	026508261910	15.30
175918	N/A or Unfinished	Adapter Kit	026508261927	15.30
175921	N/A or Unfinished	Adapter Kit	026508266755	15.30
175925	N/A or Unfinished	Service Kit	026508266762	15.30
175926	N/A or Unfinished	Service Kit	026508266779	15.30
176787	N/A or Unfinished	Hardware Kit	026508276044	14.40
178466	Chrome	Escutcheon	026508260920	44.30
178467	Chrome	Handle Kit	026508260937	73.35
181040	N/A or Unfinished	Adapter Kit	026508266786	15.30
181148	Chrome	Spacer Kit	026508274491	79.80
181148BN	Brushed Nickel	Spacer Kit	026508274491	99.80
181148BL	Matte Black	Spacer Kit	026508274491	109.80
181149	Chrome	Spacer Kit	026508274507	69.05
181149BN	Brushed Nickel	Spacer Kit	026508274507	86.30
181149BL	Matte Black	Spacer Kit	026508274507	94.95
182413	N/A or Unfinished	Soap Dispenser Pump	026508272305	62.00
182414	N/A or Unfinished	Soap Dispenser	026508272312	17.50
182415	N/A or Unfinished	Soap Dispenser	026508272329	127.85
182416	N/A or Unfinished	Soap Dispenser	026508272336	94.90
182417	N/A or Unfinished	Soap Dispenser	026508272343	52.15
182418	N/A or Unfinished	Soap Dispenser	026508272350	32.65
182419	N/A or Unfinished	Soap Dispenser	026508272367	15.85
182420	N/A or Unfinished	Soap Dispenser	026508272374	41.55
182421	N/A or Unfinished	Soap Dispenser	026508272381	60.25
182422	N/A or Unfinished	Soap Dispenser	026508272398	148.30
182423	N/A or Unfinished	Service Kit	026508272404	13.60
182534	N/A or Unfinished	Service Kit	026508273708	50.05
182535	N/A or Unfinished	Service Kit	026508273715	134.80
182536	N/A or Unfinished	Service Kit	026508273722	9.55
182537	N/A or Unfinished	Service Kit	026508273739	148.30
182538	N/A or Unfinished	Service Kit	026508273746	21.00
182539	N/A or Unfinished	Service Kit	026508273753	43.90
182540	N/A or Unfinished	Service Kit	026508273760	50.75
182542	N/A or Unfinished	Service Kit	026508273777	16.30
182543	N/A or Unfinished	Service Kit	026508273784	16.20
182544	N/A or Unfinished	Service Kit	026508273791	16.20
182546	Chrome	Deck Plate	026508273807	32.60
182546BN	Brushed Nickel	Deck Plate	026508343951	40.75
182546BL	Matte Black	Deck Plate	026508343692	44.85
182547	Chrome	Service Kit	026508273814	23.55
183073	N/A or Unfinished	Spacer Kit	026508271513	12.75
183082	N/A or Unfinished	Spacer Kit	026508271520	23.55
185794BRB	Chrome	Spout Hub Kit	026508251737	17.45
187104	N/A or Unfinished	Service Kit	026508277911	191.60
191187	N/A or Unfinished	Mounting Hardware	026508291207	11.70
20200	N/A or Unfinished	Aerator	026508202005	51.25
52000	N/A or Unfinished	2 Handle Brass Shell Ceramic Disc Cartridge - Hot	026508160503	15.55
52001	N/A or Unfinished	2 Handle Brass Shell Ceramic Disc Cartridge - Cold	026508160510	15.55
52002	N/A or Unfinished	Cartridge Nut,O-Ring, Cover 8200 Series	026508160527	21.60
52003	Chrome	Widespread Escutcheon 8200 Series	026508160534	35.90
52005	N/A or Unfinished	Torx Head Wrench 8200 Series	026508160541	4.75
52006	Chrome	Aerator Assembly	026508160558	10.75
52008	Chrome	Lever Handle, Cold, 8200 Series	026508160572	23.95
52009	Chrome	Lever Handle,Hot, 8200 Series	026508160589	23.95
52010	Chrome	Wrist Blade Handle, Hot, 8200 Series	026508165041	47.85
52011	Chrome	Wrist Blade Handle, Cold, 8200 Series	026508165058	47.85
52012	Chrome	Vacuum Breaker Service Kit	026508182451	16.75
52015	Chrome	Aerator Kit	026508212554	44.25
52016	Chrome	Aerator Assembly	026508165065	20.15
52016F03	Chrome	Aerator .35 GPM Vandal Resistant	026508236277	18.60
52016F05	Chrome	Aerator .5 GPM Vandal Resistant	026508236284	18.60
52016F10	N/A or Unfinished	Aerator	026508228708	18.60
52016F12	Chrome	Aerator Kit	026508269619	10.10
52016F15	Chrome	Aerator 1.5 GPM Vandal Resistant	026508236291	18.60
52016F22	Chrome	Aerator 2.2 GPM Vandal Resistant	026508236307	18.60
52016SLC05	N/A or Unfinished	Aerator Kit	026508274293	18.60
52016SLC12	N/A or Unfinished	Aerator Kit	026508269121	18.60
52016SLC22	N/A or Unfinished	Aerator Kit	026508274309	18.60

Model No.	Finish	Product Description	UPC Code	List Price
52018F22	N/A or Unfinished	Aerator	026508232934	10.65
52019	Chrome	Wall Escutcheon And Gasket	026508212561	63.30
52020	Chrome	Wall Escutcheon And Gasket	026508212578	63.30
52021	Chrome	Spout Hub Kit	026508212585	109.95
52022	Chrome	Set Screw Kit	026508212592	1.85
52023	N/A or Unfinished	Mounting Kit	026508212608	32.30
52024	Satin Stainless	Set Screw Kit	026508212615	1.85
52025	N/A or Unfinished	Gasket	026508212622	3.05
52026	Chrome	Service Kit	026508219409	21.60
52028	Chrome	Spout Hub Kit	026508228340	59.70
52035	Chrome	Handle Kit	026508229576	23.95
52100	N/A or Unfinished	Cartridge	026508207635	84.85
52110	Chrome	Handle Kit	026508207642	64.75
52120	Chrome	Metering Conversion Kit	026508207048	157.50
52122	Chrome	Metering Escutcheon Kit	026508207215	49.95
52124GBM25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508234112	251.45
52124GBM25CBN	Classic Brushed Nickel	Slide Bar/grab Bar Shower	026508234129	515.50
52125	Chrome	Metering Cartridge Nut	026508207222	25.05
52136GBM25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508191330	274.25
52136GBM25CBN	Classic Brushed Nickel	Slide Bar/grab Bar Shower	026508191347	562.20
52224GBM15	Chrome/Stainless	Slide Bar/grab Bar Shower	026508226964	257.20
52224GBM15CBN	Classic Brushed Nickel	Slide Bar/grab Bar Shower	026508236970	527.15
52224GBM17	Chrome/Stainless	Slide Bar/grab Bar Shower	026508226971	257.20
52224GBM25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508226995	257.20
52224GBP25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508227008	223.00
52236GBM15	Chrome/Stainless	Slide Bar/grab Bar Shower	026508227015	280.05
52236GBM15CBN	Classic Brushed Nickel	Slide Bar/grab Bar Shower	026508237007	572.90
52236GBM17	Chrome/Stainless	Slide Bar/grab Bar Shower	026508227022	280.05
52236GBM25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508227046	280.05
52236GBP25	Chrome/Stainless	Slide Bar/grab Bar Shower	026508226957	245.80
52600	Chrome	Rosetta Spray Aerator	026508026205	16.75
52601	Chrome	Rosetta Spray Aerator	026508026229	16.75
52602	Chrome	Includes Vandal Resistant Rosetta Spray Aerator	026508026250	18.05
52603	Chrome	Includes Vandal Resistant Rosetta Spray Aerator	026508026281	18.05
52608	Chrome	Laminar Flow Aerator	026508030394	16.75
52609	Chrome	Laminar Flow Aerator	026508026502	16.75
52610	Chrome	Includes Vandal Resistant Aerator	026508030400	18.05
52611	Chrome	Includes Vandal Resistant Aerator	026508035856	18.05
52612	Chrome	Laminar Flow Aerator	026508035894	16.75
52613	Chrome	Laminar Flow Aerator	026508035900	16.75
52614	Chrome	Includes Vandal Resistant Aerator	026508027851	18.05
52615	Chrome	Includes Vandal Resistant Aerator	026508027868	18.05
52618	Chrome	AERATOR MALE THREAD .035 GPM VP CHR	026508035917	13.45
52620	Chrome	Rosetta Spray Aerator	026508035979	26.35
52652	N/A or Unfinished	Laminar Flow Spout, Flow Control In Base 1.5 Gpm	026508036198	28.75
52653	N/A or Unfinished	Laminar Flow Aerator	026508029336	30.00
52655	Chrome	Laminar Flow Spout, Flow Control In Base 0.5gpm	026508029510	18.05
52703	Chrome	Vacuum Breaker	026508026083	70.55
52711	N/A or Unfinished	Gray Plastic Slide Bar/grab Bar Shower Connecter	026508228630	52.90
52714	N/A or Unfinished	Slide Bar/grab Bar Shower	026508249871	52.90
54035	Chrome	Handle Kit	026508241455	33.75
54036	N/A or Unfinished	Hot/cold Indicator Kit	026508241462	11.05
59001	Chrome	Handle Kit	026508012376	37.15
59002	N/A or Unfinished	Cartridge Repair Kit	026508012383	30.45
59003	N/A or Unfinished	Temperature Limit Stop Kit	026508012390	15.15
59004	Chrome	Handle Elbows	026508012406	24.20
59005	N/A or Unfinished	Aerator Removal Tool	026508261613	4.40
59006	Chrome	Waste Assembly	026508012413	62.70
59007	N/A or Unfinished	Mounting Hardware	026508007457	24.60
59008	Chrome	Handle Kit	026508261491	38.15
59009	N/A or Unfinished	Hot/cold Indicator Kit	026508261620	6.15
59010	Chrome	Handle Hub Kit	026508261507	73.90
59011	N/A or Unfinished	Hardware Kit	026508261514	25.75
59012	Chrome	Spout Kit	026508261637	174.35
59013	Chrome	Spout Kit	026508261644	174.35
59014	Chrome	Spout Kit	026508261651	175.55
59015	Chrome	Spout Kit	026508261668	175.55
59016	Chrome	Escutcheon & Gasket Kit	026508261521	31.25
59017	Chrome	Handle Escutcheon	026508261538	47.80
59018	Chrome	Escutcheon & Gasket Kit	026508261675	53.05
59019	Chrome	Handle Kit	026508261682	60.25
59021	Chrome	Diverter Tub Spout	026508261545	91.00
59022	Chrome	Non Diverting Tub Spout	026508261699	84.05
59023	N/A or Unfinished	Diverter Tub Spout Repair Kit	026508261705	16.50

COMMERCIAL

Model No.	Finish	Product Description	UPC Code	List Price
59024	Chrome	Waste Assembly	026508261552	78.60
59025	N/A or Unfinished	Hardware Kit	026508261569	48.00
59029	Chrome	Set Screw Kit	026508264744	5.45
59031	Chrome	Lavatory Drain Assembly	026508264768	43.30
59033	Chrome	Lift Rod Kit	026508264775	15.70
59034	Chrome	Spout Kit	026508264782	151.50
59035	Chrome	Spout Kit	026508264799	149.40
59036	Chrome	Handle Kit	026508264805	73.15
59037	Chrome	Plug Button Kit	026508264812	4.75
840011	Chrome	Handle Cap Kit	026508237076	88.45
840011CBN	Classic Brushed Nickel	Handle Cap Kit	026508243299	132.70
840012	Chrome	Handle Cap Kit	026508237083	88.45
840012CBN	Classic Brushed Nickel	Handle Cap Kit	026508191354	132.70
840015F03	Chrome	Aerator	026508236338	13.45
840015F12	N/A or Unfinished	Aerator	026508269640	29.70
840015F15	Chrome	Aerator	026508236369	13.45
840015F22	Chrome	Aerator	026508236352	13.45
840016	N/A or Unfinished	Back Flow Preventor Kit	026508233450	45.55
870112	Chrome	Escutcheon	026508244142	14.20
870113	Chrome	Deck Plate	026508244067	47.60
870114	Chrome	Spout Kit	026508244159	122.35
870115	Chrome	Spout Kit	026508244166	125.90
870116	Chrome	Escutcheon	026508246375	138.70
870121	Chrome	Spout Kit	026508271278	111.40
881111	Chrome	Handle Cap Kit	026508235201	23.95
881121	Chrome	Spout Kit	026508235249	109.95
91194	Chrome	Spout Kit	026508020937	88.25
91992	Chrome	Spout Kit	026508036228	64.85
92191	Chrome	Tri-Blade Replacement Handles,Quantity 2	026508032923	53.75
93379	Chrome	Handle CapWith Color Indicators, All 1 Handle Lever Faucets	026508040089	18.85
93380	Chrome	Lever Handle Kit, 1 Handle Kitchen, 4˝	026508040096	93.85
93390	Chrome	Lever Handle Kit, 1 Handle Lav, 4˝	026508040102	91.15
93400CBN	Classic Brushed Nickel	Handle Screw	026508244708	17.80
93426	Chrome	Easy Grip Handle Kit, 1 Handle Tub/Shower,Vandal Proof	026508040225	49.05
93455	Chrome	Escutcheon Screws,Torx For Posi-Temp & Moentrol 1 Handle Tub/Showers	026508040119	10.75
93455CBN	Classic Brushed Nickel	Escutcheon Screws	026508244722	12.50
96885CBN	Classic Brushed Nickel	Escutcheon	026508244739	65.65
97577	Chrome	Escutcheon	026508039830	56.45
99457	Chrome	Deck Plate For 8884 (prior To 2009)	026508049754	28.10
99550	Chrome	Deck Plate	026508207659	30.45
99551	Chrome	Deck Plate	026508220689	30.45
99556	Chrome	Escutcheon & Gasket Kit	026508252130	33.30
99556BN	Brushed Nickel	Escutcheon & Gasket Kit	026508252130	41.65
99556BL	Matte Black	Escutcheon & Gasket Kit	026508252130	48.80
99557	Chrome	Deck Plate	026508252147	33.30
99557BN	Brushed Nickel	Deck Plate	026508343975	41.65
99557BL	Matte Black	Deck Plate	026508343968	45.80
99558	Chrome	Deck Plate	026508252154	42.80
99558BN	Brushed Nickel	Deck Plate	026508343869	53.50
99558BL	Matte Black	Deck Plate	026508343708	58.85
99559	Chrome	Deck Plate	026508258859	33.30
99915	N/A or Unfinished	Silicone Grease Pack	026508045541	0.25
A705	Chrome	Shower Arm Flange	026508240816	56.05
A705CBN	Classic Brushed Nickel	Shower Arm Flange	026508240823	84.05
A723	Chrome	59˝ Plastic Hose (vacuum Breaker Sold Seperately)	026508228654	30.35

Model No.	UPC	Page Number	Case Qty.	List Price
1213	26508328057	707	18	110.00
3360	26508222768	684	6	205.55
5263	26508237212	705	12	56.35
5263CBN	26508237229	705	12	102.85
5263EP15	26508237236	705	12	56.35
5263EP15CBN	26508237243	705	12	102.85
5263EP17	26508237250	705	12	56.35
5263EP17CBN	26508237267	705	12	102.85
8103	26508162309	653	6	182.95
8106	26508162323	653	6	247.00
8113	26508162279	653	6	271.05
8116	26508162316	653	6	335.10
8119	26508162330	651	6	317.75
8121	26508025208	651	6	257.80
8124	26508026168	652	6	269.30
8125	26508026182	650	6	195.65
8126	26508162347	651	6	318.60
8137	26508185476	650	6	256.55
8138	26508199046	650	6	305.40
8161	26508227718	650	6	155.15
8198	26508140680	652	10	67.95
8199	26508140697	652	10	49.50
8210	26508153789	642	6	209.90
8210F05	26508235430	642	6	209.90
8210F12	26508266847	642	6	209.90
8210SMF05	26508258866	642	6	209.90
8210SMF12	26508266854	642	6	209.90
8215	26508161180	643	6	232.75
8215F03	26508235447	643	6	232.75
8215F05	26508235454	643	6	232.75
8215F12	26508266946	643	6	232.75
8215SMF12	26508266830	643	6	232.75
8216	26508014172	642	6	237.10
8218	26508155127	642	6	230.25
8219	26508167786	643	6	258.60
8220	26508015964	640	3	328.75
8220F05	26508235508	640	3	328.75
8223	26508155417	640	3	364.85
8224	26508155424	640	3	357.85
8225	26508162439	646	3	341.35
8225SM	26508238677	646	3	341.35
8225SMF15	26508238684	646	3	341.35
8226	26508155431	647	6	263.75
8227	26508162255	647	3	320.60
8228	26508161197	641	3	349.50
8228F05	26508235522	641	3	349.50
8228F12	26508266823	641	3	349.50
8229	26508162262	646	6	284.60
8230	26508172179	652	3	218.45
8232	26508199053	652	6	316.10
8239	26508015971	641	3	385.60
8242	26508185483	647	3	367.70
8244	26508185490	647	3	388.40
8248	26508181089	646	3	334.30
8248SM	26508238691	646	3	334.30
8248SMF12	26508267073	646	3	334.30
8270	26508154618	644	6	249.65
8272	26508154625	644	6	261.75
8273	26508181492	644	6	214.65
8274	26508155448	644	6	201.25
8276	26508167717	645	6	224.10
8277	26508199060	651	6	227.10
8278	26508167809	645	6	263.05
8278SM	26508238714	645	6	263.05

Model No.	UPC	Page Number	Case Qty.	List Price
8278SMF12	26508267080	645	6	263.05
8279	26508167816	645	6	284.65
8279SM	26508238738	645	6	279.90
8279SMF12	26508267097	645	6	279.90
8280	26508154632	648	6	252.80
8285	26508161203	648	6	273.55
8287	26508162231	648	6	315.10
8289	26508162248	648	6	335.75
8290	26508154069	705	12	126.35
8290EP15	26508213360	705	12	121.45
8292	26508172186	705	12	131.90
8310	26508006412	675	3	636.50
8310AC16	26508167649	675	3	636.50
8310ACDF16	26508205969	675	3	668.20
8310BPW16	26508242261	681	2	605.20
8310BPW35	26508242254	681	3	605.20
8310BPWR	26508240151	681	3	427.90
8310DF16	26508205976	675	3	668.20
8310M128	26508236529	680	3	198.30
8310M16	26508236536	680	3	198.30
8310M35	26508236543	680	3	198.30
8310MR128	26508236550	681	6	159.55
8310MR16	26508239216	681	6	159.55
8310MR35	26508236567	681	6	159.55
8310R16	26508160329	677	3	532.60
8310RDF16	26508205983	677	3	559.15
8310S35	26508265123	675	3	636.50
8310SR128	26508265178	677	3	532.60
8310SR35	26508265192	677	3	532.60
8311	26508199077	675	3	636.50
8311AC12	26508199091	675	3	636.50
8312	26508152225	675	3	636.50
8312AC10	26508167656	676	3	636.50
8312M0125	26508236574	680	3	198.30
8312M05	26508236581	680	3	198.30
8312M10	26508236598	680	3	198.30
8312MR0125	26508236604	681	6	159.55
8312MR05	26508236611	681	6	159.55
8312MR10	26508236628	681	6	159.55
8312R10	26508160305	677	3	532.60
8312SR05	26508265260	677	3	532.60
8312SR125	26508265284	677	3	532.60
8314	26508152232	676	3	636.50
8314M10	26508236642	680	3	198.30
8315	26508199084	675	3	636.50
8315AC05	26508199107	676	3	636.50
8316	26508205990	675	3	636.50
8316AC	26508213223	676	3	636.50
8341	26508078259	690	1	688.25
8342	26508078266	689	1	694.15
8342EP15	26508213377	689	1	694.15
8343	26508083130	686	1	712.90
8346	26508063347	693	4	492.80
8346EP15	26508213384	693	4	492.80
8349	26508015094	704	6	79.90
8349CBN	26508237038	704	6	116.35
8349EP15	26508213391	704	6	79.90
8349EP15CBN	26508237045	704	6	116.35
8349EP17	26508228647	704	6	79.90
8349EP17CBN	26508237052	704	6	116.35
8360	26508086810	700	6	243.70
8370	26508013960	698	12	198.10
8370HD	26508228470	684	6	139.65
8371HD	26508228487	684	6	168.05

Model No.	UPC	Page Number	Case Qty.	List Price
8372HD	26508228494	684	6	168.05
8373HD	26508228500	684	6	168.05
8374HD	26508228517	684	6	181.15
8375	26508040423	697	12	223.20
8375EP15	26508213407	697	12	223.20
8375HD	26508239803	684	6	168.05
8389	26508040430	695	6	254.90
8389EP15	26508213414	695	6	254.90
8400	26508015063	660	12	188.20
8413	26508129715	639	6	179.75
8413F03	26508234440	639	3	179.75
8413F05	26508234457	639	3	179.75
8413F12	26508266564	639	3	179.75
8414	26508137123	639	6	214.50
8414F12	26508269954	639	3	214.50
8414F12BN	26508271773	639	3	277.55
8416	26508017272	639	6	193.05
8416F05	26508234471	639	3	193.05
8417	26508129722	638	6	248.30
8417F05	26508234495	638	6	248.30
8417F12	26508266571	638	6	261.95
8418	26508150801	638	6	260.95
8419F05	26508227848	638	6	282.05
8419F12	26508266588	638	6	297.55
8420	26508015070	660	12	218.40
8420CBN	26508235324	660	12	273.05
8422	26508232125	660	12	197.45
8422F05	26508232149	660	12	197.45
8425	26508015087	660	12	212.65
8430	26508066454	661	12	147.15
8430CBN	26508235348	661	12	184.00
8430F05	26508232156	661	12	147.15
8432	26508066461	661	12	181.10
8432F05	26508264706	661	12	181.10
8434	26508066478	661	12	174.60
8437	26508232163	661	12	190.55
8437CBN	26508235355	661	12	238.15
8439	26508232170	661	12	156.65
8439F05	26508232675	661	12	156.65
8551	26508249901	668	6	644.95
8551AC	26508249918	668	6	663.95
8552	26508249925	668	6	719.95
8552AC	26508249932	668	6	719.95
8553	26508249949	671	6	644.95
8553AC	26508249956	671	6	663.95
8553ACBL	26508344590	671	6	896.35
8553ACBN	26508344606	671	6	829.95
8553BL	26508343715	671	6	870.70
8553BN	26508343722	671	6	806.20
8554	26508249963	671	6	719.95
8554AC	26508249970	671	6	719.95
8554ACBL	26508344613	671	6	989.95
8554ACBN	26508344620	671	6	899.95
8554BL	26508343739	671	6	989.95
8554BN	26508343746	671	6	899.95
8558	26508271995	667	3	523.45
8558BL	26508343753	667	3	719.75
8558BN	26508343760	667	3	654.30
8559	26508271483	667	6	615.25
8559BL	26508341599	667	6	845.95
8559BN	26508343777	667	6	769.05
8560	26508272008	667	3	523.45
8560BL	26508343784	667	3	719.75
8560BN	26508343791	667	3	654.30
8562	26508271490	668	3	1,117.10
8565	26508271506	668	3	639.80
8701	26508129739	649	6	155.20
8707	26508206515	649	6	184.90
8711	26508020289	649	6	231.95
8713	26508020951	649	6	465.70
8714	26508015933	649	6	480.15
8717	26508237649	649	6	274.05
8780	26508021859	664	6	125.75
8791	26508125700	664	6	148.20
8792	26508125717	664	6	287.00
8798	26508003930	664	6	201.55
8799	26508013779	664	6	262.70
8800	26508007778	663	6	174.65
8800CBN	26508235379	663	6	214.15
8800F05	26508235317	663	6	174.65
8810	26508007785	663	6	200.25
8820	26508007792	663	6	206.30
8820CBN	26508235386	663	6	253.05
8884	26508093238	657	6	189.05
8886	26508093245	657	6	348.45
8889	26508093252	657	6	446.00
8894	26508220672	657	6	214.65
8915	26508094143	663	12	128.40
8915CBN	26508235393	663	12	160.45
8917	26508030325	663	12	151.35
8917CBN	26508235409	663	12	189.25
8922	26508039175	662	6	270.65
8922CBN	26508235416	662	6	324.80
8924	26508039205	662	6	289.60
8938	26508003954	665	6	174.15
8940	26508013762	665	6	248.85
8948	26508061695	665	6	171.80
8957	26508030264	665	12	134.15
9220F05	26508255391	640	3	338.70
9220F12	26508266953	640	3	357.35
9223F05	26508257302	640	3	376.30
9223F12	26508266960	640	3	397.00
9263	26508255421	704	12	77.05
9263EP15	26508255438	704	12	77.05
9349	26508255445	704	6	113.40
9349EP15	26508255452	704	6	113.40
9417F05	26508257296	637	3	274.75
9417F12	26508266977	637	3	274.75
9419F05	26508255483	637	3	305.30
9419F12	26508266984	637	3	322.10
9480	26508255490	660	3	170.05
9482	26508255506	660	3	199.35
9921	26508255513	662	3	258.30
9922	26508255520	662	3	272.05
52100	26508207635	658	24	87.80
52120	26508207048	644	12	157.50
52124GBM25	26508234112	701	3	251.45
52124GBM25CBN	26508234129	701	3	515.50
52136GBM25	26508191330	702	3	274.25
52136GBM25CBN	26508191347	702	3	562.20
52224GBM15	26508226964	701	3	257.20
52224GBM15CBN	26508236970	701	3	527.15
52224GBM17	26508226971	701	3	257.20
52224GBM25	26508226995	701	3	257.20
52224GBP25	26508227008	701	3	223.00
52236GBM15	26508227015	702	3	280.05
52236GBM15CBN	26508237007	702	3	572.90
52236GBM17	26508227022	702	3	280.05
52236GBM25	26508227046	702	3	280.05
52236GBP25	26508226957	702	3	245.80
52710	26508063361	703	6	291.90
52710CBN	26508237106	703	6	580.95
52710EP15	26508213346	703	6	291.90
52710EP15CBN	26508237144	703	6	580.95
52716EP15	26508213353	705	20	74.20
52740EP17	26508228524	703	6	291.30
52748EP15	26508234754	703	6	212.95
104451	26508199282	672	12	184.65
104463	26508324257	708	12	180.55
104464	26508324240	708	12	180.55
104465	26508204368	708	12	184.65
104466	26508267103	708	12	184.65
104555	26508246535	682	20	115.10
104556	26508244074	682	20	115.10
104557	26508244081	706	20	20.15
174334	26508254387	655	12	187.35
182423	26508272404	678	12	14.10
182539	26508273753	673	12	45.45
A705	26508240816	704	12	56.05
A705CBN	26508240823	704	12	84.05
A714ST	26508081013	644	24	68.50
A725	26508044551	706	12	58.45
A725CBN	26508191224	706	12	79.70
A726	26508073032	706	12	112.50
A780	26508227138	706	20	132.75
CA8301	26508211076	667	3	623.50
CA8301BL	26508343807	667	3	857.35
CA8301BN	26508343814	667	3	779.40
CA8302	26508211083	667	6	615.25
CA8302BL	26508343821	667	6	845.95
CA8302BN	26508343838	667	6	769.05
CA8303	26508211090	668	3	693.80
S0000	26508181461	654	12	49.65
S0000T	26508269633	655	12	34.35
S0001	26508025314	654	12	61.80
S0002	26508025321	654	12	63.10
S0003	26508025338	654	12	61.80
S0004	26508025345	654	12	74.20
S0006	26508025369	654	12	47.10
S0007	26508025376	654	12	63.10
S0009	26508025390	654	12	68.00
S0010	26508025406	654	12	74.20
S0010T	26508269824	655	12	56.35
S0011	26508025413	654	12	61.80
S0012	26508025420	654	12	134.85
S0020	26508148112	655	12	63.10
S0020T	26508269831	655	12	45.65
S0030	26508148129	655	12	69.30
S0030NA	26508273821	655	6	68.95
S0030T	26508269848	655	12	51.60
S0050	26508160718	655	12	76.70
S0050T	26508269855	655	12	58.75
S0060	26508199275	655	12	95.25
S0070	26508181478	655	12	80.10
SMA1000CH	34584007728	706	24	36.90
SV003	26508025444	654	12	127.40
SV006	26508025475	654	12	118.75
SV010	26508025512	654	12	124.90
T4192	26508260326	700	12	129.50
T8341	26508228555	690	1	354.70
T8342	26508228562	689	1	361.00
T8342CBN	26508237151	689	1	530.65
T8342EP15	26508228579	689	1	361.00
T8342EP15CBN	26508237168	689	1	530.65
T8342NH	26508237175	689	1	352.35
T8342NHCBN	26508237182	689	1	483.15
T8343	26508228586	686	1	381.40
T8343CBN	26508237199	686	1	560.80
T8343EP15	26508228593	686	1	381.40
T8343EP15CBN	26508237625	686	1	560.80
T8343NH	26508237632	686	1	372.80
T8343NHCBN	26508235751	686	1	513.30
T8346	26508228609	693	4	333.15
T8346CBN	26508235638	693	4	472.40
T8346EP15	26508228616	693	4	333.15
T8346EP15CBN	26508235645	693	4	472.40
T8360	26508222775	700	3	48.15
T8360CBN	26508235652	700	3	87.95
T8370	26508211885	698	3	37.65
T8370CBN	26508235669	698	3	68.75
T8375	26508211892	697	3	65.05
T8375CBN	26508235676	697	3	100.10
T8375EP15	26508222782	697	3	65.05
T8375EP15CBN	26508235683	697	3	100.10
T8375NH	26508235690	697	3	46.10
T8375NHCBN	26508235706	697	3	77.05
T8389	26508212134	695	3	99.60
T8389CBN	26508235713	695	3	155.60
T8389EP15	26508222799	695	3	99.60
T8389EP15CBN	26508235720	695	3	155.60
T8389NH	26508235737	695	3	83.20
T8389NHCBN	26508235744	695	3	121.85
T9342	26508257333	687	1	493.55
T9342EP15	26508257340	687	1	493.55
T9342GBM15	26508257388	688	1	542.85
T9342GBM25	26508257371	688	1	542.85
T9343	26508257319	684	1	521.50
T9343EP15	26508257326	684	1	521.50
T9343GBM15	26508257364	685	1	573.65
T9343GBM25	26508257357	685	1	573.65
T9346	26508255544	691	4	434.80
T9346EP15	26508255551	691	4	434.80
T9346GBM15	26508255568	692	1	478.25
T9346GBM25	26508255575	692	1	478.25
T9360	26508255582	700	3	133.20
T9370	26508255599	698	3	104.10
T9375	26508255605	696	3	130.25
T9375EP15	26508255612	696	3	130.25
T9389	26508255629	694	3	165.70
T9389EP15	26508255636	694	3	165.70
U8350	26508319697	699	3	255.30
UT8350	26508321126	699	3	189.70
UT8350CBN	26508321133	699	3	243.45

COMMERCIAL

NOTES

PRICE BAND IDENTIFICATION

KITCHEN AND BAR/PREP COLLECTIONS

Premium / Best – IMAP Protected

- Nio™ - MODERN
- STō® – MODERN
- Weymouth® – TRADITIONAL
- Sinema™ – TRANSITIONAL
- Paterson™ – TRADITIONAL

2nd Upgrade / Better – IMAP Protected

- Align® – MODERN
- KURV™ – TRANSITIONAL

1st Upgrade / Good – IMAP Protected

- Sleek™ – MODERN
- Genta™ – MODERN
- Belfield™ – TRADITIONAL

1st Upgrade / Good – Not IMAP Protected

- Brantford® – TRADITIONAL
- Arbor® – TRANSITIONAL
- Camerist® – TRANSITIONAL
- Method™ – MODERN
- Core Soap Dispensers

Spec – Not IMAP Protected

- Integra® – TRANSITIONAL
- Chateau® – TRANSITIONAL
- Banbury® – TRADITIONAL
- Torrance™ – TRANSITIONAL

Premium / Best – IMAP Protected

- Pot Fillers
- Sip™ Beverage Faucets
- Premium Soap Dispensers

KITCHEN SINKS

Sinks & Disposals – IMAP Protected

- Fireclay
- Granite
- 1600® Professional Series
- 1800® Series
- 2000® Series

TOUCHLESS U BY MOEN™/ MOTIONSENSE™/ MOTIONSENSE WAVE™ KITCHEN COLLECTIONS

Premium / Best – IMAP Protected

U by Moen™ Smart Faucet
- Nio™ - MODERN
- STō® - MODERN
- Weymouth® – TRADITIONAL
- Sinema™ – TRANSITIONAL
- Paterson™ – TRADITIONAL

MotionSense™
- STō® - MODERN

2nd Upgrade / Better – IMAP Protected

U by Moen™ Smart Faucet
- Align® - MODERN
- KURV™ – TRANSITIONAL

MotionSense™
- Align® - MODERN

MotionSense Wave™
- Align® - MODERN
- KURV™ – TRANSITIONAL

1st Upgrade / Good – IMAP Protected

U by Moen™ Smart Faucet
- Brantford® – TRADITIONAL
- Arbor® – TRANSITIONAL
- Sleek™ - MODERN
- Belfield™ – TRADITIONAL

MotionSense™
- Brantford® – TRADITIONAL
- Arbor® - TRANSITIONAL

MotionSense Wave™
- Brantford® – TRADITIONAL
- Arbor® – TRANSITIONAL
- Sleek™ - MODERN
- Belfield™ – TRADITIONAL
- Brantford® – TRADITIONAL

GARBAGE DISPOSALS

Sinks & Disposals – IMAP Protected

- GT Series - featuring Fast Track™ Installation
- GX Series
- GXPro Series

FLO BY MOEN™

Premium / Best – IMAP Protected

- Flo by Moen™

BATH AND SHOWER COLLECTIONS

Premium / Best – IMAP Protected

- Weymouth®* – TRADITIONAL
- Arris®* – MODERN
- 90°™* – MODERN
- Via®* – MODERN
- Doux™* – MODERN
- Flara®* – TRANSITIONAL
- Colinet™* – TRADITIONAL
- U by Moen™ Shower
- Premium Showerheads, Handshowers & Shower Rails
- Annex & Nebia

2nd Upgrade / Better – IMAP Protected

- Cia™ – MODERN
- Wynford®* – TRADITIONAL
- Align®* – MODERN
- Voss®* – TRANSITIONAL
- Belfield™* – TRADITIONAL
- Kingsley®* – TRADITIONAL
- Rizon® – MODERN

1st Upgrade / Good – IMAP Protected

- Dartmoor™* – TRADITIONAL
- Glyde™* – TRANSITIONAL

1st Upgrade / Good – Not IMAP Protected

- Brantford®* – TRADITIONAL
- Eva®* – TRANSITIONAL
- Vichy™ – MODERN
- Genta™* – MODERN
- Gibson™ – MODERN

Spec – Not IMAP Protected

- Chateau® – TRANSITIONAL

MOTIONSENSE WAVE BATH COLLECTIONS

2nd Upgrade / Better – IMAP Protected

- Cia™ – MODERN

Look for the WaterSense® logo to identify water-efficient Moen® faucets and showerheads that meet WaterSense® criteria.

Moen® kitchen faucet SKUs* are manufactured with a 1.5 gpm aerator that is certified to meet WaterSense® criteria. As of July 1, 2016, lavatory faucets are manufactured with a 1.2 gpm aerator that is certified to meet WaterSense® criteria and the California Energy Commission (CEC) regulation. The packaging label clearly indicates the WaterSense® logo and product flow rate. If the product you receive does not have the qualifying label markings, a replacement aerator can be ordered by calling 1-800-BUY-MOEN.

Moen® flow-optimized rainshowers and showerheads use up to 30% less water (compared to traditional 2.5 gpm showerheads) without sacrificing performance. Products throughout our showering portfolio with a WaterSense logo — including wall-mount, handshower and rainshower showerheads - are certified to meet EPA WaterSense® labeling criteria. These also contribute towards maximizing LEED points.

*Excluding all bathtub spouts and some commercial faucets and showerheads.

Moen® Eco-Performance (EP) showerheads and handshowers are flow-optimized to use up to 30% less water (compared to traditional 2.5 gpm showerheads) without sacrificing performance, and contribute towards maximizing LEED points.

The U.S. Green Building Council® developed the Leadership in Energy and Environmental Design (LEED®) Green Building Rating System as a nationally accepted benchmark for measuring and documenting green building practices.

The Green UPC® symbol indicates that this product has been certified by the International Association of Plumbing and Mechanical Officials (IAPMO) to reduce water consumption by at least 20% when compared to standard flow rates.

All Moen® lavatory and kitchen faucets meet NSF 372 requirements.

ADA Compliant – Many Moen® faucets, sinks and shower valve controls meet requirements for the physically challenged.

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

Google is a trademark of Google LLC.

Apple is a trademark of Apple Inc., registered in the U.S. and other countries. HomeKit is a trademark of Apple Inc.

Shower Valve Rates

Flow Rate vs. Flowing Inlet Pressure of Moen Showering Valves (Unrestricted)



1. **¾" ExactTemp®**
   S3371 ¾" ExactTemp: 18.0 gpm
2. **U by Moen™ Shower – Four-Outlet**
   S3104 Four-Outlet: 16.0 gpm
3. **Volume Control**
   S3600 Volume Control: 13+ gpm
4. **U by Moen Shower – Two-Outlet**
   S3102 Two-Outlet: 10.3 gpm
5. **Posi-Temp® Tub Port**
   Four Port Valves
   Flow at Tub: 6.3 gpm
6. **Posi-Temp Shower Port**
   Three Port Valves
   Flow at Tub: 6.3 gpm
7. **M-CORE™ 3-Series Tub Port**
   Flow at Tub: 6.2 gpm
8. **M-CORE 3-Series Shower Port**
   Flow at Shower: 5.8 gpm
9. **M-CORE 2-Series Tub Port**
   Flow at Tub: 6.7 gpm
10. **M-CORE 2-Series Shower Port**
    Flow at Shower: 6.4 gpm
11. **M-CORE with Transfer**
    Two Outlets: 5.6 gpm
12. **Posi-Temp Shower Port 4-Port Valve**
    Flow at Shower: 4.0 gpm
13. **Posi-Temp with Integrated Transfer Valve**
    Two Outlets: 5.0 gpm

Shower Spa Installation Recommendations

Graph Line	Valve	Flow Rate through shower port (gpm) @ 20 PSI	Flow Rate through shower port (gpm) @ 40 PSI	Flow Rate through shower port (gpm) @ 60 PSI	Use with 2- or 3-function transfer	Maximum Components
1	¾" ExactTemp® S3371	11.4	15.7	18.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
2	U by Moen™ Four-Outlet S3104	9.0	13.0	16.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
4	U by Moen Two-Outlet S3102	6.0	8.5	10.0	No	Showerhead, handshower or showerhead, 2 body sprays
6	Posi-Temp® Three Port Valves	3.6	5.1	6.3	Yes	Showerhead, handshower or showerhead, 2 body sprays*
8	M-CORE™ 3-Series Shower Port	3.1	4.6	5.8	Yes	Showerhead, handshower or showerhead, 2 body sprays*
10	M-CORE 2-Series Shower Port	3.5	5.1	6.4	Yes	Showerhead, handshower or showerhead, 2 body sprays*
11	M-CORE with Transfer	3.0	4.5	5.6	No	Showerhead, handshower or showerhead, 2 body sprays*
12	Posi-Temp Shower Port Four Port Valves	2.1	3.2	4.0	Yes	Showerhead, handshower
13	Posi-Temp with Integrated Transfer Valves	3.0	4.0	5.0	Yes	Showerhead, handshower

* Min 50 psi recommended when plumbing a showerhead and 2 body sprays for shared flow.

MOEN®

Customer Service

Moen, Commercial, CFG and Garbage Disposal

MOEN FAUCET PRODUCTS

Phone: 1-800-531-1600

Fax: 1-800-848-6636

Email orders and general inquires to:

moencustomerservicewholesaleUS@moen.com

CUSTOMERNET

To enroll for access to website, password resets and CustomerNet inquiries:

Phone: 1-888-450-5829

Email: cnctacts@moen.com

Website: customernet.moen.com

MOEN ACCESSORY PRODUCTS

Phone: 1-800-882-0116

Fax: 1-888-379-2720

Email orders and general inquires to:

moencustomerserviceUS@moen.com

HELPFUL WEBSITES

moen.com

CFGonline.com

moen.com/commercial

Pricing effective February 1, 2021. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.

Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Connect with us:
moen.com/social

Visit our website at moen.com

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive
North Olmsted, OH 44070-8022

1-800-BUY-MOEN

Canada Headquarters:
Moen
2816 Bristol Circle
Oakville, Ontario L6H 5S7

1-800-465-6130

MF1819P 8K-2/21-DENHS

© 2021 Moen Incorporated